DORN BRACHT

Specification Book Bath 2026

EXPORT

The digital price list*

Price List –
does not include statutory VAT

Valid from 01.04.2026

Inspiring your vision

Finishes



	Chrome	Brushed Chrome **	Platinum	Brushed Platinum	Light Gold (PVD)	Brushed Light Gold (PVD)	Brushed Gold (PVD)	Champagne (22kt Gold)	Brushed C pagn (22kt G
Colour Code	-00	-93	-08	-06	-26	-27	-37	-47	-46
RAL/NCS Classification									
Manufacturing Process	Electroplating				PVD Technique				
Bathroom									
COYA	●	Atelier	Atelier	●	–	–	–	●	●
CL.1	●	Atelier	Atelier	●	–	–	–	●	●
CYO	●	Atelier	Atelier	●	–	–	–	Atelier	Ateli
IMO	●	●	Atelier	●	–	●	●	Atelier	Ateli
LISSÉ	●	●	Atelier	●	–	●	–	Atelier	Ateli
LULU	●	Atelier	Atelier	●	–	–	–	Atelier	Ateli
MADISON	●	Atelier	●	●	–	–	–	Atelier	Ateli
MEM	●	Atelier	●	●	–	–	–	●	●
META	●	●	● / Atelier	●	●	●	●	Atelier	Ateli
TARA	●	●	●	●	–	–	–	●	●
VAIA	●	Atelier	●	●	–	–	–	●	●
Accessories	●	●	–	●	–	●	●	–	–
Supplementary Products	●	●	●	●	–	●	–	Atelier	Ateli
Kitchen									
ELIO	●	●	●	●	–	–	–	●	●
LOT	●	Atelier	●	●	–	–	–	●	●
MEM	●	●	●	●	–	–	–	●	●
META SQUARE	●	●	●	●	–	–	–	●	●
SYNC	●	●	●	●	–	–	–	●	●
TARA*	●	●	●	●	–	–	–	●	●
TARA ULTRA*	●	●	●	●	–	–	–	●	●
VAIA	●	●	●	●	–	–	–	●	●
Miscellaneous*	●	●	●	●	–	–	–	●	●

● Standard

Atelier Variants (booking via Customer Service), or checking via the Atelier Service

– Not realisable

* Profi fittings available in 00, 93, 08, 06, 39, 42, 43, 19 and 99 only.

** The brushed chrome (-93) finish is also known in kitchens as matt chrome (stainless steel look).

Need a unique solution? We provide unlimited options on request.
Special designs, made-to-measure, logo and signage, and custom finishes just to name a few. Our Atelier Service team is here to turn your vision into a reality.



Cham- pe old)	Durabrass (23kt Gold)	Brushed Durabrass (23kt Gold)	Brushed Dark Brass (PVD)	Brushed Bronze (PVD)	Brushed Dark Bronze (PVD)	Dark Chrome	Brushed Dark Platinum	Matte Black	Red	Orange	Dark Green
6	-09	-28	-39	-42	-43	-19	-99	-33	-29	-30	-31
								Similar to RAL 9011	Similar to NCS S 2570-R	Similar to NCS S 1080- Y60R	Similar to NCS S 6030- B70G
Electroplating			PVD Technique			Electroplating		Powder and wet paint coating			
	Atelier	●	●	●	●	●	●	–	–	–	–
	Atelier	Atelier	–	–	–	●	●	Atelier	–	–	–
er	Atelier	●	–	●	–	●	●	Atelier	–	–	–
er	Atelier	Atelier	–	–	–	●	●	●	–	–	–
er	Atelier	Atelier	–	–	–	●	●	●	–	–	–
er	Atelier	Atelier	–	–	–	–	–	Atelier	–	–	–
er	●	●	●	●	●	Atelier	●	Atelier	–	–	–
	Atelier	●	●	●	●	●	●	Atelier	–	–	–
er	Atelier	Atelier	●	●	●	●	●	●	● / –	● / –	● / –
	Atelier	●	●	●	●	●	●	●	–	–	–
	Atelier	●	●	●	●	●	●	–	–	–	–
	–	–	●	●	–	●	●	●	–	–	–
er	Atelier	●	●	●	●	●	●	●	–	–	–
	Atelier	●	●	●	●	●	●	Atelier	–	–	–
	Atelier	●	–	●	–	●	●	Atelier	–	–	–
	Atelier	●	–	●	–	●	●	●	–	–	–
	Atelier	●	●	●	●	●	●	●	–	–	–
	Atelier	●	●	●	●	●	●	●	–	–	–
	●	●	●	●	●	●	●	●	–	–	–
	●	●	●	●	●	●	●	●	–	–	–
	●	●	●	●	●	●	●	●	–	–	–
	●	●	●	●	●	●	●	●	–	–	–

Valid from 01.04.2026
Errors and omissions excepted.

Dornbracht finishes – unrivalled in beauty, quality and variety

Dornbracht surfaces fascinate with their charismatic beauty and charisma. Manufactured with the utmost care and a high degree of manual precision, they guarantee exceptional durability and longevity. At the same time, they enable timeless stylistic confidence and maximum design freedom.

Chrome **-00**

Brushed Chrome **-93**

Platinum **-08**

Brushed Platinum **-06**

Availability of surfaces by series on the inside.

Light Gold **-26**

Brushed Light Gold **-27**

Brushed Gold **-37**

Champagne (22kt Gold) **-47**

Brushed Champagne (22kt Gold) **-46**

Durabrass (23kt Gold) **-09**

Brushed Durabrass (23kt Gold) **-28**

Brushed Dark Brass **-39**

Brushed Bronze **-42**

Brushed Dark Bronze **-43**

Dark Chrome **-19**


Brushed Dark Platinum **-99**

Matte Black **-33**

Red **-29**

Orange **-30**

Dark Green **-31**

*The digital price list

Now online – with search function, article links and flexible download options.
Scan the QR code and discover!

Specification Book Bath 2026

Gross prices – does not include statutory VAT – Valid from 01.04.2026
EXPORT

5 YEARS
WARRANTY

For detailed warranty terms and conditions, see dornbracht.com/warranty

Gross prices – does not include statutory VAT – Valid from 01.04.2026
Models, programmes and technical modifications as well as errors are excepted.
All previous price lists shall become ineffective with the publication of this price list.

List of contents

Modifications 2026 008 - 015

Index 016 - 046

Bathroom

COYA

047 - 090

CL.1

091 - 132

CYO

133 - 182

IMO

183 - 238

LISSÉ

239 - 276

LULU

277 - 306



MADISON

307 - 336



MEM

337 - 392

META

393 - 468

TARA

469 - 534

VAIA

535 - 590

Atelier Adapter

591 - 594

Touchfree Faucets

595 - 606



Shower

607 - 696

Accessories - Bathroom

697 - 724

Concealed articles

725 - 744

Kitchen

Single-lever mixer

745 - 758



Single-lever mixer Pull-down/ Pull-out

759 - 768

Profi single-lever mixer

769 - 774

Accessories - Kitchen

775 - 784

Modifications 2026

Programme additions

Finishes

The new Brushed Dark Bronze (PVD) -43 finish is available as standard for the META, TARA, VAIA (March 2026), MADISON (June 2026) and MEM (August 2026) series.
The new Brushed gold (PVD) -37 finish is available as standard for the META and IMO series.
The kitchen portfolio is being expanded to include Brushed Dark Brass (PVD) -39 and Brushed Dark Bronze (PVD) -43 finishes, available for the ELIO, META SQUARE, SYNC, TARA, TARA ULTRA, VAIA series and accessories. Brushed Dark Brass is available now, while Brushed Dark Bronze will be available for the kitchen portfolio from August 2026.

COYA

COYA

A fluid shape. For a world in between.

With its shape combining circles and squares, the new series moves masterfully between worlds. Soft and expressive at the same time, COYA paves the way for new approaches in transitional style.
The wide selection of high-quality surfaces and special squircle handle variants offers a high degree of customisation options.

Shower

The shower portfolio has been expanded to include the following products:

Item number	Description	Available to order from
26 411 625-FF	Shower set	First quarter
28 611 970-FF	Shower head with ceiling fixing	First quarter
28 611 970-FF0010	Shower head with ceiling fixing FlowReduce	First quarter
28 613 970-FF	Shower head	First quarter
28 613 970-FF0010	Shower head FlowReduce	First quarter
34 467 979-FF	Shower pipe with shower thermostat with hand shower set 220 mm	First quarter
34 466 979-FF	Shower pipe with shower thermostat with hand shower set FlowReduce 220 mm	First quarter
34 469 979-FF	Shower pipe with shower thermostat with hand shower set 300 mm	First quarter
34 468 979-FF	Shower pipe with shower thermostat with hand shower set FlowReduce 300 mm	First quarter
34 469 980-FF	Shower pipe with shower thermostat with hand shower set 300 x 240 mm	First quarter
34 468 980-FF	Shower pipe with shower thermostat with hand shower set FlowReduce 300 mm	First quarter
28 645 670-FF	Rain shower with wall fixing 220 mm	First quarter
28 644 670-FF	Rain shower with wall fixing FlowReduce 220 mm	First quarter
28 645 970-FF	Rain shower with wall fixing 220 mm	First quarter
28 644 970-FF	Rain shower with wall fixing FlowReduce 220 mm	First quarter
28 675 670-FF	Rain shower with wall fixing 300 mm	First quarter
28 674 670-FF	Rain shower with wall fixing FlowReduce 300 mm	First quarter
28 675 970-FF	Rain shower with wall fixing 300 mm	First quarter
28 674 970-FF	Rain shower with wall fixing FlowReduce 300 mm	First quarter
28 761 980-FF	Rain shower with wall fixing 300 x 240 mm	First quarter
28 760 980-FF	Rain shower with wall fixing FlowReduce 300 x 240 mm	First quarter
28 761 710-FF	Rain shower with wall fixing 300 x 240 mm	First quarter
28 760 710-FF	Rain shower with wall fixing FlowReduce 300 x 240 mm	First quarter
28 769 710-FF	Rain shower with wall fixing 300 x 240 mm	First quarter
28 767 710-FF	Rain shower with wall fixing FlowReduce 300 x 240 mm	First quarter
28 665 970-FF	Rain shower with ceiling fixing 220 mm	First quarter
28 664 970-FF	Rain shower with ceiling fixing FlowReduce 220 mm	First quarter

	Item number	Description	Available to order from
Shower	28 685 970-FF	Rain shower with ceiling fixing 300 mm	First quarter
	28 684 970-FF	Rain shower with ceiling fixing FlowReduce 300 mm	First quarter
	28 771 980-FF	Rain shower with ceiling fixing 300 x 240 mm	First quarter
	28 770 980-FF	Rain shower with ceiling fixing FlowReduce 300 x 240 mm	First quarter
	28 771 710-FF	Rain shower with ceiling fixing 300 x 240 mm	First quarter
	28 770 710-FF	Rain shower with ceiling fixing FlowReduce 300 x 240 mm	First quarter
	28 798 710-FF	Rain shower with ceiling fixing 300 x 240 mm	First quarter
	28 764 710-FF	Rain shower with ceiling fixing FlowReduce 300 x 240 mm	First quarter
	28 023 979-FF	Hand shower	First quarter
	28 023 979-FF0010	Hand shower FlowReduce	First quarter
	28 022 979-FF	Hand shower	First quarter
	28 022 979-FF0010	Hand shower FlowReduce	First quarter
	28 101 970-FF	Plastic shower hose 1/2" x 1/2" x 1250 mm	First quarter
	28 102 970-FF	Plastic shower hose 1/2" x 1/2" x 1750 mm	First quarter
	28 325 970-FF	Plastic shower hose 1/2" x 3/8" x 1250 mm	First quarter

ACC

The Dornbracht TRAPEZ generic accessory series is now also available in Brushed Bronze (PVD) -42 and Brushed Dark Brass (PVD) -39 finishes as standard.

Accessories

We offer the following accessories for caring for Dornbracht surfaces:

	Item number	Description	Available to order from
	12 410 970 90	Dornbracht Care faucet cleaner	Second quarter
	12 411 970 90	Dornbracht Care Citrus Cleaner	Second quarter
	12 420 970 90	Dornbracht Care cleaning cloth	Second quarter
	12 430 970 90	Dornbracht Care Starter Set	Second quarter

Programme changes Shower

The performance of Dornbracht shower products has been improved and they are now even more powerful.
As part of the optimisation process, the items have been given new numbers.
Upon receipt of the new price list, the delivery time for discontinued items will be extended to at least eight weeks. If stock is exhausted before the discontinuation date, the item may be removed from the range earlier.

	Item number	Description	Replacement item	Description
LULU	26 413 710-FF	Shower set without hand shower	26 412 710-FF	Shower set without hand shower
	28 784 710-FF	Rain shower with wall fixing FlowReduce 300 x 240 mm	28 762 710-FF	Rain shower with wall fixing FlowReduce 300 x 240 mm
	28 786 710-FF	Rain shower with wall fixing 300 x 240 mm	28 763 710-FF	Rain shower with wall fixing 300 x 240 mm
	28 766 710-FF	Rain shower with ceiling fixing FlowReduce 300 x 240 mm	28 772 710-FF	Rain shower with ceiling fixing FlowReduce 300 x 240 mm
	28 796 710-FF	Rain shower with ceiling fixing 300 x 240 mm	28 773 710-FF	Rain shower with ceiling fixing 300 x 240 mm
TARA	11 431 892-FF	Regulator handle	11 432 892-FF	Regulator handle
	26 413 892-FF	Shower set without hand shower	26 412 892-FF	Shower set without hand shower
	34 458 892-FF	Shower pipe with shower thermostat without hand shower FlowReduce 220 mm	34 463 892-FF	Shower pipe with shower thermostat without hand shower FlowReduce 220 mm
	34 460 892-FF	Shower pipe with shower thermostat without hand shower 300 mm	34 465 892-FF	Shower pipe with shower thermostat without hand shower 300 mm
VAIA	11 431 809-FF	Regulator handle	11 432 809-FF	Regulator handle
	34 459 809-FF	Shower pipe with shower thermostat without hand shower FlowReduce	34 464 809-FF	Shower pipe with shower thermostat without hand shower FlowReduce 220 mm
	34 460 809-FF	Shower pipe with shower thermostat without hand shower	34 465 809-FF	Shower pipe with shower thermostat without hand shower 300 mm

Modifications 2026

	Item number	Description	Replacement item	Description
	26 413 625-FF	Shower set without hand shower	26 412 625-FF	Shower set without hand shower
	26 413 980-FF	Shower set without hand shower	26 412 980-FF	Shower set without hand shower
	27 802 660-FF	Hand shower set with integrated shower holder	27 812 660-FF	Hand shower set with integrated shower holder
	27 802 970-FF	Hand shower set with integrated shower holder	27 812 970-FF	Hand shower set with integrated shower holder
	27 803 660-FF	Hand shower set with integrated shower holder	27 813 660-FF	Hand shower set with integrated shower holder
	27 805 625-FF	Hand shower set	27 815 625-FF	Hand shower set
	27 806 625-FF	Hand shower set	27 816 625-FF	Hand shower set
	27 808 980-FF	Hand shower set with individual rosettes	27 811 980-FF	Hand shower set with individual rosettes
	28 648 670-FF	Rain shower with wall fixing FlowReduce 220 mm	28 646 670-FF	Rain shower with wall fixing FlowReduce 220 mm
	28 648 970-FF	Rain shower with wall fixing FlowReduce 220 mm	2 8646 970-FF	Rain shower with wall fixing FlowReduce 220 mm
	28 649 670-FF	Rain shower with wall fixing 220 mm	28 647 670-FF	Rain shower with wall fixing 220 mm
	28 649 970-FF	Rain shower with wall fixing 220 mm	28 647 970-FF	Rain shower with wall fixing FlowReduce 220 mm
	28 668 970-FF	Rain shower with ceiling fixing FlowReduce 220 mm	28 666 970-FF	Rain shower with ceiling fixing FlowReduce 220 mm
	28 669 970-FF	Rain shower with ceiling fixing 220 mm	28 667 970-FF	Rain shower with ceiling fixing FlowReduce 220 mm
Series-specific	28 678 670-FF	Rain shower with wall fixing FlowReduce 300 mm	28 676 670-FF	Rain shower with wall fixing FlowReduce 300 mm
	28 678 970-FF	Rain shower with wall fixing FlowReduce 300 mm	28 676 970-FF	Rain shower with wall fixing FlowReduce 300 mm
	28 679 670-FF	Rain shower with wall fixing 300 mm	28 677 670-FF	Rain shower with wall fixing 300 mm
	28 679 970-FF	Rain shower with wall fixing 300 mm	28 677 970-FF	Rain shower with wall fixing 300 mm
	28 688 970-FF	Rain shower with ceiling fixing FlowReduce 300 mm	28 686 970-FF	Rain shower with ceiling fixing FlowReduce 300 mm
	28 689 970-FF	Rain shower with ceiling fixing 300 mm	28 687 970-FF	Rain shower with ceiling fixing 300 mm
	28 764 980-FF	Rain shower with wall fixing FlowReduce 300 x 240 mm	28 762 980-FF	Rain shower with wall fixing FlowReduce 300 x 240 mm
	28 765 980-FF	Rain shower with wall fixing 300 x 240 mm	28 763 980-FF	Rain shower with wall fixing 300 x 240 mm
	28 774 980-FF	Rain shower with ceiling fixing FlowReduce 300 x 240 mm	28 772 980-FF	Rain shower with ceiling fixing FlowReduce 300 x 240 mm
	28 775 980-FF	Rain shower with ceiling fixing 300 x 240 mm	28 773 980-FF	Rain shower with ceiling fixing 300 x 240 mm
	34 442 979-FF	Shower thermostat for wall mounting	34 444 979-FF	Shower thermostat for wall mounting
	34 458 980-FF	Showerpipe with shower thermostat without hand shower FlowReduce	34 463 980-FF	Shower pipe with shower thermostat without hand shower FlowReduce 300 mm
	34 459 979-FF	Showerpipe with shower thermostat without hand shower FlowReduce	34 464 979-FF	Shower pipe with shower thermostat without hand shower FlowReduce 220 mm
	34 459 980-FF	Showerpipe with shower thermostat without hand shower	34 464 980-FF	Shower pipe with shower thermostat without hand shower 300 x 240 mm
	34 460 979-FF	Showerpipe with shower thermostat without hand shower	34 465 979-FF	Shower pipe with shower thermostat without hand shower 300 mm

	Item number	Description	Replacement item	Description
Series neutral	26 413 979-FF	Shower set without hand shower	26 412 979-FF	Shower set without hand shower
	34 443 979-FF	Shower thermostat for wall installation	34 445 979-FF	Shower thermostat for wall installation
	28 214 970-FF	Plastic shower hose 1/2" x 3/8" x 1750 mm	28 324 970-FF	Plastic shower hose 1/2" x 3/8" x 1750 mm
	12 580 970-FF	Slide unit	12 540 970-FF	Slide unit

Discontinuations

The following items will be removed from the range within the individual series. The items will remain available until 30 September 2026.
A replacement item guarantees technical identity with the original product. An alternative item, on the other hand, is a recommendation that does not necessarily correspond to the same technical specifications.
From April onwards, the delivery time for discontinued items will be extended to at least six weeks. If stock is exhausted before 30 September 2026, the item may be removed from the range earlier.

	Item number	Description	Replacement item	Alternative items	Description
CL.1	33 600 705-FF	Single-lever bidet mixer without pop-up waste	33 600 782-FF		Single-lever bidet mixer with pop-up waste
	36 310 715-FF	Wall valve		36 310 705-FF	Wall valve
	36 311 705-FF	Wall valve		36 310 705-FF	Wall valve
	36 617 705-FF	Wall valve clockwise closing 1/2"		36 607 705-FF	Wall valve clockwise closing 1/2"
	36 617 706-FF	Wall valve clockwise closing cold 1/2"		36 607 706-FF	Wall valve clockwise closing cold 1/2"
	36 617 707-FF	Wall valve anti-clockwise closing hot 1/2"		36 607 707-FF	Wall valve anti-clockwise closing hot 1/2"
	36 618 705-FF	Wall valve clockwise closing 3/4"		36 608 705-FF	Wall valve clockwise closing 3/4"
	36 200 705-FF	Concealed two-way diverter		36 200 782-FF	Concealed two-way diverter
	36 201 705-FF	Concealed two-way diverter		36 200 782-FF	Concealed two-way diverter
	36 210 705-FF	Concealed three-way diverter		36 210 782-FF	Concealed three-way diverter
	36 211 705-FF	Concealed three-way diverter		36 210 782-FF	Concealed three-way diverter
	20 001 705-FF	Deck valve clockwise closing cold		20 004 705-FF	Deck valve clockwise closing cold
	20 001 706-FF	Deck valve anti-clockwise closing hot		20 004 706-FF	Deck valve anti-clockwise closing hot
	20 005 705-FF	Deck valve clockwise closing cold		20 004 705-FF	Deck valve clockwise closing cold
	20 005 706-FF	Deck valve anti-clockwise closing hot		20 004 706-FF	Deck valve anti-clockwise closing hot
	20 006 705-FF	Deck valve clockwise closing cold		20 004 705-FF	Deck valve clockwise closing cold
	20 006 706-FF	Deck valve anti-clockwise closing hot		20 004 706-FF	Deck valve anti-clockwise closing hot
CYO	29 217 811-FF	Two-hole basin mixer without pop-up waste		29 218 811-FF	Two-hole basin mixer without pop-up waste
	13 717 811-FF	Deck-mounted basin spout without pop-up waste		13 715 811-FF	Deck-mounted basin spout without pop-up waste
	36 707 811-FF	Wall-mounted basin mixer without pop-up waste		36 712 811-FF	Wall-mounted basin mixer without pop-up waste
	13 801 811-FF	Bath spout for wall mounting			
	11 285 811-FF	Handle insert set H&C	11 283 811-FF		Handle insert set hot & cold
	11 181 811-FF	Handle insert blue	11 187 811-FF		Handle insert
	11 182 811-FF	Handle insert red	11 187 811-FF		Handle insert

Modifications 2026

	Item number	Description	Replacement item	Alternative items	Description
CYO	11 189 811-FF	Handle insert red & blue	11 188 811-FF		Handle insert hot & cold
	11 183 811-FF	Handle insert hot	11 187 811-FF		Handle insert
	11 184 811-FF	Handle insert cold	11 187 811-FF		Handle insert
	11 185 811-FF	Handle insert H	11 187 811-FF		Handle insert
	11 186 811-FF	Handle insert C	11 187 811-FF		Handle insert
IMO	44 515 670-FF	Washstand fitting with electronic opening and closing function without pop-up waste		13 716 671-FF	Deck-mounted basin spout without pop-up waste
	44 521 670-FF	Washstand fitting with electronic opening and closing function without pop-up waste		13 716 671-FF	Deck-mounted basin spout without pop-up waste
	44 511 670-FF	Washstand fitting with electronic opening and closing function without pop-up waste		13 716 671-FF	Deck-mounted basin spout without pop-up waste
	36 200 980-FF	Concealed two-way diverter		36 200 985-FF	Concealed two-way diverter
	36 210 980-FF	Concealed three-way diverter		36 210 985-FF	Concealed three-way diverter
LISSE	13 700 845-FF	Deck-mounted basin spout without pop-up waste			
	33 600 845-FF	Single-lever bidet mixer with pop-up waste	33 600 671-FF		Single-lever bidet mixer with pop-up waste
	27 802 845-FF	Hand shower set with individual rosettes	27 803 845-FF		Hand shower set with individual rosettes
LULU	13 801 710-FF	Bath spout for wall mounting			
	33 200 710-FF	Single-lever bath mixer for wall mounting without shower set			
	36 501 710-FF	xTOOL Concealed thermostat without volume control 1/2"	36 503 710-FF		xTOOL Concealed thermostat without volume control 3/4"
	36 200 710-FF	Concealed two-way diverter		36 200 985-FF	Concealed two-way diverter
	36 210 710-FF	Concealed three-way diverter		36 210 985-FF	Concealed three-way diverter
	83 030 710-FF	Bath grip		83 030 976-FF	Bath grip
	83 500 710-FF	Tissue holder without cover		83 500 976-FF	Tissue holder
	83 070 710-FF	Towel bar		83 080 976-FF	Towel bar
	83 200 710-FF	Towel ring angular		83 200 976-FF	Towel ring
	83 251 710-FF	Hooks		83 250 976-FF	Hooks
MADISSON	34 458 360-FF	Showerpipe with shower thermostat without hand shower FlowReduce		34 459 360-FF	Showerpipe with shower thermostat without hand shower
	26 633 360-FF	Showerpipe with shower mixer without hand shower FlowReduce		26 632 360-FF	Showerpipe with shower mixer without hand shower
	28 564 977-FF	Rain shower with ceiling fixing FlowReduce 200 mm		28 565 977-FF	Rain shower with ceiling fixing 200 mm
	28 544 977-FF	Rain shower with wall fixing FlowReduce 200 mm		28 545 977-FF	Rain shower with wall fixing 200 mm
	28 450 370-FF	Wall elbow			
	36 501 977-FF	xTOOL Concealed thermostat without volume control 1/2"	36 503 977-FF		xTOOL Concealed thermostat without volume control 3/4"
	36 210 361-FF	Concealed three-way diverter	36 200 361-FF		Concealed two-way diverter

	Item number	Description	Replacement item	Alternative items	Description
MEM	33 500 782-FF	Single-lever basin mixer with pop-up waste		33 502 782-FF	Single-lever basin mixer with pop-up waste
	33 521 782-FF	Single-lever basin mixer without pop-up waste		33 522 782-FF	Single-lever basin mixer without pop-up waste
	33 501 782-FF	Single-lever basin mixer with pop-up waste		33 502 782-FF	Single-lever basin mixer with pop-up waste
	33 526 782-FF	Single-lever basin mixer without pop-up waste		33 522 782-FF	Single-lever basin mixer without pop-up waste
	13 715 782-FF	Deck-mounted basin spout with pop-up waste		13 800 782-FF	Wall-mounted basin spout without pop-up waste
	13 716 782-FF	Deck-mounted basin spout without pop-up waste		13 800 782-FF	Wall-mounted basin spout without pop-up waste
	36 860 782-FF	Wall-mounted single-lever basin mixer without pop-up waste		36 861 782-FF	Wall-mounted single-lever basin mixer without pop-up waste
	36 805 782-FF	Wall-mounted single-lever basin mixer without pop-up waste			
	36 867 782-FF	Wall-mounted single-lever basin mixer without pop-up waste		36 861 782-FF	Wall-mounted single-lever basin mixer without pop-up waste
	36 702 782-FF	Wall-mounted basin mixer without pop-up waste		36 861 782-FF	Wall-mounted single-lever basin mixer without pop-up waste
META	33 501 662-FF	META SLIM Single-lever basin mixer with pop-up waste	33 501 660-FF		Single-lever basin mixer with pop-up waste
	33 526 662-FF	META SLIM Single-lever basin mixer without pop-up waste	33 526 660-FF		Single-lever basin mixer without pop-up waste
	17 500 660-FF	Pillar tap cold water		17 500 662-FF	Pillar tap cold water
	17 500 661-FF	Pillar tap cold water		17 500 662-FF	Pillar tap cold water
	44 511 660-FF	Washstand fitting with electronic opening and closing function without pop-up waste		44 515 660-FF	Washstand fitting with electronic opening and closing function without pop-up waste
	36 805 660-FF	Wall-mounted single-lever basin mixer without pop-up waste			
	36 860 662-FF	META SLIM Wall-mounted single-lever basin mixer without pop-up waste	36 860 660-FF		Wall-mounted single-lever basin mixer without pop-up waste
	36 861 662-FF	META SLIM Wall-mounted single-lever basin mixer without pop-up waste	36 861 660-FF		Wall-mounted single-lever basin mixer without pop-up waste
	36 867 662-FF	META SLIM Wall-mounted single-lever basin mixer without pop-up waste	36 867 660-FF		Wall-mounted single-lever basin mixer without pop-up waste
	36 860 664-FF	META PURE Wall-mounted single-lever basin mixer without pop-up waste	36 860 660-FF		Wall-mounted single-lever basin mixer without pop-up waste
	36 861 664-FF	META PURE Wall-mounted single-lever basin mixer without pop-up waste	36 861 660-FF		Wall-mounted single-lever basin mixer without pop-up waste
	30 010 662-FF	Wall-mounted valve cold water without pop-up waste			
	34 201 979-FF	Bath thermostat for wall mounting without shower set		34 234 979-FF	Bath thermostat for wall mounting with hand shower set
	36 200 661-FF	Concealed two-way diverter		36 200 740-FF	Concealed two-way diverter
	36 210 661-FF	Concealed three-way diverter		36 210 740-FF	Concealed three-way diverter
TARA	22 302 892-FF	Single-hole basin mixer with pop-up waste		22 512 892-FF	Single-hole basin mixer with pop-up waste
	20 705 892-FF	Three-hole basin mixer with pop-up waste		20 705 882-FF	Three-hole basin mixer with pop-up waste
	17 500 892-FF	Pillar tap cold water			

Modifications 2026

	Item number	Description	Replacement item	Alternative items	Description
TARA	26 633 892-FF	Showerpipe without hand shower FlowReduce 220 mm		26 623 892-FF	Showerpipe without hand shower 300 mm
	26 632 892-FF	Showerpipe with shower mixer without hand shower FlowReduce 220 mm		26 622 892-FF	Showerpipe with shower mixer without hand shower 300 mm
	36 501 892-FF	xTOOL Concealed thermostat without volume control 1/2"	36 503 892-FF		xTOOL Concealed thermostat without volume control 3/4"
	36 210 892-FF	Concealed three-way diverter		36 200 892-FF	Concealed two-way diverter
	83 210 892-FF	Towel bar in two parts non-swivel		83 210 976-FF	Towel bar in two parts non-swivel
	11 170 882-FF	Hebel			
VAIA	33 510 809-FF	Single-lever basin mixer with pop-up waste		33 500 809-FF	Single-lever basin mixer with pop-up waste
	33 525 809-FF	Single-lever basin mixer without pop-up waste		33 521 809-FF	Single-lever basin mixer without pop-up waste
	22 585 809-FF	Single-hole basin mixer with stand pipe without pop-up waste		22 585 892-FF	Single-hole basin mixer with stand pipe without pop-up waste
	17 500 809-FF	Pillar tap cold water			
	30 010 809-FF	Wall-mounted valve cold water without pop-up waste			
	36 702 819-FF	Wall-mounted basin mixer without pop-up waste		36 702 809-FF	Wall-mounted basin mixer without pop-up waste
	36 501 809-FF	xTOOL Concealed thermostat without volume control 1/2"	36 503 809-FF		xTOOL Concealed thermostat without volume control 3/4"
	83 510 809-FF	Tissue holder with cover		36 702 809-FF	Tissue holder without cover
Series-specific	26 024 661-FF	Shower system with single-lever shower mixer without hand shower			
	26 025 661-FF	Shower system with single-lever shower mixer without hand shower FlowReduce			
	28 658 970-FF	Rain shower with wall fixing FlowReduce 400 mm		28 659 970-FF	Rain shower with wall fixing 400 mm
	28 698 970-FF	Rain shower with ceiling fixing FlowReduce 400 mm		28 699 970-FF	Rain shower with ceiling fixing 400 mm
	27 841 979-FF	WATER TUBE Kneipp wall elbow with hose holder with individual rosettes FlowReduce		27 821 979-FF	WATER TUBE Kneipp wall elbow with hose holder with individual rosettes
	27 843 979-FF	WATER TUBE Kneipp wall elbow with hose holder with individual rosettes FlowReduce		27 823 979-FF	WATER TUBE Kneipp wall elbow with hose holder with individual rosettes
	27 858 979-FF	Affusion pipe with cover plate FlowReduce		27 838 979-FF	Affusion pipe with cover plate
	28 528 979-FF	Body spray without volume control		28 518 979-FF	Body spray without volume control FlowReduce
	28 528 782-FF	Body spray without volume control		28 518 979-FF	Body spray without volume control FlowReduce
	28 000 001-FF	Shower set with shower head			
	28 000 002-FF	Shower set with shower head			
	28 000 003-FF	Shower set with rain shower			
	28 000 004-FF	Shower set with rain shower			
	36 501 780-FF	xTOOL Concealed thermostat without volume control 1/2"	36 503 780-FF		xTOOL Concealed thermostat without volume control 3/4"
	36 501 979-FF	xTOOL Concealed thermostat without volume control 1/2"	36 503 979-FF		xTOOL Concealed thermostat without volume control 3/4"
	36 501 985-FF	xTOOL Concealed thermostat without volume control 1/2"	36 503 985-FF		xTOOL Concealed thermostat without volume control 3/4"

	Item number	Description	Replacement item	Alternative items	Description
Series-specific	20 000 716-FF	Deck valve anti-clockwise closing cold		20 004 706-FF	Deck valve anti-clockwise closing hot
	20 000 715-FF	Deck valve clockwise closing hot		20 004 705-FF	Deck valve clockwise closing cold
	20 004 715-FF	Deck valve clockwise closing hot		20 004 705-FF	Deck valve clockwise closing cold
	20 004 716-FF	Deck valve anti-clockwise closing cold	20 004 706-FF		Deck valve anti-clockwise closing hot
	11 000 980-FF	Door handle			
	83 400 780-FF	Tumbler holder wall model		83 400 976-FF	Tumbler holder
Series neutral	36 527 979-FF	WATER BAR Concealed body spray		36 517 979-FF	WATER BAR Concealed body spray FlowReduce
	36 525 979-FF	WATER POINTS Concealed body spray		36 515 979-FF	WATER POINTS Concealed body spray FlowReduce
	12 580 970-FF	Slide unit	12 540 970-FF		Slide unit
	12 570 970-FF	Slide unit			
	83 400 979-FF	Tumbler holder wall model	83 401 979-FF		Tumbler holder wall model
	12 425 970-FF	Adapter for power supply unit			
	15 001 980-FF	Electronic control elements			

Kitchen

	Item number	Description	Replacement item	Alternative items	Description
ENO	33 871 760-FF	Single-lever mixer Pull-out with spray function			
	33 876 760-FF	Single-lever mixer Pull-out with spray function			
VAIA	19 825 809-FF	Two-hole bridge mixer for rinsing/Profi spray	19 815 809-FF		Two-hole bridge mixer for rinsing/Profi spray
	19 875 809-FF	Three-hole bridge mixer Pull-down with spray function	19 870 809-FF		Three-hole bridge mixer Pull-down with spray function
	33 800 809-FF	Single-lever mixer	33 816 809-FF		Single-lever mixer
	27 731 809-FF	Rinsing spray set	27 718 809-FF		Rinsing spray set
TARA	20 816 892-FF	Three-hole mixer			

Index

Article number	Euro	Page
10		
10 040 970-00	512.30	311, 712
-06	819.40	311, 712
-08	819.40	311, 712
-09	1,229.50	311, 712
-19	768.50	712
-28	1,229.50	311, 712
-39	819.60	311, 712
-42	819.60	311, 712
-43	922.10	311, 712
-46	1,229.50	712
-47	1,229.50	712
-99	922.20	311, 712
10 060 780-00	406.80	55, 98, 144, 192, 347, 713
-06	650.90	55, 98, 144, 192, 347, 713
-08	650.90	347, 713
-19	610.20	55, 98, 144, 192, 347, 713
-27	610.20	192, 713
-28	976.30	55, 144, 347, 713
-33	549.40	192, 347, 713
-37	610.20	192, 713
-39	650.90	55, 347, 713
-42	650.80	55, 144, 347, 713
-43	732.20	55, 347, 713
-46	976.30	55, 98, 347, 713
-47	976.30	55, 98, 347, 713
-93	528.80	192, 713
-99	732.20	55, 98, 144, 192, 347, 713
10 060 970-00	355.50	55, 244, 281, 407, 482, 546, 713
-06	569.00	55, 244, 281, 407, 482, 546, 713
-08	569.00	407, 482, 546, 713
-09	853.20	482, 546, 713
-19	533.30	55, 244, 407, 482, 546, 713
-26	533.40	407, 713
-27	533.40	244, 407, 713
-28	853.20	55, 482, 546, 713
-33	480.10	244, 407, 482, 546, 713
-37	533.30	407, 713
-39	568.80	55, 407, 482, 546, 713
-42	568.90	55, 407, 482, 546, 713
-43	639.90	55, 407, 482, 546, 713
-46	853.20	55, 482, 546, 713
-47	853.20	55, 482, 546, 713
-93	462.20	244, 407, 482, 713
-99	640.00	55, 244, 407, 482, 546, 713
10 100 970-00	46.50	713
-06	74.20	713
-08	74.20	713
-09	111.60	713
-19	69.90	713
-26	69.80	713
-27	69.80	713
-28	111.60	713
-37	69.80	713
-39	74.40	713
-42	74.60	713
-43	83.70	713
-46	111.60	713
-47	111.60	713
-93	60.60	713
-99	83.80	713
10 105 970-00	61.30	714
-06	98.00	714
-08	98.00	714
-09	147.10	714
-19	92.10	714
-26	92.10	714
-27	92.10	714
-28	147.10	714
-33	82.70	714
-37	92.00	714
-39	98.10	714
-42	98.20	714
-43	110.30	714
-46	147.10	714
-47	147.10	714
-93	79.70	714
-99	110.30	714
10 110 970-00	61.30	714
-06	98.00	714
-08	98.00	714
-09	147.10	714
-19	92.10	714
-26	92.10	714
-27	92.10	714
-28	147.10	714
-33	82.70	714
-37	92.00	714
-39	98.10	714
-42	98.20	714
-43	110.30	714
-46	147.10	714
-47	147.10	714
-93	79.70	714
-99	110.30	714
10 125 970-00	94.00	712
-06	150.60	712
-08	150.60	712
-09	225.60	712
-19	141.20	712
-26	141.00	712
-27	141.00	712
-28	225.60	712
-33	126.80	712
-37	141.00	712
-39	150.40	712
-42	150.40	712
-43	169.20	712
-46	225.60	712
-47	225.60	712
-93	122.20	712
-99	169.40	712
10 126 970-00	94.60	712
-06	151.30	712
-08	151.30	712
-09	227.00	712
-19	141.90	712
-26	142.00	712
-27	142.00	712
-28	227.00	712
-33	127.80	712
-37	141.90	712
-39	151.40	712
-42	151.40	712
-43	170.30	712
-46	227.00	712
-47	227.00	712
-93	123.00	712
-99	170.40	712
10 300 970-00	82.50	711
-06	132.20	711
-08	132.20	711
-09	198.00	711
-19	123.80	711
-26	123.70	711
-27	123.70	711
-28	198.00	711
-33	111.50	711
-37	123.80	711
-39	132.10	711
-42	132.10	711
-43	148.50	711
-46	198.00	711
-47	198.00	711
-93	107.20	711
-99	148.50	711
10 710 970-00	203.00	777
-06	324.70	777
-08	324.70	777
-09	487.20	777
-19	304.40	777
-28	487.20	777
-33	274.20	777
-39	324.80	777
-42	324.80	777
-43	365.40	777
-46	487.20	777
-47	487.20	777
-93	263.90	777
-99	304.30	777
10 712 970-00	203.00	777
-06	324.70	777
-08	324.70	777
-09	487.20	777
-19	304.40	777
-28	487.20	777
-33	274.20	777
-39	324.80	777
-42	324.80	777
-43	365.40	777
-46	487.20	777
-47	487.20	777
-93	263.90	777
-99	304.30	777
11		
11 170 370-00	120.00	310, 312
-06	192.20	310, 312
-08	192.20	310, 312
-09	288.00	310, 312
-12	120.00	312
-28	288.00	310, 312
-39	192.00	310, 312
-42	192.00	310, 312
-43	216.00	310, 312
-99	216.10	310, 312
11 171 882-00	80.90	482
-06	129.40	482
-08	129.40	482
-19	121.30	482
-28	194.20	482
-33	109.20	482
-39	129.50	482
-42	129.40	482
-43	145.60	482
-46	194.20	482
-47	194.20	482
-93	105.10	482
-99	145.50	482
11 187 811-00	59.50	144, 167, 168, 169, 170, 171, 171, 172
-06	95.20	144, 167, 168, 169, 170, 170, 171, 171, 171, 171, 172, 172
-19	89.30	144, 167, 168, 169, 170, 171, 171, 172
-28	142.80	144, 167, 168, 169, 170, 170, 171, 171, 171, 171, 172, 172
-42	95.10	144, 167, 168, 169, 170, 171, 171, 172
-99	107.20	144, 167, 168, 169, 170, 171, 171, 172
11 188 811-00	59.50	137, 138, 144
-06	95.20	137, 137, 138, 138, 144
-19	89.30	137, 138, 144
-28	142.80	137, 137, 138, 138, 144
-42	95.10	137, 138, 144
-99	107.20	137, 138, 144
11 283 811-00	119.20	138, 139, 140, 141, 144, 174
-06	190.60	138, 138, 139, 139, 140, 140, 141, 141, 144, 174
-19	178.70	138, 139, 140, 141, 144, 174
-28	286.10	138, 138, 139, 139, 140, 140, 141, 141, 144, 174
-42	190.70	138, 139, 140, 141, 144, 174
-99	214.40	138, 139, 140, 141, 144, 174
11 284 811-00	119.20	138, 139, 140, 141, 174
-06	190.60	138, 139, 140, 141, 174
-19	178.70	138, 139, 140, 141, 174
-28	286.10	138, 139, 140, 141, 174
-42	190.70	138, 139, 140, 141, 174
-99	214.40	138, 139, 140, 141, 174
11 420 360-00	302.00	316, 632
-06	483.00	316, 632
-08	483.00	316, 632
-09	724.80	316, 632
-28	724.80	316, 632
-39	483.10	316, 632
-42	483.10	316, 632
-43	543.60	316, 632
-99	543.50	316, 632
11 432 809-00	130.90	571
-06	209.50	571
-08	209.50	571
-19	196.50	571
-28	314.20	571
-39	209.50	571
-42	209.50	571
-43	235.60	571
-46	314.20	571
-47	314.20	571
-99	235.70	571
11 432 892-00	130.90	512
-06	209.50	512
-08	209.50	512
-19	196.50	512
-28	314.20	512
-33	176.70	512
-42	209.50	512
-43	235.60	512
-46	314.20	512
-47	314.20	512
-93	170.20	512
-99	235.70	512

Article number	Euro	Page
12		
12 055 970 90	173.30	742
12 177 970 90	64.20	742
12 178 970 90	64.20	742
12 190 970 90	189.30	742
12 191 970 90	194.70	742
12 202 979-00	52.60	720
-06	84.50	720
-08	84.50	720
-28	126.20	720
-33	71.00	720
-99	94.70	720
12 305 970 90	37.90	742
12 340 970 90	118.70	743
12 360 970 90	117.80	743
12 370 970 90	206.00	743
12 380 970 90	294.60	743
12 410 970 90	31.50	724
12 411 970 90	31.50	724
12 420 970 90	9.50	724
12 430 970 90	78.80	724
12 540 970-00	143.90	114, 164, 217, 262, 292, 322, 367, 436, 511, 569, 722
-06	230.20	114, 164, 217, 262, 292, 322, 367, 436, 511, 569, 722
-08	230.20	322, 367, 436, 511, 569, 722
-09	345.40	322, 367, 511, 569, 722
-19	215.80	114, 164, 217, 262, 367, 436, 511, 569, 722
-26	215.80	436, 722
-27	215.80	217, 262, 436, 722
-28	345.40	164, 322, 367, 511, 569, 722
-33	194.30	217, 262, 367, 436, 511, 569, 722
-37	215.90	217, 436, 722
-39	230.20	322, 367, 436, 511, 569, 722
-42	230.20	164, 322, 367, 436, 511, 569, 722
-43	259.00	322, 367, 436, 511, 569, 722
-46	345.40	114, 367, 511, 569, 722
-47	345.40	114, 367, 511, 569, 722
-93	187.00	217, 262, 436, 511, 722
-99	258.90	114, 164, 217, 262, 322, 367, 436, 511, 569, 722
12 550 970-00	143.90	114, 164, 218, 262, 293, 322, 367, 437, 511, 570, 722
-06	230.20	114, 164, 218, 262, 293, 322, 367, 437, 511, 570, 722
-08	230.20	322, 367, 437, 511, 570, 722
-09	345.40	322, 367, 511, 570, 722
-19	215.80	114, 164, 218, 262, 367, 437, 511, 570, 722
-26	215.80	437, 722
-27	215.80	218, 262, 437, 722
-28	345.40	164, 322, 367, 511, 570, 722
-33	194.30	218, 262, 367, 437, 511, 570, 722
-37	215.90	218, 437, 722
-39	230.20	322, 367, 437, 511, 570, 722
-42	230.20	164, 322, 367, 437, 511, 570, 722
-43	259.00	322, 367, 437, 511, 570, 722
-46	345.40	114, 367, 511, 570, 722
-47	345.40	114, 367, 511, 570, 722
-93	187.00	218, 262, 437, 511, 722
-99	258.90	114, 164, 218, 262, 322, 367, 437, 511, 570, 722
12 614 970 90	1,883.80	734
12 660 979-00	894.90	87, 128, 179, 235, 272, 302, 333, 387, 464, 533, 589, 703
-06	1,432.20	87, 128, 179, 235, 272, 302, 333, 387, 464, 533, 589, 703
-08	1,432.20	333, 387, 464, 533, 589, 703
-19	1,342.30	87, 128, 179, 235, 272, 387, 464, 533, 589, 703
-26	1,342.40	464, 703
-27	1,342.40	235, 272, 464, 703
-28	2,147.80	87, 179, 333, 387, 533, 589, 703
-33	1,208.10	235, 272, 387, 464, 533, 589, 703
-37	1,342.40	235, 464, 703
-39	1,431.90	87, 333, 387, 464, 533, 589, 703
-42	1,432.00	87, 179, 333, 387, 464, 533, 589, 703
-43	1,610.80	87, 333, 387, 464, 533, 589, 703
-46	2,147.80	87, 128, 387, 533, 589, 703
-47	2,147.80	87, 128, 387, 533, 589, 703
-93	1,163.50	235, 272, 464, 533, 703
-99	1,611.00	87, 128, 179, 235, 272, 333, 387, 464, 533, 589, 703
12 665 979-00	509.60	87, 180, 235, 272, 302, 333, 464, 533, 589, 703
-06	815.30	87, 180, 235, 272, 302, 333, 464, 533, 589, 703
-08	815.30	333, 464, 533, 589, 703
-09	1,223.00	333, 533, 589, 703
-19	764.40	87, 180, 235, 272, 464, 533, 589, 703
-26	764.40	464, 703
-27	764.40	235, 272, 464, 703
-28	1,223.00	87, 180, 333, 533, 589, 703
-33	688.00	235, 272, 464, 533, 589, 703
-37	764.40	235, 464, 703
-39	815.30	87, 333, 464, 533, 589, 703
-42	815.30	87, 180, 333, 464, 533, 589, 703
-43	917.30	87, 333, 464, 533, 589, 703
-46	1,223.00	87, 533, 589, 703
-47	1,223.00	87, 533, 589, 703
-93	662.60	235, 272, 464, 533, 703
-99	917.30	87, 180, 235, 272, 333, 464, 533, 589, 703
12 665 980-00	509.60	128, 388, 703
-06	815.30	128, 388, 703
-08	815.30	388, 703
-09	1,223.00	388, 703
-19	764.40	128, 388, 703
-26	764.40	703
-27	764.40	703
-28	1,223.00	388, 703
-33	688.00	388, 703
-39	815.30	388, 703
-42	815.30	388, 703
-43	917.30	388, 703
-46	1,223.00	128, 388, 703
-47	1,223.00	128, 388, 703
-93	662.60	703
-99	917.30	128, 388, 703
12 715 970-00	45.20	711
-06	72.10	711
-08	72.10	711
-09	108.50	711
-19	67.60	711
-26	67.70	711
-27	67.70	711
-28	108.50	711
-33	60.90	711
-37	67.80	711
-39	72.10	711
-42	72.10	711
-43	81.40	711
-46	108.50	711
-47	108.50	711
-93	58.70	711
-99	81.30	711
12 820 970 90	80.60	778
12 821 970 90	67.50	778
12 823 970 90	78.90	779
12 869 970 90	165.00	742
12 870 970 90	223.20	742
12 880 970 90	223.20	742
13		
13 415 979-00	1,194.80	63, 111, 161, 215, 260, 291, 320, 364, 433, 508, 567, 692
-06	1,911.60	63, 111, 161, 215, 260, 291, 320, 364, 433, 508, 567, 692
-08	1,911.60	320, 364, 433, 508, 567, 692
-19	1,792.40	63, 111, 161, 215, 260, 364, 433, 508, 567, 692
-26	1,792.20	433, 692
-27	1,792.20	215, 260, 433, 692
-28	2,867.50	63, 161, 320, 364, 508, 567, 692
-33	1,612.70	215, 260, 364, 433, 508, 567, 692
-37	1,792.20	215, 433, 692
-39	1,911.70	63, 320, 364, 433, 508, 567, 692
-42	1,911.70	63, 161, 320, 364, 433, 508, 567, 692
-43	2,150.60	63, 320, 364, 433, 508, 567, 692
-46	2,867.50	63, 111, 364, 508, 567, 692
-47	2,867.50	63, 111, 364, 508, 567, 692
-93	1,553.30	215, 260, 433, 508, 692
-99	2,150.60	63, 111, 161, 215, 260, 320, 364, 433, 508, 567, 692
13 420 979-00	1,706.90	63, 112, 162, 215, 260, 291, 320, 364, 434, 508, 567, 692
-06	2,731.60	63, 112, 162, 215, 260, 291, 320, 364, 434, 508, 567, 692
-08	2,731.60	320, 364, 434, 508, 567, 692
-19	2,560.50	63, 112, 162, 215, 260, 364, 434, 508, 567, 692
-26	2,560.40	434, 692
-27	2,560.40	215, 260, 434, 692
-28	4,096.60	63, 162, 320, 364, 508, 567, 692
-33	2,304.60	215, 260, 364, 434, 508, 567, 692
-37	2,560.40	215, 434, 692
-39	2,731.20	63, 320, 364, 434, 508, 567, 692
-42	2,731.20	63, 162, 320, 364, 434, 508, 567, 692
-43	3,072.40	63, 320, 364, 434, 508, 567, 692
-46	4,096.60	63, 112, 364, 508, 567, 692
-47	4,096.60	63, 112, 364, 508, 567, 692
-93	2,219.10	215, 260, 434, 508, 692
13 425 979-00	1,268.40	63, 112, 162, 216, 261, 292, 321, 364, 434, 508, 567, 693
-06	2,029.40	63, 112, 162, 216, 261, 292, 321, 364, 434, 508, 567, 693
-08	2,029.40	321, 364, 434, 508, 567, 693
-19	1,902.40	63, 112, 162, 216, 261, 364, 434, 508, 567, 693
-26	1,902.60	434, 693
-27	1,902.60	216, 261, 434, 693
-28	3,044.20	63, 162, 321, 364, 508, 567, 693
-33	1,712.20	216, 261, 364, 434, 508, 567, 693
-37	1,902.60	216, 434, 693
-39	2,029.40	63, 321, 364, 434, 508, 567, 693
-42	2,029.40	63, 162, 321, 364, 434, 508, 567, 693
-43	2,283.10	63, 321, 364, 434, 508, 567, 693
-46	3,044.20	63, 112, 364, 508, 567, 693
-47	3,044.20	63, 112, 364, 508, 567, 693

Index

Article number	Euro	Page
-93	1,648.80	216, 261, 434, 508, 693
-99	2,282.80	63, 112, 162, 216, 261, 321, 364, 434, 508, 567, 693
13 430 740-00	1,779.60	380
-06	2,847.20	380
-08	2,847.20	380
-19	2,669.30	380
-28	4,271.00	380
-33	2,402.60	380
-39	2,847.40	380
-42	2,847.40	380
-43	3,203.30	380
-46	4,271.00	380
-47	4,271.00	380
-99	3,203.20	380
13 612 705-00	1,271.40	123, 123
-06	2,034.10	123, 123
-19	1,907.10	123, 123
-46	3,051.40	123, 123
-47	3,051.40	123, 123
-99	2,288.50	123, 123
13 630 740-00	2,388.10	380
-06	3,821.20	380
-08	3,821.00	380
-19	3,582.20	380
-28	5,731.40	380
-39	3,821.10	380
-42	3,821.10	380
-43	4,298.60	380
-46	5,731.40	380
-47	5,731.40	380
-99	4,298.50	380
13 672 661-00	1,712.40	455
-06	2,740.00	455
-19	2,568.80	455
-26	2,568.80	455
-27	2,568.80	455
-33	2,311.70	455
-37	2,568.60	455
-39	2,739.90	455
-42	2,740.00	455
-43	3,082.30	455
-93	2,226.30	455
-99	3,082.50	455
13 672 780-00	2,565.60	378
-06	4,105.00	378
-08	4,105.00	378
-19	3,848.30	378
-28	6,157.40	378
-39	4,104.90	378
-42	4,104.90	378
-43	4,618.10	378
-46	6,157.40	378
-47	6,157.40	378
13 700 845-00	427.00	244, 600
13 714 705-00	878.90	94, 95
-06	1,406.30	94, 95
-19	1,318.40	94, 95
-46	2,109.40	94, 95
-47	2,109.40	94, 95
-99	1,582.10	94, 95
13 715 705-00	952.70	94, 95, 97, 600
-06	1,523.90	94, 95
-19	1,428.90	94, 95
-46	2,286.50	94, 95
-47	2,286.50	94, 95
-99	1,714.70	94, 95
13 715 811-00	952.70	139, 142, 601
-06	1,523.90	139
-19	1,428.90	139
-28	2,286.50	139
-36	1,523.90	139
-38	2,286.50	139
-42	1,524.30	139
-99	1,714.70	139
13 716 671-00	581.10	191, 599
13 716 782-00	1,083.20	346, 601
13 716 809-00	952.70	545, 602
13 716 882-00	611.20	406, 481, 602
13 717 705-00	1,197.10	95, 95
-06	1,915.20	95, 95
-19	1,795.70	95, 95
-46	2,873.00	95, 95
-47	2,873.00	95, 95
-99	2,154.80	95, 95
13 717 811-00	1,000.10	143, 603
13 800 671-00	572.10	192, 599
13 800 705-00	822.50	96, 96, 97, 603
-06	1,316.20	96, 96
-19	1,233.80	96, 96
-46	1,974.00	96, 96
-47	1,974.00	96, 96
-99	1,480.50	96, 96
13 800 782-00	803.60	345, 346, 604
-06	1,285.10	345
-08	1,285.10	345
-19	1,205.30	345
-28	1,928.60	345
-39	1,285.70	345
-42	1,285.70	345
-43	1,446.50	345
-46	1,928.60	345
-47	1,928.60	345
-99	1,446.30	345
13 800 809-00	822.50	544, 546, 604
-06	1,316.20	544
-08	1,316.10	544
-19	1,234.00	544
-28	1,974.00	544
-39	1,316.00	544
-42	1,316.10	544
-43	1,480.50	544
-46	1,974.00	544
-47	1,974.00	544
-99	1,480.40	544
13 800 811-00	719.70	141, 143, 605
-06	1,151.60	141
-19	1,079.50	141
-28	1,727.30	141
-36	1,151.60	141
-38	1,727.30	141
-42	1,151.30	141
-99	1,295.50	141
13 800 882-00	516.20	407, 481, 605
13 801 404-00	736.30	83
-06	1,178.10	83
-19	1,104.50	83
-28	1,767.10	83
-39	1,178.10	83
-42	1,178.10	83
-43	1,325.30	83
-46	1,767.10	83
-47	1,767.10	83
-99	1,325.30	83
13 801 660-00	542.60	456
-06	868.00	456
-19	814.20	456
-26	814.10	456
-27	814.10	456
-33	732.70	456
-37	813.90	456
-39	868.10	456
-42	868.10	456
-43	976.70	456
-93	705.50	456
-99	976.70	456
13 801 670-00	654.60	230
-06	1,047.40	230
-19	981.90	230
-27	981.90	230
-33	883.70	230
-37	981.90	230
-93	851.00	230
-99	1,178.20	230
13 801 705-00	857.20	124
-06	1,371.40	124
-19	1,285.90	124
-46	2,057.30	124
-47	2,057.30	124
-99	1,543.00	124
13 801 782-00	767.60	380
-06	1,228.50	380
-08	1,228.50	380
-19	1,151.30	380
-28	1,842.20	380
-39	1,228.10	380
-42	1,228.10	380
-43	1,381.70	380
-46	1,842.20	380
-47	1,842.20	380
-99	1,381.70	380
13 801 809-00	702.90	584
-06	1,124.60	584
-08	1,124.70	584
-19	1,054.30	584
-28	1,687.00	584
-39	1,124.60	584
-42	1,124.70	584
-43	1,265.20	584
-46	1,687.00	584
-47	1,687.00	584
-99	1,265.10	584
13 801 845-00	611.50	266
-06	978.40	266
-19	917.20	266
-27	917.20	266
-33	825.50	266
-93	795.00	266
-99	1,100.60	266
13 801 892-00	656.30	525
-06	1,050.00	525
-08	1,050.00	525
-19	984.30	525
-28	1,575.10	525
-33	885.90	525
-39	1,050.00	525
-42	1,049.90	525
-43	1,181.30	525
-46	1,575.10	525
-47	1,575.10	525
-93	853.20	525
-99	1,181.40	525
13 805 811-00	760.80	142, 144, 606
-06	1,217.60	142
-19	1,141.40	142
-28	1,825.90	142
-36	1,217.60	142
-38	1,825.90	142
-42	1,217.40	142
-99	1,369.50	142
17		
17 500 662-00	497.70	403
-06	796.40	403
-19	746.60	403
-26	746.60	403
-27	746.60	403
-33	671.90	403
-37	746.60	403
-39	796.30	403
-42	796.30	403
-43	895.90	403
-93	647.00	403
-99	895.90	403
17 500 671-00	451.50	189
-06	722.50	189
-19	677.30	189
-27	677.30	189
-33	609.60	189
-37	677.30	189
-93	587.10	189
-99	812.80	189
20		
20 000 705-00	345.70	121, 123
-06	552.80	121, 123
-19	518.50	121, 123
-46	829.70	121, 123
-47	829.70	121, 123
-99	622.10	121, 123
20 000 706-00	345.70	121, 123
-06	552.80	121, 123
-19	518.50	121, 123
-46	829.70	121, 123
-47	829.70	121, 123
-99	622.10	121, 123
20 000 740-00	337.60	121, 172
-06	539.80	121, 172
-19	506.30	121, 172
-28	810.20	172
-42	540.10	172
-46	810.20	121
-47	810.20	121
-99	607.30	121, 172
20 000 741-00	337.60	121, 172
-06	539.80	121, 172
-19	506.30	121, 172
-28	810.20	172
-42	540.10	172
-46	810.20	121
-47	810.20	121
-99	607.30	121, 172
20 000 782-00	345.70	375
-06	552.80	375
-08	552.80	375
-19	518.50	375
-28	829.70	375
-39	553.00	375
-42	553.00	375
-43	622.30	375
-46	829.70	375
-47	829.70	375
-99	622.10	375
20 000 783-00	345.70	375
-06	552.80	375
-08	552.80	375
-19	518.50	375
-28	829.70	375
-39	553.00	375
-42	553.00	375
-43	622.30	375
-46	829.70	375
-47	829.70	375
-99	622.10	375
20 000 811-00	337.60	172
-06	539.80	172
-19	506.30	172
-28	810.20	172
-36	539.80	172
-38	810.20	172
-42	540.10	172
-99	607.30	172
20 000 892-00	236.30	520

Article number	Euro	Page
-06	377.70	520
-08	377.70	520
-19	354.20	520
-28	567.10	520
-33	318.70	520
-39	377.90	520
-42	378.00	520
-43	425.30	520
-46	567.10	520
-47	567.10	520
-93	307.00	520
-99	424.70	520
20 004 705-00	345.70	94, 94, 95, 121
-06	552.80	94, 94, 95, 121
-19	518.50	94, 94, 95, 121
-46	829.70	94, 94, 95, 121
-47	829.70	94, 94, 95, 121
-99	622.10	94, 94, 95, 121
20 004 706-00	345.70	94, 94, 95, 121
-06	552.80	94, 94, 95, 121
-19	518.50	94, 94, 95, 121
-46	829.70	94, 94, 95, 121
-47	829.70	94, 94, 95, 121
-99	622.10	94, 94, 95, 121
20 004 782-00	449.30	376
-06	718.70	376
-08	718.70	376
-19	674.00	376
-28	1,078.30	376
-39	718.70	376
-42	718.70	376
-43	808.70	376
-46	1,078.30	376
-47	1,078.30	376
-99	808.70	376
20 004 783-00	449.30	376
-06	718.70	376
-08	718.70	376
-19	674.00	376
-28	1,078.30	376
-39	718.70	376
-42	718.70	376
-43	808.70	376
-46	1,078.30	376
-47	1,078.30	376
-99	808.70	376
20 005 782-00	449.30	376
-06	718.70	376
-08	718.70	376
-19	674.00	376
-28	1,078.30	376
-39	718.70	376
-42	718.70	376
-43	808.70	376
-46	1,078.30	376
-47	1,078.30	376
-99	808.70	376
20 005 783-00	449.30	376
-06	718.70	376
-08	718.70	376
-19	674.00	376
-28	1,078.30	376
-39	718.70	376
-42	718.70	376
-43	808.70	376
-46	1,078.30	376
-47	1,078.30	376
-99	808.70	376
20 700 360-00	1,639.90	310
-06	2,624.10	310
-08	2,624.10	310
-09	3,935.80	310
-28	3,935.80	310
-39	2,623.80	310
-42	2,623.80	310
-43	2,951.80	310
-99	2,952.10	310
20 700 370-00	1,598.90	310
-06	2,558.10	310
-08	2,558.10	310
-09	3,837.40	310
-28	3,837.40	310
-39	2,558.20	310
-42	2,558.20	310
-43	2,878.00	310
-99	2,877.80	310
20 705 782-00	1,717.30	341
-06	2,747.60	341
-08	2,747.60	341
-19	2,576.10	341
-28	4,121.50	341
-39	2,747.60	341
-42	2,747.60	341
-43	3,091.10	341
-46	4,121.50	341
-47	4,121.50	341
-99	3,091.10	341
20 705 809-00	1,463.60	540
-06	2,341.70	540

Article number	Euro	Page
-08	2,341.70	540
-19	2,195.40	540
-28	3,512.60	540
-39	2,341.80	540
-42	2,341.90	540
-43	2,634.50	540
-46	3,512.60	540
-47	3,512.60	540
-99	2,634.50	540
20 705 819-00	1,463.60	541
-06	2,341.70	541
-08	2,341.70	541
-19	2,195.40	541
-28	3,512.60	541
-39	2,341.80	541
-42	2,341.90	541
-43	2,634.50	541
-46	3,512.60	541
-47	3,512.60	541
-99	2,634.50	541
20 705 882-00	1,440.00	475
-06	2,304.00	475
-08	2,304.00	475
-19	2,160.00	475
-28	3,456.00	475
-33	1,943.90	475
-39	2,304.00	475
-42	2,304.00	475
-43	2,592.00	475
-46	3,456.00	475
-47	3,456.00	475
-93	1,871.90	475
-99	2,591.80	475
20 710 811-00	1,576.70	138
-06	2,522.70	138
-19	2,365.10	138
-28	3,784.10	138
-36	2,522.70	138
-38	3,784.10	138
-42	2,522.70	138
-99	2,838.20	138
20 710 882-00	1,381.10	475
-06	2,209.80	475
-08	2,209.80	475
-19	2,071.90	475
-28	3,314.60	475
-33	1,864.40	475
-39	2,209.70	475
-42	2,209.80	475
-43	2,486.00	475
-46	3,314.60	475
-47	3,314.60	475
-93	1,795.50	475
-99	2,486.10	475
20 710 892-00	1,255.50	475
-06	2,008.80	475
-08	2,008.80	475
-19	1,883.20	475
-28	3,013.20	475
-33	1,694.90	475
-39	2,008.80	475
-42	2,008.80	475
-43	2,259.90	475
-46	3,013.20	475
-47	3,013.20	475
-93	1,632.10	475
-99	2,260.10	475
20 713 404-00	1,533.30	50
-06	2,453.30	50
-19	2,300.00	50
-28	3,679.90	50
-39	2,453.30	50
-42	2,453.30	50
-43	2,759.90	50
-46	3,679.90	50
-47	3,679.90	50
-99	2,759.90	50
20 713 414-00	1,533.30	51
-06	2,453.30	51
-19	2,300.00	51
-28	3,679.90	51
-39	2,453.30	51
-42	2,453.30	51
-43	2,759.90	51
-46	3,679.90	51
-47	3,679.90	51
-99	2,759.90	51
20 713 424-00	1,533.30	51
-06	2,453.30	51
-19	2,300.00	51
-28	3,679.90	51
-39	2,453.30	51
-42	2,453.30	51
-43	2,759.90	51
-46	3,679.90	51
-47	3,679.90	51
-99	2,759.90	51
20 713 661-00	1,043.10	403
-06	1,669.10	403

Article number	Euro	Page
-19	1,564.60	403
-26	1,564.60	403
-27	1,564.60	403
-33	1,408.20	403
-37	1,564.70	403
-39	1,668.90	403
-42	1,668.90	403
-43	1,877.60	403
-93	1,356.00	403
-99	1,877.50	403
20 713 671-00	1,199.40	189
-06	1,919.00	189
-19	1,799.20	189
-27	1,799.20	189
-33	1,619.20	189
-37	1,799.10	189
-93	1,559.30	189
-99	2,158.90	189
20 713 710-00	1,408.90	280
-06	2,254.50	280
20 713 782-00	1,717.30	341
-06	2,748.00	341
-08	2,748.00	341
-19	2,576.10	341
-28	4,121.50	341
-39	2,747.60	341
-42	2,747.60	341
-43	3,091.10	341
-46	4,121.50	341
-47	4,121.50	341
-99	3,091.20	341
20 713 809-00	1,463.60	541
-06	2,341.60	541
-08	2,341.70	541
-19	2,195.40	541
-28	3,512.60	541
-39	2,341.80	541
-42	2,341.90	541
-43	2,634.50	541
-46	3,512.60	541
-47	3,512.60	541
-99	2,634.30	541
20 713 811-00	1,659.80	139, 593
-06	2,655.60	139
-19	2,489.90	139
-28	3,983.50	139
-36	2,655.60	139
-38	3,983.50	139
-42	2,655.90	139
-99	2,987.70	139
20 713 819-00	1,463.60	541
-06	2,341.60	541
-08	2,341.70	541
-19	2,195.40	541
-28	3,512.60	541
-39	2,341.80	541
-42	2,341.90	541
-43	2,634.50	541
-46	3,512.60	541
-47	3,512.60	541
-99	2,634.30	541
20 713 845-00	903.50	243
-06	1,445.40	243
-19	1,355.20	243
-27	1,355.20	243
-33	1,219.60	243
-93	1,174.50	243
-99	1,626.20	243
20 713 882-00	1,440.00	476
-06	2,304.30	476
-08	2,304.30	476
-19	2,160.00	476
-28	3,456.00	476
-33	1,944.40	476
-39	2,304.00	476
-42	2,304.00	476
-43	2,592.00	476
-46	3,456.00	476
-47	3,456.00	476
-93	1,871.90	476
-99	2,592.10	476
20 713 892-00	1,330.50	476
-06	2,128.60	476
-08	2,128.60	476
-19	1,995.80	476
-28	3,193.20	476
-33	1,796.10	476
-39	2,128.70	476
-42	2,128.90	476
-43	2,394.90	476
-46	3,193.20	476
-47	3,193.20	476
-93	1,729.70	476
-99	2,394.90	476
20 715 782-00	1,798.90	342
-06	2,878.30	342
-08	2,878.30	342
-19	2,698.40	342
-28	4,317.40	342

Index

Article number	Euro	Page
-39	2,878.20	342
-42	2,878.20	342
-43	3,238.00	342
-46	4,317.40	342
-47	4,317.40	342
-99	3,238.10	342
22		
22 500 360-00	1,031.80	310
-06	1,651.30	310
-08	1,651.30	310
-09	2,476.30	310
-28	2,476.30	310
-39	1,651.00	310
-42	1,651.00	310
-43	1,857.20	310
-99	1,857.50	310
22 512 892-00	747.40	474
-06	1,195.80	474
-08	1,195.80	474
-19	1,121.10	474
-28	1,793.80	474
-33	1,008.80	474
-39	1,196.00	474
-42	1,195.80	474
-43	1,345.30	474
-46	1,793.80	474
-47	1,793.80	474
-93	971.70	474
-99	1,345.40	474
22 513 809-00	1,017.50	540
-06	1,628.00	540
-08	1,628.00	540
-19	1,526.30	540
-28	2,442.00	540
-39	1,628.00	540
-42	1,628.00	540
-43	1,831.50	540
-46	2,442.00	540
-47	2,442.00	540
-99	1,831.50	540
22 513 892-00	791.90	474
-06	1,266.70	474
-08	1,266.70	474
-19	1,187.70	474
-28	1,900.60	474
-33	1,068.60	474
-39	1,266.90	474
-42	1,266.90	474
-43	1,425.40	474
-46	1,900.60	474
-47	1,900.60	474
-93	1,029.40	474
-99	1,425.20	474
22 533 892-00	1,042.70	474
-06	1,668.70	474
-08	1,668.70	474
-19	1,564.20	474
-28	2,502.50	474
-33	1,407.80	474
-39	1,668.30	474
-42	1,668.20	474
-43	1,876.90	474
-46	2,502.50	474
-47	2,502.50	474
-93	1,355.60	474
-99	1,877.00	474
22 584 660-00	1,803.80	399
-06	2,885.90	399
-19	2,705.50	399
-26	2,705.60	399
-27	2,705.60	399
-33	2,435.10	399
-37	2,705.70	399
-39	2,886.00	399
-42	2,886.00	399
-43	3,246.80	399
-93	2,345.00	399
-99	3,246.80	399
22 584 661-00	1,925.40	400
-06	3,080.50	400
-19	2,887.90	400
-26	2,888.00	400
-27	2,888.00	400
-33	2,599.20	400
-37	2,888.10	400
-39	3,080.60	400
-42	3,080.50	400
-43	3,465.70	400
-93	2,502.90	400
-99	3,465.60	400
22 585 671-00	1,984.20	188
-06	3,174.70	188
-19	2,976.20	188
-27	2,976.20	188
-33	2,678.60	188
-37	2,976.30	188
-93	2,579.40	188
-99	3,571.50	188
22 585 892-00	2,121.30	473
-06	3,394.20	473
-08	3,394.20	473
-19	3,182.10	473
-28	5,091.10	473
-33	2,863.70	473
-39	3,394.20	473
-42	3,394.00	473
-43	3,818.30	473
-46	5,091.10	473
-47	5,091.10	473
-93	2,757.70	473
-99	3,818.40	473
22 815 892-00	640.20	755
-06	1,024.30	755
-08	1,024.30	755
-09	1,536.50	755
-19	960.20	755
-28	1,536.50	755
-33	864.30	755
-39	1,024.30	755
-42	1,024.20	755
-43	1,152.40	755
-46	1,536.50	755
-47	1,536.50	755
-93	832.20	755
-99	960.20	755
22 900 360-00	224.80	311, 710
-06	359.80	311, 710
-08	359.80	311, 710
-09	539.50	311, 710
-28	539.50	311, 710
-39	359.70	311, 710
-42	359.70	311, 710
-43	404.60	311, 710
-99	404.60	311, 710
22 900 361-00	224.80	311, 710
-06	359.80	311, 710
-08	359.80	311, 710
-09	539.50	311, 710
-28	539.50	311, 710
-39	359.70	311, 710
-42	359.70	311, 710
-43	404.60	311, 710
-99	404.60	311, 710
22 900 892-00	216.40	482, 711
-06	346.20	482, 711
-08	346.20	482, 711
-19	324.70	482, 711
-28	519.40	482, 711
-33	292.20	482, 711
-39	346.30	482, 711
-42	346.30	482, 711
-43	389.50	482, 711
-46	519.40	482, 711
-47	519.40	482, 711
-99	389.70	482, 711
22 901 782-00	225.90	98, 192, 347, 710
-06	361.40	98, 192, 347, 710
-08	361.40	347, 710
-19	338.80	98, 192, 347, 710
-27	338.70	192, 710
-28	542.20	347, 710
-33	305.10	192, 347, 710
-37	338.90	192, 710
-39	361.30	347, 710
-42	361.30	347, 710
-43	406.60	347, 710
-46	542.20	98, 347, 710
-47	542.20	98, 347, 710
-93	293.50	192, 710
-99	406.70	98, 192, 347, 710
22 901 979-00	198.00	55, 244, 281, 407, 546, 710
-06	316.80	55, 244, 281, 407, 546, 710
-08	316.80	407, 546, 710
-09	475.20	546, 710
-19	296.90	55, 244, 407, 546, 710
-26	297.00	407, 710
-27	297.00	244, 407, 710
-28	475.20	55, 546, 710
-33	267.30	244, 407, 546, 710
-37	297.00	407, 710
-39	316.80	55, 407, 546, 710
-42	316.80	55, 407, 546, 710
-43	356.40	55, 407, 546, 710
-46	475.20	55, 546, 710
-47	475.20	55, 546, 710
-93	257.50	244, 407, 710
-99	356.30	55, 244, 407, 546, 710
24		
24 510 360-00	1,289.90	313
-06	2,063.70	313
-08	2,063.70	313
-09	3,095.80	313
-28	3,095.80	313
-39	2,063.80	313
-42	2,063.80	313
-43	2,321.80	313
-99	2,322.00	313
24 510 892-00	933.50	483
-06	1,493.60	483
-08	1,493.60	483
-19	1,400.20	483
-28	2,240.40	483
-33	1,260.40	483
-39	1,493.50	483
-42	1,493.50	483
-43	1,680.30	483
-46	2,240.40	483
-47	2,240.40	483
-93	1,213.60	483
-99	1,680.00	483
25		
25 023 360-00	1,793.40	328
-06	2,869.20	328
-08	2,869.20	328
-09	4,304.20	328
-28	4,304.20	328
-39	2,869.50	328
-42	2,869.50	328
-43	3,228.10	328
-99	3,228.30	328
25 133 882-00	1,730.30	523
-06	2,768.00	523
-08	2,768.00	523
-19	2,595.50	523
-28	4,152.70	523
-33	2,335.20	523
-39	2,768.40	523
-42	2,768.40	523
-43	3,114.50	523
-46	4,152.70	523
-47	4,152.70	523
-93	2,249.40	523
-99	3,114.30	523
25 133 892-00	1,581.20	523
-06	2,530.50	523
-08	2,530.50	523
-19	2,371.70	523
-28	3,794.90	523
-33	2,134.90	523
-39	2,529.90	523
-42	2,529.90	523
-43	2,846.20	523
-46	3,794.90	523
-47	3,794.90	523
-93	2,055.50	523
-99	2,846.30	523
25 863 404-00	5,351.70	80
-06	8,562.70	80
-19	8,027.60	80
-28	12,844.10	80
-39	8,562.70	80
-42	8,562.70	80
-43	9,633.10	80
-46	12,844.10	80
-47	12,844.10	80
-99	9,633.10	80
25 863 661-00	3,482.10	454, 522
-06	5,571.60	454, 522
-19	5,223.20	454, 522
-26	5,223.20	454
-27	5,223.20	454
-28	8,357.00	522
-33	4,701.90	454, 522
-37	5,223.20	454
-39	5,571.30	454, 522
-42	5,571.40	454, 522
-43	6,267.80	454, 522
-46	8,357.00	522
-47	8,357.00	522
-93	4,526.90	454, 522
-99	6,268.00	454, 522
25 863 671-00	4,225.90	229
-06	6,761.60	229
-19	6,339.00	229
-27	6,339.00	229
-33	5,705.00	229
-37	6,338.90	229
-93	5,493.70	229
-99	7,606.60	229
25 863 705-00	5,101.70	123
-06	8,162.70	123
-19	7,652.60	123
-46	12,244.10	123
-47	12,244.10	123
-99	9,183.00	123
25 863 710-00	5,101.70	298
-06	8,162.70	298

Article number	Euro	Page
25 863 782-00	5,101.70	378
-06	8,162.70	378
-08	8,162.70	378
-19	7,652.70	378
-28	12,244.10	378
-39	8,162.80	378
-42	8,162.80	378
-43	9,183.10	378
-46	12,244.10	378
-47	12,244.10	378
-99	9,183.10	378
25 863 809-00	5,108.50	582
-06	8,173.80	582
-08	8,173.50	582
-19	7,662.90	582
-28	12,260.40	582
-39	8,173.50	582
-42	8,173.50	582
-43	9,195.30	582
-46	12,260.40	582
-47	12,260.40	582
-99	9,195.40	582
25 863 811-00	5,101.70	174
-06	8,162.70	174
-19	7,652.60	174
-28	12,244.10	174
-42	8,162.80	174
-99	9,183.00	174
25 943 360-00	4,404.30	328
-06	7,046.90	328
-08	7,046.90	328
-09	10,570.30	328
-28	10,570.30	328
-39	7,046.90	328
-42	7,046.90	328
-43	7,927.70	328
-99	7,927.90	328
25 943 404-00	4,666.00	80
-06	7,465.60	80
-19	6,999.00	80
-28	11,198.40	80
-39	7,465.60	80
-42	7,465.60	80
-43	8,398.80	80
-46	11,198.40	80
-47	11,198.40	80
-99	8,398.80	80
25 943 414-00	4,666.00	80
-06	7,465.60	80
-19	6,999.00	80
-28	11,198.40	80
-39	7,465.60	80
-42	7,465.60	80
-43	8,398.80	80
-46	11,198.40	80
-47	11,198.40	80
-99	8,398.80	80
25 943 424-00	4,666.00	81
-06	7,465.60	81
-19	6,999.00	81
-28	11,198.40	81
-39	7,465.60	81
-42	7,465.60	81
-43	8,398.80	81
-46	11,198.40	81
-47	11,198.40	81
-99	8,398.80	81
25 943 809-00	4,453.90	582
-06	7,126.00	582
-08	7,126.10	582
-19	6,680.80	582
-28	10,689.40	582
-39	7,126.40	582
-42	7,126.20	582
-43	8,017.00	582
-46	10,689.40	582
-47	10,689.40	582
-99	8,017.20	582
25 943 819-00	4,453.90	582
-06	7,126.00	582
-08	7,126.10	582
-19	6,680.80	582
-28	10,689.40	582
-39	7,126.40	582
-42	7,126.20	582
-43	8,017.00	582
-46	10,689.40	582
-47	10,689.40	582
-99	8,017.20	582
25 943 882-00	4,409.50	522
-06	7,055.10	522
-08	7,055.10	522
-19	6,614.50	522
-28	10,582.80	522
-33	5,952.90	522
-39	7,055.20	522
-42	7,055.30	522
-43	7,937.10	522
-46	10,582.80	522
-47	10,582.80	522
-93	5,732.40	522
-99	7,937.40	522
25 943 892-00	4,049.00	522
-06	6,478.30	522
-08	6,478.30	522
-19	6,073.50	522
-28	9,717.60	522
-33	5,465.90	522
-39	6,478.40	522
-42	6,478.50	522
-43	7,288.20	522
-46	9,717.60	522
-47	9,717.60	522
-93	5,263.80	522
-99	7,287.90	522

26

26 411 625-00	494.80	411, 620
-19	742.10	411, 620
-26	742.10	411, 620
-27	742.10	411, 620
-33	667.90	411, 620
-37	742.20	411, 620
-42	791.60	411, 620
-43	890.60	411, 620
-93	643.20	411, 620
-99	890.60	411, 620
26 412 404-00	772.00	57, 613
-06	1,235.20	57, 613
-19	1,158.00	57, 613
-28	1,852.80	57, 613
-39	1,235.20	57, 613
-42	1,235.20	57, 613
-43	1,389.60	57, 613
-46	1,852.80	57, 613
-47	1,852.80	57, 613
-99	1,389.60	57, 613
26 412 625-00	735.90	410, 486, 619
-06	1,177.50	410, 486, 619
-08	1,177.50	410, 486, 619
-19	1,104.00	410, 486, 619
-26	1,104.00	410, 619
-27	1,104.00	410, 619
-28	1,766.20	486, 619
-33	993.50	410, 486, 619
-37	1,103.90	410, 619
-39	1,177.50	410, 486, 619
-42	1,177.50	410, 486, 619
-43	1,324.60	410, 486, 619
-46	1,766.20	486, 619
-47	1,766.20	486, 619
-93	956.80	410, 486, 619
-99	1,324.70	410, 486, 619
26 412 710-00	737.10	283, 612
-06	1,179.40	283, 612
26 412 892-00	736.90	484, 615
-06	1,179.00	484, 615
-08	1,179.00	484, 615
-19	1,105.30	484, 615
-28	1,768.60	484, 615
-33	994.80	484, 615
-39	1,179.00	484, 615
-42	1,179.00	484, 615
-43	1,326.40	484, 615
-46	1,768.60	484, 615
-47	1,768.60	484, 615
-93	957.90	484, 615
-99	1,326.40	484, 615
26 412 979-00	441.30	101, 147, 195, 246, 283, 350, 409, 485, 549, 618
-06	706.10	101, 147, 195, 246, 283, 350, 409, 485, 549, 618
-08	706.10	350, 409, 485, 549, 618
-19	662.00	101, 147, 195, 246, 350, 409, 485, 549, 618
-26	662.00	409, 618
-27	662.00	195, 246, 409, 618
-28	1,059.10	147, 350, 485, 549, 618
-33	595.80	195, 246, 350, 409, 485, 549, 618
-37	662.00	195, 409, 618
-39	706.10	350, 409, 485, 549, 618
-42	706.10	147, 350, 409, 485, 549, 618
-43	794.30	350, 409, 485, 549, 618
-46	1,059.10	101, 350, 485, 549, 618
-47	1,059.10	101, 350, 485, 549, 618
-93	573.70	195, 246, 409, 485, 618
-99	794.30	101, 147, 195, 246, 350, 409, 485, 549, 618
26 412 980-00	737.00	100, 146, 194, 349, 617
-06	1,179.20	100, 146, 194, 349, 617
-08	1,179.20	349, 617
-19	1,105.50	100, 146, 194, 349, 617
-26	1,105.50	617
-27	1,105.50	194, 617
-28	1,768.80	146, 349, 617
-33	995.00	194, 349, 617
-37	1,105.50	194, 617
-39	1,179.20	349, 617
-42	1,179.20	146, 349, 617
-43	1,326.60	349, 617
-46	1,768.80	100, 349, 617
-47	1,768.80	100, 349, 617
-93	958.10	194, 617
-99	1,326.60	100, 146, 194, 349, 617
26 413 370-00	810.70	314, 614
-06	1,297.40	314, 614
-08	1,297.40	314, 614
-09	1,945.70	314, 614
-28	1,945.70	314, 614
-39	1,297.20	314, 614
-42	1,297.20	314, 614
-43	1,459.30	314, 614
-99	1,459.40	314, 614
26 413 809-00	736.90	548, 616
-06	1,178.80	548, 616
-08	1,178.60	548, 616
-19	1,105.20	548, 616
-28	1,768.60	548, 616
-37	1,105.40	616
-39	1,179.00	548, 616
-42	1,179.00	548, 616
-43	1,326.40	548, 616
-46	1,768.60	548, 616
-47	1,768.60	548, 616
-99	1,325.90	548, 616
26 622 892-00	3,107.00	487, 629
-06	4,971.10	487, 629
-08	4,971.10	487, 629
-19	4,660.50	487, 629
-28	7,456.80	487, 629
-33	4,194.30	487, 629
-39	4,971.10	487, 629
-42	4,971.10	487, 629
-43	5,592.60	487, 629
-46	7,456.80	487, 629
-47	7,456.80	487, 629
-93	4,039.00	487, 629
-99	5,592.50	487, 629
26 623 892-00	3,036.40	488, 630
-06	4,858.20	488, 630
-08	4,858.20	488, 630
-19	4,554.60	488, 630
-28	7,287.40	488, 630
-33	4,099.10	488, 630
-37	4,554.60	630
-39	4,858.40	488, 630
-42	4,858.20	488, 630
-43	5,465.50	488, 630
-46	7,287.40	488, 630
-47	7,287.40	488, 630
-93	3,947.40	488, 630
-99	5,465.50	488, 630
26 632 360-00	3,345.40	315, 628
-06	5,352.60	315, 628
-08	5,352.60	315, 628
-09	8,029.00	315, 628
-28	8,029.00	315, 628
-39	5,352.70	315, 628
-42	5,352.70	315, 628
-43	6,021.70	315, 628
-99	6,021.80	315, 628

27

27 412 670-00	2,326.20	229
-06	3,721.90	229
-19	3,489.40	229
-27	3,489.40	229
-33	3,140.30	229
-37	3,489.30	229
-93	3,024.10	229
-99	4,187.10	229
27 412 710-00	2,333.00	298
-06	3,732.90	298
27 412 782-00	2,895.50	379
-06	4,633.10	379
-08	4,633.10	379
-19	4,343.20	379

Index

Article number	Euro	Page
-28	6,949.20	379
-39	4,632.80	379
-42	4,632.80	379
-43	5,211.90	379
-46	6,949.20	379
-47	6,949.20	379
-99	5,211.90	379
27 412 845-00	2,012.30	266
-06	3,219.80	266
-19	3,018.40	266
-27	3,018.40	266
-33	2,716.80	266
-93	2,616.10	266
-99	3,622.30	266
27 502 360-00	3,468.30	328
-06	5,549.00	328
-08	5,549.00	328
-09	8,323.90	328
-28	8,323.90	328
-39	5,549.10	328
-42	5,549.10	328
-43	6,242.90	328
-99	6,242.90	328
27 512 710-00	2,332.20	298
-06	3,731.60	298
27 512 882-00	2,444.00	525
-06	3,910.50	525
-08	3,910.50	525
-19	3,666.10	525
-28	5,865.60	525
-33	3,299.50	525
-39	3,910.40	525
-42	3,910.40	525
-43	4,399.20	525
-46	5,865.60	525
-47	5,865.60	525
-93	3,177.20	525
-99	4,399.00	525
27 512 892-00	2,280.30	524
-06	3,648.30	524
-08	3,648.30	524
-19	3,420.50	524
-28	5,472.70	524
-33	3,078.20	524
-39	3,648.30	524
-42	3,648.40	524
-43	4,104.50	524
-46	5,472.70	524
-47	5,472.70	524
-93	2,964.30	524
-99	4,104.50	524
27 522 404-00	3,583.10	82
-06	5,733.00	82
-19	5,374.70	82
-28	8,599.40	82
-39	5,733.00	82
-42	5,733.00	82
-43	6,449.60	82
-46	8,599.40	82
-47	8,599.40	82
-99	6,449.60	82
27 522 414-00	3,583.10	82
-06	5,733.00	82
-19	5,374.70	82
-28	8,599.40	82
-39	5,733.00	82
-42	5,733.00	82
-43	6,449.60	82
-46	8,599.40	82
-47	8,599.40	82
-99	6,449.60	82
27 522 424-00	3,583.10	82
-06	5,733.00	82
-19	5,374.70	82
-28	8,599.40	82
-39	5,733.00	82
-42	5,733.00	82
-43	6,449.60	82
-46	8,599.40	82
-47	8,599.40	82
-99	6,449.60	82
27 522 809-00	3,420.30	583
-06	5,472.50	583
-08	5,472.40	583
-19	5,130.30	583
-28	8,208.70	583
-39	5,472.40	583
-42	5,472.40	583
-43	6,156.50	583
-46	8,208.70	583
-47	8,208.70	583
-99	6,156.30	583
27 522 819-00	3,420.30	584
-06	5,472.50	584
-08	5,472.40	584
-19	5,130.30	584
-28	8,208.70	584
-39	5,472.40	584
-42	5,472.40	584
-43	6,156.50	584
-46	8,208.70	584
-47	8,208.70	584
-99	6,156.30	584
27 523 811-00	3,420.30	174
-06	5,472.50	174
-19	5,130.40	174
-28	8,208.70	174
-42	5,472.40	174
-99	6,156.30	174
27 532 782-00	2,748.40	379
-06	4,397.40	379
-08	4,397.40	379
-19	4,122.60	379
-28	6,596.20	379
-39	4,397.50	379
-42	4,397.50	379
-43	4,947.10	379
-46	6,596.20	379
-47	6,596.20	379
-99	4,947.20	379
27 632 404-00	2,520.40	81
-06	4,032.60	81
-19	3,780.60	81
-28	6,049.00	81
-39	4,032.60	81
-42	4,032.60	81
-43	4,536.70	81
-46	6,049.00	81
-47	6,049.00	81
-99	4,536.70	81
27 632 661-00	1,778.60	456
-06	2,845.80	456
-19	2,668.20	456
-26	2,668.10	456
-27	2,668.10	456
-33	2,400.20	456
-37	2,667.90	456
-39	2,845.80	456
-42	2,845.80	456
-43	3,201.50	456
-93	2,312.20	456
-99	3,201.60	456
27 632 809-00	2,405.90	583
-06	3,849.50	583
-08	3,849.50	583
-19	3,608.70	583
-28	5,774.20	583
-39	3,849.50	583
-42	3,849.50	583
-43	4,330.60	583
-46	5,774.20	583
-47	5,774.20	583
-99	4,330.90	583
27 632 811-00	2,526.30	174
-06	4,042.00	174
-19	3,789.50	174
-28	6,063.10	174
-42	4,042.00	174
-99	4,547.10	174
27 701 670-00	339.30	99, 193, 245, 282, 313, 348, 483, 547
-06	542.60	99, 193, 245, 282, 313, 348, 483, 547
-08	542.60	313, 348, 483, 547
-19	508.80	99, 193, 245, 348, 483, 547
-27	508.80	193, 245
-28	814.30	313, 348, 483, 547
-37	509.00	193
-39	542.90	313, 348, 483, 547
-42	542.70	313, 348, 483, 547
-43	610.70	313, 348, 483, 547
-46	814.30	99, 348, 483, 547
-47	814.30	99, 348, 483, 547
-93	441.00	193, 245, 483
-99	610.70	99, 193, 245, 313, 348, 483, 547
27 701 970-00	339.30	99, 145, 193, 245, 282, 313, 348, 408, 483, 547
-06	542.60	99, 145, 193, 245, 282, 313, 348, 408, 483, 547
-08	542.60	313, 348, 408, 483, 547
-09	814.30	313, 348, 483, 547
-19	508.80	99, 145, 193, 245, 348, 408, 483, 547
-26	508.80	408
-27	508.80	193, 245, 408
-28	814.30	145, 313, 348, 483, 547
-37	509.00	193, 408
-39	542.90	313, 348, 408, 483, 547
-42	542.70	145, 313, 348, 408, 483, 547
-43	610.70	313, 348, 408, 483, 547
-46	814.30	99, 348, 483, 547
-47	814.30	99, 348, 483, 547
-93	441.00	193, 245, 408, 483
-99	610.70	99, 145, 193, 245, 313, 348, 408, 483, 547
27 702 404-00	702.60	83
-06	1,124.20	83
-19	1,053.90	83
-28	1,686.20	83
-39	1,124.20	83
-42	1,124.20	83
-43	1,264.70	83
-46	1,686.20	83
-47	1,686.20	83
-99	1,264.70	83
27 702 660-00	450.90	457
-06	721.00	457
-19	676.30	457
-26	676.40	457
-27	676.40	457
-33	608.70	457
-37	676.40	457
-39	721.40	457
-42	721.40	457
-43	811.60	457
-93	586.10	457
-99	811.50	457
27 702 809-00	670.60	584
-06	1,072.90	584
-08	1,073.20	584
-19	1,006.10	584
-28	1,609.40	584
-39	1,073.10	584
-42	1,073.00	584
-43	1,207.10	584
-46	1,609.40	584
-47	1,609.40	584
-99	1,207.30	584
27 702 979-00	609.70	267, 526
-06	975.50	267, 526
-08	975.50	526
-09	1,463.30	526
-19	914.70	267, 526
-27	914.70	267
-28	1,463.30	526
-33	823.10	267, 526
-39	975.70	526
-42	975.60	526
-43	1,097.50	526
-46	1,463.30	526
-47	1,463.30	526
-93	792.60	267, 526
-99	1,097.60	267, 526
27 702 980-00	599.60	123, 124, 175, 230, 381
-06	959.10	123, 124, 175, 230, 381
-08	959.10	381
-19	899.20	123, 124, 175, 230, 381
-27	899.30	230
-28	1,439.00	175, 381
-33	809.00	230, 381
-37	899.40	230
-39	959.30	381
-42	959.30	175, 381
-43	1,079.30	381
-46	1,439.00	123, 124, 381
-47	1,439.00	123, 124, 381
-93	779.40	230
-99	1,079.10	123, 124, 175, 230, 381
27 802 892-00	641.80	504, 683
-00 0010	641.80	504, 683
-06	1,027.20	504, 683
-06 0010	1,027.20	504, 683
-08	1,027.20	504, 683
-08 0010	1,027.20	504, 683
-19	962.70	504, 683
-19 0010	962.70	504, 683
-28	1,540.30	504, 683
-28 0010	1,540.30	504, 683
-33	866.70	504, 683
-33 0010	866.70	504, 683
-39	1,026.80	504, 683
-39 0010	1,026.80	504, 683
-42	1,026.90	504, 683
-42 0010	1,026.90	504, 683
-43	1,155.20	504, 683
-43 0010	1,155.20	504, 683
-46	1,540.30	504, 683
-46 0010	1,540.30	504, 683
-47	1,540.30	504, 683
-47 0010	1,540.30	504, 683
-93	834.20	504, 683
-93 0010	834.20	504, 683

Article number	Euro	Page
-99	1,155.20	504, 683
-99 0010	1,155.20	504, 683
27 803 361-00	714.90	318, 682
-00 0010	714.90	318, 682
-06	1,143.50	318, 682
-06 0010	1,143.50	318, 682
-08	1,143.50	318, 682
-08 0010	1,143.50	318, 682
-09	1,715.80	318, 682
-09 0010	1,715.80	318, 682
-28	1,715.80	318, 682
-28 0010	1,715.80	318, 682
-39	1,144.00	318, 682
-39 0010	1,144.00	318, 682
-42	1,144.00	318, 682
-42 0010	1,144.00	318, 682
-43	1,286.80	318, 682
-43 0010	1,286.80	318, 682
-99	1,287.00	318, 682
-99 0010	1,287.00	318, 682
27 803 845-00	500.30	258, 681
-00 0010	500.30	258, 681
-06	800.60	258, 681
-06 0010	800.60	258, 681
-19	750.40	258, 681
-19 0010	750.40	258, 681
-27	750.40	258, 681
-27 0010	750.40	258, 681
-33	675.20	258, 681
-33 0010	675.20	258, 681
-93	650.40	258, 681
-93 0010	650.40	258, 681
-99	900.50	258, 681
-99 0010	900.50	258, 681
27 803 892-00	629.20	505, 684
-00 0010	629.20	505, 684
-06	1,006.40	505, 684
-06 0010	1,006.40	505, 684
-08	1,006.40	505, 684
-08 0010	1,006.40	505, 684
-19	943.80	505, 684
-19 0010	943.80	505, 684
-28	1,510.10	505, 684
-28 0010	1,510.10	505, 684
-33	849.20	505, 684
-33 0010	849.20	505, 684
-39	1,006.50	505, 684
-39 0010	1,006.50	505, 684
-42	1,006.60	505, 684
-42 0010	1,006.60	505, 684
-43	1,132.60	505, 684
-43 0010	1,132.60	505, 684
-46	1,510.10	505, 684
-46 0010	1,510.10	505, 684
-47	1,510.10	505, 684
-47 0010	1,510.10	505, 684
-93	817.80	505, 684
-93 0010	817.80	505, 684
-99	1,132.60	505, 684
-99 0010	1,132.60	505, 684
27 808 404-00	739.80	60, 681
-00 0010	739.80	60, 681
-06	1,183.70	60, 681
-06 0010	1,183.70	60, 681
-19	1,109.70	60, 681
-19 0010	1,109.70	60, 681
-28	1,775.50	60, 681
-28 0010	1,775.50	60, 681
-39	1,183.70	60, 681
-39 0010	1,183.70	60, 681
-42	1,183.70	60, 681
-42 0010	1,183.70	60, 681
-43	1,331.60	60, 681
-43 0010	1,331.60	60, 681
-46	1,775.50	60, 681
-46 0010	1,775.50	60, 681
-47	1,775.50	60, 681
-47 0010	1,775.50	60, 681
-99	1,331.60	60, 681
-99 0010	1,331.60	60, 681
27 808 710-00	721.40	289, 682
-00 0010	721.40	289, 682
-06	1,154.30	289, 682
-06 0010	1,154.30	289, 682
27 808 809-00	706.10	564, 685
-00 0010	706.10	564, 685
-06	1,129.90	564, 685
-06 0010	1,129.90	564, 685
-08	1,129.90	564, 685
-08 0010	1,129.90	564, 685
-19	1,059.20	564, 685
-19 0010	1,059.20	564, 685
-28	1,694.60	564, 685
-28 0010	1,694.60	564, 685
-39	1,129.70	564, 685
-39 0010	1,129.70	564, 685
-42	1,129.80	564, 685
-42 0010	1,129.80	564, 685
-43	1,271.00	564, 685
-43 0010	1,271.00	564, 685
-46	1,694.60	564, 685
-46 0010	1,694.60	564, 685
-47	1,694.60	564, 685
-47 0010	1,694.60	564, 685
-99	1,271.10	564, 685
-99 0010	1,271.10	564, 685
27 809 985-00	976.60	108, 158, 212, 359, 686
-00 0010	976.60	108, 158, 212, 359, 686
-06	1,562.60	108, 158, 212, 359, 686
-06 0010	1,562.60	108, 158, 212, 359, 686
-08	1,562.40	359, 686
-08 0010	1,562.40	359, 686
-19	1,465.00	108, 158, 212, 359, 686
-19 0010	1,465.00	108, 158, 212, 359, 686
-27	1,465.00	212, 686
-27 0010	1,465.00	212, 686
-28	2,343.80	158, 359, 686
-28 0010	2,343.80	158, 359, 686
-37	1,464.90	212, 686
-37 0010	1,464.90	212, 686
-39	1,562.50	359, 686
-39 0010	1,562.50	359, 686
-42	1,562.50	158, 359, 686
-42 0010	1,562.50	158, 359, 686
-43	1,757.90	359, 686
-43 0010	1,326.60	359, 686
-46	2,343.80	108, 359, 686
-46 0010	2,343.80	108, 359, 686
-47	2,343.80	108, 359, 686
-47 0010	2,343.80	108, 359, 686
-93	1,269.60	212, 686
-93 0010	1,269.60	212, 686
-99	1,757.80	108, 158, 212, 359, 686
-99 0010	1,757.80	108, 158, 212, 359, 686
27 811 980-00	744.00	109, 159, 212, 360, 687
-00 0010	744.00	109, 159, 212, 360, 687
-06	1,190.50	109, 159, 212, 360, 687
-06 0010	1,190.50	109, 159, 212, 360, 687
-08	1,190.50	360, 687
-08 0010	1,190.50	360, 687
-19	1,116.00	109, 159, 212, 360, 687
-19 0010	1,116.00	109, 159, 212, 360, 687
-26	1,116.00	687
-26 0010	1,116.00	687
-27	1,116.00	212, 687
-27 0010	1,116.00	212, 687
-28	1,785.60	159, 360, 687
-28 0010	1,785.60	159, 360, 687
-33	1,004.40	212, 360, 687
-33 0010	1,004.40	212, 360, 687
-37	1,116.00	212, 687
-37 0010	1,116.00	212, 687
-39	1,190.50	360, 687
-39 0010	1,190.50	360, 687
-42	1,190.50	159, 360, 687
-42 0010	1,190.50	159, 360, 687
-43	1,339.20	360, 687
-43 0010	1,339.20	360, 687
-46	1,785.60	109, 360, 687
-46 0010	1,785.60	109, 360, 687
-47	1,785.60	109, 360, 687
-47 0010	1,785.60	109, 360, 687
-93	967.30	212, 687
-93 0010	967.30	212, 687
-99	1,339.30	109, 159, 212, 360, 687
-99 0010	1,339.30	109, 159, 212, 360, 687
27 812 660-00	478.10	427, 501, 562, 676
-00 0010	478.10	427, 501, 562, 676
-06	764.90	427, 501, 562, 676
-06 0010	764.90	427, 501, 562, 676
-08	764.90	427, 501, 562, 676
-08 0010	764.90	427, 501, 562, 676
-19	717.20	427, 501, 562, 676
-19 0010	717.20	427, 501, 562, 676
-26	717.20	427, 676
-26 0010	717.20	427, 676
-27	717.20	427, 676
-27 0010	717.20	427, 676
-28	1,147.40	501, 562, 676
-28 0010	1,147.40	501, 562, 676
-33	645.40	427, 501, 562, 676
-33 0010	645.40	427, 501, 562, 676
-37	717.20	427, 676
-37 0010	717.20	427, 676
-39	764.90	427, 501, 562, 676
-39 0010	764.90	427, 501, 562, 676
-42	764.90	427, 501, 562, 676
-42 0010	764.90	427, 501, 562, 676
-43	860.60	427, 501, 562, 676
-43 0010	860.60	427, 501, 562, 676
-46	1,147.40	501, 562, 676
-46 0010	1,147.40	501, 562, 676
-47	1,147.40	501, 562, 676
-47 0010	1,147.40	501, 562, 676
-93	621.50	427, 501, 676
-93 0010	621.50	427, 501, 676
-99	860.50	427, 501, 562, 676
-99 0010	860.50	427, 501, 562, 676
27 812 970-00	493.10	108, 158, 211, 358, 677
-00 0010	493.10	108, 158, 211, 358, 677
-06	789.00	108, 158, 211, 358, 677
-06 0010	789.00	108, 158, 211, 358, 677
-08	789.00	358, 677
-08 0010	789.00	358, 677
-19	739.60	108, 158, 211, 358, 677
-19 0010	739.60	108, 158, 211, 358, 677
-26	739.60	677
-26 0010	739.60	677
-27	739.60	211, 677
-27 0010	739.60	211, 677
-28	1,183.40	158, 358, 677
-28 0010	1,183.40	158, 358, 677
-33	665.70	211, 358, 677
-33 0010	665.70	211, 358, 677
-37	739.70	211, 677
-37 0010	739.70	211, 677
-39	789.00	358, 677
-39 0010	789.00	358, 677
-42	789.00	158, 358, 677
-42 0010	789.00	158, 358, 677
-43	887.60	358, 677
-43 0010	887.60	358, 677
-46	1,183.40	108, 358, 677
-46 0010	1,183.40	108, 358, 677
-47	1,183.40	108, 358, 677
-47 0010	1,183.40	108, 358, 677
-93	641.00	211, 677
-93 0010	641.00	211, 677
-99	887.60	108, 158, 211, 358, 677
-99 0010	887.60	108, 158, 211, 358, 677
27 813 660-00	463.20	428, 502, 563, 678
-00 0010	463.20	428, 502, 563, 678
-06	741.10	428, 502, 563, 678
-06 0010	741.10	428, 502, 563, 678
-08	741.10	428, 502, 563, 678
-08 0010	741.10	428, 502, 563, 678
-19	694.80	428, 502, 563, 678
-19 0010	694.80	428, 502, 563, 678
-26	694.80	428, 678
-26 0010	694.80	428, 678
-27	694.80	428, 678
-27 0010	694.80	428, 678
-28	1,111.70	502, 563, 678
-28 0010	1,111.70	502, 563, 678
-33	625.30	428, 502, 563, 678
-33 0010	625.30	428, 502, 563, 678
-37	694.80	428, 678
-37 0010	694.80	428, 678
-39	741.10	428, 502, 563, 678
-39 0010	741.10	428, 502, 563, 678
-42	741.10	428, 502, 563, 678
-42 0010	741.10	428, 502, 563, 678
-43	833.70	428, 502, 563, 678
-43 0010	860.60	428, 502, 563, 678
-46	1,111.70	502, 563, 678
-46 0010	1,111.70	502, 563, 678
-47	1,111.70	502, 563, 678
-47 0010	1,111.70	502, 563, 678
-93	602.10	428, 502, 678
-93 0010	602.10	428, 502, 678
-99	833.70	428, 502, 563, 678
-99 0010	833.70	428, 502, 563, 678
27 815 625-00	344.90	429, 503, 679
-00 0010	344.90	429, 503, 679
-06	551.90	429, 503, 679
-06 0010	551.90	429, 503, 679
-19	517.40	429, 503, 679
-19 0010	517.40	429, 503, 679
-26	517.40	429, 679
-26 0010	517.40	429, 679
-27	517.40	429, 679
-27 0010	517.40	429, 679

Index

Article number	Euro	Page
-28	827.80	503, 679
-28 0010	827.80	503, 679
-33	465.70	429, 503, 679
-33 0010	465.70	429, 503, 679
-37	517.40	429, 679
-37 0010	517.40	429, 679
-39	551.90	429, 503, 679
-39 0010	551.90	429, 503, 679
-42	551.90	429, 503, 679
-42 0010	551.90	429, 503, 679
-43	620.80	429, 503, 679
-43 0010	620.80	429, 503, 679
-46	827.80	503, 679
-46 0010	827.80	503, 679
-47	827.80	503, 679
-47 0010	827.80	503, 679
-93	448.50	429, 503, 679
-93 0010	448.50	429, 503, 679
-99	620.90	429, 503, 679
-99 0010	620.90	429, 503, 679
27 816 625-00	355.50	430, 680
-00 0010	355.50	430, 680
-06	568.90	430, 680
-06 0010	568.90	430, 680
-19	533.30	430, 680
-19 0010	533.30	430, 680
-26	533.30	430, 680
-26 0010	533.30	430, 680
-27	533.30	430, 680
-27 0010	533.30	430, 680
-28	853.20	680
-28 0010	853.20	680
-33	480.00	430, 680
-33 0010	480.00	430, 680
-37	533.30	430, 680
-37 0010	533.30	430, 680
-39	568.90	430, 680
-39 0010	568.90	430, 680
-42	568.90	430, 680
-42 0010	568.90	430, 680
-43	639.90	430, 680
-43 0010	639.90	430, 680
-46	853.20	680
-46 0010	853.20	680
-47	853.20	680
-47 0010	853.20	680
-93	462.20	430, 680
-93 0010	462.20	430, 680
-99	640.00	430, 680
-99 0010	640.00	430, 680
27 818 980-00	884.50	109, 159, 213, 361, 688
-00 0010	884.50	109, 159, 213, 361, 688
-06	1,415.10	109, 159, 213, 361, 688
-06 0010	1,415.10	109, 159, 213, 361, 688
-08	1,415.70	361, 688
-08 0010	1,415.70	361, 688
-19	1,327.00	109, 159, 213, 361, 688
-19 0010	1,327.00	109, 159, 213, 361, 688
-27	1,327.00	213, 688
-27 0010	1,327.00	213, 688
-28	2,122.80	159, 361, 688
-28 0010	2,122.80	159, 361, 688
-33	1,194.20	213, 361, 688
-33 0010	1,194.20	213, 361, 688
-37	1,326.80	213, 688
-37 0010	1,326.80	213, 688
-39	1,415.30	361, 688
-39 0010	1,415.30	361, 688
-42	1,415.30	159, 361, 688
-42 0010	1,415.30	159, 361, 688
-43	1,592.10	361, 688
-43 0010	1,592.10	361, 688
-46	2,122.80	109, 361, 688
-46 0010	2,122.80	109, 361, 688
-47	2,122.80	109, 361, 688
-47 0010	2,122.80	109, 361, 688
-93	1,150.10	213, 688
-93 0010	1,150.10	213, 688
-99	1,592.20	109, 159, 213, 361, 688
-99 0010	1,592.20	109, 159, 213, 361, 688
27 821 979-00	719.60	113, 163, 216, 365, 694
-06	1,151.30	113, 163, 216, 365, 694
-08	1,151.30	365, 694
-19	1,079.40	113, 163, 216, 365, 694
-27	1,079.40	216, 694
-28	1,727.00	163, 365, 694
-33	971.40	216, 365, 694
-37	1,079.40	216, 694
-39	1,151.20	365, 694
-42	1,151.20	163, 365, 694
-43	1,295.30	365, 694
-46	1,727.00	113, 365, 694
-47	1,727.00	113, 365, 694
-93	935.60	216, 694
-99	1,295.40	113, 163, 216, 365, 694
27 823 979-00	619.00	64, 261, 292, 321, 435, 509, 568, 695
-06	990.40	64, 261, 292, 321, 435, 509, 568, 695
-08	990.40	321, 435, 509, 568, 695
-19	928.20	64, 261, 435, 509, 568, 695
-26	928.50	435, 695
-27	928.50	261, 435, 695
-28	1,485.60	64, 321, 509, 568, 695
-33	835.50	261, 435, 509, 568, 695
-37	928.50	435, 695
-39	990.40	64, 321, 435, 509, 568, 695
-42	990.50	64, 321, 435, 509, 568, 695
-43	1,114.20	64, 321, 435, 509, 568, 695
-46	1,485.60	64, 509, 568, 695
-47	1,485.60	64, 509, 568, 695
-93	804.60	261, 435, 509, 695
-99	1,114.10	64, 261, 321, 435, 509, 568, 695
27 838 979-00	1,038.50	112, 162, 216, 365, 693
-06	1,661.60	112, 162, 216, 365, 693
-08	1,661.60	365, 693
-19	1,557.80	112, 162, 216, 365, 693
-27	1,557.80	216, 693
-28	2,492.40	162, 365, 693
-33	1,402.00	216, 365, 693
-37	1,557.80	216, 693
-39	1,661.60	365, 693
-42	1,661.60	162, 365, 693
-43	1,869.30	365, 693
-46	2,492.40	112, 365, 693
-47	2,492.40	112, 365, 693
-93	1,350.10	216, 693
-99	1,869.30	112, 162, 216, 365, 693

28

28 002 970-00	321.30	314, 315, 614, 628, 669
-00 0010	321.30	669
-06	513.90	314, 315, 614, 628, 669
-06 0010	513.90	669
-08	513.90	314, 315, 614, 628, 669
-08 0010	513.90	669
-09	771.10	314, 315, 614, 628, 669
-09 0010	771.10	669
-28	771.10	314, 315, 614, 628, 669
-28 0010	771.10	669
-39	514.20	314, 315, 614, 628, 669
-39 0010	514.20	669
-42	514.20	314, 315, 614, 628, 669
-42 0010	514.20	669
-43	578.30	314, 315, 614, 628, 669
-43 0010	578.30	669
-99	578.10	314, 315, 614, 628, 669
-99 0010	578.10	669
28 002 978-00	247.90	316, 632, 674
-00 0010	247.90	674
-06	396.60	316, 632, 674
-06 0010	396.60	674
-08	396.60	316, 632, 674
-08 0010	396.60	674
-09	595.00	316, 632, 674
-09 0010	595.00	674
-28	595.00	316, 632, 674
-28 0010	595.00	674
-39	396.60	316, 632, 674
-39 0010	396.60	674
-42	396.60	316, 632, 674
-42 0010	396.60	674
-43	446.20	316, 632, 674
-43 0010	446.20	674
-99	446.30	316, 632, 674
-99 0010	446.30	674
28 012 979-00	247.90	57, 100, 146, 194, 283, 349, 548, 612, 613, 616, 617, 674
-00 0010	247.90	674
-06	396.60	57, 100, 146, 194, 283, 349, 548, 612, 613, 616, 617, 674
-06 0010	396.60	674
-08	396.60	349, 548, 616, 617, 674
-08 0010	396.60	674
-19	371.80	57, 100, 146, 194, 349, 548, 613, 616, 617, 674
-19 0010	371.80	674
-26	371.80	617, 674
-26 0010	371.80	674
-27	371.80	194, 617, 674
-27 0010	371.80	674
-28	595.00	57, 146, 349, 548, 613, 616, 617, 674
-28 0010	595.00	674
-33	334.60	194, 349, 617, 674
-33 0010	334.60	674
-37	371.90	194, 616, 617, 674
-37 0010	371.90	674
-39	396.60	57, 349, 548, 613, 616, 617, 674
-39 0010	396.60	674
-42	396.60	57, 146, 349, 548, 613, 616, 617, 674
-42 0010	396.60	674
-43	446.20	57, 349, 548, 613, 616, 617, 674
-43 0010	446.20	674
-46	595.00	57, 100, 349, 548, 613, 616, 617, 674
-46 0010	595.00	674
-47	595.00	57, 100, 349, 548, 613, 616, 617, 674
-47 0010	595.00	674
-93	322.10	194, 617, 674
-93 0010	322.10	674
-99	446.30	57, 100, 146, 194, 349, 548, 613, 616, 617, 674
-99 0010	446.30	674
28 015 979-00	132.60	489, 550, 633, 634, 670
-06	212.40	489, 550, 633, 634, 670
-08	212.40	489, 550, 633, 634, 670
-19	198.90	489, 550, 633, 634, 670
-26	198.90	633, 634, 670
-27	198.90	634, 670
-28	318.20	489, 550, 633, 634, 670
-33	178.80	489, 633, 670
-37	198.90	633, 670
-39	212.20	489, 550, 633, 634, 670
-42	212.10	489, 550, 633, 634, 670
-43	238.70	489, 550, 633, 634, 670
-46	318.20	489, 550, 633, 634, 670
-47	318.20	489, 550, 633, 634, 670
-93	172.40	489, 633, 670
-99	238.60	489, 550, 633, 634, 670
28 016 979-00	205.60	673
-00 0010	205.60	673
-06	329.30	673
-06 0010	329.20	673
-08	329.30	673
-08 0010	329.20	673
-19	308.50	673
-19 0010	308.50	673
-26	308.50	673
-26 0010	308.50	673
-27	308.50	673
-27 0010	308.50	673
-28	493.40	673
-28 0010	493.40	673
-33	277.60	673
-33 0010	277.60	673
-37	308.40	673
-37 0010	308.40	673
-39	329.00	673
-39 0010	329.00	673
-42	329.00	673

Article number	Euro	Page
-42 0010	329.00	673
-43	370.10	673
-43 0010	370.10	673
-46	493.40	673
-46 0010	493.40	673
-47	493.40	673
-47 0010	493.40	673
-93	267.20	673
-93 0010	267.20	673
-99	370.20	673
-99 0010	370.20	673
28 017 979-00	191.00	671
-06	305.70	671
-08	305.70	671
-19	286.40	671
-26	286.40	671
-27	286.40	671
-28	458.40	671
-33	258.00	671
-37	286.50	671
-39	305.70	671
-42	305.60	671
-43	343.80	671
-46	458.40	671
-47	458.40	671
-93	248.20	671
-99	343.70	671
28 018 979-00	142.60	58, 101, 103, 147, 149, 195, 197, 199, 246, 248, 283, 285, 350, 352, 409, 410, 413, 484, 485, 486, 487, 488, 491, 549, 552, 615, 618, 619, 629, 630, 631, 636, 638, 672
-00 0010	142.60	102, 148, 198, 351, 637, 672
-06	228.00	58, 101, 103, 147, 149, 195, 197, 199, 246, 248, 283, 285, 350, 352, 409, 410, 413, 484, 485, 486, 487, 488, 491, 549, 552, 615, 618, 619, 629, 630, 631, 636, 638, 672
-06 0010	228.00	102, 148, 198, 351, 637, 672
-08	228.00	350, 352, 409, 410, 413, 484, 485, 486, 487, 488, 491, 549, 552, 615, 618, 619, 629, 630, 636, 638, 672
-08 0010	228.00	351, 637, 672
-19	213.80	58, 101, 103, 147, 149, 195, 197, 199, 246, 248, 350, 352, 409, 410, 413, 484, 485, 486, 487, 488, 491, 549, 552, 615, 618, 619, 629, 630, 631, 636, 638, 672
-19 0010	213.80	102, 148, 198, 351, 637, 672
-26	213.80	409, 410, 413, 618, 619, 636, 638, 672
-26 0010	213.80	637, 672
-27	213.80	195, 197, 199, 246, 248, 409, 410, 413, 618, 619, 636, 638, 672
-27 0010	213.80	198, 637, 672
-28	342.20	58, 147, 149, 350, 352, 484, 485, 486, 487, 488, 491, 549, 552, 615, 618, 619, 629, 630, 631, 636, 638, 672
-28 0010	342.20	148, 351, 637, 672
-33	192.40	195, 197, 199, 246, 248, 350, 352, 409, 410, 413, 484, 485, 486, 487, 488, 491, 549, 552, 615, 618, 619, 629, 630, 636, 638, 672
-33 0010	192.40	198, 351, 637, 672
-37	213.90	195, 197, 199, 409, 410, 413, 618, 619, 630, 636, 638, 672
-37 0010	213.90	198, 637, 672

Article number	Euro	Page
-39	228.10	58, 350, 352, 409, 410, 413, 484, 485, 486, 487, 488, 491, 549, 552, 615, 618, 619, 629, 630, 631, 636, 638, 672
-39 0010	228.10	351, 637, 672
-42	228.00	58, 147, 149, 350, 352, 409, 410, 413, 484, 485, 486, 487, 488, 491, 549, 552, 615, 618, 619, 629, 630, 631, 636, 638, 672
-42 0010	228.00	148, 351, 637, 672
-43	256.70	58, 350, 352, 409, 410, 413, 484, 485, 486, 487, 488, 491, 549, 552, 615, 618, 619, 629, 630, 631, 636, 638, 672
-43 0010	256.70	351, 637, 672
-46	342.20	58, 101, 103, 350, 352, 484, 485, 486, 487, 488, 491, 549, 552, 615, 618, 619, 629, 630, 631, 636, 638, 672
-46 0010	342.20	102, 351, 637, 672
-47	342.20	58, 101, 103, 350, 352, 484, 485, 486, 487, 488, 491, 549, 552, 615, 618, 619, 629, 630, 631, 636, 638, 672
-47 0010	342.20	102, 351, 637, 672
-93	185.30	195, 197, 199, 246, 248, 409, 410, 413, 484, 485, 486, 487, 488, 491, 615, 618, 619, 629, 630, 636, 638, 672
-93 0010	185.30	198, 637, 672
-99	256.50	58, 101, 103, 147, 149, 195, 197, 199, 246, 248, 350, 352, 409, 410, 413, 484, 485, 486, 487, 488, 491, 549, 552, 615, 618, 619, 629, 630, 631, 636, 638, 672
-99 0010	256.60	102, 148, 198, 351, 637, 672
28 022 979-00	111.50	675
-00 0010	111.50	675
-19	167.30	675
-19 0010	167.30	675
-26	167.30	675
-26 0010	167.30	675
-27	167.30	675
-27 0010	167.30	675
-33	150.60	675
-33 0010	150.60	675
-37	167.30	675
-37 0010	167.30	675
-42	178.40	675
-42 0010	178.40	675
-93	145.00	675
-93 0010	145.00	675
-99	200.80	675
-99 0010	200.80	675
28 025 979-00 0010	132.60	196, 247, 284, 412, 490, 551, 635, 670
-06 0010	212.10	196, 247, 284, 412, 490, 551, 635, 670
-08 0010	212.10	412, 490, 551, 635, 670
-19 0010	198.90	196, 247, 412, 490, 551, 635, 670
-26 0010	198.90	412, 635, 670
-27 0010	198.90	196, 247, 412, 635, 670
-28 0010	318.20	490, 551, 635, 670
-33 0010	179.00	196, 247, 412, 490, 551, 635, 670
-37 0010	198.90	196, 412, 635, 670
-39 0010	212.20	412, 490, 551, 635, 670
-42 0010	212.10	412, 490, 551, 635, 670
-43 0010	238.70	412, 490, 551, 635, 670
-46 0010	318.20	490, 551, 635, 670
-47 0010	318.20	490, 551, 635, 670
-93 0010	172.40	196, 247, 412, 490, 635, 670

Article number	Euro	Page
-99 0010	238.70	196, 247, 412, 490, 551, 635, 670
28 027 979-00 0010	191.00	671
-06 0010	305.60	671
-08 0010	305.60	671
-19 0010	286.40	671
-26 0010	286.40	671
-27 0010	286.40	671
-28 0010	458.40	671
-33 0010	257.90	671
-37 0010	286.40	671
-39 0010	305.70	671
-42 0010	305.60	671
-43 0010	343.70	671
-46 0010	458.40	671
-47 0010	458.40	671
-93 0010	248.20	671
-99 0010	343.70	671
28 029 979-00	249.30	669
-00 0010	249.30	669
-06	398.90	669
-06 0010	398.90	669
-08	398.90	669
-08 0010	398.90	669
-19	374.00	669
-19 0010	374.00	669
-26	374.00	669
-26 0010	374.00	669
-27	374.00	669
-27 0010	374.00	669
-28	598.30	669
-28 0010	598.30	669
-33	336.50	669
-33 0010	336.50	669
-37	374.00	669
-37 0010	374.00	669
-39	398.90	669
-39 0010	398.90	669
-42	398.90	669
-42 0010	398.90	669
-43	448.70	669
-43 0010	448.70	669
-46	598.30	669
-46 0010	598.30	669
-47	598.30	669
-47 0010	598.30	669
-93	324.10	669
-93 0010	324.10	669
-99	448.70	669
-99 0010	448.70	669
28 031 970-00	858.90	256, 425, 499, 559, 656
-06	1,374.20	256, 425, 499, 559, 656
-08	1,374.20	425, 499, 559, 656
-19	1,288.40	256, 425, 499, 559, 656
-26	1,288.40	425, 656
-27	1,288.40	256, 425, 656
-28	2,061.40	499, 559, 656
-33	1,159.50	256, 425, 499, 559, 656
-37	1,288.40	425, 656
-39	1,374.20	425, 499, 559, 656
-42	1,374.20	425, 499, 559, 656
-43	1,546.00	425, 499, 559, 656
-46	2,061.40	499, 559, 656
-47	2,061.40	499, 559, 656
-93	1,116.60	256, 425, 499, 656
-99	1,546.00	256, 425, 499, 559, 656
28 032 970-00	1,290.50	256, 425, 499, 560, 657
-06	2,064.80	256, 425, 499, 560, 657
-08	2,064.80	425, 499, 560, 657
-19	1,935.80	256, 425, 499, 560, 657
-26	1,935.80	425, 657
-27	1,935.80	256, 425, 657
-28	3,097.20	499, 560, 657
-33	1,742.20	256, 425, 499, 560, 657
-37	1,935.80	425, 657
-39	2,064.80	425, 499, 560, 657
-42	2,064.80	425, 499, 560, 657
-43	2,322.90	425, 499, 560, 657
-46	3,097.20	499, 560, 657
-47	3,097.20	499, 560, 657
-93	1,677.70	256, 425, 499, 657
-99	2,322.90	256, 425, 499, 560, 657
28 033 970-00	1,647.10	257, 426, 500, 560, 658
-06	2,635.40	257, 426, 500, 560, 658
-08	2,635.40	426, 500, 560, 658

Index

Article number	Euro	Page
-19	2,470.70	257, 426, 500, 560, 658
-26	2,470.70	426, 658
-27	2,470.70	257, 426, 658
-28	3,953.00	500, 560, 658
-33	2,223.60	257, 426, 500, 560, 658
-37	2,470.70	426, 658
-39	2,635.40	426, 500, 560, 658
-42	2,635.40	426, 500, 560, 658
-43	2,964.80	426, 500, 560, 658
-46	3,953.00	500, 560, 658
-47	3,953.00	500, 560, 658
-93	2,141.20	257, 426, 500, 658
-99	2,964.80	257, 426, 500, 560, 658
28 034 970-00	2,472.80	257, 426, 500, 561, 659
-06	3,956.50	257, 426, 500, 561, 659
-08	3,956.50	426, 500, 561, 659
-19	3,709.20	257, 426, 500, 561, 659
-26	3,709.20	426, 659
-27	3,709.20	257, 426, 659
-28	5,934.70	500, 561, 659
-33	3,338.30	257, 426, 500, 561, 659
-37	3,709.20	426, 659
-39	3,956.50	426, 500, 561, 659
-42	3,956.50	426, 500, 561, 659
-43	4,451.00	426, 500, 561, 659
-46	5,934.70	500, 561, 659
-47	5,934.70	500, 561, 659
-93	3,214.60	257, 426, 500, 659
-99	4,451.00	257, 426, 500, 561, 659
28 041 980-00	858.90	106, 156, 209, 287, 356, 657
-06	1,374.20	106, 156, 209, 287, 356, 657
-08	1,374.20	356, 657
-19	1,288.40	106, 156, 209, 356, 657
-27	1,288.40	209, 657
-28	2,061.40	156, 356, 657
-33	1,159.50	209, 356, 657
-37	1,288.40	209, 657
-39	1,374.20	356, 657
-42	1,374.20	156, 356, 657
-43	1,546.00	356, 657
-46	2,061.40	106, 356, 657
-47	2,061.40	106, 356, 657
-93	1,116.60	209, 657
-99	1,546.00	106, 156, 209, 356, 657
28 042 980-00	1,290.50	106, 156, 210, 288, 356, 658
-06	2,064.80	106, 156, 210, 288, 356, 658
-08	2,064.80	356, 658
-19	1,935.80	106, 156, 210, 356, 658
-27	1,935.80	210, 658
-28	3,097.20	156, 356, 658
-33	1,742.20	210, 356, 658
-37	1,935.80	210, 658
-39	2,064.80	356, 658
-42	2,064.80	156, 356, 658
-43	2,322.90	356, 658
-46	3,097.20	106, 356, 658
-47	3,097.20	106, 356, 658
-93	1,677.70	210, 658
-99	2,322.90	106, 156, 210, 356, 658
28 043 980-00	1,647.10	107, 157, 210, 288, 357, 659
-06	2,635.40	107, 157, 210, 288, 357, 659
-08	2,635.40	357, 659
-19	2,470.70	107, 157, 210, 357, 659
-27	2,470.70	210, 659
-28	3,953.00	157, 357, 659
-33	2,223.60	210, 357, 659
-37	2,470.70	210, 659
-39	2,635.40	357, 659
-42	2,635.40	157, 357, 659
-43	2,964.80	357, 659
-46	3,953.00	107, 357, 659
-47	3,953.00	107, 357, 659
-93	2,141.20	210, 659
-99	2,964.80	107, 157, 210, 357, 659
28 044 980-00	2,472.80	107, 157, 211, 289, 357, 660
-06	3,956.50	107, 157, 211, 289, 357, 660
-08	3,956.50	357, 660
-19	3,709.20	107, 157, 211, 357, 660
-27	3,709.20	211, 660
-28	5,934.70	157, 357, 660
-33	3,338.30	211, 357, 660
-37	3,709.20	211, 660
-39	3,956.50	357, 660
-42	3,956.50	157, 357, 660
-43	4,451.00	357, 660
-46	5,934.70	107, 357, 660
-47	5,934.70	107, 357, 660
-93	3,214.60	211, 660
-99	4,451.00	107, 157, 211, 357, 660
28 050 404-00	224.20	64
-06	358.70	64
-19	336.30	64
-28	538.10	64
-39	358.70	64
-42	358.70	64
-43	403.60	64
-46	538.10	64
-47	538.10	64
-99	403.60	64
28 050 625-00	169.70	436, 510, 718
-06	271.50	436, 510, 718
-19	254.40	436, 510, 718
-26	254.50	436, 718
-27	254.50	436, 718
-28	407.30	510, 718
-33	229.20	436, 510, 718
-37	254.60	436, 718
-39	271.40	436, 510, 718
-42	271.40	436, 510, 718
-43	305.50	436, 510, 718
-46	407.30	510, 718
-47	407.30	510, 718
-93	220.50	436, 510, 718
-99	305.20	436, 510, 718
28 050 809-00	214.00	569, 718
-06	343.10	569, 718
-08	342.40	569, 718
-19	321.00	569, 718
-28	513.60	569, 718
-39	342.40	569, 718
-42	342.40	569, 718
-43	385.20	569, 718
-46	513.60	569, 718
-47	513.60	569, 718
-99	385.60	569, 718
28 050 845-00	162.90	262, 717
-06	260.40	262, 717
-19	244.20	262, 717
-27	244.20	262, 717
-33	219.80	262, 717
-93	211.70	262, 717
-99	293.10	262, 717
28 050 892-00	194.70	510, 718
-06	311.60	510, 718
-08	311.60	510, 718
-19	292.00	510, 718
-28	467.30	510, 718
-33	262.80	510, 718
-39	311.40	510, 718
-42	311.40	510, 718
-43	350.50	510, 718
-46	467.30	510, 718
-47	467.30	510, 718
-93	253.20	510, 718
-99	350.40	510, 718
28 050 980-00	225.10	114, 164, 217, 366, 718
-06	360.60	114, 164, 217, 366, 718
-08	360.60	366, 718
-19	337.80	114, 164, 217, 366, 718
-27	337.80	217, 718
-28	540.20	164, 366, 718
-33	304.00	217, 366, 718
-37	337.70	217, 718
-39	360.30	366, 718
-42	360.30	164, 366, 718
-43	405.20	366, 718
-46	540.20	114, 366, 718
-47	540.20	114, 366, 718
-93	292.60	217, 718
-99	405.20	114, 164, 217, 366, 718
28 060 970-00	207.70	65, 114, 164, 217, 262, 292, 322, 367, 436, 510, 569, 719
-06	332.40	65, 114, 164, 217, 262, 292, 322, 367, 436, 510, 569, 719
-08	332.40	322, 367, 436, 510, 569, 719
-19	311.40	65, 114, 164, 217, 262, 367, 436, 510, 569, 719
-26	311.30	436, 719
-27	311.30	217, 262, 436, 719
-28	498.50	65, 164, 322, 367, 510, 569, 719
-33	280.60	217, 262, 367, 436, 510, 569, 719
-37	311.60	217, 436, 719
-39	332.20	65, 322, 367, 436, 510, 569, 719
-42	332.10	65, 164, 322, 367, 436, 510, 569, 719
-43	373.90	65, 322, 367, 436, 510, 569, 719
-46	498.50	65, 114, 367, 510, 569, 719
-47	498.50	65, 114, 367, 510, 569, 719
-93	270.00	217, 262, 436, 510, 719
-99	373.90	65, 114, 164, 217, 262, 322, 367, 436, 510, 569, 719
28 101 970-00	64.70	722
-19	109.80	722
-26	109.80	722
-27	109.80	722
-33	109.80	722
-42	109.80	722
-93	109.80	722
-99	109.80	722
28 102 970-00	64.70	723
-19	109.80	723
-26	109.80	723
-27	109.80	723
-33	109.80	723
-42	109.80	723
-93	109.80	723
-99	109.80	723
28 104 970-00	110.00	721
-06	203.00	721
-08	456.00	721
-09	906.00	721
-19	388.00	721
-26	524.00	721
-27	286.00	721
-28	933.00	721
-33	196.00	721
-39	274.00	721
-42	278.00	721
-46	939.00	721
-47	998.00	721
-93	403.00	721
-99	323.00	721
28 204 970-00	127.00	721
-06	227.00	721
-08	524.00	721
-09	991.00	721
-19	659.00	721
-26	646.00	721
-27	406.00	721
-28	981.00	721
-33	207.00	721
-39	393.00	721
-42	668.00	721
-46	1,247.00	721
-47	1,049.00	721
-93	385.00	721
-99	357.00	721
28 285 979-00	110.10	64, 113, 163, 216, 261, 292, 321, 365, 435, 509, 568, 694, 695
-06	176.20	64, 113, 163, 216, 261, 292, 321, 365, 435, 509, 568, 694, 695
-08	176.10	321, 365, 435, 509, 568, 694, 695
-19	165.20	64, 113, 163, 216, 261, 365, 435, 509, 568, 694, 695
-26	165.20	435, 695
-27	165.20	216, 261, 435, 694, 695
-28	264.20	64, 163, 321, 365, 509, 568, 694, 695
-33	148.60	216, 261, 365, 435, 509, 568, 694, 695
-37	165.20	216, 435, 694, 695
-39	176.20	64, 321, 365, 435, 509, 568, 694, 695
-42	176.20	64, 163, 321, 365, 435, 509, 568, 694, 695

Article number	Euro	Page
-43	198.20	64, 321, 365, 435, 509, 568, 694, 695
-46	264.20	64, 113, 365, 509, 568, 694, 695
-47	264.20	64, 113, 365, 509, 568, 694, 695
-93	143.10	216, 261, 435, 509, 694, 695
-99	198.10	64, 113, 163, 216, 261, 321, 365, 435, 509, 568, 694, 695
28 304 970-00	165.40	721
-06	265.40	721
-08	265.40	721
-09	397.00	721
-19	248.20	721
-26	248.10	721
-27	248.10	721
-28	397.00	721
-33	223.20	721
-37	248.10	721
-39	264.50	721
-42	264.50	721
-43	297.70	721
-46	397.00	721
-47	397.00	721
-93	215.00	721
-99	298.10	721
28 322 970-00	181.00	722
-06	290.00	722
-08	534.00	722
-09	968.00	722
-19	399.00	722
-26	570.00	722
-27	371.00	722
-28	1,054.00	722
-33	247.00	722
-39	376.00	722
-42	395.00	722
-46	997.00	722
-47	965.00	722
-93	385.00	722
-99	347.00	722
28 324 970-00	64.70	723
-19	109.80	723
-26	109.80	723
-27	109.80	723
-33	109.80	723
-42	109.80	723
-93	109.80	723
-99	109.80	723
28 325 970-00	64.70	723
-19	109.80	723
-26	109.80	723
-27	109.80	723
-33	109.80	723
-42	109.80	723
-93	109.80	723
-99	109.80	723
28 404 970-00	183.00	723
-06	453.00	723
-09	567.00	723
-19	609.00	723
-33	281.00	723
-93	286.00	723
-99	459.00	723
28 450 404-00	147.70	64
-06	236.30	64
-19	221.60	64
-28	354.50	64
-39	236.30	64
-42	236.30	64
-43	265.90	64
-46	354.50	64
-47	354.50	64
-99	265.90	64
28 450 410-00	112.10	321, 716
-06	179.40	321, 716
-08	179.40	321, 716
-09	269.00	321, 716
-28	269.00	321, 716
-39	179.40	321, 716
-42	179.40	321, 716
-43	201.80	321, 716
-99	201.90	321, 716
28 450 625-00	121.50	436, 510, 717
-06	194.50	436, 510, 717
-08	194.50	436, 510, 717
-19	182.30	436, 510, 717
-26	182.30	436, 717
-27	182.30	436, 717
-28	291.60	510, 717
-33	163.70	436, 510, 717
-37	182.30	436, 717
-39	194.40	436, 510, 717
-42	194.40	436, 510, 717
-43	218.70	436, 510, 717
-46	291.60	510, 717
-47	291.60	510, 717

Article number	Euro	Page
-93	157.90	436, 510, 717
-99	218.70	436, 510, 717
28 450 710-00	181.20	292, 716
-06	289.60	292, 716
28 450 809-00	141.00	569, 716
-06	225.00	569, 716
-08	225.40	569, 716
-19	211.40	569, 716
-28	338.40	569, 716
-37	211.50	716
-39	225.60	569, 716
-42	225.60	569, 716
-43	253.80	569, 716
-46	338.40	569, 716
-47	338.40	569, 716
-99	253.60	569, 716
28 450 845-00	126.40	261, 715
-06	202.20	261, 715
-19	189.60	261, 715
-26	189.70	715
-27	189.60	261, 715
-33	170.60	261, 715
-42	202.20	715
-93	164.40	261, 715
-99	227.50	261, 715
28 450 980-00	173.40	113, 163, 217, 366, 717
-06	277.60	113, 163, 217, 366, 717
-08	277.60	366, 717
-19	260.30	113, 163, 217, 366, 717
-26	260.10	717
-27	260.10	217, 717
-28	416.20	163, 366, 717
-33	234.20	217, 366, 717
-37	260.10	217, 717
-39	277.40	366, 717
-42	277.40	163, 366, 717
-43	312.10	366, 717
-46	416.20	113, 366, 717
-47	416.20	113, 366, 717
-93	225.50	217, 717
-99	312.30	113, 163, 217, 366, 717
28 490 660-00	236.30	435, 509, 568, 715
-06	377.60	435, 509, 568, 715
-08	377.60	435, 509, 568, 715
-19	354.20	435, 509, 568, 715
-26	354.30	435, 715
-27	354.30	435, 715
-28	567.10	509, 568, 715
-33	318.90	435, 509, 568, 715
-37	354.50	435, 715
-39	377.90	435, 509, 568, 715
-42	378.00	435, 509, 568, 715
-43	425.30	435, 509, 568, 715
-46	567.10	509, 568, 715
-47	567.10	509, 568, 715
-93	307.00	435, 509, 715
-99	424.50	435, 509, 568, 715
28 490 970-00	250.20	113, 163, 217, 366, 715
-06	400.80	113, 163, 217, 366, 715
-08	400.80	366, 715
-19	375.60	113, 163, 217, 366, 715
-27	375.50	217, 715
-28	600.50	163, 366, 715
-33	337.90	217, 366, 715
-37	375.30	217, 715
-39	400.40	366, 715
-42	400.40	163, 366, 715
-43	450.40	366, 715
-46	600.50	113, 366, 715
-47	600.50	113, 366, 715
-93	325.40	217, 715
-99	450.10	113, 163, 217, 366, 715
28 504 670-00	643.80	103, 149, 199, 353, 621
-06	1,021.40	103, 149, 199, 353, 621
-08	1,029.90	353, 621
-19	965.50	103, 149, 199, 353, 621
-27	965.60	199, 621
-28	1,545.10	149, 353, 621
-33	869.00	199, 353, 621
-37	965.70	199, 621
-39	1,029.90	353, 621
-42	1,029.90	149, 353, 621
-43	1,158.80	353, 621
-46	1,545.10	103, 353, 621
-47	1,545.10	103, 353, 621
-93	836.90	199, 621
-99	1,158.60	103, 149, 199, 353, 621

Article number	Euro	Page
28 504 979-00	621.20	248, 414, 492, 553, 621
-06	994.20	248, 414, 492, 553, 621
-08	994.10	414, 492, 553, 621
-19	932.00	248, 414, 492, 553, 621
-26	931.80	414, 621
-27	931.80	248, 414, 621
-28	1,490.90	492, 553, 621
-33	838.70	248, 414, 492, 553, 621
-37	931.80	414, 621
-39	993.90	414, 492, 553, 621
-42	993.90	414, 492, 553, 621
-43	1,118.20	414, 492, 553, 621
-46	1,490.90	492, 553, 621
-47	1,490.90	492, 553, 621
-93	807.50	248, 414, 492, 621
-99	1,118.40	248, 414, 492, 553, 621
28 505 979-00	387.10	249, 415, 493, 554, 626
-06	619.50	249, 415, 493, 554, 626
-08	619.50	415, 493, 554, 626
-19	580.80	249, 415, 493, 554, 626
-26	580.80	415, 626
-27	580.80	249, 415, 626
-28	929.00	493, 554, 626
-33	522.80	249, 415, 493, 554, 626
-37	580.70	415, 626
-39	619.50	415, 493, 554, 626
-42	619.50	415, 493, 554, 626
-43	696.80	415, 493, 554, 626
-46	929.00	493, 554, 626
-47	929.00	493, 554, 626
-93	503.40	249, 415, 493, 626
-99	697.00	249, 415, 493, 554, 626
28 508 360-00	694.90	317, 623
-00 0010	694.90	317, 623
-06	1,111.50	317, 623
-06 0010	1,111.50	317, 623
-08	1,111.50	317, 623
-08 0010	1,111.50	317, 623
-09	1,667.80	317, 623
-09 0010	1,667.80	317, 623
-28	1,667.80	317, 623
-28 0010	1,667.80	317, 623
-39	1,111.70	317, 623
-39 0010	1,111.70	317, 623
-42	1,111.70	317, 623
-42 0010	1,111.70	317, 623
-43	1,250.80	317, 623
-43 0010	1,250.80	317, 623
-99	1,250.60	317, 623
-99 0010	1,250.60	317, 623
28 508 404-00	650.80	59, 622
-00 0010	650.80	59, 622
-06	1,041.30	59, 622
-06 0010	1,041.30	59, 622
-19	976.20	59, 622
-19 0010	976.20	59, 622
-28	1,561.90	59, 622
-28 0010	1,561.90	59, 622
-39	1,041.30	59, 622
-39 0010	1,041.30	59, 622
-42	1,041.30	59, 622
-42 0010	1,041.30	59, 622
-43	1,171.40	59, 622
-43 0010	1,171.40	59, 622
-46	1,561.90	59, 622
-46 0010	1,561.90	59, 622
-47	1,561.90	59, 622
-47 0010	1,561.90	59, 622
-99	1,171.40	59, 622
-99 0010	1,171.40	59, 622
28 508 710-00	690.70	285, 622
-00 0010	690.70	285, 622
-06	1,105.30	285, 622
-06 0010	1,105.30	285, 622
28 508 979-00	694.90	249, 414, 492, 553, 624
-00 0010	694.90	249, 414, 492, 553, 624
-06	1,111.40	249, 414, 492, 553, 624
-06 0010	1,111.40	249, 414, 492, 553, 624
-08	1,111.40	414, 492, 553, 624
-08 0010	1,111.40	414, 492, 553, 624
-19	1,042.20	249, 414, 492, 553, 624
-19 0010	1,042.20	249, 414, 492, 553, 624

Index

Article number	Euro	Page
-26	1,042.30	414, 624
-26 0010	1,042.30	414, 624
-27	1,042.30	249, 414, 624
-27 0010	1,042.30	249, 414, 624
-28	1,667.80	492, 553, 624
-28 0010	1,667.80	492, 553, 624
-33	938.00	249, 414, 492, 553, 624
-33 0010	938.00	249, 414, 492, 553, 624
-37	1,042.40	414, 624
-37 0010	1,042.40	414, 624
-39	1,111.70	414, 492, 553, 624
-39 0010	1,111.70	414, 492, 553, 624
-42	1,111.70	414, 492, 553, 624
-42 0010	1,111.70	414, 492, 553, 624
-43	1,250.80	414, 492, 553, 624
-43 0010	1,250.80	414, 492, 553, 624
-46	1,667.80	492, 553, 624
-46 0010	1,667.80	492, 553, 624
-47	1,667.80	492, 553, 624
-47 0010	1,667.80	492, 553, 624
-93	903.40	249, 414, 492, 624
-93 0010	903.40	249, 414, 492, 624
-99	1,250.60	249, 414, 492, 553, 624
-99 0010	1,250.60	249, 414, 492, 553, 624
28 508 980-00	714.40	104, 150, 200, 353, 625
-00 0010	714.40	104, 150, 200, 353, 625
-06	1,142.70	104, 150, 200, 353, 625
-06 0010	1,142.70	104, 150, 200, 353, 625
-08	1,143.00	353, 625
-08 0010	1,143.00	353, 625
-19	1,071.50	104, 150, 200, 353, 625
-19 0010	1,071.50	104, 150, 200, 353, 625
-27	1,071.50	200, 625
-27 0010	1,071.50	200, 625
-28	1,714.60	150, 353, 625
-28 0010	1,714.60	150, 353, 625
-33	964.50	200, 353, 625
-33 0010	964.50	200, 353, 625
-37	1,071.60	200, 625
-37 0010	1,071.60	200, 625
-39	1,143.10	353, 625
-39 0010	1,143.10	353, 625
-42	1,143.10	150, 353, 625
-42 0010	1,143.10	150, 353, 625
-43	1,285.90	353, 625
-43 0010	1,285.90	353, 625
-46	1,714.60	104, 353, 625
-46 0010	1,714.60	104, 353, 625
-47	1,714.60	104, 353, 625
-47 0010	1,714.60	104, 353, 625
-93	928.70	200, 625
-93 0010	928.70	200, 625
-99	1,286.10	104, 150, 200, 353, 625
-99 0010	1,286.10	104, 150, 200, 353, 625
28 518 782-00	397.30	110, 160, 213, 361
-06	635.90	110, 160, 213, 361
-08	635.90	361
-19	596.00	110, 160, 213, 361
-27	596.00	213
-28	953.50	160, 361
-33	536.40	213, 361
-37	596.00	213
-39	635.70	361
-42	635.70	160, 361
-43	715.10	361
-46	953.50	110, 361
-47	953.50	110, 361
-93	516.60	213
-99	715.40	110, 160, 213, 361
28 518 979-00	328.70	61, 258, 431, 505, 564
-06	525.90	61, 258, 431, 505, 564
-08	525.90	431, 505, 564
-09	788.90	505, 564
-19	493.00	61, 258, 431, 505, 564
-26	493.00	431
-27	493.00	258, 431
-28	788.90	61, 505, 564
-33	443.50	258, 431, 505, 564
-37	493.10	431
-39	525.80	61, 431, 505, 564
-42	525.70	61, 431, 505, 564
-43	591.70	61, 431, 505, 564
-46	788.90	61, 505, 564
-47	788.90	61, 505, 564
-93	427.20	258, 431, 505
-99	591.50	61, 258, 431, 505, 564
28 545 977-00	1,292.10	317, 639
-06	2,067.20	317, 639
-08	2,067.20	317, 639
-09	3,101.00	317, 639
-28	3,101.00	317, 639
-39	2,067.60	317, 639
-42	2,067.60	317, 639
-43	2,325.80	317, 639
-99	2,325.90	317, 639
28 565 977-00	976.60	318, 650
-06	1,562.60	318, 650
-08	1,562.60	318, 650
-09	2,343.80	318, 650
-28	2,343.80	318, 650
-39	1,562.50	318, 650
-42	1,562.50	318, 650
-43	1,757.90	318, 650
-99	1,757.80	318, 650
28 611 970-00	365.20	200, 250, 415, 626
-00 0010	365.20	200, 250, 415, 626
-19	547.80	200, 250, 415, 626
-19 0010	547.80	200, 250, 415, 626
-26	547.80	415, 626
-26 0010	547.80	415, 626
-27	547.80	200, 250, 415, 626
-27 0010	547.80	200, 250, 415, 626
-33	493.00	200, 250, 415, 626
-33 0010	493.00	200, 250, 415, 626
-37	547.80	200, 415, 626
-37 0010	547.80	200, 415, 626
-39	584.30	415, 626
-39 0010	584.30	415, 626
-42	584.30	415, 626
-42 0010	584.30	415, 626
-43	657.40	415, 626
-43 0010	657.30	415, 626
-93	474.70	200, 250, 415, 626
-93 0010	474.70	200, 250, 415, 626
-99	657.30	200, 250, 415, 626
-99 0010	657.30	200, 250, 415, 626
28 613 970-00	434.40	201, 250, 416, 493, 627
-00 0010	434.40	201, 250, 416, 493, 627
-19	651.60	201, 250, 416, 493, 627
-19 0010	651.60	201, 250, 416, 493, 627
-26	651.60	416, 627
-26 0010	651.60	416, 627
-27	651.60	201, 250, 416, 627
-27 0010	651.60	201, 250, 416, 627
-33	586.40	201, 250, 416, 493, 627
-33 0010	586.40	201, 250, 416, 493, 627
-37	651.60	201, 416, 627
-37 0010	651.60	201, 416, 627
-39	695.00	416, 493, 627
-39 0010	695.00	416, 493, 627
-42	695.00	416, 493, 627
-42 0010	695.00	416, 493, 627
-43	781.90	416, 493, 627
-43 0010	781.90	416, 493, 627
-93	564.70	201, 250, 416, 493, 627
-93 0010	564.70	201, 250, 416, 493, 627
-99	781.90	201, 250, 416, 493, 627
-99 0010	781.90	201, 250, 416, 493, 627
28 644 670-00	618.60	151, 202, 640
-19	927.90	151, 202, 640
-27	927.90	202, 640
-33	835.10	202, 640
-37	927.90	202, 640
-42	989.70	151, 640
-93	804.10	202, 640
-99	1,113.40	151, 202, 640
28 644 970-00	628.80	151, 203, 251, 418, 494, 555, 642
-19	943.30	151, 203, 251, 418, 494, 555, 642
-26	943.30	418, 642
-27	943.30	203, 251, 418, 642
-33	848.90	203, 251, 418, 494, 555, 642
-37	943.20	203, 418, 642
-42	1,006.10	151, 418, 494, 555, 642
-43	1,131.80	418, 494, 555, 642
-93	817.50	203, 251, 418, 494, 642
-99	1,131.90	151, 203, 251, 418, 494, 555, 642
28 645 670-00	628.80	150, 201, 640
-19	943.30	150, 201, 640
-27	943.30	201, 640
-33	848.90	201, 640
-37	943.20	201, 640
-42	1,006.10	150, 640
-93	817.50	201, 640
-99	1,131.90	150, 201, 640
28 645 970-00	618.60	151, 202, 251, 417, 494, 554, 641
-19	927.90	151, 202, 251, 417, 494, 554, 641
-26	927.90	417, 641
-27	927.90	202, 251, 417, 641
-33	835.10	202, 251, 417, 494, 554, 641
-37	927.90	202, 417, 641
-42	989.70	151, 417, 494, 554, 641
-43	1,113.50	417, 494, 554, 641
-93	804.10	202, 251, 417, 494, 641
-99	1,113.40	151, 202, 251, 417, 494, 554, 641
28 646 670-00	1,071.00	151, 202, 640
-06	1,713.60	151, 202, 640
-08	1,713.60	640
-19	1,606.50	151, 202, 640
-27	1,606.50	202, 640
-28	2,570.40	151, 640
-33	1,445.90	202, 640
-37	1,606.50	202, 640
-42	1,713.60	151, 640
-46	2,570.40	640
-47	2,570.40	640
-93	1,392.30	202, 640
-99	1,927.80	151, 202, 640
28 646 970-00	1,012.30	151, 203, 251, 418, 494, 555, 642
-06	1,619.70	151, 203, 251, 418, 494, 555, 642
-08	1,619.70	418, 494, 555, 642
-19	1,518.50	151, 203, 251, 418, 494, 555, 642
-26	1,518.50	418, 642
-27	1,518.50	203, 251, 418, 642
-28	2,429.50	151, 494, 555, 642
-33	1,366.60	203, 251, 418, 494, 555, 642
-37	1,518.50	203, 418, 642
-39	1,619.70	418, 494, 555, 642
-42	1,619.70	151, 418, 494, 555, 642
-43	1,822.10	418, 494, 555, 642
-46	2,429.50	494, 555, 642
-47	2,429.50	494, 555, 642
-93	1,316.00	203, 251, 418, 494, 642
-99	1,822.20	151, 203, 251, 418, 494, 555, 642
28 647 670-00	1,071.00	150, 201, 640
-06	1,713.60	150, 201, 640
-08	1,713.60	640
-19	1,606.50	150, 201, 640
-27	1,606.50	201, 640
-28	2,570.40	150, 640
-33	1,445.90	201, 640
-37	1,606.50	201, 640
-42	1,713.60	150, 640
-46	2,570.40	640
-47	2,570.40	640
-93	1,392.30	201, 640
-99	1,927.80	150, 201, 640
28 647 970-00	1,012.30	151, 202, 251, 417, 494, 554, 641
-06	1,619.70	151, 202, 251, 417, 494, 554, 641
-08	1,619.70	417, 494, 554, 641
-19	1,518.50	151, 202, 251, 417, 494, 554, 641
-26	1,518.50	417, 641
-27	1,518.50	202, 251, 417, 641
-28	2,429.50	151, 494, 554, 641
-33	1,366.60	202, 251, 417, 494, 554, 641
-37	1,518.50	202, 417, 641
-39	1,619.70	417, 494, 554, 641
-42	1,619.70	151, 417, 494, 554, 641
-43	1,822.10	417, 494, 554, 641
-46	2,429.50	494, 554, 641
-47	2,429.50	494, 554, 641
-93	1,316.00	202, 251, 417, 494, 641
-99	1,822.20	151, 202, 251, 417, 494, 554, 641

Article number	Euro	Page
28 659 970-00	2,087.80	252, 420, 496, 556, 646
-06	3,340.60	252, 420, 496, 556, 646
-08	3,340.60	420, 496, 556, 646
-19	3,131.80	252, 420, 496, 556, 646
-26	3,131.70	420, 646
-27	3,131.70	252, 420, 646
-28	5,010.70	496, 556, 646
-33	2,818.50	252, 420, 496, 556, 646
-37	3,131.70	420, 646
-39	3,340.60	420, 496, 556, 646
-42	3,340.60	420, 496, 556, 646
-43	3,758.00	420, 496, 556, 646
-46	5,010.70	496, 556, 646
-47	5,010.70	496, 556, 646
-93	2,714.10	252, 420, 496, 646
-99	3,757.80	252, 420, 496, 556, 646
28 664 970-00	580.30	154, 206, 253, 421, 496, 557, 650
-19	870.60	154, 206, 253, 421, 496, 557, 650
-26	870.60	421, 650
-27	870.60	206, 253, 421, 650
-33	783.40	206, 253, 421, 496, 557, 650
-37	870.50	206, 421, 650
-42	928.50	154, 421, 496, 557, 650
-43	1,044.50	421, 496, 557, 650
-93	754.40	206, 253, 421, 496, 650
-99	1,044.60	154, 206, 253, 421, 496, 557, 650
28 665 970-00	580.30	154, 207, 254, 422, 497, 557, 651
-19	870.60	154, 207, 254, 422, 497, 557, 651
-26	870.60	422, 651
-27	870.60	207, 254, 422, 651
-33	783.40	207, 254, 422, 497, 557, 651
-37	870.50	207, 422, 651
-42	928.50	154, 422, 497, 557, 651
-43	1,044.50	422, 497, 557, 651
-93	754.40	207, 254, 422, 497, 651
-99	1,044.60	154, 207, 254, 422, 497, 557, 651
28 666 970-00	860.30	154, 206, 253, 421, 496, 557, 650
-06	1,376.40	154, 206, 253, 421, 496, 557, 650
-08	1,376.40	421, 496, 557, 650
-19	1,290.50	154, 206, 253, 421, 496, 557, 650
-26	1,290.50	421, 650
-27	1,290.50	206, 253, 421, 650
-28	2,064.70	154, 496, 557, 650
-33	1,161.40	206, 253, 421, 496, 557, 650
-37	1,290.50	206, 421, 650
-39	1,376.40	421, 496, 557, 650
-42	1,376.40	154, 421, 496, 557, 650
-43	1,548.50	421, 496, 557, 650
-46	2,064.70	496, 557, 650
-47	2,064.70	496, 557, 650
-93	1,118.40	206, 253, 421, 496, 650
-99	1,548.40	154, 206, 253, 421, 496, 557, 650
28 667 970-00	860.30	154, 207, 254, 422, 497, 557, 651
-06	1,376.40	154, 207, 254, 422, 497, 557, 651
-08	1,376.40	422, 497, 557, 651
-19	1,290.50	154, 207, 254, 422, 497, 557, 651
-26	1,290.50	422, 651
-27	1,290.50	207, 254, 422, 651
-28	2,064.70	154, 497, 557, 651
-33	1,161.40	207, 254, 422, 497, 557, 651
-37	1,290.50	207, 422, 651
-39	1,376.40	422, 497, 557, 651
-42	1,376.40	154, 422, 497, 557, 651
-43	1,548.50	422, 497, 557, 651
-46	2,064.70	497, 557, 651
-47	2,064.70	497, 557, 651
-93	1,118.40	207, 254, 422, 497, 651
-99	1,548.40	154, 207, 254, 422, 497, 557, 651
28 674 670-00	618.60	152, 204, 644
-19	927.90	152, 204, 644
-26	927.90	644
-27	927.90	204, 644
-33	835.10	204, 644
-37	927.90	204, 644
-42	989.70	152, 644
-93	804.10	204, 644
-99	1,113.40	152, 204, 644
28 674 970-00	792.40	153, 205, 252, 420, 495, 556, 646
-19	1,188.70	153, 205, 252, 420, 495, 556, 646
-26	1,188.70	420, 646
-27	1,188.70	205, 252, 420, 646
-33	1,069.70	205, 252, 420, 495, 556, 646
-37	1,188.60	205, 420, 646
-42	1,267.90	153, 420, 495, 556, 646
-43	1,426.30	420, 495, 556, 646
-93	1,030.20	205, 252, 420, 495, 646
-99	1,426.40	153, 205, 252, 420, 495, 556, 646
28 675 670-00	803.00	152, 203, 643
-19	1,204.60	152, 203, 643
-26	1,204.60	643
-27	1,204.60	203, 643
-33	1,084.10	203, 643
-37	1,204.50	203, 643
-42	1,284.90	152, 643
-93	1,043.90	203, 643
-99	1,445.40	152, 203, 643
28 675 970-00	792.40	152, 204, 252, 419, 495, 555, 645
-19	1,188.70	152, 204, 252, 419, 495, 555, 645
-26	1,188.70	419, 645
-27	1,188.70	204, 252, 419, 645
-33	1,069.70	204, 252, 419, 495, 555, 645
-37	1,188.60	204, 419, 645
-42	1,267.90	152, 419, 495, 555, 645
-43	1,426.30	419, 495, 555, 645
-93	1,030.20	204, 252, 419, 495, 645
-99	1,426.40	152, 204, 252, 419, 495, 555, 645
28 676 670-00	1,257.00	152, 204, 644
-06	2,011.20	152, 204, 644
-08	2,011.20	644
-19	1,885.50	152, 204, 644
-26	1,885.50	644
-27	1,885.50	204, 644
-28	3,016.80	152, 644
-33	1,696.90	204, 644
-37	1,885.50	204, 644
-42	2,011.20	152, 644
-46	3,016.80	644
-47	3,016.80	644
-93	1,634.00	204, 644
-99	2,262.50	152, 204, 644
28 676 970-00	1,192.50	153, 205, 252, 420, 495, 556, 646
-06	1,908.00	153, 205, 252, 420, 495, 556, 646
-08	1,908.00	420, 495, 556, 646
-19	1,788.80	153, 205, 252, 420, 495, 556, 646
-26	1,788.80	420, 646
-27	1,788.80	205, 252, 420, 646
-28	2,862.00	153, 495, 556, 646
-33	1,609.90	205, 252, 420, 495, 556, 646
-37	1,788.80	205, 420, 646
-39	1,908.00	420, 495, 556, 646
-42	1,908.00	153, 420, 495, 556, 646
-43	2,146.50	420, 495, 556, 646
-46	2,862.00	495, 556, 646
-47	2,862.00	495, 556, 646
-93	1,550.20	205, 252, 420, 495, 646
-99	2,146.50	153, 205, 252, 420, 495, 556, 646
28 677 404-00	1,249.30	59, 639
-06	1,998.90	59, 639
-19	1,874.00	59, 639
-28	2,998.30	59, 639
-39	1,998.90	59, 639
-42	1,998.90	59, 639
-43	2,248.70	59, 639
-46	2,998.30	59, 639
-47	2,998.30	59, 639
-99	2,248.70	59, 639
28 677 670-00	1,257.00	152, 203, 643
-06	2,011.20	152, 203, 643
-08	2,011.20	643
-19	1,885.50	152, 203, 643
-26	1,885.50	643
-27	1,885.50	203, 643
-28	3,016.80	152, 643
-33	1,696.90	203, 643
-37	1,885.50	203, 643
-42	2,011.20	152, 643
-46	3,016.80	643
-47	3,016.80	643
-93	1,634.00	203, 643
-99	2,262.50	152, 203, 643
28 677 970-00	1,192.50	152, 204, 252, 419, 495, 555, 645
-06	1,908.00	152, 204, 252, 419, 495, 555, 645
-08	1,908.00	419, 495, 555, 645
-19	1,788.80	152, 204, 252, 419, 495, 555, 645
-26	1,788.80	419, 645
-27	1,788.80	204, 252, 419, 645
-28	2,862.00	152, 495, 555, 645
-33	1,609.90	204, 252, 419, 495, 555, 645
-37	1,788.80	204, 419, 645
-39	1,908.00	419, 495, 555, 645
-42	1,908.00	152, 419, 495, 555, 645
-43	2,146.50	419, 495, 555, 645
-46	2,862.00	495, 555, 645
-47	2,862.00	495, 555, 645
-93	1,550.20	204, 252, 419, 495, 645
-99	2,146.50	152, 204, 252, 419, 495, 555, 645
28 678 404-00	1,249.30	59, 639
-06	1,998.90	59, 639
-19	1,874.00	59, 639
-28	2,998.30	59, 639
-39	1,998.90	59, 639
-42	1,998.90	59, 639
-43	2,248.70	59, 639
-46	2,998.30	59, 639
-47	2,998.30	59, 639
-99	2,248.70	59, 639
28 684 970-00	729.40	154, 207, 254, 423, 497, 558, 652
-19	1,094.20	154, 207, 254, 423, 497, 558, 652
-26	1,094.20	423, 652
-27	1,094.20	207, 254, 423, 652
-33	984.70	207, 254, 423, 497, 558, 652
-37	1,094.10	207, 423, 652
-42	1,167.10	154, 423, 497, 558, 652
-43	1,312.90	423, 497, 558, 652
-93	948.30	207, 254, 423, 497, 652
-99	1,313.00	154, 207, 254, 423, 497, 558, 652
28 685 970-00	729.40	155, 208, 255, 424, 498, 558, 653
-19	1,094.20	155, 208, 255, 424, 498, 558, 653
-26	1,094.20	424, 653
-27	1,094.20	208, 255, 424, 653
-33	984.70	208, 255, 424, 498, 558, 653
-37	1,094.10	208, 424, 653
-42	1,167.10	155, 424, 498, 558, 653
-43	1,312.90	424, 498, 558, 653
-93	948.30	208, 255, 424, 498, 653
-99	1,313.00	155, 208, 255, 424, 498, 558, 653
28 686 970-00	1,014.20	154, 207, 254, 423, 497, 558, 652
-06	1,622.70	154, 207, 254, 423, 497, 558, 652
-08	1,622.70	423, 497, 558, 652
-19	1,521.30	154, 207, 254, 423, 497, 558, 652
-26	1,521.30	423, 652
-27	1,521.30	207, 254, 423, 652
-28	2,434.10	154, 497, 558, 652
-33	1,369.20	207, 254, 423, 497, 558, 652
-37	1,521.30	207, 423, 652
-39	1,622.70	423, 497, 558, 652
-42	1,622.70	154, 423, 497, 558, 652
-43	1,825.60	423, 497, 558, 652
-46	2,434.10	497, 558, 652

Index

Article number	Euro	Page
-47	2,434.10	497, 558, 652
-93	1,318.50	207, 254, 423, 497, 652
-99	1,825.50	154, 207, 254, 423, 497, 558, 652
28 687 404-00	1,062.50	60, 649
-06	1,700.00	60, 649
-19	1,593.80	60, 649
-28	2,550.00	60, 649
-39	1,700.00	60, 649
-42	1,700.00	60, 649
-43	1,912.50	60, 649
-46	2,550.00	60, 649
-47	2,550.00	60, 649
-99	1,912.50	60, 649
28 687 970-00	1,014.20	155, 208, 255, 424, 498, 558, 653
-06	1,622.70	155, 208, 255, 424, 498, 558, 653
-08	1,622.70	424, 498, 558, 653
-19	1,521.30	155, 208, 255, 424, 498, 558, 653
-26	1,521.30	424, 653
-27	1,521.30	208, 255, 424, 653
-28	2,434.10	155, 498, 558, 653
-33	1,369.20	208, 255, 424, 498, 558, 653
-37	1,521.30	208, 424, 653
-39	1,622.70	424, 498, 558, 653
-42	1,622.70	155, 424, 498, 558, 653
-43	1,825.60	424, 498, 558, 653
-46	2,434.10	498, 558, 653
-47	2,434.10	498, 558, 653
-93	1,318.50	208, 255, 424, 498, 653
-99	1,825.50	155, 208, 255, 424, 498, 558, 653
28 688 404-00	1,062.50	60, 649
-06	1,700.00	60, 649
-19	1,593.80	60, 649
-28	2,550.00	60, 649
-39	1,700.00	60, 649
-42	1,700.00	60, 649
-43	1,912.50	60, 649
-46	2,550.00	60, 649
-47	2,550.00	60, 649
-99	1,912.50	60, 649
28 699 970-00	1,867.10	255, 424, 498, 559, 653
-06	2,987.30	255, 424, 498, 559, 653
-08	2,987.30	424, 498, 559, 653
-19	2,800.50	255, 424, 498, 559, 653
-26	2,800.70	424, 653
-27	2,800.70	255, 424, 653
-28	4,481.00	498, 559, 653
-33	2,520.30	255, 424, 498, 559, 653
-37	2,800.70	424, 653
-39	2,987.40	424, 498, 559, 653
-42	2,987.40	424, 498, 559, 653
-43	3,360.80	424, 498, 559, 653
-46	4,481.00	498, 559, 653
-47	4,481.00	498, 559, 653
-93	2,427.20	255, 424, 498, 653
-99	3,360.50	255, 424, 498, 559, 653
28 760 710-00	946.80	253, 286, 647
-06	1,514.80	253, 286, 647
28 760 980-00	946.90	104, 153, 205, 354, 647
-19	1,420.30	104, 153, 205, 354, 647
-27	1,420.30	205, 647
-33	1,278.30	205, 354, 647
-37	1,420.40	205, 647
-39	1,515.00	354, 647
-42	1,515.00	153, 354, 647
-43	1,704.40	354, 647
-93	1,230.90	205, 647
-99	1,704.40	104, 153, 205, 354, 647
28 761 710-00	946.80	253, 286, 648
-06	1,514.80	253, 286, 648
28 761 980-00	946.90	105, 153, 206, 354, 648
-19	1,420.30	105, 153, 206, 354, 648
-27	1,420.30	206, 648
-33	1,278.30	206, 354, 648
-37	1,420.40	206, 648
-39	1,515.00	354, 648
-42	1,515.00	153, 354, 648
-43	1,704.40	354, 648
-93	1,230.90	206, 648
-99	1,704.40	105, 153, 206, 354, 648
28 762 710-00	1,551.40	253, 286, 647
-06	2,482.20	253, 286, 647
28 762 980-00	1,605.00	104, 153, 205, 354, 647
-06	2,568.10	104, 153, 205, 354, 647
-08	2,568.10	354, 647
-19	2,407.50	104, 153, 205, 354, 647
-27	2,407.50	205, 647
-28	3,852.00	153, 354, 647
-33	2,166.80	205, 354, 647
-37	2,407.50	205, 647
-39	2,568.10	354, 647
-42	2,568.10	153, 354, 647
-43	2,889.00	354, 647
-46	3,852.00	104, 354, 647
-47	3,852.00	104, 354, 647
-93	2,086.60	205, 647
-99	2,889.10	104, 153, 205, 354, 647
28 763 710-00	1,551.40	253, 286, 648
-06	2,482.20	253, 286, 648
28 763 980-00	1,605.00	105, 153, 206, 354, 648
-06	2,568.10	105, 153, 206, 354, 648
-08	2,568.10	354, 648
-19	2,407.50	105, 153, 206, 354, 648
-27	2,407.50	206, 648
-28	3,852.00	153, 354, 648
-33	2,166.80	206, 354, 648
-37	2,407.50	206, 648
-39	2,568.00	354, 648
-42	2,568.10	153, 354, 648
-43	2,889.00	354, 648
-46	3,852.00	105, 354, 648
-47	3,852.00	105, 354, 648
-93	2,086.60	206, 648
-99	2,889.10	105, 153, 206, 354, 648
28 770 710-00	836.00	255, 286, 654
-06	1,337.60	255, 286, 654
28 770 980-00	836.00	105, 155, 208, 355, 654
-06	1,337.60	105, 155, 208, 355, 654
-19	1,254.00	105, 155, 208, 355, 654
-27	1,254.00	208, 654
-33	1,128.60	208, 355, 654
-37	1,254.00	208, 654
-39	1,337.60	355, 654
-42	1,337.60	155, 355, 654
-43	1,504.80	355, 654
-93	1,086.90	208, 654
-99	1,504.90	105, 155, 208, 355, 654
28 771 710-00	836.00	287, 655
-06	1,337.60	287, 655
28 771 980-00	836.00	105, 155, 209, 355, 655
-19	1,254.00	105, 155, 209, 355, 655
-27	1,254.00	209, 655
-33	1,128.60	209, 355, 655
-37	1,254.00	209, 655
-39	1,337.60	355, 655
-42	1,337.60	155, 355, 655
-43	1,504.80	355, 655
-93	1,086.90	209, 655
-99	1,504.90	105, 155, 209, 355, 655
28 772 710-00	1,318.90	255, 286, 654
-06	2,110.30	255, 286, 654
28 772 980-00	1,364.30	105, 155, 208, 355, 654
-06	2,182.80	105, 155, 208, 355, 654
-08	2,182.80	355, 654
-19	2,046.50	105, 155, 208, 355, 654
-27	2,046.50	208, 654
-28	3,274.30	155, 355, 654
-33	1,841.80	208, 355, 654
-37	2,046.50	208, 654
-39	2,182.90	355, 654
-42	2,182.80	155, 355, 654
-43	2,455.70	355, 654
-46	3,274.30	105, 355, 654
-47	3,274.30	105, 355, 654
-93	1,773.60	208, 654
-99	2,455.60	105, 155, 208, 355, 654
28 773 710-00	1,318.90	287, 655
-06	2,110.30	287, 655
28 773 980-00	1,364.30	105, 155, 209, 355, 655
-06	2,182.80	105, 155, 209, 355, 655
-08	2,182.80	355, 655
-19	2,046.50	105, 155, 209, 355, 655
-27	2,046.50	209, 655
-28	3,274.30	155, 355, 655
-33	1,841.80	209, 355, 655
-37	2,046.50	209, 655
-39	2,182.80	355, 655
-42	2,182.80	155, 355, 655
-43	2,455.70	355, 655
-46	3,274.30	105, 355, 655
-47	3,274.30	105, 355, 655
-93	1,773.60	209, 655
-99	2,455.60	105, 155, 209, 355, 655
29		
29 140 404-00	971.50	83
-06	1,554.40	83
-19	1,457.30	83
-28	2,331.60	83
-39	1,554.40	83
-42	1,554.40	83
-43	1,748.70	83
-46	2,331.60	83
-47	2,331.60	83
-99	1,748.70	83
29 140 660-00	677.60	457
-06	1,084.40	457
-19	1,016.30	457
-26	1,016.30	457
-27	1,016.30	457
-33	914.90	457
-37	1,016.40	457
-39	1,084.10	457
-42	1,084.10	457
-43	1,219.70	457
-93	880.80	457
-99	1,219.60	457
29 140 670-00	915.60	123, 175, 230, 381
-06	1,465.00	123, 175, 230, 381
-08	1,465.00	381
-19	1,373.30	123, 175, 230, 381
-27	1,373.40	230
-28	2,197.40	175, 381
-33	1,236.10	230, 381
-37	1,373.40	230
-39	1,465.00	381
-42	1,465.00	175, 381
-43	1,648.10	381
-46	2,197.40	123, 381
-47	2,197.40	123, 381
-93	1,190.30	230
-99	1,648.10	123, 175, 230, 381
29 140 809-00	927.40	584
-06	1,483.90	584
-08	1,484.00	584
-19	1,391.10	584
-28	2,225.80	584
-39	1,483.90	584
-42	1,483.90	584
-43	1,669.30	584
-46	2,225.80	584
-47	2,225.80	584
-99	1,669.40	584
29 140 892-00	843.20	526
-06	1,348.90	526
-08	1,348.90	526
-19	1,264.70	526
-28	2,023.70	526
-33	1,138.20	526
-39	1,349.00	526
-42	1,349.00	526
-43	1,517.80	526
-46	2,023.70	526
-47	2,023.70	526
-93	1,096.10	526
-99	1,517.50	526
29 140 979-00	837.30	526
-06	1,339.50	526
-08	1,339.50	526
-19	1,255.90	526
-28	2,009.50	526
-33	1,130.20	526
-39	1,339.70	526
-42	1,339.70	526
-43	1,507.10	526
-46	2,009.50	526
-47	2,009.50	526
-93	1,088.40	526
-99	1,507.00	526
29 217 671-00	1,139.50	189
-06	1,823.00	189

Article number	Euro	Page
-19	1,709.20	189
-27	1,709.20	189
-33	1,538.30	189
-37	1,709.30	189
-93	1,481.30	189
-99	2,051.00	189
29 217 811-00	1,369.40	137
-06	2,191.00	137
-19	2,054.10	137
-28	3,286.60	137
-36	2,191.00	137
-38	3,286.60	137
-42	2,191.00	137
-99	2,465.00	137
29 218 671-00	1,199.40	189
-06	1,919.00	189
-19	1,799.20	189
-27	1,799.20	189
-33	1,619.20	189
-37	1,799.10	189
-93	1,559.30	189
-99	2,158.90	189
29 218 811-00	1,452.30	138
-06	2,323.50	138
-19	2,178.40	138
-28	3,485.50	138
-36	2,323.50	138
-38	3,485.50	138
-42	2,323.70	138
-99	2,614.10	138
29 300 660-00	586.80	457
-06	939.00	457
-19	880.30	457
-26	880.30	457
-27	880.30	457
-33	792.40	457
-37	880.20	457
-39	938.90	457
-42	938.90	457
-43	1,056.20	457
-93	762.90	457
-99	1,056.40	457
29 300 670-00	709.80	124, 175, 230, 381
-06	1,135.60	124, 175, 230, 381
-08	1,135.60	381
-19	1,064.50	124, 175, 230, 381
-27	1,064.60	230
-28	1,703.50	175, 381
-33	958.20	230, 381
-37	1,064.70	230
-39	1,135.70	381
-42	1,135.70	175, 381
-43	1,277.60	381
-46	1,703.50	124, 381
-47	1,703.50	124, 381
-93	922.60	230
-99	1,277.40	124, 175, 230, 381
30		
30 010 892-00	452.30	480
-06	724.00	480
-08	724.00	480
-19	678.60	480
-28	1,085.50	480
-33	610.80	480
-39	723.90	480
-42	723.90	480
-43	814.10	480
-46	1,085.50	480
-47	1,085.50	480
-93	588.10	480
-99	814.60	480
32		
32 815 680-00	1,868.60	747
-06	2,989.80	747
-08	2,989.80	747
-19	2,803.00	747
-28	4,484.60	747
-42	2,989.80	747
-46	4,484.60	747
-47	4,484.60	747
-99	2,803.00	747
32 815 682-00	1,419.80	749
-06	2,271.80	749
-08	2,271.80	749
-19	2,129.80	749
-28	3,407.50	749
-33	1,916.90	749
-42	2,271.70	749
-46	3,407.50	749
-47	3,407.50	749
-93	1,845.80	749
-99	2,129.80	749
32 815 861-00	1,030.40	751
-06	1,648.50	751
-08	1,648.50	751

Article number	Euro	Page
-19	1,545.50	751
-28	2,473.00	751
-33	1,390.90	751
-39	1,648.60	751
-42	1,648.50	751
-43	1,854.70	751
-46	2,473.00	751
-47	2,473.00	751
-93	1,339.50	751
-99	1,545.50	751
32 815 875-00	1,006.60	757
-06	1,610.60	757
-08	1,610.60	757
-19	1,510.00	757
-28	2,415.80	757
-33	1,358.90	757
-39	1,610.60	757
-42	1,610.70	757
-43	1,811.90	757
-46	2,415.80	757
-47	2,415.80	757
-93	1,308.60	757
-99	1,510.00	757
32 816 888-00	1,127.20	754
-06	1,803.40	754
-08	1,803.40	754
-09	2,705.30	754
-19	1,690.70	754
-28	2,705.30	754
-33	1,521.70	754
-39	1,803.50	754
-42	1,803.40	754
-43	2,029.00	754
-46	2,705.30	754
-47	2,705.30	754
-93	1,465.30	754
-99	1,690.70	754
33		
33 200 660-00	709.70	454
-06	1,135.40	454
-19	1,064.50	454
-26	1,064.50	454
-27	1,064.50	454
-33	958.00	454
-37	1,064.60	454
-39	1,135.50	454
-42	1,135.50	454
-43	1,277.50	454
-93	922.50	454
-99	1,277.30	454
33 200 671-00	916.30	229
-06	1,466.20	229
-19	1,374.60	229
-27	1,374.60	229
-33	1,237.10	229
-37	1,374.50	229
-93	1,191.20	229
-99	1,649.40	229
33 200 845-00	847.20	266
-06	1,355.40	266
-19	1,270.80	266
-27	1,270.80	266
-33	1,143.60	266
-93	1,101.50	266
-99	1,524.90	266
33 233 660-00	1,050.50	454
-06	1,681.20	454
-19	1,575.90	454
-26	1,575.90	454
-27	1,575.90	454
-33	1,419.00	454
-37	1,575.80	454
-39	1,680.80	454
-42	1,680.90	454
-43	1,890.90	454
-93	1,365.80	454
-99	1,891.20	454
33 300 660-00	666.20	438
-06	1,065.90	438
-19	999.30	438
-26	999.30	438
-27	999.30	438
-33	899.40	438
-37	999.30	438
-39	1,065.90	438
-42	1,065.90	438
-43	1,199.20	438
-93	866.10	438
-99	1,199.20	438
33 300 845-00	723.20	263
-06	1,156.90	263
-19	1,084.90	263
-27	1,084.90	263
-33	976.30	263
-93	940.20	263
-99	1,301.80	263
33 301 670-00	702.30	219

Article number	Euro	Page
-06	1,123.10	219
-19	1,053.60	219
-27	1,053.60	219
-33	948.20	219
-37	1,053.50	219
-93	913.10	219
-99	1,264.10	219
33 500 661-00	705.80	401
-06	1,129.40	401
-19	1,058.80	401
-26	1,058.70	401
-27	1,058.70	401
-33	952.90	401
-37	1,058.70	401
-39	1,129.30	401
-42	1,129.30	401
-43	1,270.40	401
-93	917.50	401
-99	1,270.40	401
33 500 671-00	547.90	187
-06	876.80	187
-19	821.80	187
-27	821.80	187
-33	739.70	187
-37	821.90	187
-93	712.30	187
-99	986.30	187
33 500 710-00	1,031.60	280
-06	1,650.60	280
33 500 809-00	955.00	539
-06	1,527.60	539
-08	1,528.10	539
-19	1,432.60	539
-28	2,292.00	539
-39	1,528.00	539
-42	1,528.00	539
-43	1,719.00	539
-46	2,292.00	539
-47	2,292.00	539
-99	1,719.00	539
33 500 811-00	1,302.90	137
-06	2,085.00	137
-19	1,954.50	137
-28	3,127.00	137
-42	2,084.80	137
-99	2,345.60	137
33 500 845-00	575.70	242
-06	920.90	242
-19	863.70	242
-27	863.70	242
-33	777.20	242
-93	748.50	242
-99	1,036.20	242
33 500 882-00	826.80	473
-06	1,322.90	473
-08	1,322.90	473
-19	1,240.30	473
-28	1,984.30	473
-33	1,116.30	473
-39	1,322.90	473
-42	1,322.90	473
-43	1,488.20	473
-46	1,984.30	473
-47	1,984.30	473
-93	1,074.90	473
-99	1,488.30	473
33 501 660-00	438.40	397
-06	701.50	397
-19	657.60	397
-26	657.60	397
-27	657.60	397
-33	591.50	397
-37	657.60	397
-39	701.40	397
-42	701.40	397
-43	789.10	397
-93	569.80	397
-99	789.00	397
33 502 660-00	479.00	398
-06	766.30	398
-19	718.60	398
-26	718.60	398
-27	718.60	398
-33	646.20	398
-37	718.50	398
-39	766.40	398
-42	766.50	398
-43	862.20	398
-93	622.80	398
-99	862.30	398
33 502 671-00	630.10	187
-06	1,008.20	187
-19	945.20	187
-27	945.20	187
-33	850.60	187
-37	945.20	187
-93	819.10	187
-99	1,134.20	187
33 502 782-00	1,225.00	341

Index

Article number	Euro	Page
-06	1,959.90	341
-08	1,959.90	341
-19	1,837.50	341
-28	2,940.00	341
-39	1,960.00	341
-42	1,960.00	341
-43	2,205.00	341
-46	2,940.00	341
-47	2,940.00	341
-99	2,205.10	341
33 504 660-00	704.60	398
-06	1,127.40	398
-19	1,056.90	398
-26	1,056.90	398
-27	1,056.90	398
-33	951.20	398
-37	1,056.90	398
-39	1,127.40	398
-42	1,127.40	398
-43	1,268.30	398
-93	916.00	398
-99	1,268.30	398
33 505 660-00	704.60	399
-06	1,127.40	399
-19	1,056.90	399
-26	1,056.90	399
-27	1,056.90	399
-37	1,056.90	399
-39	1,127.40	399
-42	1,127.40	399
-43	1,268.30	399
-93	916.00	399
-99	1,268.30	399
33 505 661-00	651.30	401
-06	1,041.80	401
-19	976.90	401
-26	976.90	401
-27	976.90	401
-33	879.30	401
-37	977.00	401
-39	1,042.10	401
-42	1,042.10	401
-43	1,172.30	401
-93	846.60	401
-99	1,172.30	401
33 505 809-00	517.10	539
-06	827.40	539
-08	827.40	539
-19	775.70	539
-28	1,241.00	539
-39	827.50	539
-42	827.50	539
-43	930.80	539
-46	1,241.00	539
-47	1,241.00	539
-99	930.80	539
33 505 811-00	1,365.40	137
-06	2,184.80	137
-19	2,048.00	137
-28	3,277.00	137
-42	2,184.60	137
-99	2,457.70	137
33 506 845-00	965.40	242
-06	1,544.60	242
-19	1,448.20	242
-27	1,448.20	242
-33	1,303.40	242
-93	1,255.00	242
-99	1,737.60	242
33 510 661-00	667.70	400
-06	1,068.40	400
-19	1,001.50	400
-26	1,001.50	400
-27	1,001.50	400
-33	901.30	400
-37	1,001.60	400
-39	1,068.30	400
-42	1,068.20	400
-43	1,201.90	400
-93	867.90	400
-99	1,201.70	400
33 513 882-00	868.00	473
-06	1,388.80	473
-08	1,388.80	473
-19	1,302.00	473
-28	2,083.20	473
-33	1,171.80	473
-39	1,388.80	473
-42	1,388.80	473
-43	1,562.40	473
-46	2,083.20	473
-47	2,083.20	473
-93	1,128.50	473
-99	1,562.40	473
33 521 404-00	923.00	50
-06	1,476.80	50
-19	1,384.50	50
-28	2,215.20	50
-39	1,476.80	50
-42	1,476.80	50
-43	1,661.40	50
-46	2,215.20	50
-47	2,215.20	50
-99	1,661.40	50
33 521 671-00	509.70	187
-06	815.40	187
-19	764.60	187
-27	764.60	187
-33	688.20	187
-37	764.60	187
-93	662.70	187
-99	917.40	187
33 521 705-00	1,247.00	94
-06	1,995.40	94
-19	1,870.50	94
-46	2,992.80	94
-47	2,992.80	94
-99	2,244.70	94
33 521 710-00	980.00	280
-06	1,568.20	280
33 521 809-00	881.10	539
-06	1,409.30	539
-08	1,409.50	539
-19	1,321.50	539
-28	2,114.60	539
-39	1,409.70	539
-42	1,409.70	539
-43	1,586.00	539
-46	2,114.60	539
-47	2,114.60	539
-99	1,585.80	539
33 521 811-00	1,247.00	137
-06	1,995.40	137
-19	1,870.50	137
-28	2,992.80	137
-42	1,995.10	137
-99	2,244.70	137
33 521 845-00	499.40	242
-06	798.90	242
-19	749.00	242
-27	749.00	242
-33	674.10	242
-93	649.10	242
-99	898.70	242
33 522 660-00	445.50	398
-06	712.60	398
-19	668.30	398
-26	668.30	398
-27	668.30	398
-33	601.20	398
-37	668.30	398
-39	712.80	398
-42	712.80	398
-43	801.90	398
-93	579.20	398
-99	802.00	398
33 522 671-00	586.10	187
-06	937.80	187
-19	879.20	187
-27	879.20	187
-33	791.30	187
-37	879.20	187
-93	762.00	187
-99	1,055.00	187
33 522 782-00	1,164.70	341
-06	1,863.50	341
-08	1,863.50	341
-19	1,747.10	341
-28	2,795.30	341
-39	1,863.40	341
-42	1,863.40	341
-43	2,096.50	341
-46	2,795.30	341
-47	2,795.30	341
-99	2,096.50	341
33 522 809-00	472.90	539
-06	756.60	539
-08	756.60	539
-19	709.50	539
-28	1,135.00	539
-39	756.70	539
-42	756.60	539
-43	851.20	539
-46	1,135.00	539
-47	1,135.00	539
-99	851.20	539
33 525 404-00	868.80	50
-06	1,390.10	50
-19	1,303.20	50
-28	2,085.10	50
-39	1,390.10	50
-42	1,390.10	50
-43	1,563.80	50
-46	2,085.10	50
-47	2,085.10	50
-99	1,563.80	50
33 525 660-00	360.80	397
-06	577.20	397
-08	577.30	397
-19	541.20	397
-26	541.30	397
-27	541.30	397
-29	487.10	397
-30	487.10	397
-31	487.10	397
-33	487.00	397
-37	541.20	397
-39	577.30	397
-42	577.30	397
-43	649.40	397
-93	469.10	397
-99	649.40	397
33 525 661-00	613.00	400
-06	980.80	400
-19	919.60	400
-26	919.60	400
-27	919.60	400
-33	827.60	400
-37	919.50	400
-39	980.80	400
-42	980.80	400
-43	1,103.40	400
-93	797.00	400
-99	1,103.40	400
33 525 671-00	541.30	187
-06	866.00	187
-19	812.00	187
-27	812.00	187
-33	730.70	187
-37	812.00	187
-93	703.60	187
-99	974.30	187
33 525 811-00	1,309.10	137
-06	2,095.20	137
-19	1,963.80	137
-28	3,141.80	137
-42	2,094.60	137
-99	2,356.60	137
33 526 660-00	407.70	397
-06	652.40	397
-19	611.70	397
-26	611.60	397
-27	611.60	397
-33	550.20	397
-37	611.60	397
-39	652.40	397
-42	652.40	397
-43	733.90	397
-93	530.00	397
-99	734.00	397
33 526 671-00	866.30	188
-06	1,386.00	188
-19	1,299.40	188
-27	1,299.40	188
-33	1,169.40	188
-37	1,299.50	188
-93	1,126.00	188
-99	1,559.10	188
33 526 845-00	840.20	242
-06	1,344.50	242
-19	1,260.50	242
-27	1,260.50	242
-33	1,134.40	242
-93	1,092.30	242
-99	1,512.50	242
33 528 671-00	938.70	188
-06	1,501.90	188
-19	1,408.20	188
-27	1,408.20	188
-33	1,267.40	188
-37	1,408.10	188
-93	1,220.40	188
-99	1,689.80	188
33 529 660-00	655.50	398
-06	1,048.80	398
-19	983.30	398
-26	983.30	398
-27	983.30	398
-33	884.90	398
-37	983.30	398
-39	1,048.80	398
-42	1,048.80	398
-43	1,179.90	398
-93	852.20	398
-99	1,179.90	398
33 530 660-00	655.50	399
-06	1,048.80	399
-19	983.30	399
-26	983.30	399
-27	983.30	399
-37	983.30	399
-39	1,048.80	399
-42	1,048.80	399
-43	1,179.90	399
-93	852.20	399
-99	1,179.90	399
33 534 404-00	1,298.10	50

Article number	Euro	Page
-06	2,077.00	50
-19	1,947.20	50
-28	3,115.40	50
-39	2,077.00	50
-42	2,077.00	50
-43	2,336.60	50
-46	3,115.40	50
-47	3,115.40	50
-99	2,336.60	50
33 534 661-00	915.90	402
-06	1,465.50	402
-19	1,373.90	402
-26	1,373.90	402
-27	1,373.90	402
-33	1,236.70	402
-37	1,373.90	402
-39	1,465.50	402
-42	1,465.50	402
-43	1,648.60	402
-93	1,190.70	402
-99	1,648.70	402
33 534 809-00	1,239.10	540
-06	1,982.40	540
-08	1,982.50	540
-19	1,858.60	540
-28	2,973.80	540
-39	1,982.50	540
-42	1,982.40	540
-43	2,230.40	540
-46	2,973.80	540
-47	2,973.80	540
-99	2,230.30	540
33 537 660-00	598.00	402
-06	956.90	402
-19	896.80	402
-26	897.00	402
-27	897.00	402
-33	807.00	402
-37	897.00	402
-39	956.80	402
-42	956.80	402
-43	1,076.40	402
-93	777.30	402
-99	1,076.30	402
33 537 671-00	795.30	188
-06	1,272.40	188
-19	1,192.90	188
-27	1,192.90	188
-33	1,073.50	188
-37	1,193.00	188
-93	1,033.80	188
-99	1,431.40	188
33 537 845-00	1,073.60	242
-06	1,718.00	242
-19	1,610.40	242
-27	1,610.40	242
-33	1,449.30	242
-93	1,395.70	242
-99	1,932.40	242
33 539 660-00	630.50	402
-06	1,008.90	402
-19	945.90	402
-26	945.80	402
-27	945.80	402
-33	850.90	402
-37	945.80	402
-39	1,008.80	402
-42	1,008.70	402
-43	1,134.90	402
-93	819.60	402
-99	1,134.90	402
33 560 661-00	705.80	401
-06	1,129.40	401
-19	1,058.80	401
-26	1,058.70	401
-27	1,058.70	401
-33	952.90	401
-37	1,058.70	401
-39	1,129.30	401
-42	1,129.30	401
-43	1,270.40	401
-93	917.50	401
-99	1,270.40	401
33 565 661-00	651.30	401
-06	1,041.80	401
-19	976.90	401
-26	976.90	401
-27	976.90	401
-33	879.30	401
-37	977.00	401
-39	1,042.10	401
-42	1,042.10	401
-43	1,172.30	401
-93	846.60	401
-99	1,172.30	401
33 600 404-00	1,243.80	56
-06	1,990.10	56
-19	1,865.70	56
-28	2,985.10	56
-39	1,990.10	56
-42	1,990.10	56
-43	2,238.80	56
-46	2,985.10	56
-47	2,985.10	56
-99	2,238.80	56
33 600 660-00	695.90	408
-06	1,113.30	408
-19	1,043.90	408
-26	1,044.00	408
-27	1,044.00	408
-33	939.40	408
-37	1,043.90	408
-39	1,113.50	408
-42	1,113.50	408
-43	1,252.60	408
-93	904.80	408
-99	1,252.40	408
33 600 671-00	878.40	193
-06	1,405.40	193
-19	1,317.60	193
-27	1,317.60	193
-33	1,185.90	193
-37	1,317.60	193
-93	1,142.00	193
-99	1,581.20	193
33 600 782-00	1,613.00	145, 348
-06	2,580.90	145, 348
-08	2,580.90	348
-19	2,419.70	145, 348
-28	3,871.20	145, 348
-39	2,580.90	348
-42	2,580.90	145, 348
-43	2,903.40	348
-46	3,871.20	348
-47	3,871.20	348
-99	2,903.50	145, 348
33 600 809-00	1,187.20	547
-06	1,899.60	547
-08	1,899.60	547
-19	1,781.00	547
-28	2,849.30	547
-39	1,899.70	547
-42	1,899.70	547
-43	2,137.00	547
-46	2,849.30	547
-47	2,849.30	547
-99	2,137.00	547
33 800 680-00	1,516.10	747
-06	2,425.70	747
-08	2,425.70	747
-19	2,274.10	747
-28	3,638.60	747
-42	2,425.70	747
-46	3,638.60	747
-47	3,638.60	747
-99	2,274.10	747
33 800 682-00	1,078.10	748
-06	1,725.20	748
-08	1,725.20	748
-19	1,617.30	748
-28	2,587.40	748
-33	1,455.60	748
-42	1,725.00	748
-46	2,587.40	748
-47	2,587.40	748
-93	1,401.60	748
-99	1,617.30	748
33 800 861-00	807.30	750
-06	1,291.70	750
-08	1,291.70	750
-19	1,211.20	750
-28	1,937.50	750
-33	1,090.00	750
-39	1,291.70	750
-42	1,291.70	750
-43	1,453.10	750
-46	1,937.50	750
-47	1,937.50	750
-93	1,049.60	750
-99	1,211.20	750
33 800 875-00	747.90	756
-06	1,196.90	756
-08	1,196.90	756
-19	1,121.80	756
-28	1,795.00	756
-33	1,009.70	756
-39	1,196.60	756
-42	1,196.80	756
-43	1,346.20	756
-46	1,795.00	756
-47	1,795.00	756
-93	972.30	756
-99	1,121.80	756
33 800 888-00	860.90	752
-06	1,377.50	752
-08	1,377.50	752
-09	2,066.20	752
-19	1,291.30	752
-28	2,066.20	752
-33	1,162.20	752
-39	1,377.40	752
-42	1,377.40	752
-43	1,549.60	752
-46	2,066.20	752
-47	2,066.20	752
-93	1,119.10	752
-99	1,291.50	752
33 815 682-00	1,101.00	748
-06	1,761.70	748
-08	1,761.70	748
-19	1,651.50	748
-28	2,642.40	748
-33	1,486.30	748
-42	1,761.80	748
-46	2,642.40	748
-47	2,642.40	748
-93	1,431.40	748
-99	1,651.50	748
33 815 861-00	833.80	750
-06	1,334.10	750
-08	1,334.10	750
-19	1,250.90	750
-28	2,001.10	750
-33	1,125.70	750
-39	1,334.10	750
-42	1,334.10	750
-43	1,500.80	750
-46	2,001.10	750
-47	2,001.10	750
-93	1,084.10	750
-99	1,250.90	750
33 815 888-00	911.50	753
-06	1,458.50	753
-08	1,458.50	753
-09	2,187.60	753
-19	1,367.30	753
-28	2,187.60	753
-33	1,230.50	753
-39	1,458.40	753
-42	1,458.50	753
-43	1,640.70	753
-46	2,187.60	753
-47	2,187.60	753
-93	1,185.00	753
-99	1,367.40	753
33 816 809-00	948.60	758
-06	1,517.70	758
-08	1,517.70	758
-09	2,276.60	758
-19	1,423.00	758
-28	2,276.60	758
-33	1,280.60	758
-39	1,517.80	758
-42	1,517.80	758
-43	1,707.50	758
-46	2,276.60	758
-47	2,276.60	758
-93	1,233.20	758
-99	1,423.00	758
33 816 875-00	767.60	756
-06	1,228.10	756
-08	1,228.10	756
-19	1,151.30	756
-28	1,842.20	756
-33	1,036.40	756
-39	1,228.20	756
-42	1,228.10	756
-43	1,381.70	756
-46	1,842.20	756
-47	1,842.20	756
-93	997.80	756
-99	1,151.30	756
33 840 790-00	876.20	761
-06	1,402.20	761
-08	1,402.20	761
-19	1,314.40	761
-28	2,102.90	761
-39	1,401.90	761
-42	1,402.00	761
-43	1,577.20	761
-46	2,102.90	761
-47	2,102.90	761
-93	1,139.10	761
-99	1,314.60	761
33 845 875-00	1,449.30	757
-06	2,318.80	757
-08	2,318.80	757
-19	2,173.90	757
-28	3,478.30	757
-39	2,318.90	757
-42	2,318.90	757
-43	2,608.70	757
-46	3,478.30	757
-47	3,478.30	757
-93	1,884.10	757
-99	2,174.00	757
33 860 875-00	1,593.90	773

Index

Article number	Euro	Page
-06	2,550.10	773
-08	2,550.10	773
-19	2,390.40	773
-39	2,550.20	773
-42	2,550.20	773
-43	2,869.00	773
-93	2,072.20	773
-99	2,390.40	773
33 865 895-00	1,558.20	771
-06	2,119.10	771
-08	2,119.10	771
-19	1,986.80	771
-28	3,739.70	771
-33	1,788.20	771
-39	2,493.10	771
-42	2,493.20	771
-43	2,804.80	771
-46	3,739.70	771
-47	3,739.70	771
-93	1,721.90	771
-99	1,986.50	771
33 870 809-00	1,140.10	767
-06	1,824.20	767
-08	1,824.20	767
-09	2,736.20	767
-19	1,710.10	767
-28	2,736.20	767
-33	1,539.10	767
-39	1,824.20	767
-42	1,824.20	767
-43	2,052.20	767
-46	2,736.20	767
-47	2,736.20	767
-93	1,482.20	767
-99	1,710.10	767
33 870 861-00	969.60	762
-06	1,551.20	762
-08	1,551.20	762
-19	1,454.40	762
-28	2,327.00	762
-33	1,308.80	762
-39	1,551.40	762
-42	1,551.30	762
-43	1,745.30	762
-46	2,327.00	762
-47	2,327.00	762
-93	1,260.50	762
-99	1,454.40	762
33 870 875-00	921.90	766
-06	1,474.80	766
-08	1,474.80	766
-19	1,383.00	766
-28	2,212.60	766
-33	1,244.70	766
-39	1,475.00	766
-42	1,474.90	766
-43	1,659.40	766
-46	2,212.60	766
-47	2,212.60	766
-93	1,198.40	766
-99	1,382.60	766
33 870 888-00	1,059.90	765
-06	1,695.80	765
-08	1,695.80	765
-09	2,543.80	765
-19	1,589.80	765
-28	2,543.80	765
-33	1,430.80	765
-39	1,695.80	765
-42	1,695.80	765
-43	1,907.80	765
-46	2,543.80	765
-47	2,543.80	765
-93	1,377.80	765
-99	1,589.80	765
33 870 895-00	1,018.80	763
-06	1,629.70	763
-08	1,629.70	763
-19	1,528.20	763
-28	2,445.10	763
-33	1,375.40	763
-39	1,630.10	763
-42	1,630.00	763
-43	1,833.80	763
-46	2,445.10	763
-47	2,445.10	763
-93	1,324.40	763
-99	1,528.20	763
33 871 790-00	921.90	761
-06	1,474.90	761
-08	1,474.90	761
-19	1,382.90	761
-28	2,212.60	761
-39	1,475.00	761
-42	1,474.90	761
-43	1,659.40	761
-46	2,212.60	761
-47	2,212.60	761
-93	1,198.40	761
-99	1,382.90	761
33 875 895-00	1,018.80	764
-06	1,629.70	764
-08	1,629.70	764
-19	1,528.20	764
-28	2,445.10	764
-33	1,375.40	764
-39	1,630.10	764
-42	1,630.00	764
-43	1,833.80	764
-46	2,445.10	764
-47	2,445.10	764
-93	1,324.40	764
-99	1,528.20	764
33 880 888-00	1,891.70	772
-06	3,026.70	772
-08	3,026.70	772
-19	2,837.20	772
-39	3,026.70	772
-42	3,026.70	772
-43	3,405.10	772
-93	2,459.10	772
-99	2,837.20	772
34		
34 234 979-00	1,430.10	455
-06	2,288.20	455
-19	2,145.40	455
-26	2,145.20	455
-27	2,145.20	455
-33	1,930.70	455
-37	2,145.20	455
-39	2,288.20	455
-42	2,288.20	455
-43	2,574.20	455
-93	1,859.10	455
-99	2,574.20	455
34 444 979-00	736.60	219, 263, 294, 368, 438, 512, 571
-06	1,178.50	219, 263, 294, 368, 438, 512, 571
-08	1,178.50	368, 438, 512, 571
-19	1,104.90	219, 263, 368, 438, 512, 571
-26	1,104.90	438
-27	1,104.90	219, 263, 438
-28	1,767.80	368, 512, 571
-33	994.40	219, 263, 368, 438, 512, 571
-37	1,104.90	219, 438
-39	1,178.50	368, 438, 512, 571
-42	1,178.50	368, 438, 512, 571
-43	1,325.90	368, 438, 512, 571
-46	1,767.80	368, 512, 571
-47	1,767.80	368, 512, 571
-93	957.60	219, 263, 438, 512
-99	1,325.80	219, 263, 368, 438, 512, 571
34 445 979-00	638.30	512, 571
-06	1,021.20	512, 571
-08	1,021.20	512, 571
-19	957.50	512, 571
-28	1,531.90	512, 571
-33	861.70	512
-39	1,021.20	571
-42	1,021.20	512, 571
-43	1,148.90	512, 571
-46	1,531.90	512, 571
-47	1,531.90	512, 571
-93	829.80	512
-99	1,148.90	512, 571
34 459 360-00	3,340.90	316, 632
-06	5,345.70	316, 632
-08	5,345.70	316, 632
-09	8,018.20	316, 632
-28	8,018.20	316, 632
-39	5,345.40	316, 632
-42	5,345.40	316, 632
-43	6,013.60	316, 632
-99	6,013.60	316, 632
34 459 404-00	2,856.00	58, 631
-06	4,569.60	58, 631
-19	4,284.00	58, 631
-28	6,854.40	58, 631
-39	4,569.60	58, 631
-42	4,569.60	58, 631
-43	5,140.80	58, 631
-46	6,854.40	58, 631
-47	6,854.40	58, 631
-99	5,140.80	58, 631
34 463 892-00	3,235.70	489, 633
-06	5,177.10	489, 633
-08	5,177.10	489, 633
-19	4,853.50	489, 633
-26	4,853.50	633
-28	7,765.70	489, 633
-33	4,368.20	489, 633
-37	4,853.60	633
-39	5,177.10	489, 633
-42	5,177.10	489, 633
-43	5,824.30	489, 633
-46	7,765.70	489, 633
-47	7,765.70	489, 633
-93	4,206.40	489, 633
-99	5,824.20	489, 633
34 463 980-00	3,233.20	102, 148, 198, 351, 637
-06	5,173.00	102, 148, 198, 351, 637
-08	5,173.00	351, 637
-19	4,849.70	102, 148, 198, 351, 637
-26	4,849.70	637
-27	4,849.70	198, 637
-28	7,759.70	148, 351, 637
-33	4,364.70	198, 351, 637
-37	4,849.80	198, 637
-39	5,173.00	351, 637
-42	5,173.00	148, 351, 637
-43	5,819.80	351, 637
-46	7,759.70	102, 351, 637
-47	7,759.70	102, 351, 637
-93	4,203.20	198, 637
-99	5,819.70	102, 148, 198, 351, 637
34 464 809-00	3,235.70	550, 634
-06	5,177.10	550, 634
-08	5,177.10	550, 634
-19	4,853.50	550, 634
-26	4,853.50	634
-27	4,853.50	634
-28	7,765.70	550, 634
-39	5,177.10	550, 634
-42	5,177.10	550, 634
-43	5,824.30	550, 634
-46	7,765.70	550, 634
-47	7,765.70	550, 634
-99	5,824.20	550, 634
34 464 979-00	2,726.20	196, 247, 284, 412, 490, 551, 635
-06	4,361.90	196, 247, 284, 412, 490, 551, 635
-08	4,361.90	412, 490, 551, 635
-19	4,089.30	196, 247, 412, 490, 551, 635
-26	4,089.30	412, 635
-27	4,089.30	196, 247, 412, 635
-28	6,542.90	490, 551, 635
-33	3,680.40	196, 247, 412, 490, 551, 635
-37	4,089.30	196, 412, 635
-39	4,361.90	412, 490, 551, 635
-42	4,361.90	412, 490, 551, 635
-43	4,907.20	412, 490, 551, 635
-46	6,542.90	490, 551, 635
-47	6,542.90	490, 551, 635
-93	3,544.10	196, 247, 412, 490, 635
-99	4,907.20	196, 247, 412, 490, 551, 635
34 464 980-00	3,233.20	103, 149, 199, 352, 638
-06	5,173.00	103, 149, 199, 352, 638
-08	5,173.00	352, 638
-19	4,849.70	103, 149, 199, 352, 638
-26	4,849.70	638
-27	4,849.70	199, 638
-28	7,759.70	149, 352, 638
-33	4,364.70	199, 352, 638
-37	4,849.80	199, 638
-39	5,173.00	352, 638
-42	5,173.00	149, 352, 638
-43	5,819.80	352, 638
-46	7,759.70	103, 352, 638
-47	7,759.70	103, 352, 638
-93	4,203.20	199, 638
-99	5,819.70	103, 149, 199, 352, 638
34 465 404-00	3,008.40	58, 631
-06	4,813.40	58, 631
-19	4,512.60	58, 631
-28	7,220.20	58, 631
-39	4,813.40	58, 631
-42	4,813.40	58, 631
-43	5,415.10	58, 631
-46	7,220.20	58, 631
-47	7,220.20	58, 631
-99	5,415.10	58, 631
34 465 809-00	3,235.70	550, 634
-06	5,177.10	550, 634
-08	5,177.10	550, 634
-19	4,853.50	550, 634
-26	4,853.50	634
-27	4,853.50	634

Article number	Euro	Page
-28	7,765.70	550, 634
-39	5,177.10	550, 634
-42	5,177.10	550, 634
-43	5,824.30	550, 634
-46	7,765.70	550, 634
-47	7,765.70	550, 634
-99	5,824.20	550, 634
34 465 892-00	3,235.70	489, 633
-06	5,177.10	489, 633
-08	5,177.10	489, 633
-19	4,853.50	489, 633
-26	4,853.50	633
-28	7,765.70	489, 633
-33	4,368.20	489, 633
-37	4,853.60	633
-39	5,177.10	489, 633
-42	5,177.10	489, 633
-43	5,824.30	489, 633
-46	7,765.70	489, 633
-47	7,765.70	489, 633
-93	4,206.40	489, 633
-99	5,824.20	489, 633
34 465 979-00	2,871.60	197, 248, 285, 413, 491, 552, 636
-06	4,594.60	197, 248, 285, 413, 491, 552, 636
-08	4,594.60	413, 491, 552, 636
-19	4,307.50	197, 248, 413, 491, 552, 636
-26	4,307.50	413, 636
-27	4,307.50	197, 248, 413, 636
-28	6,891.80	491, 552, 636
-33	3,876.70	197, 248, 413, 491, 552, 636
-37	4,307.40	197, 413, 636
-39	4,594.60	413, 491, 552, 636
-42	4,594.60	413, 491, 552, 636
-43	5,168.90	413, 491, 552, 636
-46	6,891.80	491, 552, 636
-47	6,891.80	491, 552, 636
-93	3,733.20	197, 248, 413, 491, 636
-99	5,168.90	197, 248, 413, 491, 552, 636
34 466 979-00	2,058.10	196, 247, 284, 412, 490, 551, 635
-19	3,087.20	196, 247, 412, 490, 551, 635
-26	3,087.20	412, 635
-27	3,087.20	196, 247, 412, 635
-33	2,778.40	196, 247, 412, 490, 551, 635
-37	3,087.20	196, 412, 635
-42	3,293.00	412, 490, 551, 635
-93	2,675.50	196, 247, 412, 490, 635
-99	3,704.60	196, 247, 412, 490, 551, 635
34 468 980-00	2,688.60	102, 148, 198, 351, 637
-19	4,032.90	102, 148, 198, 351, 637
-26	4,032.90	637
-27	4,032.90	198, 637
-28	6,452.60	148, 351, 637
-33	3,629.60	198, 351, 637
-37	4,032.90	198, 637
-42	4,301.90	148, 351, 637
-93	3,495.20	198, 637
-99	4,839.60	102, 148, 198, 351, 637
34 469 979-00	2,327.10	197, 248, 285, 413, 491, 552, 636
-19	3,490.70	197, 248, 413, 491, 552, 636
-26	3,490.70	413, 636
-27	3,490.70	197, 248, 413, 636
-33	3,141.60	197, 248, 413, 491, 552, 636
-37	3,490.70	197, 413, 636
-42	3,723.40	413, 491, 552, 636
-93	3,025.30	197, 248, 413, 491, 636
-99	4,188.80	197, 248, 413, 491, 552, 636
34 469 980-00	2,688.60	103, 149, 199, 352, 638
-19	4,032.90	103, 149, 199, 352, 638
-26	4,032.90	638
-27	4,032.90	199, 638
-33	3,629.60	199, 352, 638
-37	4,032.90	199, 638
-42	4,301.90	149, 352, 638
-93	3,495.20	199, 638
-99	4,839.60	103, 149, 199, 352, 638

Article number	Euro	Page
35		
35 003 970 90	336.80	728
35 020 970 90	248.70	729
35 021 970 90	355.40	729
35 033 970 90	1,098.10	734
35 034 970 90	1,648.60	735
35 041 970 90	572.60	735
35 042 970 90	860.20	736
35 043 970 90	1,098.10	734
35 044 970 90	1,648.60	735
35 050 970 90	336.80	728
35 085 970 90	128.90	732
35 087 970 90	281.00	733
35 202 970 90	310.70	732
35 203 970 90	378.40	732
35 205 970 90	234.20	733
35 206 970 90	316.80	733
35 311 970 90	772.50	739
35 312 970 90	875.50	739
35 313 970 90	1,030.00	739
35 314 970 90	1,133.00	739
35 425 970 90	457.60	729
35 426 970 90	480.60	729
35 427 970 90	479.40	730
35 428 970 90	503.00	730
35 503 970 90	907.90	730
35 511 970 90	743.70	730
35 521 970 90	1,239.70	731
35 524 970 90	1,226.10	731
35 531 970 90	1,332.30	731
35 534 970 90	1,443.30	731
35 607 970 90	95.40	732
35 608 970 90	125.20	732
35 610 970 90	8,589.50	736
35 615 970 90	8,589.50	737
35 620 970 90	9,146.90	737
35 625 970 90	9,146.90	738
35 630 970 90	9,146.90	738
35 700 970 90	203.00	728
35 720 970 90	161.90	728
35 740 970 90	329.40	734
35 741 970 90	329.40	733
35 750 970-00	5,424.40	740
-06	5,424.40	740
-33	5,424.40	740
-46	5,424.40	740
-47	5,424.40	740
35 770 970 90	2,145.00	740
35 771 970 90	2,860.00	741
35 780 970 90	2,860.00	741
35 781 970 90	3,571.30	741
35 860 970 90	235.80	728
35 944 970 90	564.80	732
35 945 970 90	882.10	732
36		
36 046 660-00	490.70	439, 513
-06	785.10	439, 513
-08	785.10	439, 513
-19	735.90	439, 513
-26	735.90	439
-27	735.90	439
-28	1,177.70	513
-33	662.40	439, 513
-37	736.10	439
-39	785.10	439, 513
-42	785.10	439, 513
-43	883.30	439, 513
-46	1,177.70	513
-47	1,177.70	513
-93	637.90	439, 513
-99	883.20	439, 513
36 046 970-00	602.50	115, 165, 219, 368
-06	964.00	115, 165, 219, 368
-08	964.00	368
-19	903.80	115, 165, 219, 368
-27	903.80	219
-28	1,446.00	165, 368
-33	813.40	219, 368
-37	903.80	219
-39	964.00	368
-42	964.00	165, 368
-43	1,084.50	368
-46	1,446.00	115, 368
-47	1,446.00	115, 368
-93	783.30	219
-99	1,084.70	115, 165, 219, 368
36 060 404-00	468.70	66
-06	749.90	66
-19	703.10	66
-28	1,124.90	66
-39	749.90	66
-42	749.90	66
-43	843.70	66
-46	1,124.90	66
-47	1,124.90	66

Article number	Euro	Page
-99	843.70	66
36 060 660-00	389.20	438, 512
-06	622.50	438, 512
-08	622.50	438, 512
-19	583.90	438, 512
-26	583.80	438
-27	583.80	438
-28	934.10	512
-33	525.60	438, 512
-37	583.80	438
-39	622.80	438, 512
-42	622.80	438, 512
-43	700.60	438, 512
-46	934.10	512
-47	934.10	512
-93	505.90	438, 512
-99	701.10	438, 512
36 060 670-00	493.20	115, 165, 219, 368
-06	796.40	115, 165, 219, 368
-08	796.40	368
-19	739.90	115, 165, 219, 368
-27	739.80	219
-28	1,183.70	165, 368
-33	665.90	219, 368
-37	739.80	219
-39	789.10	368
-42	789.10	165, 368
-43	887.80	368
-46	1,183.70	115, 368
-47	1,183.70	115, 368
-93	641.10	219
-99	887.90	115, 165, 219, 368
36 060 809-00	447.40	571
-06	716.00	571
-08	716.00	571
-19	671.30	571
-28	1,073.80	571
-39	715.90	571
-42	716.00	571
-43	805.30	571
-46	1,073.80	571
-47	1,073.80	571
-99	805.50	571
36 060 845-00	433.40	263
-06	693.40	263
-19	650.20	263
-27	650.20	263
-33	585.10	263
-93	563.40	263
-99	779.90	263
36 120 404-00	630.50	66
-06	1,008.80	66
-19	945.80	66
-28	1,513.20	66
-39	1,008.80	66
-42	1,008.80	66
-43	1,134.90	66
-46	1,513.20	66
-47	1,513.20	66
-99	1,134.90	66
36 120 660-00	587.30	439, 513
-06	939.30	439, 513
-08	939.60	439, 513
-19	881.10	439, 513
-26	881.00	439
-27	881.00	439
-28	1,409.50	513
-33	793.30	439, 513
-37	881.00	439
-39	939.60	439, 513
-42	939.60	439, 513
-43	1,057.10	439, 513
-46	1,409.50	513
-47	1,409.50	513
-93	763.50	439, 513
-99	1,057.10	439, 513
36 120 670-00	632.80	115, 165, 220, 369
-06	1,012.40	115, 165, 220, 369
-08	1,012.40	369
-19	949.00	115, 165, 220, 369
-27	949.10	220
-28	1,518.70	165, 369
-33	854.30	220, 369
-37	949.20	220
-39	1,012.50	369
-42	1,012.50	165, 369
-43	1,139.00	369
-46	1,518.70	115, 369
-47	1,518.70	115, 369
-93	822.60	220
-99	1,138.80	115, 165, 220, 369
36 120 809-00	601.90	572
-06	962.60	572
-08	963.30	572
-19	902.80	572
-28	1,444.60	572
-39	963.00	572
-42	963.10	572
-43	1,083.40	572

Index

Article number	Euro	Page
-46	1,444.60	572
-47	1,444.60	572
-99	1,083.70	572
36 120 845-00	562.30	263, 267
-06	899.70	263, 267
-19	843.50	263, 267
-27	843.50	263, 267
-33	759.30	263, 267
-93	731.00	263, 267
-99	1,012.20	263, 267
36 122 710-00	949.10	294, 299
-06	1,518.80	294, 299
36 200 361-00	580.30	327
-06	928.20	327
-08	928.20	327
-09	1,392.70	327
-28	1,392.70	327
-39	928.60	327
-42	928.60	327
-43	1,044.50	327
-99	1,044.40	327
36 200 404-00	546.20	78
-06	873.90	78
-19	819.30	78
-28	1,310.90	78
-39	873.90	78
-42	873.90	78
-43	983.20	78
-46	1,310.90	78
-47	1,310.90	78
-99	983.20	78
36 200 414-00	546.20	78
-06	873.90	78
-19	819.30	78
-28	1,310.90	78
-39	873.90	78
-42	873.90	78
-43	983.20	78
-46	1,310.90	78
-47	1,310.90	78
-99	983.20	78
36 200 424-00	546.20	78
-06	873.90	78
-19	819.30	78
-28	1,310.90	78
-39	873.90	78
-42	873.90	78
-43	983.20	78
-46	1,310.90	78
-47	1,310.90	78
-99	983.20	78
36 200 740-00	358.90	121, 172, 452
-06	574.20	121, 172, 452
-19	538.40	121, 172, 452
-26	538.30	452
-27	538.30	452
-28	861.40	172
-33	484.50	452
-37	538.40	452
-39	574.10	452
-42	574.10	172, 452
-43	646.00	452
-46	861.40	121
-47	861.40	121
-99	646.00	121, 172, 452
36 200 782-00	672.70	377
-06	1,076.40	377
-08	1,076.40	377
-19	1,009.10	377
-28	1,614.50	377
-39	1,076.40	377
-42	1,076.40	377
-43	1,210.90	377
-46	1,614.50	377
-47	1,614.50	377
-99	1,210.90	377
36 200 809-00	521.30	580
-06	833.70	580
-19	781.80	580
-28	1,251.10	580
-39	834.00	580
-42	833.90	580
-43	938.30	580
-46	1,251.10	580
-47	1,251.10	580
-99	938.10	580
36 200 819-00	521.30	580
-06	833.70	580
-19	781.80	580
-28	1,251.10	580
-39	834.00	580
-42	833.90	580
-43	938.30	580
-46	1,251.10	580
-47	1,251.10	580
-99	938.10	580
36 200 882-00	574.60	520
-06	919.70	520
-08	919.70	520
-19	862.10	520
-28	1,379.00	520
-33	775.80	520
-39	919.40	520
-42	919.40	520
-43	1,034.30	520
-46	1,379.00	520
-47	1,379.00	520
-93	747.00	520
-99	1,034.60	520
36 200 892-00	497.30	520
-06	795.80	520
-08	795.80	520
-19	745.90	520
-28	1,193.50	520
-33	671.50	520
-39	795.70	520
-42	795.70	520
-43	895.10	520
-46	1,193.50	520
-47	1,193.50	520
-93	646.40	520
-99	895.10	520
36 200 985-00	389.80	228
-06	623.60	228
-19	584.60	228
-27	584.60	228
-33	526.20	228
-37	584.70	228
-93	506.70	228
-99	701.60	228
36 210 404-00	546.20	79
-06	873.90	79
-19	819.30	79
-28	1,310.90	79
-39	873.90	79
-42	873.90	79
-43	983.20	79
-46	1,310.90	79
-47	1,310.90	79
-99	983.20	79
36 210 414-00	546.20	79
-06	873.90	79
-19	819.30	79
-28	1,310.90	79
-39	873.90	79
-42	873.90	79
-43	983.20	79
-46	1,310.90	79
-47	1,310.90	79
-99	983.20	79
36 210 424-00	546.20	79
-06	873.90	79
-19	819.30	79
-28	1,310.90	79
-39	873.90	79
-42	873.90	79
-43	983.20	79
-46	1,310.90	79
-47	1,310.90	79
-99	983.20	79
36 210 740-00	358.90	122, 173, 453
-06	574.20	122, 173, 453
-19	538.40	122, 173, 453
-26	538.30	453
-27	538.30	453
-28	861.40	173
-33	484.50	453
-37	538.40	453
-39	574.10	453
-42	574.10	173, 453
-43	646.00	453
-46	861.40	122
-47	861.40	122
-99	646.00	122, 173, 453
36 210 782-00	672.70	377
-06	1,076.40	377
-08	1,076.40	377
-19	1,009.10	377
-28	1,614.50	377
-39	1,076.40	377
-42	1,076.40	377
-43	1,210.90	377
-46	1,614.50	377
-47	1,614.50	377
-99	1,210.90	377
36 210 809-00	521.30	580
-06	833.70	580
-19	781.80	580
-28	1,251.10	580
-39	834.00	580
-42	833.90	580
-43	938.30	580
-46	1,251.10	580
-47	1,251.10	580
-99	938.10	580
36 210 819-00	521.30	581
-06	833.70	581
-19	781.80	581
-28	1,251.10	581
-39	834.00	581
-42	833.90	581
-43	938.30	581
-46	1,251.10	581
-47	1,251.10	581
-99	938.10	581
36 210 882-00	574.60	521
-06	919.70	521
-08	919.70	521
-19	862.10	521
-28	1,379.00	521
-33	775.80	521
-39	919.40	521
-42	919.40	521
-43	1,034.30	521
-46	1,379.00	521
-47	1,379.00	521
-93	747.00	521
-99	1,034.60	521
36 210 985-00	389.80	228
-06	623.60	228
-19	584.70	228
-27	584.60	228
-33	526.20	228
-37	584.70	228
-93	506.70	228
-99	701.40	228
36 243 970-00	232.10	83, 124, 175, 230, 267, 299, 329, 381, 457, 527, 585, 719
-06	371.60	83, 124, 175, 230, 267, 299, 329, 381, 457, 527, 585, 719
-08	371.60	329, 381, 457, 527, 585, 719
-09	557.00	329, 381, 527, 585, 719
-19	348.30	83, 124, 175, 230, 267, 381, 457, 527, 585, 719
-26	348.20	457, 719
-27	348.20	230, 267, 457, 719
-28	557.00	83, 175, 329, 381, 527, 585, 719
-33	313.60	230, 267, 381, 457, 527, 585, 719
-37	348.20	230, 457, 719
-39	371.40	83, 329, 381, 457, 527, 585, 719
-42	371.30	83, 175, 329, 381, 457, 527, 585, 719
-43	417.80	83, 329, 381, 457, 527, 585, 719
-46	557.00	83, 124, 381, 527, 585, 719
-47	557.00	83, 124, 381, 527, 585, 719
-93	301.80	230, 267, 457, 527, 719
-99	417.70	83, 124, 175, 230, 267, 329, 381, 457, 527, 585, 719
36 247 970-00	351.10	84, 125, 176, 231, 268, 299, 329, 382, 458, 527, 585, 720
-06	561.90	84, 125, 176, 231, 268, 299, 329, 382, 458, 527, 585, 720
-08	561.90	329, 382, 458, 527, 585, 720
-09	842.60	329, 382, 527, 585, 720
-19	526.80	84, 125, 176, 231, 268, 382, 458, 527, 585, 720
-26	526.80	458, 720
-27	526.80	231, 268, 458, 720
-28	842.60	84, 176, 329, 382, 527, 585, 720
-33	473.90	231, 268, 382, 458, 527, 585, 720
-37	526.70	231, 458, 720
-39	561.90	84, 329, 382, 458, 527, 585, 720
-42	561.90	84, 176, 329, 382, 458, 527, 585, 720
-43	632.00	84, 329, 382, 458, 527, 585, 720
-46	842.60	84, 125, 382, 527, 585, 720
-47	842.60	84, 125, 382, 527, 585, 720
-93	456.50	231, 268, 458, 527, 720

Article number	Euro	Page
-99	631.90	84, 125, 176, 231, 268, 329, 382, 458, 527, 585, 720
36 390 979-00	525.00	88, 273, 274, 275, 275, 275, 303, 305, 305, 305, 305, 334, 335, 336, 336, 336, 465, 466, 466, 467, 467, 705, 707, 708, 708, 709
-19	787.50	88, 273, 274, 275, 275, 275, 465, 466, 466, 467, 467, 705, 707, 708, 708, 709
-33	708.80	273, 274, 275, 275, 275, 465, 466, 466, 467, 467, 705, 707, 708, 708, 709
-46	1,260.00	88, 705, 707, 708, 708, 709
-93	682.50	273, 274, 275, 275, 275, 465, 466, 466, 467, 467, 705, 707, 708, 708, 709
-99	945.00	88, 273, 274, 275, 275, 275, 334, 335, 336, 336, 336, 465, 466, 466, 467, 467, 705, 707, 708, 708, 709
36 390 980-00	525.00	129, 130, 130, 130, 131, 181, 182, 182, 182, 182, 236, 237, 238, 238, 238, 389, 390, 390, 391, 391, 705, 707, 708, 709, 709
-19	787.50	129, 130, 130, 130, 131, 181, 182, 182, 182, 182, 236, 237, 238, 238, 238, 389, 390, 390, 391, 391, 705, 707, 708, 709, 709
-33	708.80	236, 237, 238, 238, 238, 389, 390, 390, 391, 391, 705, 707, 708, 709, 709
-46	1,260.00	129, 130, 130, 130, 131, 389, 390, 390, 391, 391, 705, 707, 708, 709, 709
-93	682.50	236, 237, 238, 238, 238, 705, 707, 708, 709, 709
-99	945.00	129, 130, 130, 130, 131, 181, 182, 182, 182, 182, 236, 237, 238, 238, 238, 389, 390, 390, 391, 391, 705, 707, 708, 709, 709
36 425 404-00	741.30	67
-06	1,186.10	67
-19	1,112.00	67
-28	1,779.10	67
-39	1,186.10	67
-42	1,186.10	67
-43	1,334.30	67
-46	1,779.10	67
-47	1,779.10	67
-99	1,334.30	67
36 425 670-00	793.80	116, 166, 220, 369
-06	1,281.60	116, 166, 220, 369
-08	1,281.60	369
-19	1,190.80	116, 166, 220, 369
-27	1,190.70	220
-28	1,905.10	166, 369
-33	1,081.80	220, 369
-37	1,190.70	220
-39	1,270.10	369
-42	1,270.10	166, 369
-43	1,428.80	369
-46	1,905.10	116, 369
-47	1,905.10	116, 369
-93	1,031.90	220
-99	1,428.90	116, 166, 220, 369
36 425 710-00	888.00	294
-06	1,420.90	294
36 425 809-00	707.60	572
-06	1,132.30	572
-08	1,132.30	572
-19	1,061.60	572
-28	1,698.20	572
-39	1,132.20	572
-42	1,132.20	572
-43	1,273.70	572
-46	1,698.20	572
-47	1,698.20	572
-99	1,273.90	572
36 425 845-00	824.70	264
-06	1,319.60	264
-19	1,236.90	264
-27	1,236.90	264
-33	1,113.30	264
-93	1,071.90	264
-99	1,484.30	264
36 425 892-00	707.60	514
-06	1,132.30	514
-08	1,132.30	514
-19	1,061.60	514
-28	1,698.20	514
-33	955.50	514
-39	1,132.20	514
-42	1,132.20	514
-43	1,273.70	514
-46	1,698.20	514
-47	1,698.20	514
-93	920.00	514
-99	1,273.90	514
36 425 970-00	707.60	440
-06	1,132.30	440
-08	1,132.30	440
-19	1,061.60	440
-26	1,061.40	440
-27	1,061.40	440
-33	955.60	440
-37	1,061.40	440
-39	1,132.20	440
-42	1,132.20	440
-43	1,273.70	440
-93	920.00	440
-99	1,274.20	440
36 425 977-00	800.10	323
-06	1,279.80	323
-08	1,279.80	323
-09	1,920.20	323
-28	1,920.20	323
-39	1,280.20	323
-42	1,280.20	323
-43	1,440.20	323
-99	1,440.10	323
36 426 404-00	881.00	67
-06	1,409.60	67
-19	1,321.50	67
-28	2,114.40	67
-39	1,409.60	67
-42	1,409.60	67
-43	1,585.80	67
-46	2,114.40	67
-47	2,114.40	67
-99	1,585.80	67
36 426 670-00	941.20	116, 166, 221, 370
-06	1,520.00	116, 166, 221, 370
-08	1,520.00	370
-19	1,411.90	116, 166, 221, 370
-27	1,411.80	221
-28	2,258.90	166, 370
-33	1,282.70	221, 370
-37	1,411.80	221
-39	1,506.00	370
-42	1,506.00	166, 370
-43	1,694.20	370
-46	2,258.90	116, 370
-47	2,258.90	116, 370
-93	1,223.60	221
-99	1,694.10	116, 166, 221, 370
36 426 710-00	1,050.70	295
-06	1,681.30	295
36 426 809-00	840.90	573
-06	1,345.70	573
-08	1,345.70	573
-19	1,261.70	573
-28	2,018.20	573
-39	1,345.60	573
-42	1,345.60	573
-43	1,513.60	573
-46	2,018.20	573
-47	2,018.20	573
-99	1,513.90	573
36 426 845-00	978.00	264
-06	1,565.00	264
-19	1,467.10	264
-27	1,467.10	264
-33	1,320.30	264
-93	1,271.60	264
-99	1,760.40	264
36 426 892-00	840.90	514
-06	1,345.70	514
-08	1,345.70	514
-19	1,261.70	514
-28	2,018.20	514
-33	1,135.40	514
-39	1,345.60	514
-42	1,345.60	514
-43	1,513.60	514
-46	2,018.20	514
-47	2,018.20	514
-93	1,093.30	514
-99	1,513.90	514
36 426 970-00	840.90	440
-06	1,345.40	440
-08	1,345.40	440
-19	1,261.70	440
-26	1,261.60	440
-27	1,261.60	440
-33	1,135.20	440
-37	1,261.40	440
-39	1,345.60	440
-42	1,345.60	440
-43	1,513.60	440
-93	1,093.30	440
-99	1,514.20	440
36 426 977-00	957.00	323
-06	1,530.40	323
-08	1,530.40	323
-09	2,296.80	323
-28	2,296.80	323
-39	1,531.20	323
-42	1,531.20	323
-43	1,722.60	323
-99	1,722.10	323
36 427 404-00	919.30	68
-06	1,470.90	68
-19	1,379.00	68
-28	2,206.30	68
-39	1,470.90	68
-42	1,470.90	68
-43	1,654.70	68
-46	2,206.30	68
-47	2,206.30	68
-99	1,654.70	68
36 427 670-00	998.00	116, 166, 221, 370
-06	1,611.20	116, 166, 221, 370
-08	1,564.20	370
-19	1,496.90	116, 166, 221, 370
-27	1,497.00	221
-28	2,395.20	166, 370
-33	1,359.60	221, 370
-37	1,497.00	221
-39	1,596.80	370
-42	1,596.80	166, 370
-43	1,796.40	370
-46	2,395.20	116, 370
-47	2,395.20	116, 370
-93	1,297.40	221
-99	1,796.20	116, 166, 221, 370
36 427 710-00	1,090.30	295
-06	1,744.50	295
36 427 809-00	877.50	573
-06	1,404.10	573
-08	1,404.10	573
-19	1,316.50	573
-28	2,106.00	573
-39	1,404.00	573
-42	1,404.10	573
-43	1,579.50	573
-46	2,106.00	573
-47	2,106.00	573
-99	1,579.60	573
36 427 845-00	1,014.30	265
-06	1,623.00	265
-19	1,521.60	265
-27	1,521.60	265
-33	1,369.40	265
-93	1,318.70	265
-99	1,825.70	265
36 427 892-00	877.50	515
-06	1,404.10	515
-08	1,404.10	515
-19	1,316.50	515
-28	2,106.00	515
-33	1,184.80	515
-39	1,404.00	515
-42	1,404.10	515
-43	1,579.50	515
-46	2,106.00	515
-47	2,106.00	515
-93	1,140.80	515
-99	1,579.60	515
36 427 970-00	877.50	441
-06	1,404.10	441
-08	1,404.10	441
-19	1,316.50	441
-26	1,316.40	441
-27	1,316.40	441
-33	1,185.30	441
-37	1,316.30	441
-39	1,404.00	441
-42	1,404.10	441
-43	1,579.50	441
-93	1,140.80	441
-99	1,579.60	441
36 427 977-00	994.60	324
-06	1,590.90	324

Index

Article number	Euro	Page
-08	1,590.90	324
-09	2,387.00	324
-28	2,387.00	324
-39	1,591.30	324
-42	1,591.30	324
-43	1,790.30	324
-99	1,790.40	324
36 501 977-43	2,150.30	324
36 503 404-00	1,249.90	68, 69, 69, 70, 71, 72, 73, 74, 75, 75
-06	1,999.80	68, 69, 69, 70, 71, 72, 73, 74, 75, 75
-19	1,874.90	68, 69, 69, 70, 71, 72, 73, 74, 75, 75
-28	2,999.80	68, 69, 69, 70, 71, 72, 73, 74, 75, 75
-39	1,999.80	68, 69, 69, 70, 71, 72, 73, 74, 75, 75
-42	1,999.80	68, 69, 69, 70, 72, 73, 74, 75, 75
-43	2,249.80	68, 69, 69, 70, 71, 72, 73, 74, 75, 75
-46	2,999.80	68, 69, 69, 70, 71, 72, 73, 74, 75, 75
-47	2,999.80	68, 69, 69, 70, 71, 72, 73, 74, 75, 75
-99	2,249.80	68, 69, 69, 70, 71, 72, 73, 74, 75, 75
36 503 710-00	1,372.90	295, 296, 296, 297
-06	2,196.00	295, 296, 296, 297
36 503 780-00	1,355.90	117, 117, 118, 118, 167, 168, 169, 169, 222, 222, 223, 224, 225, 225, 371, 372, 373, 373
-06	2,169.80	117, 117, 118, 118, 167, 168, 169, 169, 222, 222, 223, 224, 225, 225, 371, 372, 373, 373
-08	2,169.80	371, 372, 373, 373
-19	2,034.00	118, 167, 168, 169, 169, 222, 222, 223, 224, 225, 225, 371, 372, 373, 373
-27	2,033.90	222, 222, 223, 224, 225, 225
-28	3,254.20	167, 168, 169, 169, 371, 372, 373, 373
-33	1,829.80	222, 222, 223, 224, 225, 225, 373
-37	2,033.90	222, 222, 223, 224, 225, 225
-39	2,169.40	371, 372, 373, 373
-42	2,169.40	167, 168, 169, 169, 371, 372, 373, 373
-43	2,440.60	372, 373, 373
-46	3,254.20	117, 117, 118, 118, 371, 372, 373, 373
-47	3,254.20	117, 117, 118, 118, 371, 372, 373, 373
-93	1,762.60	222, 222, 223, 224, 225, 225
-99	2,440.80	117, 117, 118, 118, 167, 168, 169, 169, 222, 222, 223, 224, 225, 225, 371, 372, 373, 373
36 503 809-00	1,193.10	574, 576, 578
-06	1,909.10	574, 576, 578
-08	1,909.10	574, 576, 578
-19	1,789.60	574, 576, 578
-28	2,863.40	574, 576, 578
-39	1,909.00	574, 576, 578
-42	1,909.10	574, 576, 578
-43	2,147.60	574, 576, 578
-46	2,863.40	574, 576, 578
-47	2,863.40	574, 576, 578
-99	2,147.70	574, 576, 578
36 503 892-00	1,193.10	515, 516, 517, 518
-06	1,909.10	515, 516, 517, 518
-08	1,909.10	515, 516, 517, 518
-19	1,789.60	515, 516, 517, 518
-28	2,863.40	515, 516, 517, 518
-33	1,610.80	515, 516, 517, 518
-39	1,909.00	515, 516, 517, 518
-42	1,909.10	515, 516, 517, 518
-43	2,147.60	515, 516, 517, 518
-46	2,863.40	515, 516, 517, 518
-47	2,863.40	515, 516, 517, 518
-93	1,551.10	515, 516, 517, 518
-99	2,147.70	515, 516, 517, 518
36 503 977-00	1,194.60	324, 325, 326, 326
-06	1,911.30	324, 325, 326, 326
-08	1,911.30	324, 325, 326, 326
-09	2,867.00	324, 325, 326, 326
-28	2,867.00	324, 325, 326, 326
-39	1,911.40	324, 325, 326, 326
-42	1,911.40	324, 325, 326, 326
-43	2,150.30	325, 326, 326
-99	2,150.20	324, 325, 326, 326
36 503 979-00	1,193.10	441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 574, 575, 577
-06	1,909.00	441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 574, 575, 577
-08	1,909.00	450, 574, 575, 577
-19	1,789.60	441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 574, 575, 577
-26	1,789.60	441, 442, 443, 444, 445, 446, 447, 448, 449, 450
-27	1,789.60	441, 442, 443, 444, 445, 446, 447, 448, 449, 450
-28	2,863.40	574, 575, 577
-33	1,611.00	441, 442, 443, 444, 445, 446, 447, 448, 449, 450
-37	1,789.70	441, 442, 443, 444, 445, 446, 447, 448, 449, 450
-39	1,909.00	441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 574, 575, 577
-42	1,909.10	441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 574, 575, 577
-43	2,147.60	441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 574, 575, 577
-46	2,863.40	574, 575, 577
-47	2,863.40	574, 575, 577
-93	1,551.10	441, 442, 443, 444, 445, 446, 447, 448, 449, 450
-99	2,147.60	441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 574, 575, 577
36 503 985-00	1,385.50	119, 170, 226, 374
-06	2,217.00	119, 170, 226, 374
-08	2,217.00	374
-19	2,078.60	119, 170, 226, 374
-27	2,078.40	226
-28	3,325.20	170, 374
-33	1,870.30	226, 374
-37	2,078.30	226
-39	2,216.90	374
-42	2,216.90	170, 374
-43	2,493.90	374
-46	3,325.20	119, 374
-47	3,325.20	119, 374
-93	1,801.30	226
-99	2,494.00	119, 170, 226, 374
36 512 979-00	865.40	62, 111, 161, 215, 260, 291, 320, 363, 433, 507, 566, 691
-06	1,385.20	62, 111, 161, 215, 260, 291, 320, 363, 433, 507, 566, 691
-08	1,385.20	320, 363, 433, 507, 566, 691
-19	1,298.10	62, 111, 161, 215, 260, 363, 433, 507, 566, 691
-26	1,298.10	433, 691
-27	1,298.10	215, 260, 433, 691
-28	2,077.00	62, 161, 320, 363, 507, 566, 691
-33	1,191.50	215, 260, 363, 433, 507, 566, 691
-37	1,298.10	215, 433, 691
-39	1,384.60	62, 320, 363, 433, 507, 566, 691
-42	1,384.60	62, 161, 320, 363, 433, 507, 566, 691
-43	1,557.70	62, 320, 363, 433, 507, 566, 691
-46	2,077.00	62, 111, 363, 507, 566, 691
-47	2,077.00	62, 111, 363, 507, 566, 691
-93	1,125.10	215, 260, 433, 507, 691
-99	1,557.60	62, 111, 161, 215, 260, 320, 363, 433, 507, 566, 691
36 513 979-00	865.40	62, 111, 161, 215, 260, 291, 320, 363, 433, 507, 566, 691
-06	1,385.20	62, 111, 161, 215, 260, 291, 320, 363, 433, 507, 566, 691
-08	1,385.20	320, 363, 433, 507, 566, 691
-19	1,298.10	62, 111, 161, 215, 260, 363, 433, 507, 566, 691
-26	1,298.10	433, 691
-27	1,298.10	215, 260, 433, 691
-28	2,077.00	62, 161, 320, 363, 507, 566, 691
-33	1,191.50	215, 260, 363, 433, 507, 566, 691
-37	1,298.10	215, 433, 691
-39	1,384.60	62, 320, 363, 433, 507, 566, 691
-42	1,384.60	62, 161, 320, 363, 433, 507, 566, 691
-43	1,557.70	62, 320, 363, 433, 507, 566, 691
-46	2,077.00	62, 111, 363, 507, 566, 691
-47	2,077.00	62, 111, 363, 507, 566, 691
-93	1,125.10	215, 260, 433, 507, 691
-99	1,557.60	62, 111, 161, 215, 260, 320, 363, 433, 507, 566, 691
36 514 979-00	1,160.00	62, 111, 161, 214, 259, 290, 319, 363, 432, 507, 566, 690
-06	1,856.10	62, 111, 161, 214, 259, 290, 319, 363, 432, 507, 566, 690
-08	1,856.10	319, 363, 432, 507, 566, 690
-19	1,740.00	62, 111, 161, 214, 259, 363, 432, 507, 566, 690
-26	1,740.10	432, 690
-27	1,740.10	214, 259, 432, 690
-28	2,784.00	62, 161, 319, 363, 507, 566, 690
-33	1,565.80	214, 259, 363, 432, 507, 566, 690
-37	1,740.00	214, 432, 690
-39	1,856.10	62, 319, 363, 432, 507, 566, 690
-42	1,856.20	62, 161, 319, 363, 432, 507, 566, 690
-43	2,088.00	62, 319, 363, 432, 507, 566, 690
-46	2,784.00	62, 111, 363, 507, 566, 690
-47	2,784.00	62, 111, 363, 507, 566, 690
-93	1,508.00	214, 259, 432, 507, 690
-99	2,088.10	62, 111, 161, 214, 259, 319, 363, 432, 507, 566, 690
36 515 979-00	577.30	61, 110, 160, 214, 258, 290, 319, 362, 431, 506, 565, 689
-06	923.20	61, 110, 160, 214, 258, 290, 319, 362, 431, 506, 565, 689
-08	923.20	319, 362, 431, 506, 565, 689
-19	866.00	61, 110, 160, 214, 258, 362, 431, 506, 565, 689
-26	865.90	431, 689
-27	865.90	214, 258, 431, 689
-28	1,385.50	61, 160, 319, 362, 506, 565, 689
-33	779.10	214, 258, 362, 431, 506, 565, 689
-37	866.00	214, 431, 689
-39	923.70	61, 319, 362, 431, 506, 565, 689
-42	923.60	61, 160, 319, 362, 431, 506, 565, 689
-43	1,039.10	61, 319, 362, 431, 506, 565, 689
-46	1,385.50	61, 110, 362, 506, 565, 689
-47	1,385.50	61, 110, 362, 506, 565, 689

Article number	Euro	Page
-93	750.40	214, 258, 431, 506, 689
-99	1,039.00	61, 110, 160, 214, 258, 319, 362, 431, 506, 565, 689
36 517 979-00	891.50	61, 110, 160, 214, 259, 290, 319, 362, 432, 506, 565, 689
-06	1,426.60	61, 110, 160, 214, 259, 290, 319, 362, 432, 506, 565, 689
-08	1,426.60	319, 362, 432, 506, 565, 689
-19	1,337.20	61, 110, 160, 214, 259, 362, 432, 506, 565, 689
-26	1,337.20	432, 689
-27	1,337.20	214, 259, 432, 689
-28	2,139.60	61, 160, 319, 362, 506, 565, 689
-33	1,227.20	214, 259, 362, 432, 506, 565, 689
-37	1,337.30	214, 432, 689
-39	1,426.40	61, 319, 362, 432, 506, 565, 689
-42	1,426.40	61, 160, 319, 362, 432, 506, 565, 689
-43	1,604.70	61, 319, 362, 432, 506, 565, 689
-46	2,139.60	61, 110, 362, 506, 565, 689
-47	2,139.60	61, 110, 362, 506, 565, 689
-93	1,158.80	214, 259, 432, 506, 689
-99	1,604.30	61, 110, 160, 214, 259, 319, 362, 432, 506, 565, 689
36 604 782-00	374.70	375
-06	599.60	375
-08	599.60	375
-19	562.00	375
-28	899.30	375
-39	599.60	375
-42	599.60	375
-43	674.50	375
-46	899.30	375
-47	899.30	375
-99	674.40	375
36 605 782-00	374.70	375
-06	599.60	375
-08	599.60	375
-19	562.00	375
-28	899.30	375
-39	599.60	375
-42	599.60	375
-43	674.50	375
-46	899.30	375
-47	899.30	375
-99	674.40	375
36 607 361-00	303.70	324, 325, 326, 327
-06	485.90	324, 325, 326, 327
-08	485.90	324, 325, 326, 327
-09	728.90	324, 325, 326, 327
-28	728.90	324, 325, 326, 327
-39	485.90	324, 325, 326, 327
-42	485.90	324, 325, 326, 327
-43	546.70	324, 325, 326, 327
-99	546.50	324, 325, 326, 327
36 607 404-00	257.20	68, 70, 73, 76
-06	411.50	68, 70, 73, 76
-19	385.80	68, 70, 73, 76
-28	617.30	68, 70, 73, 76
-39	411.50	68, 70, 73, 76
-42	411.50	68, 70, 73, 76
-43	463.00	68, 70, 73, 76
-46	617.30	68, 70, 73, 76
-47	617.30	68, 70, 73, 76
-99	463.00	68, 70, 73, 76
36 607 414-00	257.20	69, 72, 74, 76
-06	411.50	69, 72, 74, 76
-19	385.80	69, 72, 74, 76
-28	617.30	69, 72, 74, 76
-39	411.50	69, 72, 74, 76
-42	411.50	69, 72, 74, 76
-43	463.00	69, 72, 74, 76
-46	617.30	69, 72, 74, 76
-47	617.30	69, 72, 74, 76
-99	463.00	69, 72, 74, 76
36 607 424-00	257.20	69, 71, 75, 76
-06	411.50	69, 71, 75, 76
-19	385.80	69, 71, 75, 76
-28	617.30	69, 71, 75, 76
-39	411.50	69, 71, 75, 76
-42	411.50	69, 75, 76
-43	463.00	69, 71, 75, 76
-46	617.30	69, 71, 75, 76
-47	617.30	69, 71, 75, 76

Article number	Euro	Page
-99	463.00	69, 71, 75, 76
36 607 660-00	302.50	441, 444, 447, 450
-06	483.90	441, 444, 447, 450
-19	453.70	441, 444, 447, 450
-26	453.70	441, 444, 447, 450
-27	453.70	441, 444, 447, 450
-33	408.30	441, 444, 447, 450
-37	453.80	441, 444, 447, 450
-39	483.90	441, 444, 447, 450
-42	483.90	441, 444, 447, 450
-43	544.50	441, 444, 447, 450
-93	393.20	441, 444, 447, 450
-99	544.50	441, 444, 447, 450
36 607 661-00	238.80	443, 446, 449, 451
-06	382.20	443, 446, 449, 451
-19	358.40	443, 446, 449, 451
-26	358.30	443, 446, 449, 451
-27	358.30	443, 446, 449, 451
-33	322.50	443, 446, 449, 451
-37	358.20	443, 446, 449, 451
-39	382.10	443, 446, 449, 451
-42	382.10	443, 446, 449, 451
-43	429.80	443, 446, 449, 451
-93	310.50	443, 446, 449, 451
-99	429.90	443, 446, 449, 451
36 607 671-00	330.10	222, 222, 224, 227
-06	528.20	222, 222, 224, 227
-19	495.10	222, 222, 224, 227
-27	495.10	222, 222, 224, 227
-33	445.60	222, 222, 224, 227
-37	495.20	222, 222, 224, 227
-93	429.10	222, 222, 224, 227
-99	594.20	222, 222, 224, 227
36 607 705-00	292.80	117, 117, 118, 120
-06	468.80	117, 117, 118, 120
-19	439.40	120
-46	702.70	117, 117, 118, 120
-47	702.70	117, 117, 118, 120
-99	527.20	117, 117, 118, 120
36 607 706-00	292.80	96, 119
-06	468.80	96, 119
-19	439.40	96, 119
-46	702.70	96, 119
-47	702.70	96, 119
-99	527.20	96, 119
36 607 707-00	292.80	96, 119
-06	468.80	96, 119
-19	439.40	96, 119
-46	702.70	96, 119
-47	702.70	96, 119
-99	527.20	96, 119
36 607 710-00	275.20	295, 296, 296, 297
-06	440.00	295, 296, 296, 297
36 607 740-00	302.50	120, 171, 442, 445, 448, 451
-06	483.90	120, 171, 442, 445, 448, 451
-19	453.90	120, 171, 442, 445, 448, 451
-26	453.70	442, 445, 448, 451
-27	453.70	442, 445, 448, 451
-28	726.00	171
-33	408.20	442, 445, 448, 451
-37	453.80	442, 445, 448, 451
-39	483.90	442, 445, 448, 451
-42	483.90	171, 442, 445, 448, 451
-43	544.50	442, 445, 448, 451
-46	726.00	120
-47	726.00	120
-93	393.20	442, 445, 448, 451
-99	544.60	120, 171, 442, 445, 448, 451
36 607 741-00	315.90	119, 170
-06	505.40	119, 170
-19	473.90	119, 170
-28	758.20	170
-42	505.50	170
-46	758.20	119
-47	758.20	119
-99	568.80	119, 170
36 607 742-00	315.90	119, 170
-06	505.40	119, 170
-19	473.90	119, 170
-28	758.20	170
-42	505.50	170
-46	758.20	119
-47	758.20	119
-99	568.80	119, 170
36 607 782-00	288.20	371, 372, 373, 374
-06	461.10	371, 372, 373, 374
-08	461.10	371, 372, 373, 374
-19	432.30	371, 372, 373, 374
-28	691.70	371, 372, 373, 374
-39	461.20	371, 372, 373, 374
-42	461.20	371, 372, 373, 374
-43	518.80	372, 373, 374
-46	691.70	371, 372, 373, 374
-47	691.70	371, 372, 373, 374

Article number	Euro	Page
-99	518.60	371, 372, 373, 374
36 607 809-00	245.50	574, 576, 578, 578
-06	392.80	574, 576, 578, 578
-08	392.70	574, 576, 578, 578
-19	368.10	574, 576, 578, 578
-28	589.20	574, 576, 578, 578
-39	392.80	574, 576, 578, 578
-42	392.70	574, 576, 578, 578
-43	441.90	574, 576, 578, 578
-46	589.20	574, 576, 578, 578
-47	589.20	574, 576, 578, 578
-99	441.70	574, 576, 578, 578
36 607 811-00	302.50	167, 168, 169, 170
-06	483.90	167, 168, 169, 170
-19	453.70	167, 168, 169, 170
-28	726.00	167, 168, 169, 170
-36	484.20	170
-38	726.00	170
-42	483.90	167, 168, 169, 170
-99	544.70	167, 168, 169, 170
36 607 812-00	302.50	171
-06	483.90	171
-19	453.70	171
-28	726.00	171
-36	484.20	171
-38	726.00	171
-42	483.90	171
-99	544.70	171
36 607 819-00	245.50	574, 575, 577, 579
-06	392.80	574, 575, 577, 579
-08	392.70	574, 575, 577, 579
-19	368.10	574, 575, 577, 579
-28	589.20	574, 575, 577, 579
-39	392.80	574, 575, 577, 579
-42	392.70	574, 575, 577, 579
-43	441.90	574, 575, 577, 579
-46	589.20	574, 575, 577, 579
-47	589.20	574, 575, 577, 579
-99	441.70	574, 575, 577, 579
36 607 882-00	238.80	519
-06	382.30	519
-08	382.30	519
-19	358.40	519
-28	573.10	519
-33	323.00	519
-39	382.10	519
-42	382.10	519
-43	429.80	519
-46	573.10	519
-47	573.10	519
-93	310.50	519
-99	430.00	519
36 607 892-00	209.00	515, 516, 517, 518
-06	334.80	515, 516, 517, 518
-08	334.80	515, 516, 517, 518
-19	313.40	515, 516, 517, 518
-28	501.60	515, 516, 517, 518
-33	282.30	515, 516, 517, 518
-39	334.30	515, 516, 517, 518
-42	334.30	515, 516, 517, 518
-43	376.20	515, 516, 517, 518
-46	501.60	515, 516, 517, 518
-47	501.60	515, 516, 517, 518
-93	271.50	515, 516, 517, 518
-99	376.20	515, 516, 517, 518
36 607 980-00	275.00	223, 225, 226
-06	439.60	223, 225, 226
-19	412.50	223, 225, 226
-27	412.50	223, 225, 226
-33	371.30	223, 225, 226
-37	412.50	223, 225, 226
-93	357.50	223, 225, 226
-99	495.10	223, 225, 226
36 607 985-00	326.40	226
-06	522.30	226
-19	489.60	226
-27	489.70	226
-33	440.60	226
-37	489.60	226
-93	424.40	226
-99	587.80	226
36 608 361-00	303.70	327
-06	485.90	327
-08	485.90	327
-09	728.90	327
-28	728.90	327
-39	485.90	327
-42	485.90	327
-43	546.70	327
-99	546.50	327
36 608 404-00	257.20	77
-06	411.50	77
-19	385.80	77
-28	617.30	77
-39	411.50	77
-42	411.50	77
-43	463.00	77
-46	617.30	77
-47	617.30	77

Index

Article number	Euro	Page
-99	463.00	77
36 608 414-00	257.20	77
-06	411.50	77
-19	385.80	77
-28	617.30	77
-39	411.50	77
-42	411.50	77
-43	463.00	77
-46	617.30	77
-47	617.30	77
-99	463.00	77
36 608 424-00	257.20	77
-06	411.50	77
-19	385.80	77
-28	617.30	77
-39	411.50	77
-42	411.50	77
-43	463.00	77
-46	617.30	77
-47	617.30	77
-99	463.00	77
36 608 660-00	302.50	451
-06	483.90	451
-19	453.70	451
-26	453.70	451
-27	453.70	451
-33	408.30	451
-37	453.80	451
-39	483.90	451
-42	483.90	451
-43	544.50	451
-93	393.20	451
-99	544.50	451
36 608 661-00	238.80	452
-06	382.20	452
-19	358.40	452
-26	358.30	452
-27	358.30	452
-33	322.50	452
-37	358.20	452
-39	382.10	452
-42	382.10	452
-43	429.80	452
-93	310.50	452
-99	429.90	452
36 608 671-00	330.10	227
-06	528.20	227
-19	495.10	227
-27	495.10	227
-33	445.60	227
-37	495.20	227
-93	429.10	227
-99	594.20	227
36 608 705-00	292.80	120
-06	468.80	120
-19	439.40	120
-46	702.70	120
-47	702.70	120
-99	527.20	120
36 608 710-00	275.20	297
-06	440.00	297
36 608 740-00	302.50	120, 172, 452
-06	483.90	120, 172, 452
-19	453.90	120, 172, 452
-26	453.70	452
-27	453.70	452
-28	726.00	172
-33	408.20	452
-37	453.80	452
-39	483.90	452
-42	483.90	172, 452
-43	544.50	452
-46	726.00	120
-47	726.00	120
-93	393.20	452
-99	544.60	120, 172, 452
36 608 782-00	288.20	374
-06	461.10	374
-08	461.10	374
-19	432.30	374
-28	691.70	374
-39	461.20	374
-42	461.20	374
-43	518.80	374
-46	691.70	374
-47	691.70	374
-99	518.60	374
36 608 809-00	245.50	579
-06	392.80	579
-08	392.70	579
-19	368.10	579
-28	589.20	579
-39	392.80	579
-42	392.70	579
-43	441.90	579
-46	589.20	579
-47	589.20	579
-99	441.70	579
36 608 811-00	302.50	171
-06	484.20	171
-19	453.70	171
-28	726.00	171
-36	484.20	171
-38	726.00	171
-42	483.90	171
-99	544.70	171
36 608 819-00	245.50	579
-06	392.80	579
-08	392.70	579
-19	368.10	579
-28	589.20	579
-39	392.80	579
-42	392.70	579
-43	441.90	579
-46	589.20	579
-47	589.20	579
-99	441.70	579
36 608 882-00	238.80	519
-06	382.30	519
-08	382.30	519
-19	358.40	519
-28	573.10	519
-33	323.00	519
-39	382.10	519
-42	382.10	519
-43	429.80	519
-46	573.10	519
-47	573.10	519
-93	310.50	519
-99	430.00	519
36 608 892-00	209.00	519
-06	334.80	519
-08	334.80	519
-19	313.40	519
-28	501.60	519
-33	282.30	519
-39	334.30	519
-42	334.30	519
-43	376.20	519
-46	501.60	519
-47	501.60	519
-93	271.50	519
-99	376.20	519
36 608 980-00	274.90	227
-06	439.70	227
-19	412.30	227
-27	412.40	227
-33	371.10	227
-37	412.40	227
-93	357.50	227
-99	494.90	227
36 608 985-00	326.40	227
-06	522.30	227
-19	489.60	227
-27	489.70	227
-33	440.60	227
-37	489.60	227
-93	424.30	227
-99	587.80	227
36 702 809-00	1,075.00	543
-06	1,719.90	543
-08	1,719.90	543
-19	1,612.40	543
-28	2,580.00	543
-39	1,720.00	543
-42	1,720.00	543
-43	1,935.00	543
-46	2,580.00	543
-47	2,580.00	543
-99	1,934.90	543
36 707 671-00	960.00	190
-06	1,536.00	190
-19	1,440.10	190
-27	1,440.10	190
-33	1,296.00	190
-37	1,440.00	190
-93	1,248.00	190
-99	1,728.10	190
36 707 782-00	1,318.50	343
-06	2,109.80	343
-08	2,109.80	343
-19	1,977.90	343
-28	3,164.40	343
-39	2,109.60	343
-42	2,109.60	343
-43	2,373.30	343
-46	3,164.40	343
-47	3,164.40	343
-99	2,373.40	343
36 707 811-00	1,203.80	140
-06	1,926.10	140
-19	1,805.80	140
-28	2,889.10	140
-36	1,926.10	140
-38	2,889.10	140
-42	1,926.10	140
-99	2,166.90	140
36 707 882-00	1,087.70	478
-06	1,740.80	478
-08	1,740.80	478
-19	1,631.70	478
-28	2,610.50	478
-33	1,468.60	478
-39	1,740.30	478
-42	1,740.40	478
-43	1,957.90	478
-46	2,610.50	478
-47	2,610.50	478
-93	1,413.90	478
-99	1,957.90	478
36 707 892-00	1,003.50	477
-06	1,605.60	477
-08	1,605.60	477
-19	1,505.30	477
-28	2,408.40	477
-33	1,354.60	477
-39	1,605.60	477
-42	1,605.60	477
-43	1,806.30	477
-46	2,408.40	477
-47	2,408.40	477
-93	1,304.60	477
-99	1,806.00	477
36 712 361-00	1,356.40	311
-06	2,170.00	311
-08	2,170.00	311
-09	3,255.40	311
-28	3,255.40	311
-39	2,170.20	311
-42	2,170.20	311
-43	2,441.50	311
-99	2,441.50	311
36 712 404-00	1,175.70	52
-06	1,881.10	52
-19	1,763.60	52
-28	2,821.70	52
-39	1,881.10	52
-42	1,881.10	52
-43	2,116.30	52
-46	2,821.70	52
-47	2,821.70	52
-99	2,116.30	52
36 712 414-00	1,175.70	53
-06	1,881.10	53
-19	1,763.60	53
-28	2,821.70	53
-39	1,881.10	53
-42	1,881.10	53
-43	2,116.30	53
-46	2,821.70	53
-47	2,821.70	53
-99	2,116.30	53
36 712 424-00	1,175.70	53
-06	1,881.10	53
-19	1,763.60	53
-28	2,821.70	53
-39	1,881.10	53
-42	1,881.10	53
-43	2,116.30	53
-46	2,821.70	53
-47	2,821.70	53
-99	2,116.30	53
36 712 671-00	1,003.60	191
-06	1,605.90	191
-19	1,505.50	191
-27	1,505.50	191
-33	1,354.90	191
-37	1,505.40	191
-93	1,304.70	191
-99	1,806.50	191
36 712 782-00	1,378.30	344
-06	2,205.20	344
-08	2,205.20	344
-19	2,067.60	344
-28	3,307.90	344
-39	2,205.40	344
-42	2,205.40	344
-43	2,480.90	344
-46	3,307.90	344
-47	3,307.90	344
-99	2,480.80	344
36 712 809-00	1,122.20	544
-06	1,795.50	544
-08	1,795.90	544
-19	1,683.50	544
-28	2,693.30	544
-39	1,795.60	544
-42	1,795.70	544
-43	2,020.00	544
-46	2,693.30	544
-47	2,693.30	544
-99	2,020.40	544
36 712 811-00	1,267.40	141
-06	2,027.90	141
-19	1,900.90	141
-28	3,041.80	141
-36	2,027.90	141

Article number	Euro	Page
-38	3,041.80	141
-42	2,027.70	141
-99	2,281.10	141
36 712 819-00	1,122.20	543
-06	1,795.50	543
-08	1,795.90	543
-19	1,683.50	543
-28	2,693.30	543
-39	1,795.60	543
-42	1,795.70	543
-43	2,020.00	543
-46	2,693.30	543
-47	2,693.30	543
-99	2,020.40	543
36 712 882-00	1,127.40	479
-06	1,803.80	479
-08	1,803.80	479
-19	1,691.10	479
-28	2,705.80	479
-33	1,521.90	479
-39	1,803.70	479
-42	1,803.80	479
-43	2,029.30	479
-46	2,705.80	479
-47	2,705.80	479
-93	1,465.70	479
-99	2,029.50	479
36 712 892-00	1,048.30	477
-06	1,676.90	477
-08	1,676.90	477
-19	1,572.50	477
-28	2,515.90	477
-33	1,414.80	477
-39	1,677.30	477
-42	1,677.30	477
-43	1,886.90	477
-46	2,515.90	477
-47	2,515.90	477
-93	1,362.80	477
-99	1,886.90	477
36 717 404-00	1,154.50	54
-06	1,847.20	54
-19	1,731.80	54
-28	2,770.80	54
-39	1,847.20	54
-42	1,847.20	54
-43	2,078.10	54
-46	2,770.80	54
-47	2,770.80	54
-99	2,078.10	54
36 717 414-00	1,237.60	54
-06	1,980.20	54
-19	1,856.40	54
-28	2,970.20	54
-39	1,980.20	54
-42	1,980.20	54
-43	2,227.70	54
-46	2,970.20	54
-47	2,970.20	54
-99	2,227.70	54
36 717 424-00	1,154.50	55
-06	1,847.20	55
-19	1,731.80	55
-28	2,770.80	55
-39	1,847.20	55
-42	1,847.20	55
-43	2,078.10	55
-46	2,770.80	55
-47	2,770.80	55
-99	2,078.10	55
36 717 782-00	1,436.20	344
-06	2,297.60	344
-08	2,297.60	344
-19	2,154.60	344
-28	3,446.90	344
-39	2,297.90	344
-42	2,297.90	344
-43	2,585.20	344
-46	3,446.90	344
-47	3,446.90	344
-99	2,585.50	344
36 717 882-00	1,181.40	479
-06	1,889.90	479
-08	1,889.90	479
-19	1,772.10	479
-28	2,835.40	479
-33	1,594.60	479
-39	1,890.10	479
-42	1,890.10	479
-43	2,126.50	479
-46	2,835.40	479
-47	2,835.40	479
-93	1,535.70	479
-99	2,126.40	479
36 717 892-00	1,102.00	478
-06	1,763.00	478
-08	1,763.00	478
-19	1,653.10	478
-28	2,644.80	478

Article number	Euro	Page
-33	1,487.90	478
-39	1,763.10	478
-42	1,763.10	478
-43	1,983.60	478
-46	2,644.80	478
-47	2,644.80	478
-93	1,432.50	478
-99	1,983.50	478
36 860 404-00	1,033.00	51
-06	1,652.80	51
-19	1,549.50	51
-28	2,479.20	51
-39	1,652.80	51
-42	1,652.80	51
-43	1,859.40	51
-46	2,479.20	51
-47	2,479.20	51
-99	1,859.40	51
36 860 660-00	597.90	404
-06	956.90	404
-19	896.70	404
-26	896.70	404
-27	896.70	404
-33	807.20	404
-37	896.90	404
-39	956.60	404
-42	956.60	404
-43	1,076.20	404
-93	777.20	404
-99	1,076.10	404
36 860 671-00	791.90	190
-06	1,267.00	190
-19	1,187.90	190
-27	1,187.90	190
-33	1,069.10	190
-37	1,187.90	190
-93	1,029.40	190
-99	1,425.40	190
36 860 705-00	1,154.90	96
-06	1,847.70	96
-19	1,732.50	96
-46	2,771.80	96
-47	2,771.80	96
-99	2,078.90	96
36 860 710-00	968.10	280
-06	1,549.20	280
36 860 809-00	986.10	542
-06	1,577.90	542
-08	1,577.60	542
-19	1,478.90	542
-28	2,366.60	542
-39	1,577.60	542
-42	1,577.60	542
-43	1,775.00	542
-46	2,366.60	542
-47	2,366.60	542
-99	1,774.80	542
36 860 811-00	1,154.90	139
-06	1,848.00	139
-19	1,732.50	139
-28	2,771.80	139
-42	1,847.90	139
-99	2,079.00	139
36 860 845-00	856.50	243
-06	1,370.00	243
-19	1,284.70	243
-27	1,284.70	243
-33	1,156.30	243
-93	1,113.40	243
-99	1,541.70	243
36 861 404-00	1,095.00	52
-06	1,752,00	52
-19	1,642.50	52
-28	2,628.00	52
-39	1,752.00	52
-42	1,752.00	52
-43	1,971.00	52
-46	2,628.00	52
-47	2,628.00	52
-99	1,971.00	52
36 861 660-00	635.60	405
-06	1,016.40	405
-19	953.30	405
-26	953.30	405
-27	953.30	405
-33	857.70	405
-37	953.40	405
-39	1,016.90	405
-42	1,016.80	405
-43	1,144.10	405
-93	826.10	405
-99	1,144.00	405
36 861 671-00	835.30	190
-06	1,336.40	190
-19	1,253.00	190
-27	1,253.00	190
-33	1,127.70	190
-37	1,253.00	190
-93	1,085.90	190

Article number	Euro	Page
-99	1,503.50	190
36 861 782-00	1,147.10	342
-06	1,835.80	342
-08	1,835.80	342
-19	1,720.80	342
-28	2,753.00	342
-39	1,835.40	342
-42	1,835.40	342
-43	2,064.80	342
-46	2,753.00	342
-47	2,753.00	342
-99	2,065.00	342
36 861 811-00	1,212.60	140
-06	1,940.40	140
-19	1,819.10	140
-28	2,910.20	140
-42	1,940.30	140
-99	2,183.00	140
36 861 845-00	893.80	243
-06	1,429.80	243
-19	1,340.60	243
-27	1,340.60	243
-33	1,206.60	243
-93	1,161.90	243
-99	1,608.80	243
36 862 660-00	597.90	404
-06	956.90	404
-19	896.70	404
-26	896.70	404
-27	896.70	404
-33	807.20	404
-37	896.90	404
-39	956.60	404
-42	956.60	404
-43	1,076.20	404
-93	777.20	404
-99	1,076.10	404
36 862 782-00	1,194.90	343
-06	1,912.70	343
-08	1,912.70	343
-19	1,792.50	343
-28	2,867.80	343
-39	1,911.80	343
-42	1,911.80	343
-43	2,150.80	343
-46	2,867.80	343
-47	2,867.80	343
-99	2,150.80	343
36 863 660-00	635.60	405
-06	1,016.40	405
-19	953.30	405
-26	953.30	405
-27	953.30	405
-33	857.70	405
-37	953.40	405
-39	1,016.90	405
-42	1,016.80	405
-43	1,144.10	405
-93	826.10	405
-99	1,144.00	405
36 864 782-00	1,299.00	342
-06	2,078.00	342
-08	2,078.00	342
-19	1,948.40	342
-28	3,117.60	342
-39	2,078.50	342
-42	2,078.50	342
-43	2,338.20	342
-46	3,117.60	342
-47	3,117.60	342
-99	2,338.20	342
36 867 660-00	567.60	404
-06	908.30	404
-19	884.20	404
-26	851.40	404
-27	851.40	404
-33	766.30	404
-37	851.40	404
-39	908.30	404
-42	908.30	404
-43	1,021.70	404
-93	737.90	404
-99	1,021.80	404
36 867 809-00	919.10	542
-06	1,470.50	542
-08	1,470.50	542
-19	1,378.70	542
-28	2,205.80	542
-39	1,470.50	542
-42	1,470.50	542
-43	1,654.40	542
-46	2,205.80	542
-47	2,205.80	542
-99	1,654.40	542
41		
41 400 979-85	6,475.50	665
-86	6,475.50	665

Index

Article number	Euro	Page
41 507 979-85	3,864.80	656
-86	3,864.80	656
41 550 979-85	4,332.80	649
-86	4,332.80	649
41 610 979-10	7,277.00	661
41 615 979-10	7,277.00	661
41 620 979-10	8,426.00	662
41 625 979-10	8,426.00	662
41 630 979-10	8,594.40	663
41 750 979-00	6,217.10	664
-06	9,947.20	664
-33	8,393.00	664
-46	14,921.00	664
-47	14,921.00	664
41 770 979-00	3,089.30	665
-19	4,634.00	665
-42	4,942.90	665
-43	5,560.80	665
-46	7,414.30	665
-47	7,414.30	665
-86	4,016.10	665
-99	5,560.80	665
41 771 979-00	4,116.70	666
-19	6,175.20	666
-42	6,586.80	666
-46	9,880.10	666
-47	9,880.10	666
-86	5,351.90	666
-99	7,410.20	666
41 772 979-00	3,089.30	665
-19	4,634.00	665
-42	4,942.90	665
-46	7,414.30	665
-47	7,414.30	665
-86	4,016.10	665
-99	5,560.80	665
41 773 979-00	4,116.70	666
-19	6,175.20	666
-42	6,586.80	666
-46	9,880.10	666
-47	9,880.10	666
-86	5,351.90	666
-99	7,410.20	666
41 780 979-00	4,116.70	667
-19	6,175.20	667
-42	6,586.80	667
-43	7,410.20	667
-46	9,880.10	667
-47	9,880.10	667
-86	5,351.90	667
-99	7,410.20	667
41 781 979-00	5,145.50	668
-19	7,718.30	668
-42	8,232.90	668
-46	12,349.20	668
-47	12,349.20	668
-86	6,689.20	668
-99	9,261.90	668
42		
42 765 970 90	721.90	97, 97, 142, 143, 143, 144, 191, 192, 244, 346, 346, 406, 407, 481, 481, 545, 546, 599, 599, 600, 600, 601, 601, 602, 602, 603, 603, 604, 604, 605, 605, 606, 734
44		
44 515 660-00	980.40	405, 597
-06	1,568.80	405, 597
-08	1,568.80	405, 597
-19	1,470.70	405, 597
-26	1,470.60	405, 597
-27	1,470.60	405, 597
-33	1,323.70	405, 597
-37	1,470.60	405
-39	1,568.60	405, 597
-42	1,568.60	405, 597
-43	1,764.70	405
-93	1,274.50	405, 597
-99	1,764.90	405, 597
44 521 660-00	781.50	406, 480, 597
-06	1,250.30	406, 480, 597
-08	1,250.30	406, 480, 597
-19	1,172.20	406, 480, 597
-26	1,172.20	406, 597
-27	1,172.20	406, 597
-28	1,875.60	480, 597
-33	1,054.90	406, 480, 597
-37	1,172.30	406
-39	1,250.40	406, 480, 597
-42	1,250.30	406, 480, 597
-43	1,406.70	406, 480
-46	1,875.60	480, 597
-47	1,875.60	480, 597
-93	1,015.90	406, 480, 597
-99	1,406.50	406, 480, 597
44 521 782-00	964.10	345, 598
-06	1,542.70	345, 598
-08	1,542.70	345, 598
-19	1,446.30	345, 598
-28	2,313.80	345, 598
-33	1,301.70	345, 598
-39	1,542.70	345, 598
-42	1,542.70	345, 598
-43	1,735.40	345
-46	2,313.80	345, 598
-47	2,313.80	345, 598
-93	1,253.40	598
-99	1,735.40	345, 598
44 521 809-00	862.40	545, 598
-06	1,380.00	545, 598
-08	1,380.00	545, 598
-19	1,293.80	545, 598
-28	2,069.80	545, 598
-33	1,164.30	545, 598
-39	1,379.80	545, 598
-42	1,379.90	545, 598
-43	1,552.30	545
-46	2,069.80	545, 598
-47	2,069.80	545, 598
-93	1,121.10	598
-99	1,552.40	545, 598
82		
82 424 970-00	287.90	776
-06	460.60	776
-08	460.60	776
-19	432.00	776
-28	691.00	776
-33	388.60	776
-39	460.60	776
-42	460.70	776
-43	518.20	776
-46	691.00	776
-47	691.00	776
-93	374.30	776
-99	518.20	776
82 439 970-00	358.80	777
-06	562.70	777
-08	562.70	777
-19	538.10	777
-28	861.10	777
-42	573.90	777
-46	861.10	777
-47	861.10	777
-99	645.90	777
82 444 970-00	313.60	776
-06	501.80	776
-08	501.80	776
-09	752.60	776
-19	470.50	776
-28	752.60	776
-33	423.40	776
-39	501.80	776
-42	501.80	776
-43	564.50	776
-46	752.60	776
-47	752.60	776
-93	407.70	776
-99	470.50	776
83		
83 020 705-00	442.90	126
-06	708.50	126
-19	664.30	126
-46	1,063.00	126
-47	1,063.00	126
-99	797.10	126
83 020 979-00	303.80	269, 459
-06	486.00	269, 459
-19	455.80	269, 459
-26	455.70	459
-27	455.70	269, 459
-33	410.10	269, 459
-37	455.70	459
-39	486.00	459
-42	486.00	459
-43	546.80	459
-93	395.00	269, 459
-99	546.80	269, 459
83 030 361-00	361.40	330
-06	578.40	330
-08	578.40	330
-09	867.40	330
-28	867.40	330
-39	578.20	330
-42	578.20	330
-43	650.50	330
-99	650.60	330
83 030 404-00	410.10	85
-06	656.20	85
-19	615.20	85
-28	984.20	85
-39	656.20	85
-42	656.20	85
-43	738.20	85
-46	984.20	85
-47	984.20	85
-99	738.20	85
83 030 780-00	442.90	177, 383
-06	708.20	177, 383
-08	708.20	383
-19	664.30	177, 383
-28	1,063.00	177, 383
-39	708.60	383
-42	708.60	177, 383
-43	797.20	383
-46	1,063.00	383
-47	1,063.00	383
-99	797.10	177, 383
83 030 809-00	391.40	586
-06	626.10	586
-08	626.10	586
-19	587.10	586
-28	939.40	586
-39	626.20	586
-42	626.30	586
-43	704.50	586
-46	939.40	586
-47	939.40	586
-99	704.40	586
83 030 892-00	391.40	528
-06	626.10	528
-08	626.10	528
-19	587.10	528
-28	939.40	528
-33	528.50	528
-39	626.20	528
-42	626.30	528
-43	704.50	528
-46	939.40	528
-47	939.40	528
-93	508.70	528
-99	704.40	528
83 030 976-00	244.90	232, 300, 699
-06	391.80	232, 300, 699
-19	367.30	232, 699
-27	367.30	232, 699
-33	330.50	232, 699
-37	367.40	232, 699
-39	391.80	699
-42	391.80	699
-93	318.30	232, 699
-99	440.70	232, 699
83 045 361-00	392.70	330
-06	628.00	330
-08	628.00	330
-09	942.50	330
-28	942.50	330
-39	628.30	330
-42	628.30	330
-43	706.90	330
-99	706.50	330
83 045 705-00	449.40	126
-06	719.00	126
-19	674.10	126
-46	1,078.60	126
-47	1,078.60	126
-99	808.80	126
83 045 892-00	409.10	528
-06	654.80	528
-08	654.80	528
-19	613.60	528
-28	981.80	528
-33	552.30	528
-39	654.70	528
-42	654.70	528
-43	736.40	528
-46	981.80	528
-47	981.80	528
-93	531.90	528
-99	736.20	528
83 060 361-00	406.60	330
-06	650.50	330
-08	650.50	330
-09	975.80	330
-28	975.80	330
-39	650.40	330
-42	650.40	330
-43	731.90	330
-99	731.60	330
83 060 404-00	442.10	85
-06	707.40	85
-19	663.20	85
-28	1,061.00	85
-39	707.40	85
-42	707.40	85
-43	795.80	85
-46	1,061.00	85

Article number	Euro	Page
-47	1,061.00	85
-99	795.80	85
83 060 705-00	506.40	126
-06	810.40	126
-19	759.80	126
-46	1,215.40	126
-47	1,215.40	126
-99	911.50	126
83 060 780-00	578.80	177, 383
-06	926.10	177, 383
-08	926.10	383
-19	868.20	177, 383
-28	1,389.10	177, 383
-39	926.10	383
-42	926.10	177, 383
-43	1,041.80	383
-46	1,389.10	383
-47	1,389.10	383
-99	1,041.80	177, 383
83 060 809-00	422.00	586
-06	674.90	586
-08	675.20	586
-19	633.20	586
-28	1,012.80	586
-39	675.20	586
-42	675.00	586
-43	759.60	586
-46	1,012.80	586
-47	1,012.80	586
-99	759.70	586
83 060 892-00	422.00	528
-06	674.90	528
-08	674.90	528
-19	633.20	528
-28	1,012.80	528
-33	569.70	528
-39	675.20	528
-42	675.00	528
-43	759.60	528
-46	1,012.80	528
-47	1,012.80	528
-93	548.50	528
-99	759.70	528
83 060 976-00	272.10	232, 300, 699
-06	435.40	232, 300, 699
-19	408.10	232, 699
-27	408.10	232, 699
-33	367.40	232, 699
-37	408.20	232, 699
-93	353.70	232, 699
-99	489.80	232, 699
83 060 979-00	311.30	269, 459
-06	498.20	269, 459
-19	467.30	269, 459
-26	467.30	459
-27	467.30	269, 459
-33	420.50	269, 459
-37	467.00	459
-39	498.20	459
-42	498.20	459
-43	560.50	459
-93	404.80	269, 459
-99	560.50	269, 459
83 070 780-00	531.20	177, 383
-06	850.00	177, 383
-08	850.00	383
-19	796.70	177, 383
-28	1,274.90	177, 383
-39	850.00	383
-42	850.00	177, 383
-43	956.20	383
-46	1,274.90	383
-47	1,274.90	383
-99	956.10	177, 383
83 070 809-00	400.90	586
-06	641.40	586
-08	641.40	586
-19	601.40	586
-28	962.20	586
-39	641.40	586
-42	641.30	586
-43	721.60	586
-46	962.20	586
-47	962.20	586
-99	721.50	586
83 080 892-00	445.70	528
-06	713.00	528
-08	713.00	528
-19	668.40	528
-28	1,069.70	528
-33	601.50	528
-39	713.20	528
-42	713.10	528
-43	802.30	528
-46	1,069.70	528
-47	1,069.70	528
-93	579.40	528
-99	802.30	528
83 080 976-00	323.90	232, 300, 699

Article number	Euro	Page
-06	518.30	232, 300, 699
-19	485.90	232, 699
-27	485.90	232, 699
-33	437.20	232, 699
-37	485.90	232, 699
-93	421.20	232, 699
-99	583.10	232, 699
83 080 979-00	324.20	269, 459
-06	518.60	269, 459
-19	486.40	269, 459
-26	486.40	459
-27	486.40	269, 459
-33	437.60	269, 459
-37	486.30	459
-39	518.60	459
-42	518.70	459
-43	583.60	459
-93	421.50	269, 459
-99	583.60	269, 459
83 150 979-10	1,855.40	88, 128, 180, 235, 272, 303, 333, 388, 464, 534, 589, 704
-33	1,855.40	88, 128, 180, 235, 272, 303, 333, 388, 464, 534, 589, 704
83 150 980-10	1,734.60	88, 128, 180, 236, 273, 303, 334, 388, 464, 534, 589, 704
-33	1,734.60	88, 128, 180, 236, 273, 303, 334, 388, 464, 534, 589, 704
83 151 979-10	2,168.30	88, 128, 180, 236, 273, 303, 334, 388, 464, 534, 589, 704
-33	2,168.30	88, 128, 180, 236, 273, 303, 334, 388, 464, 534, 589, 704
83 151 980-10	2,048.60	88, 129, 180, 236, 273, 303, 334, 388, 465, 534, 590, 704
-33	2,048.60	88, 129, 180, 236, 273, 303, 334, 388, 465, 534, 590, 704
83 200 361-00	248.20	331
-06	397.00	331
-08	397.00	331
-09	595.70	331
-28	595.70	331
-39	397.10	331
-42	397.10	331
-43	446.80	331
-99	446.70	331
83 200 404-00	530.50	85
-06	848.80	85
-19	795.80	85
-28	1,273.20	85
-39	848.80	85
-42	848.80	85
-43	954.90	85
-46	1,273.20	85
-47	1,273.20	85
-99	954.90	85
83 200 780-00	408.60	177, 383
-06	653.80	177, 383
-08	653.80	383
-19	612.90	177, 383
-28	980.60	177, 383
-39	653.80	383
-42	653.80	177, 383
-43	735.50	383
-46	980.60	383
-47	980.60	383
-99	735.50	177, 383
83 200 811-00	506.40	177
-06	810.40	177
-19	759.80	177
-28	1,215.40	177
-42	810.40	177
-99	911.60	177
83 200 892-00	247.40	529
-06	395.90	529
-08	395.90	529
-19	371.00	529
-28	593.80	529
-33	334.00	529
-39	395.70	529
-42	395.70	529
-43	445.30	529
-46	593.80	529
-47	593.80	529
-93	321.50	529
-99	445.10	529
83 200 976-00	253.90	233, 300, 700
-06	406.40	233, 300, 700
-19	380.90	233, 700
-27	380.90	233, 700
-33	342.80	233, 700
-37	380.90	233, 700

Article number	Euro	Page
-93	330.10	233, 700
-99	457.10	233, 700
83 200 979-00	185.30	269, 460
-06	296.90	269, 460
-19	278.10	269, 460
-26	277.90	460
-27	277.90	269, 460
-33	250.10	269, 460
-37	278.00	460
-39	296.50	460
-42	296.50	460
-43	333.50	460
-93	241.00	269, 460
-99	333.60	269, 460
83 210 361-00	397.30	330
-06	635.90	330
-08	635.90	330
-09	953.50	330
-28	953.50	330
-39	635.70	330
-42	635.70	330
-43	715.10	330
-99	715.50	330
83 210 780-00	449.40	177, 383
-06	719.30	177, 383
-08	719.30	383
-19	674.20	177, 383
-28	1,078.60	177, 383
-39	718.90	383
-42	718.90	177, 383
-43	808.90	383
-46	1,078.60	383
-47	1,078.60	383
-99	808.80	177, 383
83 210 976-00	289.20	233, 300, 700
-06	462.60	233, 300, 700
-19	433.80	233, 700
-27	433.80	233, 700
-33	390.40	233, 700
-37	433.80	233, 700
-93	375.90	233, 700
-99	520.50	233, 700
83 211 404-00	280.30	85
-06	448.50	85
-19	420.50	85
-28	672.70	85
-39	448.50	85
-42	448.50	85
-43	504.50	85
-46	672.70	85
-47	672.70	85
-99	504.50	85
83 211 705-00	402.50	126
-06	644.00	126
-19	603.50	126
-46	966.00	126
-47	966.00	126
-99	724.40	126
83 211 809-00	267.50	586
-06	428.10	586
-08	428.10	586
-19	401.10	586
-28	642.00	586
-39	428.10	586
-42	428.10	586
-43	481.50	586
-46	642.00	586
-47	642.00	586
-99	481.50	586
83 211 892-00	254.60	529
-06	407.60	529
-08	407.60	529
-19	381.90	529
-28	611.00	529
-33	343.80	529
-39	407.30	529
-42	407.40	529
-43	458.30	529
-46	611.00	529
-47	611.00	529
-93	331.00	529
-99	458.40	529
83 211 976-00	231.20	233, 300, 700
-06	370.00	233, 300, 700
-19	346.80	233, 700
-27	346.80	233, 700
-33	312.20	233, 700
-37	346.80	233, 700
-93	300.50	233, 700
-99	416.10	233, 700
83 211 979-00	178.10	269, 459
-06	285.30	269, 459
-19	267.10	269, 459
-26	267.20	459
-27	267.20	269, 459
-33	240.50	269, 459
-37	267.20	459
-39	285.00	459
-42	285.10	459

Index

Article number	Euro	Page
-43	320.60	459
-93	231.60	269, 459
-99	320.70	269, 459
83 215 976-00	317.70	232, 300, 700
-06	508.40	232, 300, 700
-19	476.60	232, 700
-27	476.60	232, 700
-33	428.90	232, 700
-37	476.60	232, 700
-93	413.10	232, 700
-99	571.90	232, 700
83 215 979-00	163.40	269, 460
-06	261.80	269, 460
-19	244.90	269, 460
-26	245.10	460
-27	245.10	269, 460
-33	220.50	269, 460
-37	245.10	460
-39	261.60	460
-42	261.50	460
-43	294.10	460
-93	212.40	269, 460
-99	294.10	269, 460
83 250 970-00	39.80	331
-06	63.80	331
-08	63.80	331
-09	95.50	331
-28	95.50	331
-39	63.70	331
-42	63.70	331
-43	71.60	331
-99	71.60	331
83 250 976-00	50.80	233, 301, 700
-06	81.40	233, 301, 700
-19	76.20	233, 700
-27	76.20	233, 700
-33	68.70	233, 700
-37	76.20	233, 700
-93	66.00	233, 700
-99	91.50	233, 700
83 251 220-00	47.10	384
-06	75.20	384
-08	75.20	384
-09	113.00	384
-19	70.70	384
-28	113.00	384
-33	63.70	384
-39	75.50	384
-42	75.40	384
-43	84.80	384
-46	113.00	384
-47	113.00	384
-99	84.60	384
83 251 404-00	127.30	85
-06	203.70	85
-19	191.00	85
-28	305.50	85
-39	203.70	85
-42	203.70	85
-43	229.10	85
-46	305.50	85
-47	305.50	85
-99	229.10	85
83 251 780-00	120.40	177, 384
-06	192.70	177, 384
-08	192.70	384
-19	180.70	177, 384
-28	289.00	177, 384
-39	192.70	384
-42	192.70	177, 384
-43	216.70	384
-46	289.00	384
-47	289.00	384
-99	216.90	177, 384
83 251 809-00	121.50	586
-06	194.50	586
-08	194.50	586
-19	182.30	586
-28	291.60	586
-39	194.40	586
-42	194.40	586
-43	218.70	586
-46	291.60	586
-47	291.60	586
-99	218.70	586
83 251 892-00	100.50	529
-06	160.90	529
-08	160.90	529
-09	241.20	529
-19	150.80	529
-28	241.20	529
-33	135.80	529
-39	160.80	529
-42	160.90	529
-43	180.90	529
-46	241.20	529
-47	241.20	529
-93	130.60	529
-99	180.90	529

Article number	Euro	Page
83 251 970-00	38.40	331
-06	61.50	331
-08	61.50	331
-09	92.20	331
-28	92.20	331
-39	61.40	331
-42	61.40	331
-43	69.10	331
-99	69.20	331
83 251 979-00	77.10	270, 384, 460, 529
-06	123.50	270, 384, 460, 529
-19	115.70	270, 384, 460, 529
-26	115.70	460
-27	115.70	270, 460
-28	185.00	384, 529
-33	104.20	270, 384, 460, 529
-37	115.70	460
-39	123.40	384, 460, 529
-42	123.30	384, 460, 529
-43	138.80	384, 460, 529
-46	185.00	384, 529
-47	185.00	384, 529
-93	100.30	270, 460, 529
-99	138.60	270, 384, 460, 529
83 251 980-00	129.20	126
-06	206.90	126
-19	193.70	126
-46	310.10	126
-47	310.10	126
-99	232.60	126
83 252 970-00	50.50	331
-06	80.40	331
-08	80.40	331
-09	121.20	331
-28	121.20	331
-39	80.70	331
-42	80.70	331
-43	90.90	331
-99	90.80	331
83 256 976-00	86.70	233, 301, 700
-06	138.70	233, 301, 700
-19	130.10	233, 700
-27	130.10	233, 700
-33	117.10	233, 700
-37	130.10	233, 700
-93	112.80	233, 700
-99	156.10	233, 700
83 256 979-00	143.00	270, 384, 460, 530
-06	229.30	270, 384, 460, 530
-19	214.40	270, 384, 460, 530
-26	214.40	460
-27	214.40	270, 460
-28	343.20	384, 530
-33	193.10	270, 384, 460, 530
-37	214.50	460
-39	228.70	384, 460, 530
-42	228.70	384, 460, 530
-43	257.40	384, 460, 530
-46	343.20	384, 530
-47	343.20	384, 530
-93	186.00	270, 460, 530
-99	257.60	270, 384, 460, 530
83 290 970-00	232.70	86, 127, 178, 271, 332, 386, 462, 532, 587
-06	372.30	86, 127, 178, 271, 332, 386, 462, 532, 587
-08	372.30	332, 386, 462, 532, 587
-09	558.50	332, 386, 532, 587
-19	349.00	86, 127, 178, 271, 386, 462, 532, 587
-26	349.00	462
-27	349.00	271, 462
-28	558.50	86, 178, 332, 386, 532, 587
-33	314.20	271, 386, 462, 532, 587
-37	349.10	462
-39	372.20	86, 332, 386, 462, 532, 587
-42	372.10	86, 178, 332, 386, 462, 532, 587
-43	418.90	86, 332, 386, 462, 532, 587
-46	558.50	86, 127, 386, 532, 587
-47	558.50	86, 127, 386, 532, 587
-93	302.50	271, 462, 532
-99	418.80	86, 127, 178, 271, 332, 386, 462, 532, 587
83 304 979-00	1,848.00	89, 273, 274, 304, 305, 334, 335, 465, 466, 705, 707

Article number	Euro	Page
-19	2,772.00	89, 273, 274, 465, 466, 705, 707
-33	2,494.80	273, 274, 465, 466, 705, 707
-46	4,435.20	89, 705, 707
-93	2,402.40	273, 274, 465, 466, 705, 707
-99	3,326.40	89, 273, 274, 334, 335, 465, 466, 705, 707
83 304 980-00	2,772.00	129, 130, 181, 182, 236, 237, 389, 390, 705, 707
-19	4,158.00	129, 130, 181, 182, 236, 237, 389, 390, 705, 707
-33	3,742.20	236, 237, 389, 390, 705, 707
-46	6,652.80	129, 130, 389, 390, 705, 707
-93	3,603.60	236, 237, 705, 707
-99	4,989.60	129, 130, 181, 182, 236, 237, 389, 390, 705, 707
83 306 979-00	2,772.00	89, 274, 275, 304, 305, 335, 336, 465, 466, 705, 708
-19	4,158.00	89, 274, 275, 465, 466, 705, 708
-33	3,742.20	274, 275, 465, 466, 705, 708
-46	6,652.80	89, 705, 708
-93	3,603.60	274, 275, 465, 466, 705, 708
-99	4,989.60	89, 274, 275, 335, 336, 465, 466, 705, 708
83 306 980-00	4,158.00	129, 130, 181, 182, 237, 238, 389, 390, 706, 708
-19	6,237.00	129, 130, 181, 182, 237, 238, 389, 390, 706, 708
-33	5,613.30	237, 238, 389, 390, 706, 708
-46	9,979.20	129, 130, 389, 390, 706, 708
-93	5,405.40	237, 238, 706, 708
-99	7,484.40	129, 130, 181, 182, 237, 238, 389, 390, 706, 708
83 314 979-00	1,848.00	89, 274, 275, 304, 305, 335, 336, 465, 467, 706, 708
-19	2,772.00	89, 274, 275, 465, 467, 706, 708
-33	2,494.80	274, 275, 465, 467, 706, 708
-46	4,435.20	89, 706, 708
-93	2,402.40	274, 275, 465, 467, 706, 708
-99	3,326.40	89, 274, 275, 335, 336, 465, 467, 706, 708
83 314 980-00	2,772.00	129, 130, 181, 182, 237, 238, 389, 391, 706, 709
-19	4,158.00	129, 130, 181, 182, 237, 238, 389, 391, 706, 709
-33	3,742.20	237, 238, 389, 391, 706, 709
-46	6,652.80	129, 130, 389, 391, 706, 709
-93	3,603.60	237, 238, 706, 709
-99	4,989.60	129, 130, 181, 182, 237, 238, 389, 391, 706, 709
83 316 979-00	2,772.00	89, 274, 275, 304, 305, 335, 336, 466, 467, 706, 709
-19	4,158.00	89, 274, 275, 466, 467, 706, 709
-33	3,742.20	274, 275, 466, 467, 706, 709
-46	6,652.80	89, 706, 709
-93	3,603.60	274, 275, 466, 467, 706, 709
-99	4,989.60	89, 274, 275, 335, 336, 466, 467, 706, 709
83 316 980-00	4,158.00	130, 131, 181, 182, 237, 238, 390, 391, 707, 709
-19	6,237.00	130, 131, 181, 182, 237, 238, 390, 391, 707, 709

Article number	Euro	Page
-33	5,613.30	237, 238, 390, 391, 707, 709
-46	9,979.20	130, 131, 390, 391, 707, 709
-93	5,405.40	237, 238, 707, 709
-99	7,484.40	130, 131, 181, 182, 237, 238, 390, 391, 707, 709
83 400 976-00	231.20	233, 301, 701
-06	370.00	233, 301, 701
-19	346.80	233, 701
-27	346.80	233, 701
-33	312.20	233, 701
-37	346.80	233, 701
-39	369.90	701
-42	369.90	701
-93	300.50	233, 701
-99	416.10	233, 701
83 401 979-00	292.80	86, 126, 178, 270, 331, 385, 461, 530, 587
-06	468.60	86, 126, 178, 270, 331, 385, 461, 530, 587
-08	468.60	331, 385, 461, 530, 587
-09	702.70	331, 385, 530, 587
-19	439.40	86, 126, 178, 270, 385, 461, 530, 587
-26	439.40	461
-27	439.40	270, 461
-28	702.70	86, 178, 331, 385, 530, 587
-33	395.30	270, 385, 461, 530, 587
-37	439.20	461
-39	468.60	86, 331, 385, 461, 530, 587
-42	468.60	86, 178, 331, 385, 461, 530, 587
-43	527.00	86, 331, 385, 461, 530, 587
-46	702.70	86, 126, 385, 530, 587
-47	702.70	86, 126, 385, 530, 587
-93	380.80	270, 461, 530
-99	527.10	86, 126, 178, 270, 331, 385, 461, 530, 587
83 410 780-00	459.20	178, 385
-06	734.70	178, 385
-08	734.70	385
-19	688.80	178, 385
-28	1,102.10	178, 385
-39	734.70	385
-42	734.70	178, 385
-43	826.60	385
-46	1,102.10	385
-47	1,102.10	385
-99	826.60	178, 385
83 410 976-00	231.30	234, 301, 701
-06	370.10	234, 301, 701
-19	347.00	234, 701
-27	347.00	234, 701
-33	312.40	234, 701
-37	347.00	234, 701
-39	370.10	701
-42	370.10	701
-93	300.70	234, 701
-99	416.40	234, 701
83 410 979-00	303.80	86, 126, 178, 270, 332, 385, 461, 530, 587
-06	486.00	86, 126, 178, 270, 332, 385, 461, 530, 587
-08	486.00	332, 385, 461, 530, 587
-09	729.10	332, 385, 530, 587
-19	455.80	86, 126, 178, 270, 385, 461, 530, 587
-26	455.70	461
-27	455.70	270, 461
-28	729.10	86, 178, 332, 385, 530, 587
-33	410.10	270, 385, 461, 530, 587
-37	455.70	461
-39	486.00	86, 332, 385, 461, 530, 587
-42	486.00	86, 178, 332, 385, 461, 530, 587
-43	546.80	86, 332, 385, 461, 530, 587
-46	729.10	86, 126, 385, 530, 587
-47	729.10	86, 126, 385, 530, 587
-93	395.00	270, 461, 530
-99	546.90	86, 126, 178, 270, 332, 385, 461, 530, 587
83 430 976-00	266.20	234, 301, 701
-06	425.90	234, 301, 701
-19	399.30	234, 701
-27	399.30	234, 701
-33	359.30	234, 701
-37	399.30	234, 701
-39	425.90	701
-42	425.90	701
-93	346.00	234, 701
-99	479.10	234, 701
83 433 976-00	420.80	234, 301, 701
-06	673.40	234, 301, 701
-19	631.30	234, 701
-27	631.30	234, 701
-33	568.20	234, 701
-37	631.20	234, 701
-39	673.30	701
-42	673.30	701
-93	547.10	234, 701
-99	757.50	234, 701
83 435 970-00	480.50	86, 127, 178, 271, 332, 385, 462, 531, 587
-06	768.70	86, 127, 178, 271, 332, 385, 462, 531, 587
-08	768.70	332, 385, 462, 531, 587
-19	720.80	86, 127, 178, 271, 385, 462, 531, 587
-26	720.80	462
-27	720.80	271, 462
-28	1,153.20	86, 178, 332, 385, 531, 587
-33	648.80	271, 385, 462, 531, 587
-37	720.80	462
-39	768.80	86, 332, 385, 462, 531, 587
-42	768.80	86, 178, 332, 385, 462, 531, 587
-43	864.90	86, 332, 385, 462, 531, 587
-46	1,153.20	86, 127, 385, 531, 587
-47	1,153.20	86, 127, 385, 531, 587
-93	624.60	271, 462, 531
-99	865.00	86, 127, 178, 271, 332, 385, 462, 531, 587
83 482 970-00	165.00	270, 461, 531
-06	263.80	270, 461, 531
-08	264.00	461, 531
-19	247.40	270, 461, 531
-26	247.50	461
-27	247.50	270, 461
-28	396.00	531
-33	222.80	270, 461, 531
-37	247.50	461
-39	263.90	461, 531
-42	263.90	461, 531
-43	297.00	461, 531
-46	396.00	531
-47	396.00	531
-93	214.40	270, 461, 531
-99	296.90	270, 461, 531
83 500 361-00	249.30	332
-06	399.10	332
-08	399.10	332
-09	598.30	332
-28	598.30	332
-39	398.90	332
-42	398.90	332
-43	448.70	332
-99	449.20	332
83 500 404-00	338.50	86
-06	541.60	86
-19	507.80	86
-28	812.40	86
-39	541.60	86
-42	541.60	86
-43	609.30	86
-46	812.40	86
-47	812.40	86
-99	609.30	86
83 500 705-00	323.10	127
-06	516.70	127
-19	484.50	127
-46	775.40	127
-47	775.40	127
-99	581.30	127
83 500 780-00	323.10	178, 386
-06	516.70	178, 386
-08	516.70	386
-19	484.50	178, 386
-28	775.40	178, 386
-39	516.80	386
-42	516.80	178, 386
-43	581.60	386
-46	775.40	386
-47	775.40	386
-99	581.30	178, 386
83 500 809-00	323.10	588
-06	516.70	588
-08	516.70	588
-19	484.50	588
-28	775.40	588
-39	516.80	588
-42	516.80	588
-43	581.60	588
-46	775.40	588
-47	775.40	588
-99	581.30	588
83 500 892-00	247.40	532
-06	395.90	532
-08	395.90	532
-19	371.00	532
-28	593.80	532
-33	334.00	532
-39	395.70	532
-42	395.70	532
-43	445.30	532
-46	593.80	532
-47	593.80	532
-93	321.50	532
-99	445.10	532
83 500 976-00	194.40	234, 301, 701
-06	310.90	234, 301, 701
-19	291.60	234, 701
-27	291.60	234, 701
-33	262.40	234, 701
-37	291.60	234, 701
-39	311.00	701
-42	311.00	701
-93	252.60	234, 701
-99	349.90	234, 701
83 500 979-00	275.60	271, 462
-06	441.00	271, 462
-19	413.60	271, 462
-26	413.60	462
-27	413.60	271, 462
-33	372.10	271, 462
-37	413.40	462
-39	441.00	462
-42	441.00	462
-43	496.10	462
-93	358.40	271, 462
-99	496.20	271, 462
83 510 361-00	311.70	332
-06	498.90	332
-08	498.90	332
-09	748.10	332
-28	748.10	332
-39	498.90	332
-42	498.90	332
-43	561.10	332
-99	561.50	332
83 510 892-00	347.30	532
-06	555.70	532
-08	555.70	532
-19	521.00	532
-28	833.50	532
-33	468.90	532
-39	555.70	532
-42	555.70	532
-43	625.10	532
-46	833.50	532
-47	833.50	532
-93	451.50	532
-99	625.10	532
83 510 979-00	353.90	271, 462
-06	565.80	271, 462
-19	530.60	271, 462
-26	530.80	462
-27	530.80	271, 462
-33	477.90	271, 462
-37	530.90	462
-39	566.20	462
-42	566.30	462
-43	637.00	462
-93	460.00	271, 462
-99	636.90	271, 462
83 515 976-00	289.40	234, 301, 702
-06	463.10	234, 301, 702
-19	434.10	234, 702
-27	434.10	234, 702
-33	390.70	234, 702
-37	434.10	234, 702
-39	463.00	702
-42	463.00	702

Index

Article number	Euro	Page
-93	376.20	234, 702
-99	521.00	234, 702
83 525 976-00	451.50	234, 302, 702
-06	722.40	234, 302, 702
-19	677.40	234, 702
-27	677.40	234, 702
-33	609.50	234, 702
-37	677.30	234, 702
-39	722.40	702
-42	722.40	702
-93	587.10	234, 702
-99	812.70	234, 702
83 590 361-00	248.20	332
-06	397.00	332
-08	397.00	332
-09	595.70	332
-28	595.70	332
-39	397.10	332
-42	397.10	332
-43	446.80	332
-99	446.70	332
83 590 404-00	259.20	87
-06	414.70	87
-19	388.80	87
-28	622.10	87
-39	414.70	87
-42	414.70	87
-43	466.60	87
-46	622.10	87
-47	622.10	87
-99	466.60	87
83 590 780-00	323.10	179, 386
-06	516.70	179, 386
-08	516.70	386
-19	484.50	179, 386
-28	775.40	179, 386
-39	516.80	386
-42	516.80	179, 386
-43	581.60	386
-46	775.40	386
-47	775.40	386
-99	581.30	179, 386
83 590 809-00	247.40	588
-06	395.90	588
-08	395.70	588
-19	371.00	588
-28	593.80	588
-39	395.70	588
-42	395.70	588
-43	445.30	588
-46	593.80	588
-47	593.80	588
-99	445.00	588
83 590 892-00	247.40	532
-06	395.90	532
-08	395.90	532
-19	371.00	532
-28	593.80	532
-33	334.00	532
-39	395.70	532
-42	395.70	532
-43	445.30	532
-46	593.80	532
-47	593.80	532
-93	321.50	532
-99	445.10	532
83 590 976-00	196.70	235, 302, 702
-06	314.60	235, 302, 702
-19	294.90	235, 702
-27	294.90	235, 702
-33	265.40	235, 702
-37	295.10	235, 702
-39	314.70	702
-42	314.70	702
-93	255.60	235, 702
-99	353.90	235, 702
83 590 979-00	181.20	271, 463
-06	290.10	271, 463
-19	271.80	271, 463
-26	271.80	463
-27	271.80	271, 463
-33	244.70	271, 463
-37	271.80	463
-39	290.00	463
-42	290.00	463
-43	326.20	463
-93	235.60	271, 463
-99	326.10	271, 463
83 900 361-00	594.30	333
-06	950.50	333
-08	950.50	333
-09	1,426.30	333
-28	1,426.30	333
-39	950.90	333
-42	950.90	333
-43	1,069.70	333
-99	1,069.60	333
83 900 404-00	571.30	87
-06	914.10	87
-19	857.00	87
-28	1,371.10	87
-39	914.10	87
-42	914.10	87
-43	1,028.30	87
-46	1,371.10	87
-47	1,371.10	87
-99	1,028.30	87
83 900 780-00	499.50	127, 179, 387
-06	799.20	127, 179, 387
-08	799.20	387
-19	749.10	127, 179, 387
-28	1,198.80	179, 387
-39	799.20	387
-42	799.20	179, 387
-43	899.10	387
-46	1,198.80	127, 387
-47	1,198.80	127, 387
-99	899.00	127, 179, 387
83 900 809-00	545.40	588
-06	872.90	588
-08	872.90	588
-19	818.20	588
-28	1,309.00	588
-39	872.70	588
-42	872.60	588
-43	981.70	588
-46	1,309.00	588
-47	1,309.00	588
-99	981.90	588
83 900 892-00	545.40	533
-06	872.90	533
-08	872.90	533
-19	818.20	533
-28	1,309.00	533
-33	736.70	533
-39	872.70	533
-42	872.60	533
-43	981.70	533
-46	1,309.00	533
-47	1,309.00	533
-93	709.10	533
-99	981.80	533
83 900 970-00	416.00	127, 271, 463
-06	665.70	127, 271, 463
-19	624.20	127, 271, 463
-26	624.10	463
-27	624.10	271, 463
-33	561.90	271, 463
-37	624.00	463
-39	665.70	463
-42	665.80	463
-43	748.80	463
-46	998.40	127
-47	998.40	127
-93	541.00	271, 463
-99	749.00	127, 271, 463
83 900 976-00	277.60	235, 302, 702
-06	444.20	235, 302, 702
-19	416.50	235, 702
-27	416.50	235, 702
-33	374.70	235, 702
-37	416.40	235, 702
-39	444.20	702
-42	444.20	702
-93	360.90	235, 702
-99	499.80	235, 702
83 910 979-00	545.20	87, 127, 179, 272, 333, 387, 463, 533, 588
-06	872.40	87, 127, 179, 272, 333, 387, 463, 533, 588
-08	872.40	333, 387, 463, 533, 588
-19	817.80	87, 127, 179, 272, 387, 463, 533, 588
-26	817.70	463
-27	817.70	272, 463
-28	1,308.50	87, 179, 333, 387, 533, 588
-33	735.90	272, 387, 463, 533, 588
-37	817.80	463
-39	872.30	87, 333, 387, 463, 533, 588
-42	872.20	87, 179, 333, 387, 463, 533, 588
-43	981.40	87, 333, 387, 463, 533, 588
-46	1,308.50	87, 127, 387, 533, 588
-47	1,308.50	87, 127, 387, 533, 588
-93	708.90	272, 463, 533
-99	981.30	87, 127, 179, 272, 333, 387, 463, 533, 588
84		
84 435 970-00	442.70	386, 531
-06	707.70	386, 531
-08	707.70	386, 531
-19	664.10	386, 531
-28	1,062.50	386, 531
-33	597.60	386, 531
-39	708.20	386, 531
-42	708.20	386, 531
-43	796.90	386, 531
-46	1,062.50	386, 531
-47	1,062.50	386, 531
-93	575.50	531
-99	796.80	386, 531
84 910 979-00	493.20	179, 272, 387, 463
-06	789.10	179, 272, 387, 463
-08	789.10	387, 463
-19	739.90	179, 272, 387, 463
-26	739.80	463
-27	739.80	272, 463
-28	1,183.70	179, 387
-33	665.90	272, 387, 463
-37	739.80	463
-39	789.10	387, 463
-42	789.20	179, 387, 463
-43	887.80	387, 463
-46	1,183.70	387
-47	1,183.70	387
-93	641.10	272, 463
-99	887.70	179, 272, 387, 463
XV		
XV-01 4787	1,723.20	592
-01 4793	3,086.70	592
-01 8350	2,808.20	592
-01 8967	100.00	593, 594
-01 8969	86.30	592, 594
-01 8970	129.50	592, 594
-01 8971	155.30	592, 594
-01 9121	2,628.40	592
-01 9232	114.50	592, 594
-01 9233	183.20	592, 594
-01 9234	183.20	592, 594
-01 9235	171.80	592, 594
-01 9236	274.80	592, 594
-01 9237	154.60	592, 594
-01 9238	274.80	592, 594
-01 9239	274.80	592, 594
-01 9240	148.90	592, 594
-01 9241	206.10	592, 594
-01 9257	1,405.00	592
-01 9258	2,269.30	592
-01 9259	2,269.30	592
-01 9260	2,125.00	592
-01 9262	3,316.00	592
-01 9263	1,874.40	592
-01 9265	2,234.00	592
-01 9266	3,316.00	592
-01 9267	3,316.00	592
-01 9268	1,836.90	592
-01 9269	2,557.10	592
-01 9548	138.10	592
-01 9562	1,498.30	592
-01 9563	2,383.30	592
-01 9564	2,265.00	592
-01 9565	3,539.90	592
-01 9566	2,383.30	592
-01 9567	2,383.30	592
-01 9568	2,689.90	592
-01 9569	3,539.90	592
-01 9570	3,539.90	592
-01 9571	2,724.90	592
-01 9584	183.20	594
-01 9585	183.20	592, 594
-01 9595	154.30	593
-01 9598	246.90	593
-01 9599	231.50	593
-01 9600	370.30	593
-01 9601	370.30	593
-01 9602	370.30	593
-01 9603	246.90	593
-01 9604	246.90	593
-01 9605	277.70	593
-01 9606	277.70	593
-01 9607	154.30	592, 593
-01 9608	246.90	592, 593
-01 9609	231.50	592, 593
-01 9610	370.30	592, 593
-01 9611	370.30	592, 593
-01 9612	246.90	592, 593
-01 9613	246.90	592, 593
-01 9614	277.70	592, 593
-01 9615	277.70	592, 593
-01 9616	154.30	592, 593
-01 9617	246.90	592, 593
-01 9618	231.50	592, 593

COYA

Sieger Design

Basin
from page 8

Bidet
from page 14

Shower
from page 57

Thermostats, mixers, diverters and valves
from page 24

Bath
from page 38

Accessories
from page 85

Basin fittings

Single-lever basin mixers

125mm projection

33 525 404

165mm projection

33 521 404

with a raised pillar base

200mm projection

33 534 404

Three-hole basin mixers

165mm projection

20 713 404

165mm projection

20 713 414

165mm projection

20 713 424

Wall-mounted single-lever basin mixers

191mm projection

36 860 404

241mm projection

36 861 404

Wall-mounted basin mixers

190mm projection

36 712 404

190mm projection

36 712 414

190mm projection

36 712 424

241mm projection

36 717 404

Wall-mounted basin mixers

241mm projection

36 717 414

241mm projection

36 717 424

Showers

Shower sets

26 412 404 +
28 012 979

Shower pipes with shower thermostat

34 465 404 +
28 018 979
34 459 404*

Head showers with one spray type

28 508 404

Rain showers with wall connection

28 677 404
28 678 404*

Rain showers with ceiling connection

28 687 404
28 688 404*

Hand shower sets

27 808 404

Side showers

28 518 979

Massage modules

WATER POINTS

36 515 979

WATER BAR

36 517 979

WATER CURVE

36 514 979

WATER FAN

36 513 979
36 512 979*

Waterfalls

WATER SHEET

13 415 979

Waterfalls

WATER FALL

13 420 979

WATER FALL

13 425 979

Kneipp modules

WATER TUBE

27 823 979 +
28 285 979

Bath fittings

Single-lever mixers

36 120 404

Free-standing bath fittings

280mm projection

25 863 404

280mm projection

25 943 404

280mm projection

25 943 414

280mm projection

25 943 424

Bath shower sets

220mm projection

27 632 404

Five-hole bath mixers

220mm projection

27 522 404

220mm projection

27 522 414

220mm projection

27 522 424

Bath spouts

200mm projection

13 801 404

Hand shower sets

204mm projection

27 702 404

Diverters

29 140 404

Miscellaneous

26mm projection

36 243 970

integrated bath filling

26mm projection

36 247 970

33 525 404 NEW

Single-lever basin mixer without pop-up waste
- **125mm projection**
- pivotable 360°
- circular, air-enriched flow
- height of mixer 273 mm
- height up to aerator 201 mm
- hole diameter 35 mm
- 2 x pressure hose with 3/8“ cap nut
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 525 404** FF	FF	Euro
Chrome		**-00**	868.80
Brushed Platinum		**-06**	1,390.10
Champagne (22kt Gold)		**-47**	2,085.10
Brushed Champagne (22kt Gold)		**-46**	2,085.10
Brushed Durabrass (23kt Gold)		**-28**	2,085.10
Brushed Dark Brass (PVD)		**-39**	1,390.10
Brushed Bronze (PVD)		**-42**	1,390.10
Brushed Dark Bronze (PVD)		**-43**	1,563.80
Dark Chrome		**-19**	1,303.20
Brushed Dark Platinum		**-99**	1,563.80

33 521 404 NEW

Single-lever basin mixer without pop-up waste
- **165mm projection**
- pivotable 360°
- circular, air-enriched flow
- height of mixer 308 mm
- height up to aerator 216 mm
- hole diameter 35 mm
- 2 x pressure hose with 3/8“ cap nut
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 521 404** FF	FF	Euro
Chrome		**-00**	923.00
Brushed Platinum		**-06**	1,476.80
Champagne (22kt Gold)		**-47**	2,215.20
Brushed Champagne (22kt Gold)		**-46**	2,215.20
Brushed Durabrass (23kt Gold)		**-28**	2,215.20
Brushed Dark Brass (PVD)		**-39**	1,476.80
Brushed Bronze (PVD)		**-42**	1,476.80
Brushed Dark Bronze (PVD)		**-43**	1,661.40
Dark Chrome		**-19**	1,384.50
Brushed Dark Platinum		**-99**	1,661.40

33 534 404 NEW

Single-lever basin mixer with raised base without pop-up waste
- **200mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 401 mm
- height up to aerator 308 mm
- hole diameter 35 mm
- 2 x pressure hose with 3/8“ cap nut
- max. flow 4.5 l/min
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- lead-free

for use on bowl sink.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 534 404** FF	FF	Euro
Chrome		**-00**	1,298.10
Brushed Platinum		**-06**	2,077.00
Champagne (22kt Gold)		**-47**	3,115.40
Brushed Champagne (22kt Gold)		**-46**	3,115.40
Brushed Durabrass (23kt Gold)		**-28**	3,115.40
Brushed Dark Brass (PVD)		**-39**	2,077.00
Brushed Bronze (PVD)		**-42**	2,077.00
Brushed Dark Bronze (PVD)		**-43**	2,336.60
Dark Chrome		**-19**	1,947.20
Brushed Dark Platinum		**-99**	2,336.60

20 713 404 NEW

Three-hole basin mixer
- **165mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 264 mm
- height up to aerator 173 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 60 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 713 404** FF	FF	Euro
Chrome		**-00**	1,533.30
Brushed Platinum		**-06**	2,453.30
Champagne (22kt Gold)		**-47**	3,679.90
Brushed Champagne (22kt Gold)		**-46**	3,679.90
Brushed Durabrass (23kt Gold)		**-28**	3,679.90
Brushed Dark Brass (PVD)		**-39**	2,453.30
Brushed Bronze (PVD)		**-42**	2,453.30
Brushed Dark Bronze (PVD)		**-43**	2,759.90
Dark Chrome		**-19**	2,300.00
Brushed Dark Platinum		**-99**	2,759.90

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

20 713 414 **NEW**

Three-hole basin mixer with pop-up waste
- **165mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 264 mm
- height up to aerator 173 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 60 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 713 414** FF	FF	Euro
Chrome		**-00**	1,533.30
Brushed Platinum		**-06**	2,453.30
Champagne (22kt Gold)		**-47**	3,679.90
Brushed Champagne (22kt Gold)		**-46**	3,679.90
Brushed Durabrass (23kt Gold)		**-28**	3,679.90
Brushed Dark Brass (PVD)		**-39**	2,453.30
Brushed Bronze (PVD)		**-42**	2,453.30
Brushed Dark Bronze (PVD)		**-43**	2,759.90
Dark Chrome		**-19**	2,300.00
Brushed Dark Platinum		**-99**	2,759.90

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

---

20 713 424 **NEW**

Three-hole basin mixer with pop-up waste
- **165mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 264 mm
- height up to aerator 173 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 60 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 713 424** FF	FF	Euro
Chrome		**-00**	1,533.30
Brushed Platinum		**-06**	2,453.30
Champagne (22kt Gold)		**-47**	3,679.90
Brushed Champagne (22kt Gold)		**-46**	3,679.90
Brushed Durabrass (23kt Gold)		**-28**	3,679.90
Brushed Dark Brass (PVD)		**-39**	2,453.30
Brushed Bronze (PVD)		**-42**	2,453.30
Brushed Dark Bronze (PVD)		**-43**	2,759.90
Dark Chrome		**-19**	2,300.00
Brushed Dark Platinum		**-99**	2,759.90

Required miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
	Accesories	**90**	95.20

---

36 860 404 **NEW**

Wall-mounted single-lever basin mixer without pop-up waste
- **191mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 60 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 860 404** FF	FF	Euro
Chrome		**-00**	1,033.00
Brushed Platinum		**-06**	1,652.80
Champagne (22kt Gold)		**-47**	2,479.20
Brushed Champagne (22kt Gold)		**-46**	2,479.20
Brushed Durabrass (23kt Gold)		**-28**	2,479.20
Brushed Dark Brass (PVD)		**-39**	1,652.80
Brushed Bronze (PVD)		**-42**	1,652.80
Brushed Dark Bronze (PVD)		**-43**	1,859.40
Dark Chrome		**-19**	1,549.50
Brushed Dark Platinum		**-99**	1,859.40

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 861 404 NEW **Wall-mounted single-lever basin mixer without pop-up waste**

- **241mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 60 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 861 404** FF	FF	Euro
Chrome		**-00**	1,095.00
Brushed Platinum		**-06**	1,752.00
Champagne (22kt Gold)		**-47**	2,628.00
Brushed Champagne (22kt Gold)		**-46**	2,628.00
Brushed Durabrass (23kt Gold)		**-28**	2,628.00
Brushed Dark Brass (PVD)		**-39**	1,752.00
Brushed Bronze (PVD)		**-42**	1,752.00
Brushed Dark Bronze (PVD)		**-43**	1,971.00
Dark Chrome		**-19**	1,642.50
Brushed Dark Platinum		**-99**	1,971.00

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 712 404 NEW **Wall-mounted basin mixer without pop-up waste**

- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 35 mm
- hole diameter valve 35 mm
- rosette 60 x 60 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 712 404** FF	FF	Euro
Chrome		**-00**	1,175.70
Brushed Platinum		**-06**	1,881.10
Champagne (22kt Gold)		**-47**	2,821.70
Brushed Champagne (22kt Gold)		**-46**	2,821.70
Brushed Durabrass (23kt Gold)		**-28**	2,821.70
Brushed Dark Brass (PVD)		**-39**	1,881.10
Brushed Bronze (PVD)		**-42**	1,881.10
Brushed Dark Bronze (PVD)		**-43**	2,116.30
Dark Chrome		**-19**	1,763.60
Brushed Dark Platinum		**-99**	2,116.30

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	161.90

For details and miscellaneous, see page 728

36 712 414 NEW

Wall-mounted basin mixer without pop-up waste
- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 35 mm
- hole diameter valve 35 mm
- rosette 60 x 60 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 712 414** FF	FF	Euro
Chrome		**-00**	1,175.70
Brushed Platinum		**-06**	1,881.10
Champagne (22kt Gold)		**-47**	2,821.70
Brushed Champagne (22kt Gold)		**-46**	2,821.70
Brushed Durabrass (23kt Gold)		**-28**	2,821.70
Brushed Dark Brass (PVD)		**-39**	1,881.10
Brushed Bronze (PVD)		**-42**	1,881.10
Brushed Dark Bronze (PVD)		**-43**	2,116.30
Dark Chrome		**-19**	1,763.60
Brushed Dark Platinum		**-99**	2,116.30

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	161.90

For details and miscellaneous, see page 728

36 712 424 NEW

Wall-mounted basin mixer without pop-up waste
- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 35 mm
- hole diameter valve 35 mm
- rosette 60 x 60 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 712 424** FF	FF	Euro
Chrome		**-00**	1,175.70
Brushed Platinum		**-06**	1,881.10
Champagne (22kt Gold)		**-47**	2,821.70
Brushed Champagne (22kt Gold)		**-46**	2,821.70
Brushed Durabrass (23kt Gold)		**-28**	2,821.70
Brushed Dark Brass (PVD)		**-39**	1,881.10
Brushed Bronze (PVD)		**-42**	1,881.10
Brushed Dark Bronze (PVD)		**-43**	2,116.30
Dark Chrome		**-19**	1,763.60
Brushed Dark Platinum		**-99**	2,116.30

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	161.90

For details and miscellaneous, see page 728

36 717 404 NEW

Wall-mounted basin mixer without pop-up waste
- **241mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 35 mm
- hole diameter valve 35 mm
- rosette 60 x 60 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 717 404** FF	FF	Euro
Chrome		**-00**	1,154.50
Brushed Platinum		**-06**	1,847.20
Champagne (22kt Gold)		**-47**	2,770.80
Brushed Champagne (22kt Gold)		**-46**	2,770.80
Brushed Durabrass (23kt Gold)		**-28**	2,770.80
Brushed Dark Brass (PVD)		**-39**	1,847.20
Brushed Bronze (PVD)		**-42**	1,847.20
Brushed Dark Bronze (PVD)		**-43**	2,078.10
Dark Chrome		**-19**	1,731.80
Brushed Dark Platinum		**-99**	2,078.10

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	161.90

For details and miscellaneous, see page 728

36 717 414 NEW

Wall-mounted basin mixer without pop-up waste
- **241mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 35 mm
- hole diameter valve 35 mm
- rosette 60 x 60 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 717 414** FF	FF	Euro
Chrome		**-00**	1,237.60
Brushed Platinum		**-06**	1,980.20
Champagne (22kt Gold)		**-47**	2,970.20
Brushed Champagne (22kt Gold)		**-46**	2,970.20
Brushed Durabrass (23kt Gold)		**-28**	2,970.20
Brushed Dark Brass (PVD)		**-39**	1,980.20
Brushed Bronze (PVD)		**-42**	1,980.20
Brushed Dark Bronze (PVD)		**-43**	2,227.70
Dark Chrome		**-19**	1,856.40
Brushed Dark Platinum		**-99**	2,227.70

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	161.90

For details and miscellaneous, see page 728

36 717 424 NEW

Wall-mounted basin mixer without pop-up waste
- **241mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 35 mm
- hole diameter valve 35 mm
- rosette 60 x 60 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 717 424** FF	FF	Euro
Chrome		**-00**	1,154.50
Brushed Platinum		**-06**	1,847.20
Champagne (22kt Gold)		**-47**	2,770.80
Brushed Champagne (22kt Gold)		**-46**	2,770.80
Brushed Durabrass (23kt Gold)		**-28**	2,770.80
Brushed Dark Brass (PVD)		**-39**	1,847.20
Brushed Bronze (PVD)		**-42**	1,847.20
Brushed Dark Bronze (PVD)		**-43**	2,078.10
Dark Chrome		**-19**	1,731.80
Brushed Dark Platinum		**-99**	2,078.10

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	161.90

For details and miscellaneous, see page 728

Miscellaneous

22 901 979

Angle valve
- rosette Ø 55 mm
- hose covering 200mm, for shortening

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 901 979** FF	FF	Euro
Chrome		**-00**	198.00
Brushed Platinum		**-06**	316.80
Champagne (22kt Gold)		**-47**	475.20
Brushed Champagne (22kt Gold)		**-46**	475.20
Brushed Durabrass (23kt Gold)		**-28**	475.20
Brushed Dark Brass (PVD)		**-39**	316.80
Brushed Bronze (PVD)		**-42**	316.80
Brushed Dark Bronze (PVD)		**-43**	356.40
Dark Chrome		**-19**	296.90
Brushed Dark Platinum		**-99**	356.30

10 060 780

Siphon for basin 1 1/4“
- rosette 78 x 78 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 060 780** FF	FF	Euro
Chrome		**-00**	406.80
Brushed Platinum		**-06**	650.90
Champagne (22kt Gold)		**-47**	976.30
Brushed Champagne (22kt Gold)		**-46**	976.30
Brushed Durabrass (23kt Gold)		**-28**	976.30
Brushed Dark Brass (PVD)		**-39**	650.90
Brushed Bronze (PVD)		**-42**	650.80
Brushed Dark Bronze (PVD)		**-43**	732.20
Dark Chrome		**-19**	610.20
Brushed Dark Platinum		**-99**	732.20

10 060 970

Siphon for basin
- rosette Ø 70 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 060 970** FF	FF	Euro
Chrome		**-00**	355.50
Brushed Platinum		**-06**	569.00
Champagne (22kt Gold)		**-47**	853.20
Brushed Champagne (22kt Gold)		**-46**	853.20
Brushed Durabrass (23kt Gold)		**-28**	853.20
Brushed Dark Brass (PVD)		**-39**	568.80
Brushed Bronze (PVD)		**-42**	568.90
Brushed Dark Bronze (PVD)		**-43**	639.90
Dark Chrome		**-19**	533.30
Brushed Dark Platinum		**-99**	640.00

33 600 404

NEW

Single-lever bidet mixer with pop-up waste

- **104mm projection**
- **european pop-up waste**
- ball-joint pivotable through 15°
- circular, air-enriched flow
- height of mixer 216 mm
- height up to aerator 166 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 6.8 l/min

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 600 404** FF	FF	Euro
Chrome		**-00**	1,243.80
Brushed Platinum		**-06**	1,990.10
Champagne (22kt Gold)		**-47**	2,985.10
Brushed Champagne (22kt Gold)		**-46**	2,985.10
Brushed Durabrass (23kt Gold)		**-28**	2,985.10
Brushed Dark Brass (PVD)		**-39**	1,990.10
Brushed Bronze (PVD)		**-42**	1,990.10
Brushed Dark Bronze (PVD)		**-43**	2,238.80
Dark Chrome		**-19**	1,865.70
Brushed Dark Platinum		**-99**	2,238.80

26 412 404 + 28 012 979

NEW

Shower set
- spray head Ø 120mm
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 800 mm
- rosettes 60 x 60 mm
- Pipe diameter 18 mm

Notes:
- Fits COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 404** FF FF	Euro	1x **28 012 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	772.00	**-00**	247.90	**1,019.90**
Brushed Platinum	**-06**	1,235.20	**-06**	396.60	**1,631.80**
Champagne (22kt Gold)	**-47**	1,852.80	**-47**	595.00	**2,447.80**
Brushed Champagne (22kt Gold)	**-46**	1,852.80	**-46**	595.00	**2,447.80**
Brushed Durabrass (23kt Gold)	**-28**	1,852.80	**-28**	595.00	**2,447.80**
Brushed Dark Brass (PVD)	**-39**	1,235.20	**-39**	396.60	**1,631.80**
Brushed Bronze (PVD)	**-42**	1,235.20	**-42**	396.60	**1,631.80**
Brushed Dark Bronze (PVD)	**-43**	1,389.60	**-43**	446.20	**1,835.80**
Dark Chrome	**-19**	1,158.00	**-19**	371.80	**1,529.80**
Brushed Dark Platinum	**-99**	1,389.60	**-99**	446.30	**1,835.90**

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see page 64

28 450 404 FF	FF	Euro
Chrome	**-00**	147.70
Brushed Platinum	**-06**	236.30
Champagne (22kt Gold)	**-47**	354.50
Brushed Champagne (22kt Gold)	**-46**	354.50
Brushed Durabrass (23kt Gold)	**-28**	354.50
Brushed Dark Brass (PVD)	**-39**	236.30
Brushed Bronze (PVD)	**-42**	236.30
Brushed Dark Bronze (PVD)	**-43**	265.90
Dark Chrome	**-19**	221.60
Brushed Dark Platinum	**-99**	265.90

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	342.20	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	342.20	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	342.20	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	228.10	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	228.00	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	256.70	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	213.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	256.50	**-99**	370.20	**-99**	448.70

34 465 404 + 28 018 979

NEW

Showerpipe with shower thermostat
- rain shower Ø 300 mm
- Rain shower material: metal
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- 1/2“ connection
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- **420mm projection**
- height of fittings up to rain shower (bottom edge) 937mm
- height of fittings up to top edge of elbow 1279mm
- Pipe diameter 23.5 mm
- gauge 150 mm - 13 mm

Notes:
- Fits COYA

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 465 404** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,008.40	**-00**	142.60	**3,151.00**
Brushed Platinum	**-06**	4,813.40	**-06**	228.00	**5,041.40**
Champagne (22kt Gold)	**-47**	7,220.20	**-47**	342.20	**7,562.40**
Brushed Champagne (22kt Gold)	**-46**	7,220.20	**-46**	342.20	**7,562.40**
Brushed Durabrass (23kt Gold)	**-28**	7,220.20	**-28**	342.20	**7,562.40**
Brushed Dark Brass (PVD)	**-39**	4,813.40	**-39**	228.10	**5,041.50**
Brushed Bronze (PVD)	**-42**	4,813.40	**-42**	228.00	**5,041.40**
Brushed Dark Bronze (PVD)	**-43**	5,415.10	**-43**	256.70	**5,671.80**
Dark Chrome	**-19**	4,512.60	**-19**	213.80	**4,726.40**
Brushed Dark Platinum	**-99**	5,415.10	**-99**	256.50	**5,671.60**

Product alternative
- FlowReduce
- max. flow 9 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

34 459 404 FF	FF	Euro
Chrome	**-00**	2,856.00
Brushed Platinum	**-06**	4,569.60
Champagne (22kt Gold)	**-47**	6,854.40
Brushed Champagne (22kt Gold)	**-46**	6,854.40
Brushed Durabrass (23kt Gold)	**-28**	6,854.40
Brushed Dark Brass (PVD)	**-39**	4,569.60
Brushed Bronze (PVD)	**-42**	4,569.60
Brushed Dark Bronze (PVD)	**-43**	5,140.80
Dark Chrome	**-19**	4,284.00
Brushed Dark Platinum	**-99**	5,140.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 671.

1 jet
Ø 130 mm

1 jet
Ø 100 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	191.00	**-00**	132.60	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	305.70	**-06**	212.40	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	458.40	**-47**	318.20	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	458.40	**-46**	318.20	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	458.40	**-28**	318.20	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	305.70	**-39**	212.20	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	305.60	**-42**	212.10	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	343.80	**-43**	238.70	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	286.40	**-19**	198.90	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	343.70	**-99**	238.60	**-99**	446.30	**-99**	370.20	**-99**	448.70

28 508 404 NEW

Shower head
- spray head Ø 94mm
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 5.1 l/min
- with anti-scale system

Technical data:
- 197mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 508 404** FF	FF	Euro
Chrome		**-00**	650.80
Brushed Platinum		**-06**	1,041.30
Champagne (22kt Gold)		**-47**	1,561.90
Brushed Champagne (22kt Gold)		**-46**	1,561.90
Brushed Durabrass (23kt Gold)		**-28**	1,561.90
Brushed Dark Brass (PVD)		**-39**	1,041.30
Brushed Bronze (PVD)		**-42**	1,041.30
Brushed Dark Bronze (PVD)		**-43**	1,171.40
Dark Chrome		**-19**	976.20
Brushed Dark Platinum		**-99**	1,171.40

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 508 404** FF	FF	Euro
Chrome		**-000010**	650.80
Brushed Platinum		**-060010**	1,041.30
Champagne (22kt Gold)		**-470010**	1,561.90
Brushed Champagne (22kt Gold)		**-460010**	1,561.90
Brushed Durabrass (23kt Gold)		**-280010**	1,561.90
Brushed Dark Brass (PVD)		**-390010**	1,041.30
Brushed Bronze (PVD)		**-420010**	1,041.30
Brushed Dark Bronze (PVD)		**-430010**	1,171.40
Dark Chrome		**-190010**	976.20
Brushed Dark Platinum		**-990010**	1,171.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 677 404 NEW

Rain shower with wall fixing
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 67 x 67 mm
- 1/2“ connection

Notes:
- Fits COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 677 404** FF	FF	Euro
Chrome		**-00**	1,249.30
Brushed Platinum		**-06**	1,998.90
Champagne (22kt Gold)		**-47**	2,998.30
Brushed Champagne (22kt Gold)		**-46**	2,998.30
Brushed Durabrass (23kt Gold)		**-28**	2,998.30
Brushed Dark Brass (PVD)		**-39**	1,998.90
Brushed Bronze (PVD)		**-42**	1,998.90
Brushed Dark Bronze (PVD)		**-43**	2,248.70
Dark Chrome		**-19**	1,874.00
Brushed Dark Platinum		**-99**	2,248.70

Product alternative
- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	28 678 404 FF	FF	Euro
Chrome		**-00**	1,249.30
Brushed Platinum		**-06**	1,998.90
Champagne (22kt Gold)		**-47**	2,998.30
Brushed Champagne (22kt Gold)		**-46**	2,998.30
Brushed Durabrass (23kt Gold)		**-28**	2,998.30
Brushed Dark Brass (PVD)		**-39**	1,998.90
Brushed Bronze (PVD)		**-42**	1,998.90
Brushed Dark Bronze (PVD)		**-43**	2,248.70
Dark Chrome		**-19**	1,874.00
Brushed Dark Platinum		**-99**	2,248.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 687 404 NEW

Rain shower with ceiling fixing
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm optional
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 687 404** FF	FF	Euro
Chrome		**-00**	1,062.50
Brushed Platinum		**-06**	1,700.00
Champagne (22kt Gold)		**-47**	2,550.00
Brushed Champagne (22kt Gold)		**-46**	2,550.00
Brushed Durabrass (23kt Gold)		**-28**	2,550.00
Brushed Dark Brass (PVD)		**-39**	1,700.00
Brushed Bronze (PVD)		**-42**	1,700.00
Brushed Dark Bronze (PVD)		**-43**	1,912.50
Dark Chrome		**-19**	1,593.80
Brushed Dark Platinum		**-99**	1,912.50

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	28 688 404 FF	FF	Euro
Chrome		**-00**	1,062.50
Brushed Platinum		**-06**	1,700.00
Champagne (22kt Gold)		**-47**	2,550.00
Brushed Champagne (22kt Gold)		**-46**	2,550.00
Brushed Durabrass (23kt Gold)		**-28**	2,550.00
Brushed Dark Brass (PVD)		**-39**	1,700.00
Brushed Bronze (PVD)		**-42**	1,700.00
Brushed Dark Bronze (PVD)		**-43**	1,912.50
Dark Chrome		**-19**	1,593.80
Brushed Dark Platinum		**-99**	1,912.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
	Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

27 808 404 NEW

Hand shower set with individual rosettes
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 808 404** FF	FF	Euro
Chrome		**-00**	739.80
Brushed Platinum		**-06**	1,183.70
Champagne (22kt Gold)		**-47**	1,775.50
Brushed Champagne (22kt Gold)		**-46**	1,775.50
Brushed Durabrass (23kt Gold)		**-28**	1,775.50
Brushed Dark Brass (PVD)		**-39**	1,183.70
Brushed Bronze (PVD)		**-42**	1,183.70
Brushed Dark Bronze (PVD)		**-43**	1,331.60
Dark Chrome		**-19**	1,109.70
Brushed Dark Platinum		**-99**	1,331.60

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 808 404** FF	FF	Euro
Chrome		**-000010**	739.80
Brushed Platinum		**-060010**	1,183.70
Champagne (22kt Gold)		**-470010**	1,775.50
Brushed Champagne (22kt Gold)		**-460010**	1,775.50
Brushed Durabrass (23kt Gold)		**-280010**	1,775.50
Brushed Dark Brass (PVD)		**-390010**	1,183.70
Brushed Bronze (PVD)		**-420010**	1,183.70
Brushed Dark Bronze (PVD)		**-430010**	1,331.60
Dark Chrome		**-190010**	1,109.70
Brushed Dark Platinum		**-990010**	1,331.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
	Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

28 518 979

Body spray without volume control FlowReduce
- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 5 l/min (at 3 bar)
- with anti-scale system

Technical data:
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, COYA

Fits META, TARA, VAIA, LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 518 979** FF	FF	Euro
Chrome		**-00**	328.70
Brushed Platinum		**-06**	525.90
Champagne (22kt Gold)		**-47**	788.90
Brushed Champagne (22kt Gold)		**-46**	788.90
Brushed Durabrass (23kt Gold)		**-28**	788.90
Brushed Dark Brass (PVD)		**-39**	525.80
Brushed Bronze (PVD)		**-42**	525.70
Brushed Dark Bronze (PVD)		**-43**	591.70
Dark Chrome		**-19**	493.00
Brushed Dark Platinum		**-99**	591.50

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF | FF | Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts | **90** | 128.90

For details and miscellaneous, see page 732

36 515 979

WATER POINTS Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 120 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 515 979** FF	FF	Euro
Chrome		**-00**	577.30
Brushed Platinum		**-06**	923.20
Champagne (22kt Gold)		**-47**	1,385.50
Brushed Champagne (22kt Gold)		**-46**	1,385.50
Brushed Durabrass (23kt Gold)		**-28**	1,385.50
Brushed Dark Brass (PVD)		**-39**	923.70
Brushed Bronze (PVD)		**-42**	923.60
Brushed Dark Bronze (PVD)		**-43**	1,039.10
Dark Chrome		**-19**	866.00
Brushed Dark Platinum		**-99**	1,039.00

Required miscellaneous

WATER POINTS Adapter plate

12 305 970 FF | FF | Euro

- adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.

Accesories | **90** | 37.90

For details and miscellaneous, see page 742

Required miscellaneous

Concealed wall installation box

35 205 970 FF | FF | Euro

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | **90** | 234.20

For details and miscellaneous, see page 733

36 517 979

WATER BAR Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 517 979** FF	FF	Euro
Chrome		**-00**	891.50
Brushed Platinum		**-06**	1,426.60
Champagne (22kt Gold)		**-47**	2,139.60
Brushed Champagne (22kt Gold)		**-46**	2,139.60
Brushed Durabrass (23kt Gold)		**-28**	2,139.60
Brushed Dark Brass (PVD)		**-39**	1,426.40
Brushed Bronze (PVD)		**-42**	1,426.40
Brushed Dark Bronze (PVD)		**-43**	1,604.70
Dark Chrome		**-19**	1,337.20
Brushed Dark Platinum		**-99**	1,604.30

Required miscellaneous

Concealed wall installation box

35 206 970 FF | FF | Euro

- min. recess depth 100 mm
- max. recess depth 173 mm

Concealed rough parts | **90** | 316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF | Euro

Concealed rough parts | **90** | 117.80

For details and miscellaneous, see page 743

36 514 979

WATER CURVE Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- Function from: 5.7 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 60 mm
- 1/2“ connection

Notes:
- This product reduces water consumption by % (compared to requirements of EPAct ,92)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 514 979** FF	FF	Euro
Chrome		**-00**	1,160.00
Brushed Platinum		**-06**	1,856.10
Champagne (22kt Gold)		**-47**	2,784.00
Brushed Champagne (22kt Gold)		**-46**	2,784.00
Brushed Durabrass (23kt Gold)		**-28**	2,784.00
Brushed Dark Brass (PVD)		**-39**	1,856.10
Brushed Bronze (PVD)		**-42**	1,856.20
Brushed Dark Bronze (PVD)		**-43**	2,088.00
Dark Chrome		**-19**	1,740.00
Brushed Dark Platinum		**-99**	2,088.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 513 979

WATER FAN vertical Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 513 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Platinum		**-06**	1,385.20
Champagne (22kt Gold)		**-47**	2,077.00
Brushed Champagne (22kt Gold)		**-46**	2,077.00
Brushed Durabrass (23kt Gold)		**-28**	2,077.00
Brushed Dark Brass (PVD)		**-39**	1,384.60
Brushed Bronze (PVD)		**-42**	1,384.60
Brushed Dark Bronze (PVD)		**-43**	1,557.70
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60

Product alternative
- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**36 512 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Platinum		**-06**	1,385.20
Champagne (22kt Gold)		**-47**	2,077.00
Brushed Champagne (22kt Gold)		**-46**	2,077.00
Brushed Durabrass (23kt Gold)		**-28**	2,077.00
Brushed Dark Brass (PVD)		**-39**	1,384.60
Brushed Bronze (PVD)		**-42**	1,384.60
Brushed Dark Bronze (PVD)		**-43**	1,557.70
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

13 415 979

WATER SHEET Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **150mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 415 979** FF	FF	Euro
Chrome		**-00**	1,194.80
Brushed Platinum		**-06**	1,911.60
Champagne (22kt Gold)		**-47**	2,867.50
Brushed Champagne (22kt Gold)		**-46**	2,867.50
Brushed Durabrass (23kt Gold)		**-28**	2,867.50
Brushed Dark Brass (PVD)		**-39**	1,911.70
Brushed Bronze (PVD)		**-42**	1,911.70
Brushed Dark Bronze (PVD)		**-43**	2,150.60
Dark Chrome		**-19**	1,792.40
Brushed Dark Platinum		**-99**	2,150.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 420 979

WATER FALL Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **120mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 420 979** FF	FF	Euro
Chrome		**-00**	1,706.90
Brushed Platinum		**-06**	2,731.60
Champagne (22kt Gold)		**-47**	4,096.60
Brushed Champagne (22kt Gold)		**-46**	4,096.60
Brushed Durabrass (23kt Gold)		**-28**	4,096.60
Brushed Dark Brass (PVD)		**-39**	2,731.20
Brushed Bronze (PVD)		**-42**	2,731.20
Brushed Dark Bronze (PVD)		**-43**	3,072.40
Dark Chrome		**-19**	2,560.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 425 979

WATER FALL Cascade spout with individual jets for wall mounting
- PEARLSTREAM
- Max. flow rate 9.5 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- plate 240 mm x 60 mm
- **22mm projection**
- connection 1/2“, for shortening
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 425 979** FF	FF	Euro
Chrome		**-00**	1,268.40
Brushed Platinum		**-06**	2,029.40
Champagne (22kt Gold)		**-47**	3,044.20
Brushed Champagne (22kt Gold)		**-46**	3,044.20
Brushed Durabrass (23kt Gold)		**-28**	3,044.20
Brushed Dark Brass (PVD)		**-39**	2,029.40
Brushed Bronze (PVD)		**-42**	2,029.40
Brushed Dark Bronze (PVD)		**-43**	2,283.10
Dark Chrome		**-19**	1,902.40
Brushed Dark Platinum		**-99**	2,282.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 823 979 + 28 285 979

WATER TUBE Kneipp wall elbow with hose holder with individual rosettes
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: l/min
- with volume control
- inherently safe from back flow
- holder for Kneipp hose
- hose nozzle with sleeve M33

Technical data:
- rosette Ø 60 mm
- 1/2“ wall elbow

Notes:
- Fits LISSÉ, LULU, MADISON, META, TARA, VAIA, COYA

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **27 823 979** FF max. flow 15 l/min FF	Euro	1x **28 285 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	619.00	**-00**	110.10	**729.10**
Brushed Platinum	**-06**	990.40	**-06**	176.20	**1,166.60**
Champagne (22kt Gold)	**-47**	1,485.60	**-47**	264.20	**1,749.80**
Brushed Champagne (22kt Gold)	**-46**	1,485.60	**-46**	264.20	**1,749.80**
Brushed Durabrass (23kt Gold)	**-28**	1,485.60	**-28**	264.20	**1,749.80**
Brushed Dark Brass (PVD)	**-39**	990.40	**-39**	176.20	**1,166.60**
Brushed Bronze (PVD)	**-42**	990.50	**-42**	176.20	**1,166.70**
Brushed Dark Bronze (PVD)	**-43**	1,114.20	**-43**	198.20	**1,312.40**
Dark Chrome	**-19**	928.20	**-19**	165.20	**1,093.40**
Brushed Dark Platinum	**-99**	1,114.10	**-99**	198.10	**1,312.20**

Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm
- hose nozzle with sleeve M33
- with holding ring

28 286 979 FF	FF	Euro
Chrome	**-00**	110.10
Brushed Platinum	**-06**	176.20
Champagne (22kt Gold)	**-47**	264.20
Brushed Champagne (22kt Gold)	**-46**	264.20
Brushed Durabrass (23kt Gold)	**-28**	264.20
Brushed Dark Brass (PVD)	**-39**	176.20
Brushed Bronze (PVD)	**-42**	176.20
Brushed Dark Bronze (PVD)	**-43**	198.20
Dark Chrome	**-19**	165.20
Brushed Dark Platinum	**-99**	198.10

Recommended miscellaneous

Concealed wall elbow
- min. recess depth 90 mm
- max. recess depth 163 mm

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

---

28 450 404 NEW

Wall elbow
- 3/8“ shower outlet
- rosette 60 x 60 mm
- 1/2“ connection

Fits COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **28 450 404** FF	FF	Euro
Chrome	**-00**	147.70
Brushed Platinum	**-06**	236.30
Champagne (22kt Gold)	**-47**	354.50
Brushed Champagne (22kt Gold)	**-46**	354.50
Brushed Durabrass (23kt Gold)	**-28**	354.50
Brushed Dark Brass (PVD)	**-39**	236.30
Brushed Bronze (PVD)	**-42**	236.30
Brushed Dark Bronze (PVD)	**-43**	265.90
Dark Chrome	**-19**	221.60
Brushed Dark Platinum	**-99**	265.90

Recommended miscellaneous

Concealed wall elbow
- min. recess depth 90 mm
- max. recess depth 163 mm

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

---

28 050 404 NEW

Wall bracket
- rosette 60 x 60 mm

Fits COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **28 050 404** FF	FF	Euro
Chrome	**-00**	224.20
Brushed Platinum	**-06**	358.70
Champagne (22kt Gold)	**-47**	538.10
Brushed Champagne (22kt Gold)	**-46**	538.10
Brushed Durabrass (23kt Gold)	**-28**	538.10
Brushed Dark Brass (PVD)	**-39**	358.70
Brushed Bronze (PVD)	**-42**	358.70
Brushed Dark Bronze (PVD)	**-43**	403.60
Dark Chrome	**-19**	336.30
Brushed Dark Platinum	**-99**	403.60

28 060 970

Wall bracket swivel
- pivotable 75°

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 060 970** FF	FF	Euro
Chrome		**-00**	207.70
Brushed Platinum		**-06**	332.40
Champagne (22kt Gold)		**-47**	498.50
Brushed Champagne (22kt Gold)		**-46**	498.50
Brushed Durabrass (23kt Gold)		**-28**	498.50
Brushed Dark Brass (PVD)		**-39**	332.20
Brushed Bronze (PVD)		**-42**	332.10
Brushed Dark Bronze (PVD)		**-43**	373.90
Dark Chrome		**-19**	311.40
Brushed Dark Platinum		**-99**	373.90

36 060 404 NEW **Concealed single-lever mixer with cover plate**

- cover plate 80 x 80 mm

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 060 404** FF	FF	Euro
Chrome		**-00**	468.70
Brushed Platinum		**-06**	749.90
Champagne (22kt Gold)		**-47**	1,124.90
Brushed Champagne (22kt Gold)		**-46**	1,124.90
Brushed Durabrass (23kt Gold)		**-28**	1,124.90
Brushed Dark Brass (PVD)		**-39**	749.90
Brushed Bronze (PVD)		**-42**	749.90
Brushed Dark Bronze (PVD)		**-43**	843.70
Dark Chrome		**-19**	703.10
Brushed Dark Platinum		**-99**	843.70

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 120 404 NEW **Concealed single-lever mixer with diverter**

- cover plate 150 x 150 mm
- automatic diverter

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 120 404** FF	FF	Euro
Chrome		**-00**	630.50
Brushed Platinum		**-06**	1,008.80
Champagne (22kt Gold)		**-47**	1,513.20
Brushed Champagne (22kt Gold)		**-46**	1,513.20
Brushed Durabrass (23kt Gold)		**-28**	1,513.20
Brushed Dark Brass (PVD)		**-39**	1,008.80
Brushed Bronze (PVD)		**-42**	1,008.80
Brushed Dark Bronze (PVD)		**-43**	1,134.90
Dark Chrome		**-19**	945.80
Brushed Dark Platinum		**-99**	1,134.90

Required miscellaneous

Concealed single-lever mixer

	35 020 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	248.70

For details and miscellaneous, see page 729

Required miscellaneous

Concealed single-lever mixer with backflow preventor

	35 021 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	355.40

For details and miscellaneous, see page 729

36 425 404 NEW

Concealed thermostat with one function volume control
- cover plate 150 x 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 425 404** FF	FF	Euro
Chrome		**-00**	741.30
Brushed Platinum		**-06**	1,186.10
Champagne (22kt Gold)		**-47**	1,779.10
Brushed Champagne (22kt Gold)		**-46**	1,779.10
Brushed Durabrass (23kt Gold)		**-28**	1,779.10
Brushed Dark Brass (PVD)		**-39**	1,186.10
Brushed Bronze (PVD)		**-42**	1,186.10
Brushed Dark Bronze (PVD)		**-43**	1,334.30
Dark Chrome		**-19**	1,112.00
Brushed Dark Platinum		**-99**	1,334.30

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	457.60

For details and miscellaneous, see page 729

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	480.60

For details and miscellaneous, see page 729

36 426 404 NEW

Concealed thermostat with two function volume control
- rotary diverter with volume control and shut-off function
- cover plate 150 x 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 426 404** FF	FF	Euro
Chrome		**-00**	881.00
Brushed Platinum		**-06**	1,409.60
Champagne (22kt Gold)		**-47**	2,114.40
Brushed Champagne (22kt Gold)		**-46**	2,114.40
Brushed Durabrass (23kt Gold)		**-28**	2,114.40
Brushed Dark Brass (PVD)		**-39**	1,409.60
Brushed Bronze (PVD)		**-42**	1,409.60
Brushed Dark Bronze (PVD)		**-43**	1,585.80
Dark Chrome		**-19**	1,321.50
Brushed Dark Platinum		**-99**	1,585.80

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth mm • max. recess depth mm	Concealed rough parts	**90**	457.60

For details and miscellaneous, see page 729

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth mm • max. recess depth mm	Concealed rough parts	**90**	480.60

For details and miscellaneous, see page 729

36 427 404 NEW **Concealed thermostat with three function volume control**

- rotary diverter with volume control and shut-off function
- cover plate 150 x 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 427 404** FF	FF	Euro
Chrome		**-00**	919.30
Brushed Platinum		**-06**	1,470.90
Champagne (22kt Gold)		**-47**	2,206.30
Brushed Champagne (22kt Gold)		**-46**	2,206.30
Brushed Durabrass (23kt Gold)		**-28**	2,206.30
Brushed Dark Brass (PVD)		**-39**	1,470.90
Brushed Bronze (PVD)		**-42**	1,470.90
Brushed Dark Bronze (PVD)		**-43**	1,654.70
Dark Chrome		**-19**	1,379.00
Brushed Dark Platinum		**-99**	1,654.70

Required miscellaneous

Concealed thermostat

	35 427 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	479.40

For details and miscellaneous, see page 730

Required miscellaneous

Concealed thermostat with built-in isolators

	35 428 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	503.00

For details and miscellaneous, see page 730

36 503 404 + 36 607 404 NEW **xTOOL Thermostat module with 1 valve**

- cover plate 123 x 123 mm
- rosette 60 x 60 mm
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Custom-made options

- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 404** FF		1x **36 607 404** FF		**Total price:**
	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,249.90	**-00**	257.20	**1,507.10**
Brushed Platinum	**-06**	1,999.80	**-06**	411.50	**2,411.30**
Champagne (22kt Gold)	**-47**	2,999.80	**-47**	617.30	**3,617.10**
Brushed Champagne (22kt Gold)	**-46**	2,999.80	**-46**	617.30	**3,617.10**
Brushed Durabrass (23kt Gold)	**-28**	2,999.80	**-28**	617.30	**3,617.10**
Brushed Dark Brass (PVD)	**-39**	1,999.80	**-39**	411.50	**2,411.30**
Brushed Bronze (PVD)	**-42**	1,999.80	**-42**	411.50	**2,411.30**
Brushed Dark Bronze (PVD)	**-43**	2,249.80	**-43**	463.00	**2,712.80**
Dark Chrome	**-19**	1,874.90	**-19**	385.80	**2,260.70**
Brushed Dark Platinum	**-99**	2,249.80	**-99**	463.00	**2,712.80**

Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

	35 511 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm	Concealed rough parts	**90**	743.70

For details and miscellaneous, see page 730

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
	Concealed rough parts	**90**	118.70

For details and miscellaneous, see page 743

36 503 404 +
36 607 414

NEW

xTOOL Thermostat module with 1 valve
- cover plate 123 x 123 mm
- rosette 60 x 60 mm
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 404** FF FF	Euro	1x **36 607 414** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,249.90	**-00**	257.20	**1,507.10**
Brushed Platinum	**-06**	1,999.80	**-06**	411.50	**2,411.30**
Champagne (22kt Gold)	**-47**	2,999.80	**-47**	617.30	**3,617.10**
Brushed Champagne (22kt Gold)	**-46**	2,999.80	**-46**	617.30	**3,617.10**
Brushed Durabrass (23kt Gold)	**-28**	2,999.80	**-28**	617.30	**3,617.10**
Brushed Dark Brass (PVD)	**-39**	1,999.80	**-39**	411.50	**2,411.30**
Brushed Bronze (PVD)	**-42**	1,999.80	**-42**	411.50	**2,411.30**
Brushed Dark Bronze (PVD)	**-43**	2,249.80	**-43**	463.00	**2,712.80**
Dark Chrome	**-19**	1,874.90	**-19**	385.80	**2,260.70**
Brushed Dark Platinum	**-99**	2,249.80	**-99**	463.00	**2,712.80**

Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

35 511 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 730

Concealed rough parts | FF **90** | Euro 743.70

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

For details and miscellaneous, see page 743

Concealed rough parts | FF **90** | Euro 117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

For details and miscellaneous, see page 743

Concealed rough parts | FF **90** | Euro 118.70

36 503 404 +
36 607 424

NEW

xTOOL Thermostat module with 1 valve
- cover plate 123 x 123 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Fits COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 404** FF FF	Euro	1x **36 607 424** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,249.90	**-00**	257.20	**1,507.10**
Brushed Platinum	**-06**	1,999.80	**-06**	411.50	**2,411.30**
Champagne (22kt Gold)	**-47**	2,999.80	**-47**	617.30	**3,617.10**
Brushed Champagne (22kt Gold)	**-46**	2,999.80	**-46**	617.30	**3,617.10**
Brushed Durabrass (23kt Gold)	**-28**	2,999.80	**-28**	617.30	**3,617.10**
Brushed Dark Brass (PVD)	**-39**	1,999.80	**-39**	411.50	**2,411.30**
Brushed Bronze (PVD)	**-42**	1,999.80	**-42**	411.50	**2,411.30**
Brushed Dark Bronze (PVD)	**-43**	2,249.80	**-43**	463.00	**2,712.80**
Dark Chrome	**-19**	1,874.90	**-19**	385.80	**2,260.70**
Brushed Dark Platinum	**-99**	2,249.80	**-99**	463.00	**2,712.80**

Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

35 511 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 730

Concealed rough parts | FF **90** | Euro 743.70

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

For details and miscellaneous, see page 743

Concealed rough parts | FF **90** | Euro 117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

For details and miscellaneous, see page 743

Concealed rough parts | FF **90** | Euro 118.70

36 503 404 +
2x **36 607 404**

NEW **xTOOL Thermostat module with 2 valves**
- cover plate 123 x 123 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **36 503 404** FF		2x **36 607 404** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,249.90	**-00**	257.20	**1,764.30**
Brushed Platinum	**-06**	1,999.80	**-06**	411.50	**2,822.80**
Champagne (22kt Gold)	**-47**	2,999.80	**-47**	617.30	**4,234.40**
Brushed Champagne (22kt Gold)	**-46**	2,999.80	**-46**	617.30	**4,234.40**
Brushed Durabrass (23kt Gold)	**-28**	2,999.80	**-28**	617.30	**4,234.40**
Brushed Dark Brass (PVD)	**-39**	1,999.80	**-39**	411.50	**2,822.80**
Brushed Bronze (PVD)	**-42**	1,999.80	**-42**	411.50	**2,822.80**
Brushed Dark Bronze (PVD)	**-43**	2,249.80	**-43**	463.00	**3,175.80**
Dark Chrome	**-19**	1,874.90	**-19**	385.80	**2,646.50**
Brushed Dark Platinum	**-99**	2,249.80	**-99**	463.00	**3,175.80**

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF

		FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm For details and miscellaneous, see page 731	Concealed rough parts	**90**	1,239.70

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF

		FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm For details and miscellaneous, see page 731	Concealed rough parts	**90**	1,226.10

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

		FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

Required miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

		FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	118.70

36 503 404 +
2x **36 607 424**

NEW **xTOOL Thermostat module with 2 valves**
- cover plate 123 x 123 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 404** FF FF	Euro	2x **36 607 424** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,249.90	**-00**	257.20	**1,764.30**
Brushed Platinum	**-06**	1,999.80	**-06**	411.50	**2,822.80**
Champagne (22kt Gold)	**-47**	2,999.80	**-47**	617.30	**4,234.40**
Brushed Champagne (22kt Gold)	**-46**	2,999.80	**-46**	617.30	**4,234.40**
Brushed Durabrass (23kt Gold)	**-28**	2,999.80	**-28**	617.30	**4,234.40**
Brushed Dark Brass (PVD)	**-39**	1,999.80	**-39**	411.50	**2,822.80**
Brushed Dark Bronze (PVD)	**-43**	2,249.80	**-43**	463.00	**3,175.80**
Dark Chrome	**-19**	1,874.90	**-19**	385.80	**2,646.50**
Brushed Dark Platinum	**-99**	2,249.80	**-99**	463.00	**3,175.80**

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,239.70

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,226.10

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Required miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 404 +
2x **36 607 414**

NEW **xTOOL Thermostat module with 2 valves**
- cover plate 123 x 123 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 404** FF FF	Euro	2x **36 607 414** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,249.90	**-00**	257.20	**1,764.30**
Brushed Platinum	**-06**	1,999.80	**-06**	411.50	**2,822.80**
Champagne (22kt Gold)	**-47**	2,999.80	**-47**	617.30	**4,234.40**
Brushed Champagne (22kt Gold)	**-46**	2,999.80	**-46**	617.30	**4,234.40**
Brushed Durabrass (23kt Gold)	**-28**	2,999.80	**-28**	617.30	**4,234.40**
Brushed Dark Brass (PVD)	**-39**	1,999.80	**-39**	411.50	**2,822.80**
Brushed Bronze (PVD)	**-42**	1,999.80	**-42**	411.50	**2,822.80**
Brushed Dark Bronze (PVD)	**-43**	2,249.80	**-43**	463.00	**3,175.80**
Dark Chrome	**-19**	1,874.90	**-19**	385.80	**2,646.50**
Brushed Dark Platinum	**-99**	2,249.80	**-99**	463.00	**3,175.80**

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

For details and miscellaneous, see page 743

Concealed rough parts **90** 117.80

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF

- min. recess depth mm
- max. recess depth mm

For details and miscellaneous, see page 731

Concealed rough parts **90** 1,239.70

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF

For details and miscellaneous, see page 731

Concealed rough parts **90** 1,226.10

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

For details and miscellaneous, see page 743

Concealed rough parts **90** 118.70

36 503 404 +
3x **36 607 404**

NEW **xTOOL Thermostat module with 3 valves**
- cover plate 123 x 123 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **36 503 404** FF		3x **36 607 404** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,249.90	**-00**	257.20	**2,021.50**
Brushed Platinum	**-06**	1,999.80	**-06**	411.50	**3,234.30**
Champagne (22kt Gold)	**-47**	2,999.80	**-47**	617.30	**4,851.70**
Brushed Champagne (22kt Gold)	**-46**	2,999.80	**-46**	617.30	**4,851.70**
Brushed Durabrass (23kt Gold)	**-28**	2,999.80	**-28**	617.30	**4,851.70**
Brushed Dark Brass (PVD)	**-39**	1,999.80	**-39**	411.50	**3,234.30**
Brushed Bronze (PVD)	**-42**	1,999.80	**-42**	411.50	**3,234.30**
Brushed Dark Bronze (PVD)	**-43**	2,249.80	**-43**	463.00	**3,638.80**
Dark Chrome	**-19**	1,874.90	**-19**	385.80	**3,032.30**
Brushed Dark Platinum	**-99**	2,249.80	**-99**	463.00	**3,638.80**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,332.30

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,443.30

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 404 +
3x **36 607 414**

NEW **xTOOL Thermostat module with 3 valves**
- cover plate 123 x 123 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 404** FF FF	Euro	3x **36 607 414** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,249.90	**-00**	257.20	**2,021.50**
Brushed Platinum	**-06**	1,999.80	**-06**	411.50	**3,234.30**
Champagne (22kt Gold)	**-47**	2,999.80	**-47**	617.30	**4,851.70**
Brushed Champagne (22kt Gold)	**-46**	2,999.80	**-46**	617.30	**4,851.70**
Brushed Durabrass (23kt Gold)	**-28**	2,999.80	**-28**	617.30	**4,851.70**
Brushed Dark Brass (PVD)	**-39**	1,999.80	**-39**	411.50	**3,234.30**
Brushed Bronze (PVD)	**-42**	1,999.80	**-42**	411.50	**3,234.30**
Brushed Dark Bronze (PVD)	**-43**	2,249.80	**-43**	463.00	**3,638.80**
Dark Chrome	**-19**	1,874.90	**-19**	385.80	**3,032.30**
Brushed Dark Platinum	**-99**	2,249.80	**-99**	463.00	**3,638.80**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,332.30

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,443.30

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 404 +
3x **36 607 424**

NEW **xTOOL Thermostat module with 3 valves**
- cover plate 123 x 123 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 404** FF FF	Euro	3x **36 607 424** FF FF	Euro	Total price: Euro
Chrome	**-00**	1,249.90	**-00**	257.20	**2,021.50**
Brushed Platinum	**-06**	1,999.80	**-06**	411.50	**3,234.30**
Champagne (22kt Gold)	**-47**	2,999.80	**-47**	617.30	**4,851.70**
Brushed Champagne (22kt Gold)	**-46**	2,999.80	**-46**	617.30	**4,851.70**
Brushed Durabrass (23kt Gold)	**-28**	2,999.80	**-28**	617.30	**4,851.70**
Brushed Dark Brass (PVD)	**-39**	1,999.80	**-39**	411.50	**3,234.30**
Brushed Bronze (PVD)	**-42**	1,999.80	**-42**	411.50	**3,234.30**
Brushed Dark Bronze (PVD)	**-43**	2,249.80	**-43**	463.00	**3,638.80**
Dark Chrome	**-19**	1,874.90	**-19**	385.80	**3,032.30**
Brushed Dark Platinum	**-99**	2,249.80	**-99**	463.00	**3,638.80**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,332.30

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,443.30

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 404

NEW **xTOOL Concealed thermostat without volume control 3/4“**
- cover plate 123 x 123 mm
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **36 503 404** FF	FF	Euro
Chrome	**-00**	1,249.90
Brushed Platinum	**-06**	1,999.80
Champagne (22kt Gold)	**-47**	2,999.80
Brushed Champagne (22kt Gold)	**-46**	2,999.80
Brushed Durabrass (23kt Gold)	**-28**	2,999.80
Brushed Dark Brass (PVD)	**-39**	1,999.80
Brushed Bronze (PVD)	**-42**	1,999.80
Brushed Dark Bronze (PVD)	**-43**	2,249.80
Dark Chrome	**-19**	1,874.90
Brushed Dark Platinum	**-99**	2,249.80

Required miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

36 607 404 **NEW** **Wall valve clockwise closing 1/2“**

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Custom-made options

- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 404** FF	FF	Euro
Chrome		**-00**	257.20
Brushed Platinum		**-06**	411.50
Champagne (22kt Gold)		**-47**	617.30
Brushed Champagne (22kt Gold)		**-46**	617.30
Brushed Durabrass (23kt Gold)		**-28**	617.30
Brushed Dark Brass (PVD)		**-39**	411.50
Brushed Bronze (PVD)		**-42**	411.50
Brushed Dark Bronze (PVD)		**-43**	463.00
Dark Chrome		**-19**	385.80
Brushed Dark Platinum		**-99**	463.00

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• max. recess depth 145 mm • min. recess depth 75 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

36 607 414 **NEW** **Wall valve clockwise closing 1/2“**

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 414** FF	FF	Euro
Chrome		**-00**	257.20
Brushed Platinum		**-06**	411.50
Champagne (22kt Gold)		**-47**	617.30
Brushed Champagne (22kt Gold)		**-46**	617.30
Brushed Durabrass (23kt Gold)		**-28**	617.30
Brushed Dark Brass (PVD)		**-39**	411.50
Brushed Bronze (PVD)		**-42**	411.50
Brushed Dark Bronze (PVD)		**-43**	463.00
Dark Chrome		**-19**	385.80
Brushed Dark Platinum		**-99**	463.00

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• max. recess depth 145 mm • min. recess depth 75 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

36 607 424 **NEW** **Wall valve clockwise closing 1/2“**

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 424** FF	FF	Euro
Chrome		**-00**	257.20
Brushed Platinum		**-06**	411.50
Champagne (22kt Gold)		**-47**	617.30
Brushed Champagne (22kt Gold)		**-46**	617.30
Brushed Durabrass (23kt Gold)		**-28**	617.30
Brushed Dark Brass (PVD)		**-39**	411.50
Brushed Bronze (PVD)		**-42**	411.50
Brushed Dark Bronze (PVD)		**-43**	463.00
Dark Chrome		**-19**	385.80
Brushed Dark Platinum		**-99**	463.00

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• max. recess depth 145 mm • min. recess depth 75 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

36 608 404 **NEW** **Wall valve clockwise closing 3/4“**

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Custom-made options

- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 404** FF	FF	Euro
Chrome		**-00**	257.20
Brushed Platinum		**-06**	411.50
Champagne (22kt Gold)		**-47**	617.30
Brushed Champagne (22kt Gold)		**-46**	617.30
Brushed Durabrass (23kt Gold)		**-28**	617.30
Brushed Dark Brass (PVD)		**-39**	411.50
Brushed Bronze (PVD)		**-42**	411.50
Brushed Dark Bronze (PVD)		**-43**	463.00
Dark Chrome		**-19**	385.80
Brushed Dark Platinum		**-99**	463.00

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
Concealed rough parts		**90**	125.20

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 732

36 608 414 **NEW** **Wall valve clockwise closing 3/4“**

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 414** FF	FF	Euro
Chrome		**-00**	257.20
Brushed Platinum		**-06**	411.50
Champagne (22kt Gold)		**-47**	617.30
Brushed Champagne (22kt Gold)		**-46**	617.30
Brushed Durabrass (23kt Gold)		**-28**	617.30
Brushed Dark Brass (PVD)		**-39**	411.50
Brushed Bronze (PVD)		**-42**	411.50
Brushed Dark Bronze (PVD)		**-43**	463.00
Dark Chrome		**-19**	385.80
Brushed Dark Platinum		**-99**	463.00

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
Concealed rough parts		**90**	125.20

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 732

36 608 424 **NEW** **Wall valve clockwise closing 3/4“**

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 424** FF	FF	Euro
Chrome		**-00**	257.20
Brushed Platinum		**-06**	411.50
Champagne (22kt Gold)		**-47**	617.30
Brushed Champagne (22kt Gold)		**-46**	617.30
Brushed Durabrass (23kt Gold)		**-28**	617.30
Brushed Dark Brass (PVD)		**-39**	411.50
Brushed Bronze (PVD)		**-42**	411.50
Brushed Dark Bronze (PVD)		**-43**	463.00
Dark Chrome		**-19**	385.80
Brushed Dark Platinum		**-99**	463.00

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
Concealed rough parts		**90**	125.20

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 732

36 200 404 **NEW**

Concealed two-way diverter
- rotary diverter
- rosette 80 x 80 mm

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 200 404** FF	FF	Euro
Chrome		**-00**	546.20
Brushed Platinum		**-06**	873.90
Champagne (22kt Gold)		**-47**	1,310.90
Brushed Champagne (22kt Gold)		**-46**	1,310.90
Brushed Durabrass (23kt Gold)		**-28**	1,310.90
Brushed Dark Brass (PVD)		**-39**	873.90
Brushed Bronze (PVD)		**-42**	873.90
Brushed Dark Bronze (PVD)		**-43**	983.20
Dark Chrome		**-19**	819.30
Brushed Dark Platinum		**-99**	983.20

Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	310.70

For details and miscellaneous, see page 732

36 200 414 **NEW**

Concealed two-way diverter
- rotary diverter
- rosette 80 x 80 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 200 414** FF	FF	Euro
Chrome		**-00**	546.20
Brushed Platinum		**-06**	873.90
Champagne (22kt Gold)		**-47**	1,310.90
Brushed Champagne (22kt Gold)		**-46**	1,310.90
Brushed Durabrass (23kt Gold)		**-28**	1,310.90
Brushed Dark Brass (PVD)		**-39**	873.90
Brushed Bronze (PVD)		**-42**	873.90
Brushed Dark Bronze (PVD)		**-43**	983.20
Dark Chrome		**-19**	819.30
Brushed Dark Platinum		**-99**	983.20

Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	310.70

For details and miscellaneous, see page 732

36 200 424 **NEW**

Concealed two-way diverter
- rotary diverter
- rosette 80 x 80 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 200 424** FF	FF	Euro
Chrome		**-00**	546.20
Brushed Platinum		**-06**	873.90
Champagne (22kt Gold)		**-47**	1,310.90
Brushed Champagne (22kt Gold)		**-46**	1,310.90
Brushed Durabrass (23kt Gold)		**-28**	1,310.90
Brushed Dark Brass (PVD)		**-39**	873.90
Brushed Bronze (PVD)		**-42**	873.90
Brushed Dark Bronze (PVD)		**-43**	983.20
Dark Chrome		**-19**	819.30
Brushed Dark Platinum		**-99**	983.20

Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	310.70

For details and miscellaneous, see page 732

36 210 404 NEW

Concealed three-way diverter
- rotary diverter
- rosette 80 x 80 mm

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 210 404** FF	FF	Euro
Chrome		**-00**	546.20
Brushed Platinum		**-06**	873.90
Champagne (22kt Gold)		**-47**	1,310.90
Brushed Champagne (22kt Gold)		**-46**	1,310.90
Brushed Durabrass (23kt Gold)		**-28**	1,310.90
Brushed Dark Brass (PVD)		**-39**	873.90
Brushed Bronze (PVD)		**-42**	873.90
Brushed Dark Bronze (PVD)		**-43**	983.20
Dark Chrome		**-19**	819.30
Brushed Dark Platinum		**-99**	983.20

Required miscellaneous

Concealed three-way diverter

	35 203 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	378.40

For details and miscellaneous, see page 732

36 210 414 NEW

Concealed three-way diverter
- rotary diverter
- rosette 80 x 80 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 210 414** FF	FF	Euro
Chrome		**-00**	546.20
Brushed Platinum		**-06**	873.90
Champagne (22kt Gold)		**-47**	1,310.90
Brushed Champagne (22kt Gold)		**-46**	1,310.90
Brushed Durabrass (23kt Gold)		**-28**	1,310.90
Brushed Dark Brass (PVD)		**-39**	873.90
Brushed Bronze (PVD)		**-42**	873.90
Brushed Dark Bronze (PVD)		**-43**	983.20
Dark Chrome		**-19**	819.30
Brushed Dark Platinum		**-99**	983.20

Required miscellaneous

Concealed three-way diverter

	35 203 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	378.40

For details and miscellaneous, see page 732

36 210 424 NEW

Concealed three-way diverter
- rotary diverter
- rosette 80 x 80 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 210 424** FF	FF	Euro
Chrome		**-00**	546.20
Brushed Platinum		**-06**	873.90
Champagne (22kt Gold)		**-47**	1,310.90
Brushed Champagne (22kt Gold)		**-46**	1,310.90
Brushed Durabrass (23kt Gold)		**-28**	1,310.90
Brushed Dark Brass (PVD)		**-39**	873.90
Brushed Bronze (PVD)		**-42**	873.90
Brushed Dark Bronze (PVD)		**-43**	983.20
Dark Chrome		**-19**	819.30
Brushed Dark Platinum		**-99**	983.20

Required miscellaneous

Concealed three-way diverter

	35 203 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	378.40

For details and miscellaneous, see page 732

25 863 404 NEW

Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set
- spout: circular, air-enriched flow
- max. flow 24.6 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- **280mm projection**
- pivotable spout 360°
- automatic bath/shower diverter
- total height 1016 - 1086 mm
- wall bracket
- stand pipe height 565 - 635 mm
- height up to aerator 904 – 974 mm
- slide-on rosettes Ø 135 mm
- metal shower hose 1250mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 863 404** FF	FF	Euro
Chrome		**-00**	5,351.70
Brushed Platinum		**-06**	8,562.70
Champagne (22kt Gold)		**-47**	12,844.10
Brushed Champagne (22kt Gold)		**-46**	12,844.10
Brushed Durabrass (23kt Gold)		**-28**	12,844.10
Brushed Dark Brass (PVD)		**-39**	8,562.70
Brushed Bronze (PVD)		**-42**	8,562.70
Brushed Dark Bronze (PVD)		**-43**	9,633.10
Dark Chrome		**-19**	8,027.60
Brushed Dark Platinum		**-99**	9,633.10

Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 150 mm	Concealed rough parts	**90**	882.10

For details and miscellaneous, see page 732

25 943 404 NEW

Two-hole bath mixer for free-standing assembly with hand shower set
- spout: circular, air-enriched flow
- max. flow 24.6 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- hand shower with anti-scale system
- **280mm projection**
- pivotable spout 360°
- rotary diverter for bath/shower
- total height 946 mm
- stand pipes height 661 mm
- height up to aerator 834 mm
- slide-on rosettes Ø 100 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot

Intrinsic protection against back flow.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 943 404** FF	FF	Euro
Chrome		**-00**	4,666.00
Brushed Platinum		**-06**	7,465.60
Champagne (22kt Gold)		**-47**	11,198.40
Brushed Champagne (22kt Gold)		**-46**	11,198.40
Brushed Durabrass (23kt Gold)		**-28**	11,198.40
Brushed Dark Brass (PVD)		**-39**	7,465.60
Brushed Bronze (PVD)		**-42**	7,465.60
Brushed Dark Bronze (PVD)		**-43**	8,398.80
Dark Chrome		**-19**	6,999.00
Brushed Dark Platinum		**-99**	8,398.80

Required miscellaneous

Concealed floor mounting

	35 944 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 160 mm	Concealed rough parts	**90**	564.80

For details and miscellaneous, see page 732

25 943 414 NEW

Two-hole bath mixer for free-standing assembly with hand shower set
- spout: circular, air-enriched flow
- max. flow 24.6 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- hand shower with anti-scale system
- **280mm projection**
- pivotable spout 360°
- rotary diverter for bath/shower
- total height 946 mm
- stand pipes height 661 mm
- height up to aerator 834 mm
- slide-on rosettes Ø 100 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 943 414** FF	FF	Euro
Chrome		**-00**	4,666.00
Brushed Platinum		**-06**	7,465.60
Champagne (22kt Gold)		**-47**	11,198.40
Brushed Champagne (22kt Gold)		**-46**	11,198.40
Brushed Durabrass (23kt Gold)		**-28**	11,198.40
Brushed Dark Brass (PVD)		**-39**	7,465.60
Brushed Bronze (PVD)		**-42**	7,465.60
Brushed Dark Bronze (PVD)		**-43**	8,398.80
Dark Chrome		**-19**	6,999.00
Brushed Dark Platinum		**-99**	8,398.80

Required miscellaneous

Concealed floor mounting

	35 944 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 160 mm	Concealed rough parts	**90**	564.80

For details and miscellaneous, see page 732

25 943 424 **NEW**

Two-hole bath mixer for free-standing assembly with hand shower set

- spout: circular, air-enriched flow
- max. flow 24.6 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- hand shower with anti-scale system
- **280mm projection**
- pivotable spout 360°
- rotary diverter for bath/shower
- total height 946 mm
- stand pipes height 661 mm
- height up to aerator 834 mm
- slide-on rosettes Ø 100 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot

Intrinsic protection against back flow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 943 424** FF	FF	Euro
Chrome		**-00**	4,666.00
Brushed Platinum		**-06**	7,465.60
Champagne (22kt Gold)		**-47**	11,198.40
Brushed Champagne (22kt Gold)		**-46**	11,198.40
Brushed Durabrass (23kt Gold)		**-28**	11,198.40
Brushed Dark Brass (PVD)		**-39**	7,465.60
Brushed Bronze (PVD)		**-42**	7,465.60
Brushed Dark Bronze (PVD)		**-43**	8,398.80
Dark Chrome		**-19**	6,999.00
Brushed Dark Platinum		**-99**	8,398.80

Required miscellaneous

Concealed floor mounting

	35 944 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 160 mm	Concealed rough parts	**90**	564.80

For details and miscellaneous, see page 732

27 632 404 **NEW**

Bath shower set for bath rim or tile edge installation

- spout: circular, air-enriched flow
- max. flow 18.2 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- **220mm projection**
- height of mixer 312 mm
- height up to aerator 215 mm
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 60mm
- rosette for single-lever mixer Ø 55mm
- rosette for complete hand shower set Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 632 404** FF	FF	Euro
Chrome		**-00**	2,520.40
Brushed Platinum		**-06**	4,032.60
Champagne (22kt Gold)		**-47**	6,049.00
Brushed Champagne (22kt Gold)		**-46**	6,049.00
Brushed Durabrass (23kt Gold)		**-28**	6,049.00
Brushed Dark Brass (PVD)		**-39**	4,032.60
Brushed Bronze (PVD)		**-42**	4,032.60
Brushed Dark Bronze (PVD)		**-43**	4,536.70
Dark Chrome		**-19**	3,780.60
Brushed Dark Platinum		**-99**	4,536.70

Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
	Concealed rough parts	**90**	1,883.80

For details and miscellaneous, see page 734

Recommended miscellaneous

Decorative caps for Perfecto

	12 801 970 FF	FF	Euro
• 1 pair	Chrome	**-00**	58.30
	Brushed Platinum	**-06**	93.50
	Champagne (22kt Gold)	**-47**	139.90
	Brushed Champagne (22kt Gold)	**-46**	139.90
	Brushed Durabrass (23kt Gold)	**-28**	139.90
	Brushed Dark Brass (PVD)	**-39**	93.20
	Brushed Bronze (PVD)	**-42**	93.20
	Brushed Dark Bronze (PVD)	**-43**	104.90
	Dark Chrome	**-19**	87.60
	Brushed Dark Platinum	**-99**	104.80

27 522 404 **NEW**

Five-hole bath mixer for deck mounting with diverter
- spout: circular, air-enriched flow
- max. flow 20.4 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **220mm projection**
- automatic bath/shower diverter
- height of mixer 312 mm
- height up to aerator 215 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 60mm
- rosette for spout Ø 60mm
- rosette for deck valve Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 522 404** FF	FF	Euro
Chrome		**-00**	3,583.10
Brushed Platinum		**-06**	5,733.00
Champagne (22kt Gold)		**-47**	8,599.40
Brushed Champagne (22kt Gold)		**-46**	8,599.40
Brushed Durabrass (23kt Gold)		**-28**	8,599.40
Brushed Dark Brass (PVD)		**-39**	5,733.00
Brushed Bronze (PVD)		**-42**	5,733.00
Brushed Dark Bronze (PVD)		**-43**	6,449.60
Dark Chrome		**-19**	5,374.70
Brushed Dark Platinum		**-99**	6,449.60

27 522 414 **NEW**

Five-hole bath mixer for deck mounting with diverter
- spout: circular, air-enriched flow
- max. flow 20.4 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **220mm projection**
- automatic bath/shower diverter
- height of mixer 312 mm
- height up to aerator 215 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 60mm
- rosette for spout Ø 60mm
- rosette for deck valve Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 522 414** FF	FF	Euro
Chrome		**-00**	3,583.10
Brushed Platinum		**-06**	5,733.00
Champagne (22kt Gold)		**-47**	8,599.40
Brushed Champagne (22kt Gold)		**-46**	8,599.40
Brushed Durabrass (23kt Gold)		**-28**	8,599.40
Brushed Dark Brass (PVD)		**-39**	5,733.00
Brushed Bronze (PVD)		**-42**	5,733.00
Brushed Dark Bronze (PVD)		**-43**	6,449.60
Dark Chrome		**-19**	5,374.70
Brushed Dark Platinum		**-99**	6,449.60

27 522 424 **NEW**

Five-hole bath mixer for deck mounting with diverter
- spout: circular, air-enriched flow
- max. flow 20.4 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **220mm projection**
- automatic bath/shower diverter
- height of mixer 312 mm
- height up to aerator 215 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 60mm
- rosette for spout Ø 60mm
- rosette for deck valve Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 522 424** FF	FF	Euro
Chrome		**-00**	3,583.10
Brushed Platinum		**-06**	5,733.00
Champagne (22kt Gold)		**-47**	8,599.40
Brushed Champagne (22kt Gold)		**-46**	8,599.40
Brushed Durabrass (23kt Gold)		**-28**	8,599.40
Brushed Dark Brass (PVD)		**-39**	5,733.00
Brushed Bronze (PVD)		**-42**	5,733.00
Brushed Dark Bronze (PVD)		**-43**	6,449.60
Dark Chrome		**-19**	5,374.70
Brushed Dark Platinum		**-99**	6,449.60

13 801 404 NEW

Bath spout for wall mounting
- **200mm projection**
- circular normal flow
- hole diameter 37 mm
- rosette 60 x 60 mm
- 1/2“ connection
- max. flow 24.6 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 801 404** FF	FF	Euro
Chrome		**-00**	736.30
Brushed Platinum		**-06**	1,178.10
Champagne (22kt Gold)		**-47**	1,767.10
Brushed Champagne (22kt Gold)		**-46**	1,767.10
Brushed Durabrass (23kt Gold)		**-28**	1,767.10
Brushed Dark Brass (PVD)		**-39**	1,178.10
Brushed Bronze (PVD)		**-42**	1,178.10
Brushed Dark Bronze (PVD)		**-43**	1,325.30
Dark Chrome		**-19**	1,104.50
Brushed Dark Platinum		**-99**	1,325.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

---

27 702 404 NEW

Hand shower set for bath rim or tile edge installation
- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Standard article	**27 702 404** FF	FF	Euro
Chrome		**-00**	702.60
Brushed Platinum		**-06**	1,124.20
Champagne (22kt Gold)		**-47**	1,686.20
Brushed Champagne (22kt Gold)		**-46**	1,686.20
Brushed Durabrass (23kt Gold)		**-28**	1,686.20
Brushed Dark Brass (PVD)		**-39**	1,124.20
Brushed Bronze (PVD)		**-42**	1,124.20
Brushed Dark Bronze (PVD)		**-43**	1,264.70
Dark Chrome		**-19**	1,053.90
Brushed Dark Platinum		**-99**	1,264.70

---

29 140 404 NEW

Two-way diverter for bath rim or tile edge installation
- automatic bath/shower diverter
- hole diameter 30 mm
- rosette 60 x 60 mm
- 1/2“ connection
- max. flow 64.9 l/min at 3 bar flow pressure

Standard article	**29 140 404** FF	FF	Euro
Chrome		**-00**	971.50
Brushed Platinum		**-06**	1,554.40
Champagne (22kt Gold)		**-47**	2,331.60
Brushed Champagne (22kt Gold)		**-46**	2,331.60
Brushed Durabrass (23kt Gold)		**-28**	2,331.60
Brushed Dark Brass (PVD)		**-39**	1,554.40
Brushed Bronze (PVD)		**-42**	1,554.40
Brushed Dark Bronze (PVD)		**-43**	1,748.70
Dark Chrome		**-19**	1,457.30
Brushed Dark Platinum		**-99**	1,748.70

---

36 243 970

Pop-up waste and overflow
- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 243 970** FF	FF	Euro
Chrome		**-00**	232.10
Brushed Platinum		**-06**	371.60
Champagne (22kt Gold)		**-47**	557.00
Brushed Champagne (22kt Gold)		**-46**	557.00
Brushed Durabrass (23kt Gold)		**-28**	557.00
Brushed Dark Brass (PVD)		**-39**	371.40
Brushed Bronze (PVD)		**-42**	371.30
Brushed Dark Bronze (PVD)		**-43**	417.80
Dark Chrome		**-19**	348.30
Brushed Dark Platinum		**-99**	417.70

Required miscellaneous

Pop-up waste and overflow

	35 227 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	188.20

36 247 970

Bath spout with pop-up waste and overflow
- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 247 970** FF	FF	Euro
Chrome		**-00**	351.10
Brushed Platinum		**-06**	561.90
Champagne (22kt Gold)		**-47**	842.60
Brushed Champagne (22kt Gold)		**-46**	842.60
Brushed Durabrass (23kt Gold)		**-28**	842.60
Brushed Dark Brass (PVD)		**-39**	561.90
Brushed Bronze (PVD)		**-42**	561.90
Brushed Dark Bronze (PVD)		**-43**	632.00
Dark Chrome		**-19**	526.80
Brushed Dark Platinum		**-99**	631.90

Required miscellaneous

Vacuum breaker

	36 150 970 FF	FF	Euro
Chrome		**-00**	96.30
Brushed Platinum		**-06**	154.00
Champagne (22kt Gold)		**-47**	231.10
Brushed Champagne (22kt Gold)		**-46**	231.10
Brushed Durabrass (23kt Gold)		**-28**	231.10
Brushed Dark Brass (PVD)		**-39**	154.00
Brushed Bronze (PVD)		**-42**	154.10
Brushed Dark Bronze (PVD)		**-43**	173.10
Dark Chrome		**-19**	144.40
Brushed Dark Platinum		**-99**	173.10

Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	518.30

83 030 404 **NEW**

Bath grip
- gauge 300 mm
- width 360mm
- Height: 60 mm
- rosette 60 x 60 mm
- 98mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 030 404** FF	FF	Euro
Chrome		**-00**	410.10
Brushed Platinum		**-06**	656.20
Champagne (22kt Gold)		**-47**	984.20
Brushed Champagne (22kt Gold)		**-46**	984.20
Brushed Durabrass (23kt Gold)		**-28**	984.20
Brushed Dark Brass (PVD)		**-39**	656.20
Brushed Bronze (PVD)		**-42**	656.20
Brushed Dark Bronze (PVD)		**-43**	738.20
Dark Chrome		**-19**	615.20
Brushed Dark Platinum		**-99**	738.20

83 060 404 **NEW**

Towel bar
- gauge 600 mm
- width 660mm
- Height: 60 mm
- rosette 60 x 60 mm
- 98mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 060 404** FF	FF	Euro
Chrome		**-00**	442.10
Brushed Platinum		**-06**	707.40
Champagne (22kt Gold)		**-47**	1,061.00
Brushed Champagne (22kt Gold)		**-46**	1,061.00
Brushed Durabrass (23kt Gold)		**-28**	1,061.00
Brushed Dark Brass (PVD)		**-39**	707.40
Brushed Bronze (PVD)		**-42**	707.40
Brushed Dark Bronze (PVD)		**-43**	795.80
Dark Chrome		**-19**	663.20
Brushed Dark Platinum		**-99**	795.80

83 211 404 **NEW**

Towel bar
- rosette 60 x 60 mm
- 440mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 211 404** FF	FF	Euro
Chrome		**-00**	280.30
Brushed Platinum		**-06**	448.50
Champagne (22kt Gold)		**-47**	672.70
Brushed Champagne (22kt Gold)		**-46**	672.70
Brushed Durabrass (23kt Gold)		**-28**	672.70
Brushed Dark Brass (PVD)		**-39**	448.50
Brushed Bronze (PVD)		**-42**	448.50
Brushed Dark Bronze (PVD)		**-43**	504.50
Dark Chrome		**-19**	420.50
Brushed Dark Platinum		**-99**	504.50

83 200 404 **NEW**

Towel ring
- width 200mm
- 91mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 200 404** FF	FF	Euro
Chrome		**-00**	530.50
Brushed Platinum		**-06**	848.80
Champagne (22kt Gold)		**-47**	1,273.20
Brushed Champagne (22kt Gold)		**-46**	1,273.20
Brushed Durabrass (23kt Gold)		**-28**	1,273.20
Brushed Dark Brass (PVD)		**-39**	848.80
Brushed Bronze (PVD)		**-42**	848.80
Brushed Dark Bronze (PVD)		**-43**	954.90
Dark Chrome		**-19**	795.80
Brushed Dark Platinum		**-99**	954.90

83 251 404 **NEW**

Hooks
- rosette 60 x 60 mm
- 50mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 251 404** FF	FF	Euro
Chrome		**-00**	127.30
Brushed Platinum		**-06**	203.70
Champagne (22kt Gold)		**-47**	305.50
Brushed Champagne (22kt Gold)		**-46**	305.50
Brushed Durabrass (23kt Gold)		**-28**	305.50
Brushed Dark Brass (PVD)		**-39**	203.70
Brushed Bronze (PVD)		**-42**	203.70
Brushed Dark Bronze (PVD)		**-43**	229.10
Dark Chrome		**-19**	191.00
Brushed Dark Platinum		**-99**	229.10

83 401 979

Tumbler holder wall model
- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 401 979 FF	FF	Euro
Chrome		-00	292.80
Brushed Platinum		-06	468.60
Champagne (22kt Gold)		-47	702.70
Brushed Champagne (22kt Gold)		-46	702.70
Brushed Durabrass (23kt Gold)		-28	702.70
Brushed Dark Brass (PVD)		-39	468.60
Brushed Bronze (PVD)		-42	468.60
Brushed Dark Bronze (PVD)		-43	527.00
Dark Chrome		-19	439.40
Brushed Dark Platinum		-99	527.10

Recommended miscellaneous

Crystal tumbler

	08 90 00 008 FF	FF	Euro
Glass		82	109.00

83 410 979

Soap dish wall model
- width 120mm
- height 20 mm
- 145mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 410 979 FF	FF	Euro
Chrome		-00	303.80
Brushed Platinum		-06	486.00
Champagne (22kt Gold)		-47	729.10
Brushed Champagne (22kt Gold)		-46	729.10
Brushed Durabrass (23kt Gold)		-28	729.10
Brushed Dark Brass (PVD)		-39	486.00
Brushed Bronze (PVD)		-42	486.00
Brushed Dark Bronze (PVD)		-43	546.80
Dark Chrome		-19	455.80
Brushed Dark Platinum		-99	546.90

83 435 970

Dispenser wall model
- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 435 970 FF	FF	Euro
Chrome		-00	480.50
Brushed Platinum		-06	768.70
Champagne (22kt Gold)		-47	1,153.20
Brushed Champagne (22kt Gold)		-46	1,153.20
Brushed Durabrass (23kt Gold)		-28	1,153.20
Brushed Dark Brass (PVD)		-39	768.80
Brushed Bronze (PVD)		-42	768.80
Brushed Dark Bronze (PVD)		-43	864.90
Dark Chrome		-19	720.80
Brushed Dark Platinum		-99	865.00

83 290 970



Shower basket for wall mounting
- width 200mm
- height 70 mm
- 115mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 290 970 FF	FF	Euro
Chrome		-00	232.70
Brushed Platinum		-06	372.30
Champagne (22kt Gold)		-47	558.50
Brushed Champagne (22kt Gold)		-46	558.50
Brushed Durabrass (23kt Gold)		-28	558.50
Brushed Dark Brass (PVD)		-39	372.20
Brushed Bronze (PVD)		-42	372.10
Brushed Dark Bronze (PVD)		-43	418.90
Dark Chrome		-19	349.00
Brushed Dark Platinum		-99	418.80

83 500 404 **NEW**

Tissue holder
- width 90mm
- height 60 mm
- rosette 60 x 60 mm
- 90mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 500 404 FF	FF	Euro
Chrome		-00	338.50
Brushed Platinum		-06	541.60
Champagne (22kt Gold)		-47	812.40
Brushed Champagne (22kt Gold)		-46	812.40
Brushed Durabrass (23kt Gold)		-28	812.40
Brushed Dark Brass (PVD)		-39	541.60
Brushed Bronze (PVD)		-42	541.60
Brushed Dark Bronze (PVD)		-43	609.30
Dark Chrome		-19	507.80
Brushed Dark Platinum		-99	609.30

83 590 404 NEW

Reserve tissue holder
- width 60mm
- height 60 mm
- rosette 60 x 60 mm
- 150mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 590 404** FF	FF	Euro
Chrome		**-00**	259.20
Brushed Platinum		**-06**	414.70
Champagne (22kt Gold)		**-47**	622.10
Brushed Champagne (22kt Gold)		**-46**	622.10
Brushed Durabrass (23kt Gold)		**-28**	622.10
Brushed Dark Brass (PVD)		**-39**	414.70
Brushed Bronze (PVD)		**-42**	414.70
Brushed Dark Bronze (PVD)		**-43**	466.60
Dark Chrome		**-19**	388.80
Brushed Dark Platinum		**-99**	466.60

83 900 404 NEW

Toilet brush set wall model
- crystal glass brush holder, matte
- brush, matte black
- width 110mm
- height 448 mm
- 158mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 900 404** FF	FF	Euro
Chrome		**-00**	571.30
Brushed Platinum		**-06**	914.10
Champagne (22kt Gold)		**-47**	1,371.10
Brushed Champagne (22kt Gold)		**-46**	1,371.10
Brushed Durabrass (23kt Gold)		**-28**	1,371.10
Brushed Dark Brass (PVD)		**-39**	914.10
Brushed Bronze (PVD)		**-42**	914.10
Brushed Dark Bronze (PVD)		**-43**	1,028.30
Dark Chrome		**-19**	857.00
Brushed Dark Platinum		**-99**	1,028.30

83 910 979

Toilet brush set wall model
- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 910 979** FF	FF	Euro
Chrome		**-00**	545.20
Brushed Platinum		**-06**	872.40
Champagne (22kt Gold)		**-47**	1,308.50
Brushed Champagne (22kt Gold)		**-46**	1,308.50
Brushed Durabrass (23kt Gold)		**-28**	1,308.50
Brushed Dark Brass (PVD)		**-39**	872.30
Brushed Bronze (PVD)		**-42**	872.20
Brushed Dark Bronze (PVD)		**-43**	981.40
Dark Chrome		**-19**	817.80
Brushed Dark Platinum		**-99**	981.30

12 660 979

Cover plate for the concealed WC cistern made by TeCe
- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:
- TECEprofil dry wall construction, article numbers:
- 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers:
- 9370300, 9375300, 9371300

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 660 979** FF	FF	Euro
Chrome		**-00**	894.90
Brushed Platinum		**-06**	1,432.20
Champagne (22kt Gold)		**-47**	2,147.80
Brushed Champagne (22kt Gold)		**-46**	2,147.80
Brushed Durabrass (23kt Gold)		**-28**	2,147.80
Brushed Dark Brass (PVD)		**-39**	1,431.90
Brushed Bronze (PVD)		**-42**	1,432.00
Brushed Dark Bronze (PVD)		**-43**	1,610.80
Dark Chrome		**-19**	1,342.30
Brushed Dark Platinum		**-99**	1,611.00

12 665 979

Flush plate for concealed WC cisterns made by Geberit round
- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Not compatible with GEBERIT Duo Fresh module

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 665 979** FF	FF	Euro
Chrome		**-00**	509.60
Brushed Platinum		**-06**	815.30
Champagne (22kt Gold)		**-47**	1,223.00
Brushed Champagne (22kt Gold)		**-46**	1,223.00
Brushed Durabrass (23kt Gold)		**-28**	1,223.00
Brushed Dark Brass (PVD)		**-39**	815.30
Brushed Bronze (PVD)		**-42**	815.30
Brushed Dark Bronze (PVD)		**-43**	917.30
Dark Chrome		**-19**	764.40
Brushed Dark Platinum		**-99**	917.30

83 150 979

Lighted mirror round
- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 979** FF	FF	Euro
Matte White		**-10**	1,855.40
Matte Black		**-33**	1,855.40

83 151 979

Lighted mirror round
- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 979** FF	FF	Euro
Matte White		**-10**	2,168.30
Matte Black		**-33**	2,168.30

83 150 980

Lighted mirror angular
- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 980** FF	FF	Euro
Matte White		**-10**	1,734.60
Matte Black		**-33**	1,734.60

83 151 980

Lighted mirror angular
- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 980** FF	FF	Euro
Matte White		**-10**	2,048.60
Matte Black		**-33**	2,048.60

36 390 979

Electronic control elements for towel warmer
- rosette Ø 80 mm
- Control element for towel warmer: 833XX979-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	**36 390 979** FF	FF	Euro
Chrome		**-00**	525.00
Brushed Champagne (22kt Gold)		**-46**	1,260.00
Dark Chrome		**-19**	787.50
Brushed Dark Platinum		**-99**	945.00

83 304 979

Towel warmer, 4-fold, projection left, without control element
- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 304 979** FF	FF	Euro
Chrome		**-00**	1,848.00
Brushed Champagne (22kt Gold)		**-46**	4,435.20
Dark Chrome		**-19**	2,772.00
Brushed Dark Platinum		**-99**	3,326.40

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	772.50

For details and miscellaneous, see page 739

83 306 979

Towel warmer, 6-fold, projection left, without control element
- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

This appliance is a stationary electric space heater and, in order to comply with the mandatory ecodesign requirements of Commission Regulation (EU) 2024/1103, must be equipped with at least one control with control function TW(f2).

Standard article	**83 306 979** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Champagne (22kt Gold)		**-46**	6,652.80
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,030.00

For details and miscellaneous, see page 739

83 314 979

Towel warmer, 4-fold, projection right, without control element
- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 314 979** FF	FF	Euro
Chrome		**-00**	1,848.00
Brushed Champagne (22kt Gold)		**-46**	4,435.20
Dark Chrome		**-19**	2,772.00
Brushed Dark Platinum		**-99**	3,326.40

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	772.50

For details and miscellaneous, see page 739

83 316 979

Towel warmer, 6-fold, projection right, without control element
- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 316 979** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Champagne (22kt Gold)		**-46**	6,652.80
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,030.00

For details and miscellaneous, see page 739

CL.1

Sieger Design

Basin
from page 52

Bidet
from page 99

Shower
from page 58

Thermostats, mixers, diverters and valves
from page 115

Bath
from page 123

Accessories
from page 84

Basin fittings

Single-lever basin mixers

173mm projection

33 521 705

Three-hole basin mixers

160mm projection

13 714 705 +
20 004 705 +
20 004 706

160mm projection

13 715 705 +
20 004 705 +
20 004 706

200mm projection

13 717 705 +
20 004 705 +
20 004 706

Deck-mounted basin spouts

160mm projection

13 714 705

160mm projection

13 715 705

Deck-mounted basin spouts

200mm projection

13 717 705

Wall-mounted single-lever basin mixers

198mm projection

36 860 705

Wall-mounted basin mixers

200mm projection

13 800 705 +
36 607 706 +
36 607 707

Wall-mounted basin spouts

200mm projection

13 800 705

Touchfree

160mm projection

13 715 705 +
42 765 970

200mm projection

13 800 705 +
42 765 970

Showers

Shower sets

26 412 980 +
28 012 979

26 412 979 +
28 018 979

Shower pipes with shower thermostat

34 463 980 +
28 018 979
34 468 980*

34 464 980 +
28 018 979
34 469 980*

Head showers with one spray type

28 504 670

Head showers with multiple jet types

28 508 980

Rain showers with wall connection

28 762 980
28 760 980*

28 763 980
28 761 980*

Rain showers with ceiling connection

28 772 980
28 770 980*

28 773 980
28 771 980*

Rain showers for ceiling connection

28 041 980

28 042 980

Rain showers for ceiling installation

28 043 980

28 044 980

Hand shower sets with integrated shower holder

27 812 970

Hand shower sets

27 809 985

27 811 980

Hand shower sets with cover plate

27 818 980

Side showers

28 518 782

Massage modules

WATER POINTS

36 515 979

WATER BAR

36 517 979

WATER CURVE

36 514 979

WATER FAN

36 513 979
36 512 979*

Waterfalls

WATER SHEET

13 415 979

Waterfalls

WATER FALL

13 420 979

WATER FALL

13 425 979

Kneipp modules

27 838 979

WATER TUBE

27 821 979 +
28 285 979

Bath fittings

Single-lever mixers

36 120 670

29 300 670

Free-standing bath fittings

238mm projection

25 863 705

Five-hole bath mixers

200mm projection

13 612 705 +
27 702 980 +
20 000 705 +
20 000 706 +
29 140 670

Bath spouts

200mm projection

13 612 705

205mm projection

13 801 705

Hand shower sets

230mm projection

27 702 980

Miscellaneous

26mm projection

36 243 970

integrated bath filling

26mm projection

36 247 970

33 521 705

Single-lever basin mixer without pop-up waste
- **173mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 226 mm
- base 56 x 52mm
- height up to aerator 212 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2x European pressure hose
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 521 705** FF	FF	Euro
Chrome		**-00**	1,247.00
Brushed Platinum		**-06**	1,995.40
Champagne (22kt Gold)		**-47**	2,992.80
Brushed Champagne (22kt Gold)		**-46**	2,992.80
Dark Chrome		**-19**	1,870.50
Brushed Dark Platinum		**-99**	2,244.70

13 714 705 +
20 004 705 +
20 004 706

Three-hole basin mixer without pop-up waste
- **160mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 108 mm
- height up to aerator 94 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 47 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 714 705** FF FF	Euro	1x **20 004 705** FF 1x **20 004 706** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	878.90	**-00** **-00**	345.70 345.70	**1,570.30**
Brushed Platinum	**-06**	1,406.30	**-06** **-06**	552.80 552.80	**2,511.90**
Champagne (22kt Gold)	**-47**	2,109.40	**-47** **-47**	829.70 829.70	**3,768.80**
Brushed Champagne (22kt Gold)	**-46**	2,109.40	**-46** **-46**	829.70 829.70	**3,768.80**
Dark Chrome	**-19**	1,318.40	**-19** **-19**	518.50 518.50	**2,355.40**
Brushed Dark Platinum	**-99**	1,582.10	**-99** **-99**	622.10 622.10	**2,826.30**

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

13 715 705 +
20 004 705 +
20 004 706

Three-hole basin mixer without pop-up waste
- **160mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 47 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 715 705** FF FF	Euro	1x **20 004 705** FF 1x **20 004 706** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	952.70	**-00** **-00**	345.70 345.70	**1,644.10**
Brushed Platinum	**-06**	1,523.90	**-06** **-06**	552.80 552.80	**2,629.50**
Champagne (22kt Gold)	**-47**	2,286.50	**-47** **-47**	829.70 829.70	**3,945.90**
Brushed Champagne (22kt Gold)	**-46**	2,286.50	**-46** **-46**	829.70 829.70	**3,945.90**
Dark Chrome	**-19**	1,428.90	**-19** **-19**	518.50 518.50	**2,465.90**
Brushed Dark Platinum	**-99**	1,714.70	**-99** **-99**	622.10 622.10	**2,958.90**

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

13 717 705 +
20 004 705 +
20 004 706

Three-hole basin mixer without pop-up waste
- **200mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 343 mm
- height up to aerator 329 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 47 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 717 705** FF FF	Euro	1x **20 004 705** FF 1x **20 004 706** FF FF	Euro	Total price: Euro
Chrome	**-00**	1,197.10	**-00** **-00**	345.70 345.70	**1,888.50**
Brushed Platinum	**-06**	1,915.20	**-06** **-06**	552.80 552.80	**3,020.80**
Champagne (22kt Gold)	**-47**	2,873.00	**-47** **-47**	829.70 829.70	**4,532.40**
Brushed Champagne (22kt Gold)	**-46**	2,873.00	**-46** **-46**	829.70 829.70	**4,532.40**
Dark Chrome	**-19**	1,795.70	**-19** **-19**	518.50 518.50	**2,832.70**
Brushed Dark Platinum	**-99**	2,154.80	**-99** **-99**	622.10 622.10	**3,399.00**

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

---

13 714 705

Deck-mounted basin spout without pop-up waste
- **160mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 108 mm
- height up to aerator 94 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2“ connection
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 714 705** FF	FF	Euro
Chrome		**-00**	878.90
Brushed Platinum		**-06**	1,406.30
Champagne (22kt Gold)		**-47**	2,109.40
Brushed Champagne (22kt Gold)		**-46**	2,109.40
Dark Chrome		**-19**	1,318.40
Brushed Dark Platinum		**-99**	1,582.10

---

13 715 705

Deck-mounted basin spout without pop-up waste
- **160mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2“ connection
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 715 705** FF	FF	Euro
Chrome		**-00**	952.70
Brushed Platinum		**-06**	1,523.90
Champagne (22kt Gold)		**-47**	2,286.50
Brushed Champagne (22kt Gold)		**-46**	2,286.50
Dark Chrome		**-19**	1,428.90
Brushed Dark Platinum		**-99**	1,714.70

---

13 717 705

Deck-mounted basin spout without pop-up waste
- **200mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 343 mm
- height up to aerator 329 mm
- hole diameter 35 mm
- max. flow 4 l/min
- 1/2“ connection
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 717 705** FF	FF	Euro
Chrome		**-00**	1,197.10
Brushed Platinum		**-06**	1,915.20
Champagne (22kt Gold)		**-47**	2,873.00
Brushed Champagne (22kt Gold)		**-46**	2,873.00
Dark Chrome		**-19**	1,795.70
Brushed Dark Platinum		**-99**	2,154.80

36 860 705

Wall-mounted single-lever basin mixer without pop-up waste
- **198mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette 80 x 80 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 860 705** FF	FF	Euro
Chrome		**-00**	1,154.90
Brushed Platinum		**-06**	1,847.70
Champagne (22kt Gold)		**-47**	2,771.80
Brushed Champagne (22kt Gold)		**-46**	2,771.80
Dark Chrome		**-19**	1,732.50
Brushed Dark Platinum		**-99**	2,078.90

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

13 800 705 +
36 607 706 +
36 607 707

Wall-mounted basin mixer without pop-up waste
- **200mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter valve 35 mm
- hole diameter spout 40 mm
- rosette 60 x 60 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 800 705** FF FF	Euro	1x **36 607 706** FF 1x **36 607 707** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	822.50	**-00** **-00**	292.80 292.80	**1,408.10**
Brushed Platinum	**-06**	1,316.20	**-06** **-06**	468.80 468.80	**2,253.80**
Champagne (22kt Gold)	**-47**	1,974.00	**-47** **-47**	702.70 702.70	**3,379.40**
Brushed Champagne (22kt Gold)	**-46**	1,974.00	**-46** **-46**	702.70 702.70	**3,379.40**
Dark Chrome	**-19**	1,233.80	**-19** **-19**	439.40 439.40	**2,112.60**
Brushed Dark Platinum	**-99**	1,480.50	**-99** **-99**	527.20 527.20	**2,534.90**

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 110 mm • max. recess depth 150 mm	Concealed rough parts	**90**	203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 110 mm • max. recess depth 150 mm	Concealed rough parts	**90**	161.90

For details and miscellaneous, see page 728

13 800 705

Wall-mounted basin spout without pop-up waste
- **200mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter 37 mm
- lead-free
- 1/2“ connection
- plug-link mounting
- max. flow 4.5 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 800 705** FF	FF	Euro
Chrome		**-00**	822.50
Brushed Platinum		**-06**	1,316.20
Champagne (22kt Gold)		**-47**	1,974.00
Brushed Champagne (22kt Gold)		**-46**	1,974.00
Dark Chrome		**-19**	1,233.80
Brushed Dark Platinum		**-99**	1,480.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 715 705 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **160mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2“ connection
- max. flow 4 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **13 715 705** FF max. flow 4 l/min		1x **42 765 970 90** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	952.70	**90**	721.90	**1,674.60**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	329.40

13 800 705 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **200mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter 37 mm
- 1/2“ connection
- plug-link mounting
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **13 800 705** FF max. flow 4.5 l/min		1x **42 765 970 90** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	822.50	**90**	721.90	**1,544.40**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

	35 741 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 125 mm For details and miscellaneous, see page 733	Concealed rough parts	**90**	329.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm For details and miscellaneous, see page 732	Concealed rough parts	**90**	128.90

Miscellaneous

22 901 782

Angle valve
- rosette 60 x 60 mm
- hose covering 200mm, for shortening
- 1/2“ connection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 901 782** FF	FF	Euro
Chrome		**-00**	225.90
Brushed Platinum		**-06**	361.40
Champagne (22kt Gold)		**-47**	542.20
Brushed Champagne (22kt Gold)		**-46**	542.20
Dark Chrome		**-19**	338.80
Brushed Dark Platinum		**-99**	406.70

10 060 780

Siphon for basin 1 1/4“
- rosette 78 x 78 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 060 780** FF	FF	Euro
Chrome		**-00**	406.80
Brushed Platinum		**-06**	650.90
Champagne (22kt Gold)		**-47**	976.30
Brushed Champagne (22kt Gold)		**-46**	976.30
Dark Chrome		**-19**	610.20
Brushed Dark Platinum		**-99**	732.20

27 701 970

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 970** FF	FF	Euro
Chrome		**-00**	339.30
Brushed Platinum		**-06**	542.60
Champagne (22kt Gold)		**-47**	814.30
Brushed Champagne (22kt Gold)		**-46**	814.30
Dark Chrome		**-19**	508.80
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 701 670

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 670** FF	FF	Euro
Chrome		**-00**	339.30
Brushed Platinum		**-06**	542.60
Champagne (22kt Gold)		**-47**	814.30
Brushed Champagne (22kt Gold)		**-46**	814.30
Dark Chrome		**-19**	508.80
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

26 412 980 + 28 012 979

NEW

Shower set
- spray head Ø 120mm
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 800 mm
- rosette 60 x 60 mm
- Pipe diameter 18 mm

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 980** FF FF	Euro	1x **28 012 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	737.00	**-00**	247.90	**984.90**
Brushed Platinum	**-06**	1,179.20	**-06**	396.60	**1,575.80**
Champagne (22kt Gold)	**-47**	1,768.80	**-47**	595.00	**2,363.80**
Brushed Champagne (22kt Gold)	**-46**	1,768.80	**-46**	595.00	**2,363.80**
Dark Chrome	**-19**	1,105.50	**-19**	371.80	**1,477.30**
Brushed Dark Platinum	**-99**	1,326.60	**-99**	446.30	**1,772.90**

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

	35 085 970 FF	FF	Euro
Concealed rough parts		**90**	128.90

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

	28 450 980 FF	FF	Euro
Chrome		**-00**	173.40
Brushed Platinum		**-06**	277.60
Champagne (22kt Gold)		**-47**	416.20
Brushed Champagne (22kt Gold)		**-46**	416.20
Dark Chrome		**-19**	260.30
Brushed Dark Platinum		**-99**	312.30

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	342.20	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	342.20	**-46**	493.40	**-46**	598.30
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	213.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	256.50	**-99**	370.20	**-99**	448.70

26 412 979 + 28 018 979

NEW

Shower set
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow.
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 853 mm
- Pipe diameter 18 mm

Notes:
- Fits CL.1, IMO, MEM, SERIES-VARIOUS, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 979** FF FF	1x **26 412 979** FF Euro	1x **28 018 979** FF max. flow 15 l/min FF	1x **28 018 979** FF max. flow 15 l/min Euro	**Total price:** Euro
Chrome	**-00**	441.30	**-00**	142.60	**583.90**
Brushed Platinum	**-06**	706.10	**-06**	228.00	**934.10**
Champagne (22kt Gold)	**-47**	1,059.10	**-47**	342.20	**1,401.30**
Brushed Champagne (22kt Gold)	**-46**	1,059.10	**-46**	342.20	**1,401.30**
Dark Chrome	**-19**	662.00	**-19**	213.80	**875.80**
Brushed Dark Platinum	**-99**	794.30	**-99**	256.50	**1,050.80**

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

	FF	Euro
Concealed rough parts	**90**	128.90

Recommended miscellaneous

Wall elbow

28 450 980 FF

For details and miscellaneous, see main items

	FF	Euro
Chrome	**-00**	173.40
Brushed Platinum	**-06**	277.60
Champagne (22kt Gold)	**-47**	416.20
Brushed Champagne (22kt Gold)	**-46**	416.20
Dark Chrome	**-19**	260.30
Brushed Dark Platinum	**-99**	312.30

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

28 015 979 FF
max. flow 15 l/min

1 jet
Ø 130 mm

28 017 979 FF
max. flow 15 l/min

4 jets
Ø 120 mm

28 012 979 FF
max. flow 15 l/min

5 jets
Ø 130 mm

28 016 979 FF
max. flow 15 l/min

1 jet

28 029 979 FF
max. flow 15 l/min

Alternative hand shower	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70

34 463 980 + 28 018 979

NEW

Shower pipe with shower thermostat with hand shower set FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6.8 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow.
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 453mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1170mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, MEM, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 463 980** FF max. flow 6.8 l/min FF	Euro	1x **28 018 979** FF max. flow 6.8 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,233.20	**-000010**	142.60	**3,375.80**
Brushed Platinum	**-06**	5,173.00	**-060010**	228.00	**5,401.00**
Champagne (22kt Gold)	**-47**	7,759.70	**-470010**	342.20	**8,101.90**
Brushed Champagne (22kt Gold)	**-46**	7,759.70	**-460010**	342.20	**8,101.90**
Dark Chrome	**-19**	4,849.70	**-190010**	213.80	**5,063.50**
Brushed Dark Platinum	**-99**	5,819.70	**-990010**	256.60	**6,076.30**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 468 980** FF	FF	Euro
Chrome	**-00**	2,688.60
Dark Chrome	**-19**	4,032.90
Brushed Dark Platinum	**-99**	4,839.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70

34 464 980 + 28 018 979 **NEW**

Shower pipe with shower thermostat with hand shower set 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1146mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 464 980** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,233.20	**-00**	142.60	**3,375.80**
Brushed Platinum	**-06**	5,173.00	**-06**	228.00	**5,401.00**
Champagne (22kt Gold)	**-47**	7,759.70	**-47**	342.20	**8,101.90**
Brushed Champagne (22kt Gold)	**-46**	7,759.70	**-46**	342.20	**8,101.90**
Dark Chrome	**-19**	4,849.70	**-19**	213.80	**5,063.50**
Brushed Dark Platinum	**-99**	5,819.70	**-99**	256.50	**6,076.20**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 469 980** FF	FF	Euro
Chrome	**-00**	2,688.60
Dark Chrome	**-19**	4,032.90
Brushed Dark Platinum	**-99**	4,839.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70

28 504 670

Shower head
- spray head Ø 100mm
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system

Technical data:
- 180-210mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **28 504 670** FF	FF	Euro
Chrome	**-00**	643.80
Brushed Platinum	**-06**	1,021.40
Champagne (22kt Gold)	**-47**	1,545.10
Brushed Champagne (22kt Gold)	**-46**	1,545.10
Dark Chrome	**-19**	965.50
Brushed Dark Platinum	**-99**	1,158.60

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

28 508 980

Shower head
- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:
- 200-mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 508 980** FF	FF	Euro
Chrome		**-00**	714.40
Brushed Platinum		**-06**	1,142.70
Champagne (22kt Gold)		**-47**	1,714.60
Brushed Champagne (22kt Gold)		**-46**	1,714.60
Dark Chrome		**-19**	1,071.50
Brushed Dark Platinum		**-99**	1,286.10

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 508 980** FF	FF	Euro
Chrome		**-000010**	714.40
Brushed Platinum		**-060010**	1,142.70
Champagne (22kt Gold)		**-470010**	1,714.60
Brushed Champagne (22kt Gold)		**-460010**	1,714.60
Dark Chrome		**-190010**	1,071.50
Brushed Dark Platinum		**-990010**	1,286.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 762 980 NEW

Rain shower with wall fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 762 980** FF	FF	Euro
Chrome		**-00**	1,605.00
Brushed Platinum		**-06**	2,568.10
Champagne (22kt Gold)		**-47**	3,852.00
Brushed Champagne (22kt Gold)		**-46**	3,852.00
Dark Chrome		**-19**	2,407.50
Brushed Dark Platinum		**-99**	2,889.10

Product alternative
- Material rain shower: plastic

Standard article	**28 760 980** FF	FF	Euro
Chrome		**-00**	946.90
Dark Chrome		**-19**	1,420.30
Brushed Dark Platinum		**-99**	1,704.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 763 980 NEW

Rain shower with wall fixing 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 12 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 763 980 FF	FF	Euro
Chrome		-00	1,605.00
Brushed Platinum		-06	2,568.10
Champagne (22kt Gold)		-47	3,852.00
Brushed Champagne (22kt Gold)		-46	3,852.00
Dark Chrome		-19	2,407.50
Brushed Dark Platinum		-99	2,889.10

Product alternative
- Material rain shower: plastic

Standard article	28 761 980 FF	FF	Euro
Chrome		-00	946.90
Dark Chrome		-19	1,420.30
Brushed Dark Platinum		-99	1,704.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

---

28 772 980 NEW

Rain shower with ceiling fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 772 980 FF	FF	Euro
Chrome		-00	1,364.30
Brushed Platinum		-06	2,182.80
Champagne (22kt Gold)		-47	3,274.30
Brushed Champagne (22kt Gold)		-46	3,274.30
Dark Chrome		-19	2,046.50
Brushed Dark Platinum		-99	2,455.60

Product alternative
- Material rain shower: plastic

Standard article	28 770 980 FF	FF	Euro
Chrome		-00	836.00
Brushed Platinum		-06	1,337.60
Dark Chrome		-19	1,254.00
Brushed Dark Platinum		-99	1,504.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

---

28 773 980 NEW

Rain shower with ceiling fixing 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 12 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 773 980 FF	FF	Euro
Chrome		-00	1,364.30
Brushed Platinum		-06	2,182.80
Champagne (22kt Gold)		-47	3,274.30
Brushed Champagne (22kt Gold)		-46	3,274.30
Dark Chrome		-19	2,046.50
Brushed Dark Platinum		-99	2,455.60

Product alternative
- Material rain shower: plastic

Standard article	28 771 980 FF	FF	Euro
Chrome		-00	836.00
Dark Chrome		-19	1,254.00
Brushed Dark Platinum		-99	1,504.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 041 980

Rain shower for surface-mounted ceiling installation 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 041 980** FF	FF	Euro
Chrome		**-00**	858.90
Brushed Platinum		**-06**	1,374.20
Champagne (22kt Gold)		**-47**	2,061.40
Brushed Champagne (22kt Gold)		**-46**	2,061.40
Dark Chrome		**-19**	1,288.40
Brushed Dark Platinum		**-99**	1,546.00

Required miscellaneous

Concealed ceiling installation box with ceiling fixing

	35 041 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2“ outlet	Concealed rough parts	**90**	572.60

For details and miscellaneous, see page 735

28 042 980

Rain shower for surface-mounted ceiling installation with light 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Electric:
- Ceiling module power supply
- 350mA (CC)
- Spot lighting
- LED colour temperature approx. 3000 K
- Technology: LED, not dimmable
- Contains energy efficiency class bulbs
- Bulbs protected against splashing water
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Provided by customer: Light switch
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 042 980** FF	FF	Euro
Chrome		**-00**	1,290.50
Brushed Platinum		**-06**	2,064.80
Champagne (22kt Gold)		**-47**	3,097.20
Brushed Champagne (22kt Gold)		**-46**	3,097.20
Dark Chrome		**-19**	1,935.80
Brushed Dark Platinum		**-99**	2,322.90

Required miscellaneous

Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2“ connections • Input 100-240V AC 50-60Hz • Output 350 mA SELV / Class 2 • Provided by customer: Light switch	Concealed rough parts	**90**	860.20

For details and miscellaneous, see page 736

28 043 980

Rain shower for recessed ceiling installation 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 043 980 FF	FF	Euro
Chrome		-00	1,647.10
Brushed Platinum		-06	2,635.40
Champagne (22kt Gold)		-47	3,953.00
Brushed Champagne (22kt Gold)		-46	3,953.00
Dark Chrome		-19	2,470.70
Brushed Dark Platinum		-99	2,964.80

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation

	35 043 970 FF	FF	Euro
• concealed rough parts • recess depth 137mm • 2x female thread 1/2" outlet • flush-mounted RAL 9003 signal white light reflection box 310 x 250 mm	Concealed rough parts	90	1,098.10

For details and miscellaneous, see page 734

28 044 980

Rain shower for recessed ceiling installation with light 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Electric:
- Ceiling module power supply
- 12V DC (CV)
- Spot lighting
- Ambient lighting
- LED coloured light RGBW
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Activation:
- Provided by customer: Zigbee gateway
- ZigBee Light Link RGBW controller

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Dornbracht recommends consulting a systems integrator.

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 044 980 FF	FF	Euro
Chrome		-00	2,472.80
Brushed Platinum		-06	3,956.50
Champagne (22kt Gold)		-47	5,934.70
Brushed Champagne (22kt Gold)		-46	5,934.70
Dark Chrome		-19	3,709.20
Brushed Dark Platinum		-99	4,451.00

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation with light

	35 044 970 FF	FF	Euro
• concealed rough parts • flush-mounted installation box 360x 300 mm RAL 9003 signal white • recess depth 137mm • Input 100-240V AC 50-60Hz • Output 12V DC SELV / Class 2 • ZigBee Light Link RGBW controller	Concealed rough parts	90	1,648.60

For details and miscellaneous, see page 735

27 812 970 NEW

Hand shower set with integrated shower holder
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- 1/2“ connection
- rosette 60 x 60 mm

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	27 812 970 FF	FF	Euro
Chrome		**-00**	493.10
Brushed Platinum		**-06**	789.00
Champagne (22kt Gold)		**-47**	1,183.40
Brushed Champagne (22kt Gold)		**-46**	1,183.40
Dark Chrome		**-19**	739.60
Brushed Dark Platinum		**-99**	887.60

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 812 970 FF	FF	Euro
Chrome		**-000010**	493.10
Brushed Platinum		**-060010**	789.00
Champagne (22kt Gold)		**-470010**	1,183.40
Brushed Champagne (22kt Gold)		**-460010**	1,183.40
Dark Chrome		**-190010**	739.60
Brushed Dark Platinum		**-990010**	887.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 809 985

Hand shower set with individual rosettes with volume control
- with volume control
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits CL.1, SYMETRICS, CYO, IMO, MEM

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	27 809 985 FF	FF	Euro
Chrome		**-00**	976.60
Brushed Platinum		**-06**	1,562.60
Champagne (22kt Gold)		**-47**	2,343.80
Brushed Champagne (22kt Gold)		**-46**	2,343.80
Dark Chrome		**-19**	1,465.00
Brushed Dark Platinum		**-99**	1,757.80

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 809 985 FF	FF	Euro
Chrome		**-000010**	976.60
Brushed Platinum		**-060010**	1,562.60
Champagne (22kt Gold)		**-470010**	2,343.80
Brushed Champagne (22kt Gold)		**-460010**	2,343.80
Dark Chrome		**-190010**	1,465.00
Brushed Dark Platinum		**-990010**	1,757.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 811 980 NEW

Hand shower set with individual rosettes
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

technical data:
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 811 980** FF	FF	Euro
Chrome		**-00**	744.00
Brushed Platinum		**-06**	1,190.50
Champagne (22kt Gold)		**-47**	1,785.60
Brushed Champagne (22kt Gold)		**-46**	1,785.60
Dark Chrome		**-19**	1,116.00
Brushed Dark Platinum		**-99**	1,339.30

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 811 980** FF	FF	Euro
Chrome		**-000010**	744.00
Brushed Platinum		**-060010**	1,190.50
Champagne (22kt Gold)		**-470010**	1,785.60
Brushed Champagne (22kt Gold)		**-460010**	1,785.60
Dark Chrome		**-190010**	1,116.00
Brushed Dark Platinum		**-990010**	1,339.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 818 980

Hand shower set with cover plate
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- cover plate 240 x 60 mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 818 980** FF	FF	Euro
Chrome		**-00**	884.50
Brushed Platinum		**-06**	1,415.10
Champagne (22kt Gold)		**-47**	2,122.80
Brushed Champagne (22kt Gold)		**-46**	2,122.80
Dark Chrome		**-19**	1,327.00
Brushed Dark Platinum		**-99**	1,592.20

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 818 980** FF	FF	Euro
Chrome		**-000010**	884.50
Brushed Platinum		**-060010**	1,415.10
Champagne (22kt Gold)		**-470010**	2,122.80
Brushed Champagne (22kt Gold)		**-460010**	2,122.80
Dark Chrome		**-190010**	1,327.00
Brushed Dark Platinum		**-990010**	1,592.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 518 782

Body spray without volume control FlowReduce
- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- max. flow 5 l/min
- anti-scale system

Technical data:
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, MEM, CYO

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 518 782** FF	FF	Euro
Chrome		**-00**	397.30
Brushed Platinum		**-06**	635.90
Champagne (22kt Gold)		**-47**	953.50
Brushed Champagne (22kt Gold)		**-46**	953.50
Dark Chrome		**-19**	596.00
Brushed Dark Platinum		**-99**	715.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 515 979

WATER POINTS Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 120 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 515 979** FF	FF	Euro
Chrome		**-00**	577.30
Brushed Platinum		**-06**	923.20
Champagne (22kt Gold)		**-47**	1,385.50
Brushed Champagne (22kt Gold)		**-46**	1,385.50
Dark Chrome		**-19**	866.00
Brushed Dark Platinum		**-99**	1,039.00

Required miscellaneous

WATER POINTS Adapter plate

	12 305 970 FF	FF	Euro
• adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.	Accesories	**90**	37.90

For details and miscellaneous, see page 742

Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm	Concealed rough parts	**90**	234.20

For details and miscellaneous, see page 733

36 517 979

WATER BAR Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 517 979** FF	FF	Euro
Chrome		**-00**	891.50
Brushed Platinum		**-06**	1,426.60
Champagne (22kt Gold)		**-47**	2,139.60
Brushed Champagne (22kt Gold)		**-46**	2,139.60
Dark Chrome		**-19**	1,337.20
Brushed Dark Platinum		**-99**	1,604.30

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

36 514 979

WATER CURVE Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- Function from: 5.7 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 60 mm
- 1/2“ connection

Notes:
- This product reduces water consumption by % (compared to requirements of EPAct ,92)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 514 979** FF	FF	Euro
Chrome		**-00**	1,160.00
Brushed Platinum		**-06**	1,856.10
Champagne (22kt Gold)		**-47**	2,784.00
Brushed Champagne (22kt Gold)		**-46**	2,784.00
Dark Chrome		**-19**	1,740.00
Brushed Dark Platinum		**-99**	2,088.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 513 979

WATER FAN vertical Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 513 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Platinum		**-06**	1,385.20
Champagne (22kt Gold)		**-47**	2,077.00
Brushed Champagne (22kt Gold)		**-46**	2,077.00
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60

Product alternative
- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**36 512 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Platinum		**-06**	1,385.20
Champagne (22kt Gold)		**-47**	2,077.00
Brushed Champagne (22kt Gold)		**-46**	2,077.00
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

13 415 979

WATER SHEET Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **150mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 415 979** FF	FF	Euro
Chrome		**-00**	1,194.80
Brushed Platinum		**-06**	1,911.60
Champagne (22kt Gold)		**-47**	2,867.50
Brushed Champagne (22kt Gold)		**-46**	2,867.50
Dark Chrome		**-19**	1,792.40
Brushed Dark Platinum		**-99**	2,150.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 420 979



WATER FALL Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **120mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	13 420 979 FF	FF	Euro
Chrome		-00	1,706.90
Brushed Platinum		-06	2,731.60
Champagne (22kt Gold)		-47	4,096.60
Brushed Champagne (22kt Gold)		-46	4,096.60
Dark Chrome		-19	2,560.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

13 425 979

WATER FALL Cascade spout with individual jets for wall mounting
- PEARLSTREAM
- Max. flow rate 9.5 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- plate 240 mm x 60 mm
- **22mm projection**
- connection 1/2“, for shortening
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	13 425 979 FF	FF	Euro
Chrome		-00	1,268.40
Brushed Platinum		-06	2,029.40
Champagne (22kt Gold)		-47	3,044.20
Brushed Champagne (22kt Gold)		-46	3,044.20
Dark Chrome		-19	1,902.40
Brushed Dark Platinum		-99	2,282.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

27 838 979

Affusion pipe with cover plate
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- inherently safe from back flow
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection
- 3/8“ shower outlet
- plug-link mounting

Notes:
- Fits IMO, MEM, CL.1, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	27 838 979 FF	FF	Euro
Chrome		-00	1,038.50
Brushed Platinum		-06	1,661.60
Champagne (22kt Gold)		-47	2,492.40
Brushed Champagne (22kt Gold)		-46	2,492.40
Dark Chrome		-19	1,557.80
Brushed Dark Platinum		-99	1,869.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

27 821 979 +
28 285 979

WATER TUBE Kneipp wall elbow
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2“ wall elbow
- hose nozzle with sleeve M33
- inherently safe from back flow

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **27 821 979** FF max. flow 15 l/min FF	Euro	1x **28 285 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	719.60	**-00**	110.10	**829.70**
Brushed Platinum	**-06**	1,151.30	**-06**	176.20	**1,327.50**
Champagne (22kt Gold)	**-47**	1,727.00	**-47**	264.20	**1,991.20**
Brushed Champagne (22kt Gold)	**-46**	1,727.00	**-46**	264.20	**1,991.20**
Dark Chrome	**-19**	1,079.40	**-19**	165.20	**1,244.60**
Brushed Dark Platinum	**-99**	1,295.40	**-99**	198.10	**1,493.50**

Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

28 286 979 FF	FF	Euro
Chrome	**-00**	110.10
Brushed Platinum	**-06**	176.20
Champagne (22kt Gold)	**-47**	264.20
Brushed Champagne (22kt Gold)	**-46**	264.20
Dark Chrome	**-19**	165.20
Brushed Dark Platinum	**-99**	198.10

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

---

28 490 970

Wall elbow with integrated shower holder
- 3/8“ shower outlet
- rosette 60 x 60 mm
- 1/2“ connection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **28 490 970** FF	FF	Euro
Chrome	**-00**	250.20
Brushed Platinum	**-06**	400.80
Champagne (22kt Gold)	**-47**	600.50
Brushed Champagne (22kt Gold)	**-46**	600.50
Dark Chrome	**-19**	375.60
Brushed Dark Platinum	**-99**	450.10

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

---

28 450 980

Wall elbow
- 3/8“ shower outlet
- rosette 60 x 60 mm
- 1/2“ connection

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **28 450 980** FF	FF	Euro
Chrome	**-00**	173.40
Brushed Platinum	**-06**	277.60
Champagne (22kt Gold)	**-47**	416.20
Brushed Champagne (22kt Gold)	**-46**	416.20
Dark Chrome	**-19**	260.30
Brushed Dark Platinum	**-99**	312.30

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

28 050 980

Wall bracket
- rosette 60 x 60 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 050 980** FF	FF	Euro
Chrome		**-00**	225.10
Brushed Platinum		**-06**	360.60
Champagne (22kt Gold)		**-47**	540.20
Brushed Champagne (22kt Gold)		**-46**	540.20
Dark Chrome		**-19**	337.80
Brushed Dark Platinum		**-99**	405.20

28 060 970

Wall bracket swivel
- pivotable 75°

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 060 970** FF	FF	Euro
Chrome		**-00**	207.70
Brushed Platinum		**-06**	332.40
Champagne (22kt Gold)		**-47**	498.50
Brushed Champagne (22kt Gold)		**-46**	498.50
Dark Chrome		**-19**	311.40
Brushed Dark Platinum		**-99**	373.90

12 540 970 **NEW**

Slide unit
- for pipe diameter 18 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 540 970** FF	FF	Euro
Chrome		**-00**	143.90
Brushed Platinum		**-06**	230.20
Champagne (22kt Gold)		**-47**	345.40
Brushed Champagne (22kt Gold)		**-46**	345.40
Dark Chrome		**-19**	215.80
Brushed Dark Platinum		**-99**	258.90

12 550 970 **NEW**

Slide unit
- Pipe diameter 20 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 550 970** FF	FF	Euro
Chrome		**-00**	143.90
Brushed Platinum		**-06**	230.20
Champagne (22kt Gold)		**-47**	345.40
Brushed Champagne (22kt Gold)		**-46**	345.40
Dark Chrome		**-19**	215.80
Brushed Dark Platinum		**-99**	258.90

36 060 670

Concealed single-lever mixer with cover plate
- cover plate 80 x 80 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 060 670 FF	FF	Euro
Chrome		-00	493.20
Brushed Platinum		-06	796.40
Champagne (22kt Gold)		-47	1,183.70
Brushed Champagne (22kt Gold)		-46	1,183.70
Dark Chrome		-19	739.90
Brushed Dark Platinum		-99	887.90

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm	Concealed rough parts	90	235.80

For details and miscellaneous, see page 728

36 046 970

Concealed single-lever mixer with cover plate with integrated shower connection
- cover plate 80 x 80 mm

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 046 970 FF	FF	Euro
Chrome		-00	602.50
Brushed Platinum		-06	964.00
Champagne (22kt Gold)		-47	1,446.00
Brushed Champagne (22kt Gold)		-46	1,446.00
Dark Chrome		-19	903.80
Brushed Dark Platinum		-99	1,084.70

Required miscellaneous

Concealed wall mounting

	35 050 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	90	336.80

For details and miscellaneous, see page 728

36 120 670

Concealed single-lever mixer with diverter
- automatic diverter
- cover plate 150 x 90 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 120 670 FF	FF	Euro
Chrome		-00	632.80
Brushed Platinum		-06	1,012.40
Champagne (22kt Gold)		-47	1,518.70
Brushed Champagne (22kt Gold)		-46	1,518.70
Dark Chrome		-19	949.00
Brushed Dark Platinum		-99	1,138.80

Required miscellaneous

Concealed single-lever mixer

	35 020 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	90	248.70

For details and miscellaneous, see page 729

Required miscellaneous

Concealed single-lever mixer with backflow preventor

	35 021 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	90	355.40

For details and miscellaneous, see page 729

36 425 670

Concealed thermostat with one function volume control
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 425 670** FF	FF	Euro
Chrome		**-00**	793.80
Brushed Platinum		**-06**	1,281.60
Champagne (22kt Gold)		**-47**	1,905.10
Brushed Champagne (22kt Gold)		**-46**	1,905.10
Dark Chrome		**-19**	1,190.80
Brushed Dark Platinum		**-99**	1,428.90

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	457.60

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	480.60

36 426 670

Concealed thermostat with two function volume control
- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 426 670** FF	FF	Euro
Chrome		**-00**	941.20
Brushed Platinum		**-06**	1,520.00
Champagne (22kt Gold)		**-47**	2,258.90
Brushed Champagne (22kt Gold)		**-46**	2,258.90
Dark Chrome		**-19**	1,411.90
Brushed Dark Platinum		**-99**	1,694.10

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	457.60

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	480.60

36 427 670

Concealed thermostat with three function volume control
- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 427 670** FF	FF	Euro
Chrome		**-00**	998.00
Brushed Platinum		**-06**	1,611.20
Champagne (22kt Gold)		**-47**	2,395.20
Brushed Champagne (22kt Gold)		**-46**	2,395.20
Dark Chrome		**-19**	1,496.90
Brushed Dark Platinum		**-99**	1,796.20

Required miscellaneous

Concealed thermostat

	35 427 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	479.40

Required miscellaneous

Concealed thermostat with built-in isolators

	35 428 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	503.00

36 503 780 +
36 607 705

xTOOL Thermostat module with 1 valve
- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Fits MEM, CL.1, CYO

36 501 985-FF can also be used as an alternative.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 780** FF Basic Product FF	Euro	1x **36 607 705** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,355.90	**-00**	292.80	**1,648.70**
Brushed Platinum	**-06**	2,169.80	**-06**	468.80	**2,638.60**
Champagne (22kt Gold)	**-47**	3,254.20	**-47**	702.70	**3,956.90**
Brushed Champagne (22kt Gold)	**-46**	3,254.20	**-46**	702.70	**3,956.90**
Brushed Dark Platinum	**-99**	2,440.80	**-99**	527.20	**2,968.00**

Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

35 511 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 730

FF	Euro
Concealed rough parts **90**	743.70

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

For details and miscellaneous, see page 743

FF	Euro
Concealed rough parts **90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

For details and miscellaneous, see page 743

FF	Euro
Concealed rough parts **90**	118.70

36 503 780 +
2x **36 607 705**

xTOOL Thermostat module with 2 valves
- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Fits CL.1

36 503 985-FF can also be used as an alternative.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 780** FF Basic Product FF	Euro	2x **36 607 705** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,355.90	**-00**	292.80	**1,941.50**
Brushed Platinum	**-06**	2,169.80	**-06**	468.80	**3,107.40**
Champagne (22kt Gold)	**-47**	3,254.20	**-47**	702.70	**4,659.60**
Brushed Champagne (22kt Gold)	**-46**	3,254.20	**-46**	702.70	**4,659.60**
Brushed Dark Platinum	**-99**	2,440.80	**-99**	527.20	**3,495.20**

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 731

FF	Euro
Concealed rough parts **90**	1,239.70

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 731

FF	Euro
Concealed rough parts **90**	1,226.10

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

For details and miscellaneous, see page 743

FF	Euro
Concealed rough parts **90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

For details and miscellaneous, see page 743

FF	Euro
Concealed rough parts **90**	118.70

36 503 780 +
3x **36 607 705**

xTOOL Thermostat module with 3 valves
- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

36 503 985-FF can also be used as an alternative.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 780** FF Basic Product FF	Euro	3x **36 607 705** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,355.90	**-00**	292.80	**2,234.30**
Brushed Platinum	**-06**	2,169.80	**-06**	468.80	**3,576.20**
Champagne (22kt Gold)	**-47**	3,254.20	**-47**	702.70	**5,362.30**
Brushed Champagne (22kt Gold)	**-46**	3,254.20	**-46**	702.70	**5,362.30**
Brushed Dark Platinum	**-99**	2,440.80	**-99**	527.20	**4,022.40**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 731

	FF	Euro
Concealed rough parts	**90**	1,332.30

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 731

	FF	Euro
Concealed rough parts	**90**	1,443.30

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

For details and miscellaneous, see page 743

	FF	Euro
Concealed rough parts	**90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

For details and miscellaneous, see page 743

	FF	Euro
Concealed rough parts	**90**	118.70

---

36 503 780

xTOOL Concealed thermostat without volume control 3/4“
- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 503 780** FF	FF	Euro
Chrome		**-00**	1,355.90
Brushed Platinum		**-06**	2,169.80
Champagne (22kt Gold)		**-47**	3,254.20
Brushed Champagne (22kt Gold)		**-46**	3,254.20
Dark Chrome		**-19**	2,034.00
Brushed Dark Platinum		**-99**	2,440.80

Required miscellaneous

xTOOL Concealed thermostat module without volume control

35 503 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 730

	FF	Euro
Concealed rough parts	**90**	907.90

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

For details and miscellaneous, see page 743

	FF	Euro
Concealed rough parts	**90**	117.80

36 503 985

xTOOL Concealed thermostat without volume control 3/4“
- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 503 985** FF	FF	Euro
Chrome		**-00**	1,385.50
Brushed Platinum		**-06**	2,217.00
Champagne (22kt Gold)		**-47**	3,325.20
Brushed Champagne (22kt Gold)		**-46**	3,325.20
Dark Chrome		**-19**	2,078.60
Brushed Dark Platinum		**-99**	2,494.00

Required miscellaneous

xTOOL Concealed thermostat module without volume control

	35 503 970 FF	FF	Euro
• min. recess depth 95 mm • max. recess depth 160 mm	Concealed rough parts	**90**	907.90

For details and miscellaneous, see page 730

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

36 607 741

Wall valve clockwise closing cold 1/2“
- without rosette
- handle Ø 60mm
- with cold marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 741** FF	FF	Euro
Chrome		**-00**	315.90
Brushed Platinum		**-06**	505.40
Champagne (22kt Gold)		**-47**	758.20
Brushed Champagne (22kt Gold)		**-46**	758.20
Dark Chrome		**-19**	473.90
Brushed Dark Platinum		**-99**	568.80

Product alternative
- with hot marking

Standard article	**36 607 742** FF	FF	Euro
Chrome		**-00**	315.90
Brushed Platinum		**-06**	505.40
Champagne (22kt Gold)		**-47**	758.20
Brushed Champagne (22kt Gold)		**-46**	758.20
Dark Chrome		**-19**	473.90
Brushed Dark Platinum		**-99**	568.80

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

36 607 706

Wall valve clockwise closing cold 1/2“
- rosette 60 x 60 mm
- with cold marking
- head part with cut-to-length spindle and sleeve

Fits CL.1

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 706** FF	FF	Euro
Chrome		**-00**	292.80
Brushed Platinum		**-06**	468.80
Champagne (22kt Gold)		**-47**	702.70
Brushed Champagne (22kt Gold)		**-46**	702.70
Dark Chrome		**-19**	439.40
Brushed Dark Platinum		**-99**	527.20

Product alternative
- with hot marking

Standard article	**36 607 707** FF	FF	Euro
Chrome		**-00**	292.80
Brushed Platinum		**-06**	468.80
Champagne (22kt Gold)		**-47**	702.70
Brushed Champagne (22kt Gold)		**-46**	702.70
Dark Chrome		**-19**	439.40
Brushed Dark Platinum		**-99**	527.20

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 105 mm • max. recess depth 150 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

36 607 705

Wall valve clockwise closing 1/2“
- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 705** FF	FF	Euro
Chrome		**-00**	292.80
Brushed Platinum		**-06**	468.80
Champagne (22kt Gold)		**-47**	702.70
Brushed Champagne (22kt Gold)		**-46**	702.70
Dark Chrome		**-19**	439.40
Brushed Dark Platinum		**-99**	527.20

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 105 mm • max. recess depth 150 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

36 607 740

Wall valve clockwise closing 1/2“
- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 740** FF	FF	Euro
Chrome		**-00**	302.50
Brushed Platinum		**-06**	483.90
Champagne (22kt Gold)		**-47**	726.00
Brushed Champagne (22kt Gold)		**-46**	726.00
Dark Chrome		**-19**	453.90
Brushed Dark Platinum		**-99**	544.60

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

36 608 705

Wall valve clockwise closing 3/4“
- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 705** FF	FF	Euro
Chrome		**-00**	292.80
Brushed Platinum		**-06**	468.80
Champagne (22kt Gold)		**-47**	702.70
Brushed Champagne (22kt Gold)		**-46**	702.70
Dark Chrome		**-19**	439.40
Brushed Dark Platinum		**-99**	527.20

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 105 mm • max. recess depth 150 mm	Concealed rough parts	**90**	125.20

For details and miscellaneous, see page 732

36 608 740

Wall valve clockwise closing 3/4“
- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 740** FF	FF	Euro
Chrome		**-00**	302.50
Brushed Platinum		**-06**	483.90
Champagne (22kt Gold)		**-47**	726.00
Brushed Champagne (22kt Gold)		**-46**	726.00
Dark Chrome		**-19**	453.90
Brushed Dark Platinum		**-99**	544.60

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	125.20

For details and miscellaneous, see page 732

20 000 705

Deck valve clockwise closing cold
- hole diameter valve 32 mm
- rosette 60 x 60 mm
- with cold marking

Fits CL.1

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 000 705** FF	FF	Euro
Chrome		**-00**	345.70
Brushed Platinum		**-06**	552.80
Champagne (22kt Gold)		**-47**	829.70
Brushed Champagne (22kt Gold)		**-46**	829.70
Dark Chrome		**-19**	518.50
Brushed Dark Platinum		**-99**	622.10

Product alternative
- with hot marking

Standard article	**20 000 706** FF	FF	Euro
Chrome		**-00**	345.70
Brushed Platinum		**-06**	552.80
Champagne (22kt Gold)		**-47**	829.70
Brushed Champagne (22kt Gold)		**-46**	829.70
Dark Chrome		**-19**	518.50
Brushed Dark Platinum		**-99**	622.10

20 004 705

Deck valve clockwise closing cold
- hole diameter 32 mm
- rosette 60 x 47 mm
- with cold marking

Fits CL.1

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 004 705** FF	FF	Euro
Chrome		**-00**	345.70
Brushed Platinum		**-06**	552.80
Champagne (22kt Gold)		**-47**	829.70
Brushed Champagne (22kt Gold)		**-46**	829.70
Dark Chrome		**-19**	518.50
Brushed Dark Platinum		**-99**	622.10

Product alternative
- with hot marking

Standard article	**20 004 706** FF	FF	Euro
Chrome		**-00**	345.70
Brushed Platinum		**-06**	552.80
Champagne (22kt Gold)		**-47**	829.70
Brushed Champagne (22kt Gold)		**-46**	829.70
Dark Chrome		**-19**	518.50
Brushed Dark Platinum		**-99**	622.10

20 000 740

Deck valve clockwise closing cold
- hole diameter 32 mm
- handle Ø 60mm
- without rosette
- with cold marking

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 000 740** FF	FF	Euro
Chrome		**-00**	337.60
Brushed Platinum		**-06**	539.80
Champagne (22kt Gold)		**-47**	810.20
Brushed Champagne (22kt Gold)		**-46**	810.20
Dark Chrome		**-19**	506.30
Brushed Dark Platinum		**-99**	607.30

Product alternative
- with hot marking

Standard article	**20 000 741** FF	FF	Euro
Chrome		**-00**	337.60
Brushed Platinum		**-06**	539.80
Champagne (22kt Gold)		**-47**	810.20
Brushed Champagne (22kt Gold)		**-46**	810.20
Dark Chrome		**-19**	506.30
Brushed Dark Platinum		**-99**	607.30

36 200 740

Concealed two-way diverter
- rotary diverter
- without rosette
- handle Ø 60mm

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 200 740** FF	FF	Euro
Chrome		**-00**	358.90
Brushed Platinum		**-06**	574.20
Champagne (22kt Gold)		**-47**	861.40
Brushed Champagne (22kt Gold)		**-46**	861.40
Dark Chrome		**-19**	538.40
Brushed Dark Platinum		**-99**	646.00

Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	310.70

For details and miscellaneous, see page 732

36 210 740

Concealed three-way diverter
- rotary diverter
- without rosette
- handle Ø 60mm

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 210 740** FF	FF	Euro
Chrome		**-00**	358.90
Brushed Platinum		**-06**	574.20
Champagne (22kt Gold)		**-47**	861.40
Brushed Champagne (22kt Gold)		**-46**	861.40
Dark Chrome		**-19**	538.40
Brushed Dark Platinum		**-99**	646.00

Required miscellaneous

Concealed three-way diverter

	35 203 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	378.40

For details and miscellaneous, see page 732

25 863 705

Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set
- **238mm projection**
- rectangular spray pattern with 55 individual jets
- max. spout flow rate 24.6 l/min
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- total height 935 - 1005 mm
- stand pipe height 598 - 668 mm
- height up to aerator 852 – 922 mm
- push-on rosette 131 x 131 mm
- metal shower hose 1250mm with integrated anti-twist protection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 863 705** FF	FF	Euro
Chrome		**-00**	5,101.70
Brushed Platinum		**-06**	8,162.70
Champagne (22kt Gold)		**-47**	12,244.10
Brushed Champagne (22kt Gold)		**-46**	12,244.10
Dark Chrome		**-19**	7,652.60
Brushed Dark Platinum		**-99**	9,183.00

Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 150 mm	Concealed rough parts	**90**	882.10

For details and miscellaneous, see page 732

13 612 705 +
27 702 980 +
20 000 705 +
20 000 706 +
29 140 670

Five-hole bath mixer for deck mounting with diverter
- **200mm projection**
- rectangular spray pattern with 55 individual jets
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- height of mixer 125 mm
- height up to aerator 108 mm
- 1/2“ connection
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- rosette for complete hand shower set 60 x 60mm
- rosette for deck valve 60 x 60mm
- metal shower hose 2250mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 612 705** FF 1x **27 702 980** FF FF	Euro	1x **20 000 705** FF 1x **20 000 706** FF 1x **29 140 670** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,271.40	**-00**	345.70	**3,478.00**
	-00	599.60	**-00**	345.70	
			-00	915.60	
Brushed Platinum	**-06**	2,034.10	**-06**	552.80	**5,563.80**
	-06	959.10	**-06**	552.80	
			-06	1,465.00	
Champagne (22kt Gold)	**-47**	3,051.40	**-47**	829.70	**8,347.20**
	-47	1,439.00	**-47**	829.70	
			-47	2,197.40	
Brushed Champagne (22kt Gold)	**-46**	3,051.40	**-46**	829.70	**8,347.20**
	-46	1,439.00	**-46**	829.70	
			-46	2,197.40	
Dark Chrome	**-19**	1,907.10	**-19**	518.50	**5,216.60**
	-19	899.20	**-19**	518.50	
			-19	1,373.30	
Brushed Dark Platinum	**-99**	2,288.50	**-99**	622.10	**6,259.90**
	-99	1,079.10	**-99**	622.10	
			-99	1,648.10	

Required miscellaneous

Hose set

	12 509 970 FF	FF	Euro
	Accesories	**90**	259.20

13 612 705

Bath spout without diverter for deck mounting
- **200mm projection**
- rectangular spray pattern with 55 individual jets
- height of mixer 125 mm
- height up to aerator 108 mm
- hole diameter 35 mm
- 1/2“ connection
- max. flow 24.6 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 612 705** FF	FF	Euro
Chrome		**-00**	1,271.40
Brushed Platinum		**-06**	2,034.10
Champagne (22kt Gold)		**-47**	3,051.40
Brushed Champagne (22kt Gold)		**-46**	3,051.40
Dark Chrome		**-19**	1,907.10
Brushed Dark Platinum		**-99**	2,288.50

13 801 705

Bath spout for wall mounting
- **205mm projection**
- rectangular spray pattern with 55 individual jets
- hole diameter 37 mm
- 1/2“ connection
- plug-link mounting
- max. flow 24.6 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 801 705** FF	FF	Euro
Chrome		**-00**	857.20
Brushed Platinum		**-06**	1,371.40
Champagne (22kt Gold)		**-47**	2,057.30
Brushed Champagne (22kt Gold)		**-46**	2,057.30
Dark Chrome		**-19**	1,285.90
Brushed Dark Platinum		**-99**	1,543.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 702 980

Hand shower set for bath rim or tile edge installation
- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 702 980** FF	FF	Euro
Chrome		**-00**	599.60
Brushed Platinum		**-06**	959.10
Champagne (22kt Gold)		**-47**	1,439.00
Brushed Champagne (22kt Gold)		**-46**	1,439.00
Dark Chrome		**-19**	899.20
Brushed Dark Platinum		**-99**	1,079.10

29 300 670

Single-lever bath mixer for bath rim or tile edge installation
- rosette 60 x 60 mm
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**29 300 670** FF	FF	Euro
Chrome		**-00**	709.80
Brushed Platinum		**-06**	1,135.60
Champagne (22kt Gold)		**-47**	1,703.50
Brushed Champagne (22kt Gold)		**-46**	1,703.50
Dark Chrome		**-19**	1,064.50
Brushed Dark Platinum		**-99**	1,277.40

36 243 970

Pop-up waste and overflow
- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 243 970** FF	FF	Euro
Chrome		**-00**	232.10
Brushed Platinum		**-06**	371.60
Champagne (22kt Gold)		**-47**	557.00
Brushed Champagne (22kt Gold)		**-46**	557.00
Dark Chrome		**-19**	348.30
Brushed Dark Platinum		**-99**	417.70

Required miscellaneous

Pop-up waste and overflow

	35 227 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	188.20

36 247 970

Bath spout with pop-up waste and overflow
- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 247 970** FF	FF	Euro
Chrome		**-00**	351.10
Brushed Platinum		**-06**	561.90
Champagne (22kt Gold)		**-47**	842.60
Brushed Champagne (22kt Gold)		**-46**	842.60
Dark Chrome		**-19**	526.80
Brushed Dark Platinum		**-99**	631.90

Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	518.30

Required miscellaneous

Vacuum breaker

	36 150 970 FF	FF	Euro
	Chrome	**-00**	96.30
	Brushed Platinum	**-06**	154.00
	Champagne (22kt Gold)	**-47**	231.10
	Brushed Champagne (22kt Gold)	**-46**	231.10
	Dark Chrome	**-19**	144.40
	Brushed Dark Platinum	**-99**	173.10

83 020 705

Bath grip
- gauge 200 mm
- width 273mm
- height 35 mm
- 70mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 020 705** FF	FF	Euro
Chrome		**-00**	442.90
Brushed Platinum		**-06**	708.50
Champagne (22kt Gold)		**-47**	1,063.00
Brushed Champagne (22kt Gold)		**-46**	1,063.00
Dark Chrome		**-19**	664.30
Brushed Dark Platinum		**-99**	797.10

83 045 705

Towel bar
- gauge 449 mm
- width 523mm
- height 35 mm
- 70mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 045 705** FF	FF	Euro
Chrome		**-00**	449.40
Brushed Platinum		**-06**	719.00
Champagne (22kt Gold)		**-47**	1,078.60
Brushed Champagne (22kt Gold)		**-46**	1,078.60
Dark Chrome		**-19**	674.10
Brushed Dark Platinum		**-99**	808.80

83 060 705

Towel bar
- gauge 599 mm
- width 673mm
- height 35 mm
- 70mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 060 705** FF	FF	Euro
Chrome		**-00**	506.40
Brushed Platinum		**-06**	810.40
Champagne (22kt Gold)		**-47**	1,215.40
Brushed Champagne (22kt Gold)		**-46**	1,215.40
Dark Chrome		**-19**	759.80
Brushed Dark Platinum		**-99**	911.50

83 211 705

Towel bar 1-piece non-swivel
- 400mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 211 705** FF	FF	Euro
Chrome		**-00**	402.50
Brushed Platinum		**-06**	644.00
Champagne (22kt Gold)		**-47**	966.00
Brushed Champagne (22kt Gold)		**-46**	966.00
Dark Chrome		**-19**	603.50
Brushed Dark Platinum		**-99**	724.40

83 251 980

Hooks
- width 20mm
- height 60 mm
- 45mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 251 980** FF	FF	Euro
Chrome		**-00**	129.20
Brushed Platinum		**-06**	206.90
Champagne (22kt Gold)		**-47**	310.10
Brushed Champagne (22kt Gold)		**-46**	310.10
Dark Chrome		**-19**	193.70
Brushed Dark Platinum		**-99**	232.60

83 401 979

Tumbler holder wall model
- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 401 979** FF	FF	Euro
Chrome		**-00**	292.80
Brushed Platinum		**-06**	468.60
Champagne (22kt Gold)		**-47**	702.70
Brushed Champagne (22kt Gold)		**-46**	702.70
Dark Chrome		**-19**	439.40
Brushed Dark Platinum		**-99**	527.10

Recommended miscellaneous

Crystal tumbler

	08 90 00 008 FF	FF	Euro
	Glass	**82**	109.00

83 410 979

Soap dish wall model
- width 120mm
- height 20 mm
- 145mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 410 979** FF	FF	Euro
Chrome		**-00**	303.80
Brushed Platinum		**-06**	486.00
Champagne (22kt Gold)		**-47**	729.10
Brushed Champagne (22kt Gold)		**-46**	729.10
Dark Chrome		**-19**	455.80
Brushed Dark Platinum		**-99**	546.90

83 435 970

Dispenser wall model
- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 435 970** FF	FF	Euro
Chrome		**-00**	480.50
Brushed Platinum		**-06**	768.70
Champagne (22kt Gold)		**-47**	1,153.20
Brushed Champagne (22kt Gold)		**-46**	1,153.20
Dark Chrome		**-19**	720.80
Brushed Dark Platinum		**-99**	865.00

83 290 970



Shower basket for wall mounting
- width 200mm
- height 70 mm
- 115mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 290 970** FF	FF	Euro
Chrome		**-00**	232.70
Brushed Platinum		**-06**	372.30
Champagne (22kt Gold)		**-47**	558.50
Brushed Champagne (22kt Gold)		**-46**	558.50
Dark Chrome		**-19**	349.00
Brushed Dark Platinum		**-99**	418.80

83 500 705

Tissue holder without cover
- width 200mm
- height 35 mm
- 70mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 500 705** FF	FF	Euro
Chrome		**-00**	323.10
Brushed Platinum		**-06**	516.70
Champagne (22kt Gold)		**-47**	775.40
Brushed Champagne (22kt Gold)		**-46**	775.40
Dark Chrome		**-19**	484.50
Brushed Dark Platinum		**-99**	581.30

83 900 780

Toilet brush set wall model
- crystal glass brush holder, matte
- brush, matte black
- width 118mm
- height 415 mm
- 118mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 900 780** FF	FF	Euro
Chrome		**-00**	499.50
Brushed Platinum		**-06**	799.20
Champagne (22kt Gold)		**-47**	1,198.80
Brushed Champagne (22kt Gold)		**-46**	1,198.80
Dark Chrome		**-19**	749.10
Brushed Dark Platinum		**-99**	899.00

83 900 970

Toilet brush set wall model
- crystal glass
- brush, matte black
- width 126mm
- height 415 mm
- 120mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 900 970** FF	FF	Euro
Chrome		**-00**	416.00
Brushed Platinum		**-06**	665.70
Champagne (22kt Gold)		**-47**	998.40
Brushed Champagne (22kt Gold)		**-46**	998.40
Dark Chrome		**-19**	624.20
Brushed Dark Platinum		**-99**	749.00

83 910 979

Toilet brush set wall model
- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 910 979** FF	FF	Euro
Chrome		**-00**	545.20
Brushed Platinum		**-06**	872.40
Champagne (22kt Gold)		**-47**	1,308.50
Brushed Champagne (22kt Gold)		**-46**	1,308.50
Dark Chrome		**-19**	817.80
Brushed Dark Platinum		**-99**	981.30

12 660 979

Cover plate for the concealed WC cistern made by TeCe
- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:
- TECEprofil dry wall construction, article numbers:
- 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers:
- 9370300, 9375300, 9371300

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 660 979** FF	FF	Euro
Chrome		**-00**	894.90
Brushed Platinum		**-06**	1,432.20
Champagne (22kt Gold)		**-47**	2,147.80
Brushed Champagne (22kt Gold)		**-46**	2,147.80
Dark Chrome		**-19**	1,342.30
Brushed Dark Platinum		**-99**	1,611.00

12 665 980

Flush plate for concealed WC cisterns made by Geberit angular
- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Not compatible with GEBERIT Duo Fresh module

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 665 980** FF	FF	Euro
Chrome		**-00**	509.60
Brushed Platinum		**-06**	815.30
Champagne (22kt Gold)		**-47**	1,223.00
Brushed Champagne (22kt Gold)		**-46**	1,223.00
Dark Chrome		**-19**	764.40
Brushed Dark Platinum		**-99**	917.30

83 150 979

Lighted mirror round
- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 979** FF	FF	Euro
Matte White		**-10**	1,855.40
Matte Black		**-33**	1,855.40

83 151 979

Lighted mirror round
- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 979** FF	FF	Euro
Matte White		**-10**	2,168.30
Matte Black		**-33**	2,168.30

83 150 980

Lighted mirror angular
- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 980** FF	FF	Euro
Matte White		**-10**	1,734.60
Matte Black		**-33**	1,734.60

83 151 980

Lighted mirror angular
- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 980** FF	FF	Euro
Matte White		**-10**	2,048.60
Matte Black		**-33**	2,048.60

---

36 390 980

Electronic control elements for towel warmer
- rosette 80 x 80 mm
- Control element for towel warmer: 833XX980-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	**36 390 980** FF	FF	Euro
Chrome		**-00**	525.00
Brushed Champagne (22kt Gold)		**-46**	1,260.00
Dark Chrome		**-19**	787.50
Brushed Dark Platinum		**-99**	945.00

---

83 304 980

Towel warmer, 4-fold, projection left, without control element
- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 304 980** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Champagne (22kt Gold)		**-46**	6,652.80
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	772.50

For details and miscellaneous, see page 739

---

83 306 980

Towel warmer, 6-fold, projection left, without control element
- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

This appliance is a stationary electric space heater and, in order to comply with the mandatory ecodesign requirements of Commission Regulation (EU) 2024/1103, must be equipped with at least one control with control function TW(f2).

Standard article	**83 306 980** FF	FF	Euro
Chrome		**-00**	4,158.00
Brushed Champagne (22kt Gold)		**-46**	9,979.20
Dark Chrome		**-19**	6,237.00
Brushed Dark Platinum		**-99**	7,484.40

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,030.00

For details and miscellaneous, see page 739

---

83 314 980

Towel warmer, 4-fold, projection right, without control element
- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 314 980** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Champagne (22kt Gold)		**-46**	6,652.80
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	772.50

For details and miscellaneous, see page 739

83 316 980

Towel warmer, 6-fold, projection right, without control element
- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 316 980** FF	FF	Euro
Chrome		**-00**	4,158.00
Brushed Champagne (22kt Gold)		**-46**	9,979.20
Dark Chrome		**-19**	6,237.00
Brushed Dark Platinum		**-99**	7,484.40

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm For details and miscellaneous, see page 739	Concealed rough parts	**90**	1,030.00

---

83 304 980 + 36 390 980

Towel warmer, 4-fold, projection left, with control element
- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 304 980** FF FF	Euro	1x **36 390 980** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Champagne (22kt Gold)	**-46**	6,652.80	**-46**	1,260.00	**7,912.80**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

	35 312 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm For details and miscellaneous, see page 739	Concealed rough parts	**90**	875.50

---

83 306 980 + 36 390 980

Towel warmer, 6-fold, projection left, with control element
- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 306 980** FF FF	Euro	1x **36 390 980** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	4,158.00	**-00**	525.00	**4,683.00**
Brushed Champagne (22kt Gold)	**-46**	9,979.20	**-46**	1,260.00	**11,239.20**
Dark Chrome	**-19**	6,237.00	**-19**	787.50	**7,024.50**
Brushed Dark Platinum	**-99**	7,484.40	**-99**	945.00	**8,429.40**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm For details and miscellaneous, see page 739	Concealed rough parts	**90**	1,133.00

---

83 314 980 + 36 390 980

Towel warmer, 4-fold, projection right, with control element
- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 314 980** FF FF	Euro	1x **36 390 980** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Champagne (22kt Gold)	**-46**	6,652.80	**-46**	1,260.00	**7,912.80**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

	35 312 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm For details and miscellaneous, see page 739	Concealed rough parts	**90**	875.50

83 316 980 +
36 390 980

Towel warmer, 6-fold, projection right, with control element

- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 316 980** FF		1x **36 390 980** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	4,158.00	**-00**	525.00	**4,683.00**
Brushed Champagne (22kt Gold)	**-46**	9,979.20	**-46**	1,260.00	**11,239.20**
Dark Chrome	**-19**	6,237.00	**-19**	787.50	**7,024.50**
Brushed Dark Platinum	**-99**	7,484.40	**-99**	945.00	**8,429.40**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,133.00

For details and miscellaneous, see page 739

CYO

Sieger Design

Basin
from page 137

Bidet
from page 145

Shower
from page 104

Thermostats, mixers, diverters and valves
from page 165

Bath
from page 132

Accessories
from page 177

Basin fittings

Single-lever basin mixers

143mm projection

33 500 811
33 521 811*

177mm projection

33 505 811
33 525 811*

Two-hole basin mixers

133mm projection

29 217 811 +
11 188 811

167mm projection

29 218 811 +
11 188 811

Three-hole basin mixers

133mm projection

20 710 811 +
11 283 811
11 284 811*

167mm projection

20 713 811 +
11 283 811
11 284 811*

Deck-mounted basin spouts

133mm projection

13 715 811

Wall-mounted single-lever basin mixers

160mm projection

36 860 811

190mm projection

36 861 811

Wall-mounted basin mixers

160mm projection

36 707 811 +
11 283 811
11 284 811*

190mm projection

36 712 811 +
11 283 811
11 284 811*

Wall-mounted basin spouts

160mm projection

13 800 811

Wall-mounted basin spouts

190mm projection

13 805 811

Touchfree

133mm projection

13 715 811 +
42 765 970

167mm projection

13 717 811 +
42 765 970

160mm projection

13 800 811 +
42 765 970

190mm projection

13 805 811 +
42 765 970

Showers

Shower sets

26 412 980 +
28 012 979

26 412 979 +
28 018 979

Shower pipes with shower thermostat

34 463 980 +
28 018 979
34 468 980*

34 464 980 +
28 018 979
34 469 980*

Head showers with one spray type

28 504 670

Head showers with multiple jet types

28 508 980

Rain showers with wall connection

28 647 670
28 645 670*

28 646 670
28 644 670*

28 647 970
28 645 970*

28 646 970
28 644 970*

28 677 670
28 675 670*

28 676 670
28 674 670*

Rain showers with wall connection

28 677 970
28 675 970*

28 676 970
28 674 970*

28 762 980
28 760 980*

28 763 980
28 761 980*

Rain showers with ceiling connection

28 666 970
28 664 970*

28 667 970
28 665 970*

Rain showers with ceiling connection

28 686 970
28 684 970*

28 687 970
28 685 970*

28 772 980
28 770 980*

28 773 980
28 771 980*

Rain showers for ceiling connection

28 041 980

28 042 980

Rain showers for ceiling installation

28 043 980

28 044 980

Hand shower sets with integrated shower holder

27 812 970

Hand shower sets

27 809 985

27 811 980

Hand shower sets with cover plate

27 818 980

Side showers

28 518 782

Massage modules

WATER POINTS

36 515 979

WATER BAR

36 517 979

WATER CURVE

36 514 979

WATER FAN

36 513 979
36 512 979*

Waterfalls

WATER SHEET

13 415 979

Waterfalls

WATER FALL

13 420 979

WATER FALL

13 425 979

Kneipp modules

27 838 979

WATER TUBE

27 821 979 +
28 285 979

Bath fittings

Single-lever mixers

36 120 670

29 300 670

Free-standing bath fittings

247mm projection

25 863 811

Bath shower sets

167mm projection

27 632 811

Five-hole bath mixers

167mm projection

27 523 811 +
11 283 811
11 284 811*

Hand shower sets

230mm projection

27 702 980

Diverters

29 140 670

Miscellaneous

26mm projection

36 243 970

integrated bath filling

26mm projection

36 247 970

33 500 811

Single-lever basin mixer with pop-up waste
- **143mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Must not be combined with continuous-flow heaters heaters.

Distance from centre of tap hole to wall min. 55 mm or to front edge of basin min. 40 mm.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 500 811** FF	FF	Euro
Chrome		**-00**	1,302.90
Brushed Platinum		**-06**	2,085.00
Brushed Durabrass (23kt Gold)		**-28**	3,127.00
Brushed Bronze (PVD)		**-42**	2,084.80
Dark Chrome		**-19**	1,954.50
Brushed Dark Platinum		**-99**	2,345.60

Product alternative
- **without pop-up waste**

Standard article	**33 521 811** FF	FF	Euro
Chrome		**-00**	1,247.00
Brushed Platinum		**-06**	1,995.40
Brushed Durabrass (23kt Gold)		**-28**	2,992.80
Brushed Bronze (PVD)		**-42**	1,995.10
Dark Chrome		**-19**	1,870.50
Brushed Dark Platinum		**-99**	2,244.70

33 505 811

Single-lever basin mixer with pop-up waste
- **177mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Must not be combined with continuous-flow heaters heaters.

Distance from centre of tap hole to wall min. 55 mm or to front edge of basin min. 40 mm.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 505 811** FF	FF	Euro
Chrome		**-00**	1,365.40
Brushed Platinum		**-06**	2,184.80
Brushed Durabrass (23kt Gold)		**-28**	3,277.00
Brushed Bronze (PVD)		**-42**	2,184.60
Dark Chrome		**-19**	2,048.00
Brushed Dark Platinum		**-99**	2,457.70

Product alternative
- **without pop-up waste**

Standard article	**33 525 811** FF	FF	Euro
Chrome		**-00**	1,309.10
Brushed Platinum		**-06**	2,095.20
Brushed Durabrass (23kt Gold)		**-28**	3,141.80
Brushed Bronze (PVD)		**-42**	2,094.60
Dark Chrome		**-19**	1,963.80
Brushed Dark Platinum		**-99**	2,356.60

29 217 811 +
11 188 811

Two-hole basin mixer without pop-up waste
- **133mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- handle Ø 60mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 1x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- **progressive cartridge**
- lead-free
- with hot / cold marking
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **29 217 811** FF max. flow 4.5 l/min FF	Euro	1x **11 188 811** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,369.40	**-00**	59.50	**1,428.90**
Brushed Platinum	**-06**	2,191.00	**-06**	95.20	**2,286.20**
Platinum / Brushed Platinum	**-36**	2,191.00	**-06**	95.20	**2,286.20**
Brushed Durabrass (23kt Gold)	**-28**	3,286.60	**-28**	142.80	**3,429.40**
Durabrass / Brushed Durabrass (23kt Gold)	**-38**	3,286.60	**-28**	142.80	**3,429.40**
Brushed Bronze (PVD)	**-42**	2,191.00	**-42**	95.10	**2,286.10**
Dark Chrome	**-19**	2,054.10	**-19**	89.30	**2,143.40**
Brushed Dark Platinum	**-99**	2,465.00	**-99**	107.20	**2,572.20**

29 218 811 +
11 188 811

Two-hole basin mixer without pop-up waste
- **167mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- handle Ø 60mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 1x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- **progressive cartridge**
- lead-free
- with hot / cold marking
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **29 218 811** FF max. flow 4.5 l/min		1x **11 188 811** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,452.30	**-00**	59.50	**1,511.80**
Brushed Platinum	**-06**	2,323.50	**-06**	95.20	**2,418.70**
Platinum / Brushed Platinum	**-36**	2,323.50	**-06**	95.20	**2,418.70**
Brushed Durabrass (23kt Gold)	**-28**	3,485.50	**-28**	142.80	**3,628.30**
Durabrass / Brushed Durabrass (23kt Gold)	**-38**	3,485.50	**-28**	142.80	**3,628.30**
Brushed Bronze (PVD)	**-42**	2,323.70	**-42**	95.10	**2,418.80**
Dark Chrome	**-19**	2,178.40	**-19**	89.30	**2,267.70**
Brushed Dark Platinum	**-99**	2,614.10	**-99**	107.20	**2,721.30**

20 710 811 +
11 283 811

Three-hole basin mixer with pop-up waste
- **133mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- handle Ø 60mm
- max. flow 4.5 l/min
- lead-free
- with hot / cold marking
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **20 710 811** FF max. flow 4.5 l/min		1x **11 283 811** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,576.70	**-00**	119.20	**1,695.90**
Brushed Platinum	**-06**	2,522.70	**-06**	190.60	**2,713.30**
Platinum / Brushed Platinum	**-36**	2,522.70	**-06**	190.60	**2,713.30**
Brushed Durabrass (23kt Gold)	**-28**	3,784.10	**-28**	286.10	**4,070.20**
Durabrass / Brushed Durabrass (23kt Gold)	**-38**	3,784.10	**-28**	286.10	**4,070.20**
Brushed Bronze (PVD)	**-42**	2,522.70	**-42**	190.70	**2,713.40**
Dark Chrome	**-19**	2,365.10	**-19**	178.70	**2,543.80**
Brushed Dark Platinum	**-99**	2,838.20	**-99**	214.40	**3,052.60**

Product alternative
- with red & blue marking
- for three-hole basin mixers

Standard article **11 284 811** FF	FF	Euro
Chrome	**-00**	119.20
Brushed Platinum	**-06**	190.60
Brushed Durabrass (23kt Gold)	**-28**	286.10
Brushed Bronze (PVD)	**-42**	190.70
Dark Chrome	**-19**	178.70
Brushed Dark Platinum	**-99**	214.40

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

20 713 811 + 11 283 811

Three-hole basin mixer with pop-up waste
- **167mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- handle Ø 60mm
- max. flow 4.5 l/min
- lead-free
- with hot / cold marking
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **20 713 811** FF Basic Product FF	Euro	1x **11 283 811** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,659.80	**-00**	119.20	**1,779.00**
Brushed Platinum	**-06**	2,655.60	**-06**	190.60	**2,846.20**
Platinum / Brushed Platinum	**-36**	2,655.60	**-06**	190.60	**2,846.20**
Brushed Durabrass (23kt Gold)	**-28**	3,983.50	**-28**	286.10	**4,269.60**
Durabrass / Brushed Durabrass (23kt Gold)	**-38**	3,983.50	**-28**	286.10	**4,269.60**
Brushed Bronze (PVD)	**-42**	2,655.90	**-42**	190.70	**2,846.60**
Dark Chrome	**-19**	2,489.90	**-19**	178.70	**2,668.60**
Brushed Dark Platinum	**-99**	2,987.70	**-99**	214.40	**3,202.10**

Product alternative
- with red & blue marking
- for three-hole basin mixers

Standard article **11 284 811** FF	FF	Euro
Chrome	**-00**	119.20
Brushed Platinum	**-06**	190.60
Brushed Durabrass (23kt Gold)	**-28**	286.10
Brushed Bronze (PVD)	**-42**	190.70
Dark Chrome	**-19**	178.70
Brushed Dark Platinum	**-99**	214.40

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

---

13 715 811

Deck-mounted basin spout without pop-up waste
- **133mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter 35 mm
- 2x 1/2“ x 1/2“ high pressure hose
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **13 715 811** FF	FF	Euro
Chrome	**-00**	952.70
Brushed Platinum	**-06**	1,523.90
Platinum / Brushed Platinum	**-36**	1,523.90
Brushed Durabrass (23kt Gold)	**-28**	2,286.50
Durabrass / Brushed Durabrass (23kt Gold)	**-38**	2,286.50
Brushed Bronze (PVD)	**-42**	1,524.30
Dark Chrome	**-19**	1,428.90
Brushed Dark Platinum	**-99**	1,714.70

---

36 860 811

Wall-mounted single-lever basin mixer without pop-up waste
- **160mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for mixer 80 x 80mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **36 860 811** FF	FF	Euro
Chrome	**-00**	1,154.90
Brushed Platinum	**-06**	1,848.00
Brushed Durabrass (23kt Gold)	**-28**	2,771.80
Brushed Bronze (PVD)	**-42**	1,847.90
Dark Chrome	**-19**	1,732.50
Brushed Dark Platinum	**-99**	2,079.00

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 861 811

Wall-mounted single-lever basin mixer without pop-up waste
- **190mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for mixer 80 x 80mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 861 811** FF	FF	Euro
Chrome		**-00**	1,212.60
Brushed Platinum		**-06**	1,940.40
Brushed Durabrass (23kt Gold)		**-28**	2,910.20
Brushed Bronze (PVD)		**-42**	1,940.30
Dark Chrome		**-19**	1,819.10
Brushed Dark Platinum		**-99**	2,183.00

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 707 811 +
11 283 811

Wall-mounted basin mixer without pop-up waste
- **160mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 37 mm
- hole diameter spout 37 mm
- handle Ø 60mm
- max. flow 4.5 l/min
- lead-free
- with hot / cold marking
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 707 811** FF max. flow 4.5 l/min FF	Euro	1x **11 283 811** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,203.80	**-00**	119.20	**1,323.00**
Brushed Platinum	**-06**	1,926.10	**-06**	190.60	**2,116.70**
Platinum / Brushed Platinum	**-36**	1,926.10	**-06**	190.60	**2,116.70**
Brushed Durabrass (23kt Gold)	**-28**	2,889.10	**-28**	286.10	**3,175.20**
Durabrass / Brushed Durabrass (23kt Gold)	**-38**	2,889.10	**-28**	286.10	**3,175.20**
Brushed Bronze (PVD)	**-42**	1,926.10	**-42**	190.70	**2,116.80**
Dark Chrome	**-19**	1,805.80	**-19**	178.70	**1,984.50**
Brushed Dark Platinum	**-99**	2,166.90	**-99**	214.40	**2,381.30**

Product alternative
- with red & blue marking
- for three-hole basin mixers

Standard article	**11 284 811** FF	FF	Euro
Chrome		**-00**	119.20
Brushed Platinum		**-06**	190.60
Brushed Durabrass (23kt Gold)		**-28**	286.10
Brushed Bronze (PVD)		**-42**	190.70
Dark Chrome		**-19**	178.70
Brushed Dark Platinum		**-99**	214.40

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	161.90

For details and miscellaneous, see page 728

36 712 811 + 11 283 811

Wall-mounted basin mixer without pop-up waste
- **190mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 37 mm
- hole diameter spout 37 mm
- handle Ø 60mm
- max. flow 4.5 l/min
- lead-free
- with hot / cold marking
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **36 712 811** FF max. flow 4.5 l/min		1x **11 283 811** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,267.40	**-00**	119.20	**1,386.60**
Brushed Platinum	**-06**	2,027.90	**-06**	190.60	**2,218.50**
Platinum / Brushed Platinum	**-36**	2,027.90	**-06**	190.60	**2,218.50**
Brushed Durabrass (23kt Gold)	**-28**	3,041.80	**-28**	286.10	**3,327.90**
Durabrass / Brushed Durabrass (23kt Gold)	**-38**	3,041.80	**-28**	286.10	**3,327.90**
Brushed Bronze (PVD)	**-42**	2,027.70	**-42**	190.70	**2,218.40**
Dark Chrome	**-19**	1,900.90	**-19**	178.70	**2,079.60**
Brushed Dark Platinum	**-99**	2,281.10	**-99**	214.40	**2,495.50**

Product alternative
- with red & blue marking
- for three-hole basin mixers

Standard article	**11 284 811** FF	Euro
Chrome	**-00**	119.20
Brushed Platinum	**-06**	190.60
Brushed Durabrass (23kt Gold)	**-28**	286.10
Brushed Bronze (PVD)	**-42**	190.70
Dark Chrome	**-19**	178.70
Brushed Dark Platinum	**-99**	214.40

Required miscellaneous

Concealed wall-mounted mixer centred spout

35 700 970 FF

- min. recess depth 85 mm
- max. recess depth 145 mm

Concealed rough parts | FF **90** | Euro 203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

35 720 970 FF

- min. recess depth 85 mm
- max. recess depth 145 mm

Concealed rough parts | FF **90** | Euro 161.90

For details and miscellaneous, see page 728

13 800 811

Wall-mounted basin spout without pop-up waste
- **160mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- 1/2“ connection
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 800 811** FF	Euro
Chrome	**-00**	719.70
Brushed Platinum	**-06**	1,151.60
Platinum / Brushed Platinum	**-36**	1,151.60
Brushed Durabrass (23kt Gold)	**-28**	1,727.30
Durabrass / Brushed Durabrass (23kt Gold)	**-38**	1,727.30
Brushed Bronze (PVD)	**-42**	1,151.30
Dark Chrome	**-19**	1,079.50
Brushed Dark Platinum	**-99**	1,295.50

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts | FF **90** | Euro 128.90

For details and miscellaneous, see page 732

13 805 811

Wall-mounted basin spout without pop-up waste
- **190mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- 1/2“ connection
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 805 811** FF	FF	Euro
Chrome		**-00**	760.80
Brushed Platinum		**-06**	1,217.60
Platinum / Brushed Platinum		**-36**	1,217.60
Brushed Durabrass (23kt Gold)		**-28**	1,825.90
Durabrass / Brushed Durabrass (23kt Gold)		**-38**	1,825.90
Brushed Bronze (PVD)		**-42**	1,217.40
Dark Chrome		**-19**	1,141.40
Brushed Dark Platinum		**-99**	1,369.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm For details and miscellaneous, see page 732	Concealed rough parts	**90**	128.90

13 715 811 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **133mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter 35 mm
- 2x 1/2“ x 1/2“ high pressure hose
- 1/2“ connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 715 811** FF max. flow 4.5 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	952.70	**90**	721.90	**1,674.60**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	329.40

13 717 811 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **167mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter 35 mm
- 2x 1/2“ x 1/2“ high pressure hose
- 1/2“ connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **13 717 811** FF max. flow 4.5 l/min		1x **42 765 970 90** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,000.10	**90**	721.90	**1,722.00**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

35 740 970 FF

	FF	Euro
Concealed rough parts	**90**	329.40

For details and miscellaneous, see page 734

13 800 811 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **160mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 35 mm
- 1/2“ connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **13 800 811** FF max. flow 4.5 l/min		1x **42 765 970 90** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	719.70	**90**	721.90	**1,441.60**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

35 741 970 FF

	FF	Euro
Concealed rough parts	**90**	329.40

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 733

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

	FF	Euro
Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

13 805 811 + 42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **190mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 35 mm
- 1/2“ connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 805 811** FF max. flow 4.5 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	760.80	**90**	721.90	**1,482.70**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

35 741 970 FF

- min. recess depth 90 mm
- max. recess depth 125 mm

Concealed rough parts

For details and miscellaneous, see page 733

FF	Euro
90	329.40

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

For details and miscellaneous, see page 732

FF	Euro
90	128.90

Miscellaneous

10 060 780

Siphon for basin 1 1/4“
- rosette 78 x 78 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 060 780** FF	FF	Euro
Chrome		**-00**	406.80
Brushed Platinum		**-06**	650.90
Brushed Durabrass (23kt Gold)		**-28**	976.30
Brushed Bronze (PVD)		**-42**	650.80
Dark Chrome		**-19**	610.20
Brushed Dark Platinum		**-99**	732.20

11 188 811

Handle insert hot & cold
- with hot / cold marking
- for two-hole basin mixer

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**11 188 811** FF	FF	Euro
Chrome		**-00**	59.50
Brushed Platinum		**-06**	95.20
Brushed Durabrass (23kt Gold)		**-28**	142.80
Brushed Bronze (PVD)		**-42**	95.10
Dark Chrome		**-19**	89.30
Brushed Dark Platinum		**-99**	107.20

11 187 811

Handle insert
- without marking

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**11 187 811** FF	FF	Euro
Chrome		**-00**	59.50
Brushed Platinum		**-06**	95.20
Brushed Durabrass (23kt Gold)		**-28**	142.80
Brushed Bronze (PVD)		**-42**	95.10
Dark Chrome		**-19**	89.30
Brushed Dark Platinum		**-99**	107.20

11 283 811

Handle insert set hot & cold
- with hot / cold marking
- for three-hole basin mixers and five-hole bath mixers

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**11 283 811** FF	FF	Euro
Chrome		**-00**	119.20
Brushed Platinum		**-06**	190.60
Brushed Durabrass (23kt Gold)		**-28**	286.10
Brushed Bronze (PVD)		**-42**	190.70
Dark Chrome		**-19**	178.70
Brushed Dark Platinum		**-99**	214.40

33 600 782

Single-lever bidet mixer with pop-up waste
- **110mm projection**
- **european pop-up waste**
- ball-joint pivotable through 44°
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 140 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x European pressure hose for bidet fitting
- max. flow 6 l/min

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 600 782** FF	FF	Euro
Chrome		**-00**	1,613.00
Brushed Platinum		**-06**	2,580.90
Brushed Durabrass (23kt Gold)		**-28**	3,871.20
Brushed Bronze (PVD)		**-42**	2,580.90
Dark Chrome		**-19**	2,419.70
Brushed Dark Platinum		**-99**	2,903.50

27 701 970

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 970** FF	FF	Euro
Chrome		**-00**	339.30
Brushed Platinum		**-06**	542.60
Brushed Durabrass (23kt Gold)		**-28**	814.30
Brushed Bronze (PVD)		**-42**	542.70
Dark Chrome		**-19**	508.80
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
	Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

26 412 980 + 28 012 979

NEW

Shower set
- spray head Ø 120mm
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 800 mm
- rosette 60 x 60 mm
- Pipe diameter 18 mm

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 980** FF FF	Euro	1x **28 012 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	737.00	**-00**	247.90	**984.90**
Brushed Platinum	**-06**	1,179.20	**-06**	396.60	**1,575.80**
Brushed Durabrass (23kt Gold)	**-28**	1,768.80	**-28**	595.00	**2,363.80**
Brushed Bronze (PVD)	**-42**	1,179.20	**-42**	396.60	**1,575.80**
Dark Chrome	**-19**	1,105.50	**-19**	371.80	**1,477.30**
Brushed Dark Platinum	**-99**	1,326.60	**-99**	446.30	**1,772.90**

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

	35 085 970 FF	FF	Euro
	Concealed rough parts	**90**	128.90

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

	28 450 980 FF	FF	Euro
	Chrome	**-00**	173.40
	Brushed Platinum	**-06**	277.60
	Brushed Durabrass (23kt Gold)	**-28**	416.20
	Brushed Bronze (PVD)	**-42**	277.40
	Dark Chrome	**-19**	260.30
	Brushed Dark Platinum	**-99**	312.30

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	398.90
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	342.20	**-28**	493.40	**-28**	598.30
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	228.00	**-42**	329.00	**-42**	398.90
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	213.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	256.50	**-99**	370.20	**-99**	448.70

26 412 979 +
28 018 979

NEW

Shower set
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow.
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 853 mm
- Pipe diameter 18 mm

Notes:
- Fits CL.1, IMO, MEM, SERIES-VARIOUS, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 979** FF FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	441.30	**-00**	142.60	**583.90**
Brushed Platinum	**-06**	706.10	**-06**	228.00	**934.10**
Brushed Durabrass (23kt Gold)	**-28**	1,059.10	**-28**	342.20	**1,401.30**
Brushed Bronze (PVD)	**-42**	706.10	**-42**	228.00	**934.10**
Dark Chrome	**-19**	662.00	**-19**	213.80	**875.80**
Brushed Dark Platinum	**-99**	794.30	**-99**	256.50	**1,050.80**

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

28 450 980 FF	FF	Euro
Chrome	**-00**	173.40
Brushed Platinum	**-06**	277.60
Brushed Durabrass (23kt Gold)	**-28**	416.20
Dark Chrome	**-19**	260.30
Brushed Dark Platinum	**-99**	312.30

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70

34 463 980 + 28 018 979 **NEW**

Shower pipe with shower thermostat with hand shower set FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6.8 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow.
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 453mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1170mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, MEM, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 463 980** FF max. flow 6.8 l/min FF	Euro	1x **28 018 979** FF max. flow 6.8 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,233.20	**-000010**	142.60	**3,375.80**
Brushed Platinum	**-06**	5,173.00	**-060010**	228.00	**5,401.00**
Brushed Durabrass (23kt Gold)	**-28**	7,759.70	**-280010**	342.20	**8,101.90**
Brushed Bronze (PVD)	**-42**	5,173.00	**-420010**	228.00	**5,401.00**
Dark Chrome	**-19**	4,849.70	**-190010**	213.80	**5,063.50**
Brushed Dark Platinum	**-99**	5,819.70	**-990010**	256.60	**6,076.30**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 468 980** FF	FF	Euro
Chrome	**-00**	2,688.60
Brushed Durabrass (23kt Gold)	**-28**	6,452.60
Brushed Bronze (PVD)	**-42**	4,301.90
Dark Chrome	**-19**	4,032.90
Brushed Dark Platinum	**-99**	4,839.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70

34 464 980 + 28 018 979 **NEW**

Shower pipe with shower thermostat with hand shower set 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1146mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 464 980** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,233.20	**-00**	142.60	**3,375.80**
Brushed Platinum	**-06**	5,173.00	**-06**	228.00	**5,401.00**
Brushed Durabrass (23kt Gold)	**-28**	7,759.70	**-28**	342.20	**8,101.90**
Brushed Bronze (PVD)	**-42**	5,173.00	**-42**	228.00	**5,401.00**
Dark Chrome	**-19**	4,849.70	**-19**	213.80	**5,063.50**
Brushed Dark Platinum	**-99**	5,819.70	**-99**	256.50	**6,076.20**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 469 980** FF	FF	Euro
Chrome	**-00**	2,688.60
Brushed Bronze (PVD)	**-42**	4,301.90
Dark Chrome	**-19**	4,032.90
Brushed Dark Platinum	**-99**	4,839.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70

28 504 670

Shower head
- spray head Ø 100mm
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system

Technical data:
- 180-210mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **28 504 670** FF	FF	Euro
Chrome	**-00**	643.80
Brushed Platinum	**-06**	1,021.40
Brushed Durabrass (23kt Gold)	**-28**	1,545.10
Brushed Bronze (PVD)	**-42**	1,029.90
Dark Chrome	**-19**	965.50
Brushed Dark Platinum	**-99**	1,158.60

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

28 508 980

Shower head
- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:
- 200-mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 508 980** FF	FF	Euro
Chrome		**-00**	714.40
Brushed Platinum		**-06**	1,142.70
Brushed Durabrass (23kt Gold)		**-28**	1,714.60
Brushed Bronze (PVD)		**-42**	1,143.10
Dark Chrome		**-19**	1,071.50
Brushed Dark Platinum		**-99**	1,286.10

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 508 980** FF	FF	Euro
Chrome		**-000010**	714.40
Brushed Platinum		**-060010**	1,142.70
Brushed Durabrass (23kt Gold)		**-280010**	1,714.60
Brushed Bronze (PVD)		**-420010**	1,143.10
Dark Chrome		**-190010**	1,071.50
Brushed Dark Platinum		**-990010**	1,286.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 647 670 NEW

Rain shower with wall fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 65 x 65 mm
- 1/2“ connection

Notes:
- Fits IMO, SERIES-VARIOUS, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 647 670** FF	FF	Euro
Chrome		**-00**	1,071.00
Brushed Platinum		**-06**	1,713.60
Brushed Durabrass (23kt Gold)		**-28**	2,570.40
Brushed Bronze (PVD)		**-42**	1,713.60
Dark Chrome		**-19**	1,606.50
Brushed Dark Platinum		**-99**	1,927.80

Product alternative
- Material rain shower: plastic

Standard article	**28 645 670** FF	FF	Euro
Chrome		**-00**	628.80
Brushed Bronze (PVD)		**-42**	1,006.10
Dark Chrome		**-19**	943.30
Brushed Dark Platinum		**-99**	1,131.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 646 670 NEW

Rain shower with wall fixing FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 65 x 65 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, SERIES-VARIOUS, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 646 670** FF	FF	Euro
Chrome		**-00**	1,071.00
Brushed Platinum		**-06**	1,713.60
Brushed Durabrass (23kt Gold)		**-28**	2,570.40
Brushed Bronze (PVD)		**-42**	1,713.60
Dark Chrome		**-19**	1,606.50
Brushed Dark Platinum		**-99**	1,927.80

Product alternative
- Material rain shower: plastic

Standard article	**28 644 670** FF	FF	Euro
Chrome		**-00**	618.60
Brushed Bronze (PVD)		**-42**	989.70
Dark Chrome		**-19**	927.90
Brushed Dark Platinum		**-99**	1,113.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 647 970 NEW

Rain shower with wall fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 647 970** FF	FF	Euro
Chrome		**-00**	1,012.30
Brushed Platinum		**-06**	1,619.70
Brushed Durabrass (23kt Gold)		**-28**	2,429.50
Brushed Bronze (PVD)		**-42**	1,619.70
Dark Chrome		**-19**	1,518.50
Brushed Dark Platinum		**-99**	1,822.20

Product alternative
- Material rain shower: plastic

Standard article	**28 645 970** FF	FF	Euro
Chrome		**-00**	618.60
Brushed Bronze (PVD)		**-42**	989.70
Dark Chrome		**-19**	927.90
Brushed Dark Platinum		**-99**	1,113.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 646 970 NEW

Rain shower with wall fixing FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 646 970** FF	FF	Euro
Chrome		**-00**	1,012.30
Brushed Platinum		**-06**	1,619.70
Brushed Durabrass (23kt Gold)		**-28**	2,429.50
Brushed Bronze (PVD)		**-42**	1,619.70
Dark Chrome		**-19**	1,518.50
Brushed Dark Platinum		**-99**	1,822.20

Product alternative
- Material rain shower: plastic

Standard article	**28 644 970** FF	FF	Euro
Chrome		**-00**	628.80
Brushed Bronze (PVD)		**-42**	1,006.10
Dark Chrome		**-19**	943.30
Brushed Dark Platinum		**-99**	1,131.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 677 670 NEW

Rain shower with wall fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 65 x 65 mm
- 1/2“ connection

Notes:
- Fits IMO, SERIES-VARIOUS, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 677 670** FF	FF	Euro
Chrome		**-00**	1,257.00
Brushed Platinum		**-06**	2,011.20
Brushed Durabrass (23kt Gold)		**-28**	3,016.80
Brushed Bronze (PVD)		**-42**	2,011.20
Dark Chrome		**-19**	1,885.50
Brushed Dark Platinum		**-99**	2,262.50

Product alternative
- Material rain shower: plastic

Standard article	**28 675 670** FF	FF	Euro
Chrome		**-00**	803.00
Brushed Bronze (PVD)		**-42**	1,284.90
Dark Chrome		**-19**	1,204.60
Brushed Dark Platinum		**-99**	1,445.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

---

28 676 670 NEW

Rain shower with wall fixing FlowReduce 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 65 x 65 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, SERIES-VARIOUS, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 676 670** FF	FF	Euro
Chrome		**-00**	1,257.00
Brushed Platinum		**-06**	2,011.20
Brushed Durabrass (23kt Gold)		**-28**	3,016.80
Brushed Bronze (PVD)		**-42**	2,011.20
Dark Chrome		**-19**	1,885.50
Brushed Dark Platinum		**-99**	2,262.50

Product alternative
- Material rain shower: plastic

Standard article	**28 674 670** FF	FF	Euro
Chrome		**-00**	618.60
Brushed Bronze (PVD)		**-42**	989.70
Dark Chrome		**-19**	927.90
Brushed Dark Platinum		**-99**	1,113.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

---

28 677 970 NEW

Rain shower with wall fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 677 970** FF	FF	Euro
Chrome		**-00**	1,192.50
Brushed Platinum		**-06**	1,908.00
Brushed Durabrass (23kt Gold)		**-28**	2,862.00
Brushed Bronze (PVD)		**-42**	1,908.00
Dark Chrome		**-19**	1,788.80
Brushed Dark Platinum		**-99**	2,146.50

Product alternative
- Material rain shower: plastic

Standard article	**28 675 970** FF	FF	Euro
Chrome		**-00**	792.40
Brushed Bronze (PVD)		**-42**	1,267.90
Dark Chrome		**-19**	1,188.70
Brushed Dark Platinum		**-99**	1,426.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 676 970 NEW

Rain shower with wall fixing FlowReduce 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 676 970 FF	FF	Euro
Chrome		-00	1,192.50
Brushed Platinum		-06	1,908.00
Brushed Durabrass (23kt Gold)		-28	2,862.00
Brushed Bronze (PVD)		-42	1,908.00
Dark Chrome		-19	1,788.80
Brushed Dark Platinum		-99	2,146.50

Product alternative
- Material rain shower: plastic

Standard article	28 674 970 FF	FF	Euro
Chrome		-00	792.40
Brushed Bronze (PVD)		-42	1,267.90
Dark Chrome		-19	1,188.70
Brushed Dark Platinum		-99	1,426.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

---

28 762 980 NEW

Rain shower with wall fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 762 980 FF	FF	Euro
Chrome		-00	1,605.00
Brushed Platinum		-06	2,568.10
Brushed Durabrass (23kt Gold)		-28	3,852.00
Brushed Bronze (PVD)		-42	2,568.10
Dark Chrome		-19	2,407.50
Brushed Dark Platinum		-99	2,889.10

Product alternative
- Material rain shower: plastic

Standard article	28 760 980 FF	FF	Euro
Chrome		-00	946.90
Brushed Bronze (PVD)		-42	1,515.00
Dark Chrome		-19	1,420.30
Brushed Dark Platinum		-99	1,704.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

---

28 763 980 NEW

Rain shower with wall fixing 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 12 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 763 980 FF	FF	Euro
Chrome		-00	1,605.00
Brushed Platinum		-06	2,568.10
Brushed Durabrass (23kt Gold)		-28	3,852.00
Brushed Bronze (PVD)		-42	2,568.10
Dark Chrome		-19	2,407.50
Brushed Dark Platinum		-99	2,889.10

Product alternative
- Material rain shower: plastic

Standard article	28 761 980 FF	FF	Euro
Chrome		-00	946.90
Brushed Bronze (PVD)		-42	1,515.00
Dark Chrome		-19	1,420.30
Brushed Dark Platinum		-99	1,704.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 666 970 NEW

Rain shower with ceiling fixing FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 666 970 FF	FF	Euro
Chrome		-00	860.30
Brushed Platinum		-06	1,376.40
Brushed Durabrass (23kt Gold)		-28	2,064.70
Brushed Bronze (PVD)		-42	1,376.40
Dark Chrome		-19	1,290.50
Brushed Dark Platinum		-99	1,548.40

Product alternative
- Material rain shower: plastic

Standard article	28 664 970 FF	FF	Euro
Chrome		-00	580.30
Brushed Bronze (PVD)		-42	928.50
Dark Chrome		-19	870.60
Brushed Dark Platinum		-99	1,044.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 667 970 NEW

Rain shower with ceiling fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 667 970 FF	FF	Euro
Chrome		-00	860.30
Brushed Platinum		-06	1,376.40
Brushed Durabrass (23kt Gold)		-28	2,064.70
Brushed Bronze (PVD)		-42	1,376.40
Dark Chrome		-19	1,290.50
Brushed Dark Platinum		-99	1,548.40

Product alternative
- Material rain shower: plastic

Standard article	28 665 970 FF	FF	Euro
Chrome		-00	580.30
Brushed Bronze (PVD)		-42	928.50
Dark Chrome		-19	870.60
Brushed Dark Platinum		-99	1,044.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 686 970 NEW

Rain shower with ceiling fixing FlowReduce 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 686 970 FF	FF	Euro
Chrome		-00	1,014.20
Brushed Platinum		-06	1,622.70
Brushed Durabrass (23kt Gold)		-28	2,434.10
Brushed Bronze (PVD)		-42	1,622.70
Dark Chrome		-19	1,521.30
Brushed Dark Platinum		-99	1,825.50

Product alternative
- Material rain shower: plastic

Standard article	28 684 970 FF	FF	Euro
Chrome		-00	729.40
Brushed Bronze (PVD)		-42	1,167.10
Dark Chrome		-19	1,094.20
Brushed Dark Platinum		-99	1,313.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 687 970 NEW

Rain shower with ceiling fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 687 970 FF	FF	Euro
Chrome		-00	1,014.20
Brushed Platinum		-06	1,622.70
Brushed Durabrass (23kt Gold)		-28	2,434.10
Brushed Bronze (PVD)		-42	1,622.70
Dark Chrome		-19	1,521.30
Brushed Dark Platinum		-99	1,825.50

Product alternative
- Material rain shower: plastic

Standard article	28 685 970 FF	FF	Euro
Chrome		-00	729.40
Brushed Bronze (PVD)		-42	1,167.10
Dark Chrome		-19	1,094.20
Brushed Dark Platinum		-99	1,313.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 772 980 NEW

Rain shower with ceiling fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 772 980 FF	FF	Euro
Chrome		-00	1,364.30
Brushed Platinum		-06	2,182.80
Brushed Durabrass (23kt Gold)		-28	3,274.30
Brushed Bronze (PVD)		-42	2,182.80
Dark Chrome		-19	2,046.50
Brushed Dark Platinum		-99	2,455.60

Product alternative
- Material rain shower: plastic

Standard article	28 770 980 FF	FF	Euro
Chrome		-00	836.00
Brushed Platinum		-06	1,337.60
Brushed Bronze (PVD)		-42	1,337.60
Dark Chrome		-19	1,254.00
Brushed Dark Platinum		-99	1,504.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 773 980 NEW

Rain shower with ceiling fixing 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 12 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 773 980 FF	FF	Euro
Chrome		-00	1,364.30
Brushed Platinum		-06	2,182.80
Brushed Durabrass (23kt Gold)		-28	3,274.30
Brushed Bronze (PVD)		-42	2,182.80
Dark Chrome		-19	2,046.50
Brushed Dark Platinum		-99	2,455.60

Product alternative
- Material rain shower: plastic

Standard article	28 771 980 FF	FF	Euro
Chrome		-00	836.00
Brushed Bronze (PVD)		-42	1,337.60
Dark Chrome		-19	1,254.00
Brushed Dark Platinum		-99	1,504.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 041 980

Rain shower for surface-mounted ceiling installation 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 041 980** FF	FF	Euro
Chrome		**-00**	858.90
Brushed Platinum		**-06**	1,374.20
Brushed Durabrass (23kt Gold)		**-28**	2,061.40
Brushed Bronze (PVD)		**-42**	1,374.20
Dark Chrome		**-19**	1,288.40
Brushed Dark Platinum		**-99**	1,546.00

Required miscellaneous

Concealed ceiling installation box with ceiling fixing

	35 041 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2“ outlet	Concealed rough parts	**90**	572.60

For details and miscellaneous, see page 735

28 042 980

Rain shower for surface-mounted ceiling installation with light 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Electric:
- Ceiling module power supply
- 350mA (CC)
- Spot lighting
- LED colour temperature approx. 3000 K
- Technology: LED, not dimmable
- Contains energy efficiency class bulbs
- Bulbs protected against splashing water
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Provided by customer: Light switch
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 042 980** FF	FF	Euro
Chrome		**-00**	1,290.50
Brushed Platinum		**-06**	2,064.80
Brushed Durabrass (23kt Gold)		**-28**	3,097.20
Brushed Bronze (PVD)		**-42**	2,064.80
Dark Chrome		**-19**	1,935.80
Brushed Dark Platinum		**-99**	2,322.90

Required miscellaneous

Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2“ connections • Input 100-240V AC 50-60Hz • Output 350 mA SELV / Class 2 • Provided by customer: Light switch	Concealed rough parts	**90**	860.20

For details and miscellaneous, see page 736

28 043 980

Rain shower for recessed ceiling installation 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 043 980 FF	FF	Euro
Chrome		-00	1,647.10
Brushed Platinum		-06	2,635.40
Brushed Durabrass (23kt Gold)		-28	3,953.00
Brushed Bronze (PVD)		-42	2,635.40
Dark Chrome		-19	2,470.70
Brushed Dark Platinum		-99	2,964.80

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation

	35 043 970 FF	FF	Euro
• concealed rough parts • recess depth 137mm • 2x female thread 1/2“ outlet • flush-mounted RAL 9003 signal white light reflection box 310 x 250 mm	Concealed rough parts	90	1,098.10

For details and miscellaneous, see page 734

28 044 980

Rain shower for recessed ceiling installation with light 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Electric:
- Ceiling module power supply
- 12V DC (CV)
- Spot lighting
- Ambient lighting
- LED coloured light RGBW
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Activation:
- Provided by customer: Zigbee gateway
- ZigBee Light Link RGBW controller

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Dornbracht recommends consulting a systems integrator.

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 044 980 FF	FF	Euro
Chrome		-00	2,472.80
Brushed Platinum		-06	3,956.50
Brushed Durabrass (23kt Gold)		-28	5,934.70
Brushed Bronze (PVD)		-42	3,956.50
Dark Chrome		-19	3,709.20
Brushed Dark Platinum		-99	4,451.00

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation with light

	35 044 970 FF	FF	Euro
• concealed rough parts • flush-mounted installation box 360x 300 mm RAL 9003 signal white • recess depth 137mm • Input 100-240V AC 50-60Hz • Output 12V DC SELV / Class 2 • ZigBee Light Link RGBW controller	Concealed rough parts	90	1,648.60

For details and miscellaneous, see page 735

27 812 970 NEW

Hand shower set with integrated shower holder
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- 1/2“ connection
- rosette 60 x 60 mm

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	27 812 970 FF	FF	Euro
Chrome		-00	493.10
Brushed Platinum		-06	789.00
Brushed Durabrass (23kt Gold)		-28	1,183.40
Brushed Bronze (PVD)		-42	789.00
Dark Chrome		-19	739.60
Brushed Dark Platinum		-99	887.60

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 812 970 FF	FF	Euro
Chrome		-000010	493.10
Brushed Platinum		-060010	789.00
Brushed Durabrass (23kt Gold)		-280010	1,183.40
Brushed Bronze (PVD)		-420010	789.00
Dark Chrome		-190010	739.60
Brushed Dark Platinum		-990010	887.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

27 809 985

Hand shower set with individual rosettes with volume control
- with volume control
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits CL.1, SYMETRICS, CYO, IMO, MEM

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	27 809 985 FF	FF	Euro
Chrome		-00	976.60
Brushed Platinum		-06	1,562.60
Brushed Durabrass (23kt Gold)		-28	2,343.80
Brushed Bronze (PVD)		-42	1,562.50
Dark Chrome		-19	1,465.00
Brushed Dark Platinum		-99	1,757.80

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 809 985 FF	FF	Euro
Chrome		-000010	976.60
Brushed Platinum		-060010	1,562.60
Brushed Durabrass (23kt Gold)		-280010	2,343.80
Brushed Bronze (PVD)		-420010	1,562.50
Dark Chrome		-190010	1,465.00
Brushed Dark Platinum		-990010	1,757.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

27 811 980 NEW

Hand shower set with individual rosettes
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

technical data:
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 811 980** FF	FF	Euro
Chrome		**-00**	744.00
Brushed Platinum		**-06**	1,190.50
Brushed Durabrass (23kt Gold)		**-28**	1,785.60
Brushed Bronze (PVD)		**-42**	1,190.50
Dark Chrome		**-19**	1,116.00
Brushed Dark Platinum		**-99**	1,339.30

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 811 980** FF	FF	Euro
Chrome		**-000010**	744.00
Brushed Platinum		**-060010**	1,190.50
Brushed Durabrass (23kt Gold)		**-280010**	1,785.60
Brushed Bronze (PVD)		**-420010**	1,190.50
Dark Chrome		**-190010**	1,116.00
Brushed Dark Platinum		**-990010**	1,339.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 818 980

Hand shower set with cover plate
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- cover plate 240 x 60 mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 818 980** FF	FF	Euro
Chrome		**-00**	884.50
Brushed Platinum		**-06**	1,415.10
Brushed Durabrass (23kt Gold)		**-28**	2,122.80
Brushed Bronze (PVD)		**-42**	1,415.30
Dark Chrome		**-19**	1,327.00
Brushed Dark Platinum		**-99**	1,592.20

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 818 980** FF	FF	Euro
Chrome		**-000010**	884.50
Brushed Platinum		**-060010**	1,415.10
Brushed Durabrass (23kt Gold)		**-280010**	2,122.80
Brushed Bronze (PVD)		**-420010**	1,415.30
Dark Chrome		**-190010**	1,327.00
Brushed Dark Platinum		**-990010**	1,592.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 518 782

Body spray without volume control FlowReduce
- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- max. flow 5 l/min
- anti-scale system

Technical data:
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, MEM, CYO

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 518 782 FF	FF	Euro
Chrome		-00	397.30
Brushed Platinum		-06	635.90
Brushed Durabrass (23kt Gold)		-28	953.50
Brushed Bronze (PVD)		-42	635.70
Dark Chrome		-19	596.00
Brushed Dark Platinum		-99	715.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

36 515 979

WATER POINTS Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 120 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 515 979 FF	FF	Euro
Chrome		-00	577.30
Brushed Platinum		-06	923.20
Brushed Durabrass (23kt Gold)		-28	1,385.50
Brushed Bronze (PVD)		-42	923.60
Dark Chrome		-19	866.00
Brushed Dark Platinum		-99	1,039.00

Required miscellaneous

WATER POINTS Adapter plate

	12 305 970 FF	FF	Euro
• adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.	Accesories	90	37.90

For details and miscellaneous, see page 742

Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm	Concealed rough parts	90	234.20

For details and miscellaneous, see page 733

36 517 979

WATER BAR Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 517 979 FF	FF	Euro
Chrome		-00	891.50
Brushed Platinum		-06	1,426.60
Brushed Durabrass (23kt Gold)		-28	2,139.60
Brushed Bronze (PVD)		-42	1,426.40
Dark Chrome		-19	1,337.20
Brushed Dark Platinum		-99	1,604.30

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	90	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	90	117.80

For details and miscellaneous, see page 743

36 514 979

WATER CURVE Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- Function from: 5.7 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 60 mm
- 1/2“ connection

Notes:
- This product reduces water consumption by % (compared to requirements of EPAct ,92)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 514 979** FF	FF	Euro
Chrome		**-00**	1,160.00
Brushed Platinum		**-06**	1,856.10
Brushed Durabrass (23kt Gold)		**-28**	2,784.00
Brushed Bronze (PVD)		**-42**	1,856.20
Dark Chrome		**-19**	1,740.00
Brushed Dark Platinum		**-99**	2,088.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 513 979

WATER FAN vertical Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 513 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Platinum		**-06**	1,385.20
Brushed Durabrass (23kt Gold)		**-28**	2,077.00
Brushed Bronze (PVD)		**-42**	1,384.60
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60

Product alternative
- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**36 512 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Platinum		**-06**	1,385.20
Brushed Durabrass (23kt Gold)		**-28**	2,077.00
Brushed Bronze (PVD)		**-42**	1,384.60
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

13 415 979

WATER SHEET Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **150mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 415 979** FF	FF	Euro
Chrome		**-00**	1,194.80
Brushed Platinum		**-06**	1,911.60
Brushed Durabrass (23kt Gold)		**-28**	2,867.50
Brushed Bronze (PVD)		**-42**	1,911.70
Dark Chrome		**-19**	1,792.40
Brushed Dark Platinum		**-99**	2,150.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 420 979



WATER FALL Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **120mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 420 979** FF	FF	Euro
Chrome		**-00**	1,706.90
Brushed Platinum		**-06**	2,731.60
Brushed Durabrass (23kt Gold)		**-28**	4,096.60
Brushed Bronze (PVD)		**-42**	2,731.20
Dark Chrome		**-19**	2,560.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 425 979

WATER FALL Cascade spout with individual jets for wall mounting
- PEARLSTREAM
- Max. flow rate 9.5 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- plate 240 mm x 60 mm
- **22mm projection**
- connection 1/2“, for shortening
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 425 979** FF	FF	Euro
Chrome		**-00**	1,268.40
Brushed Platinum		**-06**	2,029.40
Brushed Durabrass (23kt Gold)		**-28**	3,044.20
Brushed Bronze (PVD)		**-42**	2,029.40
Dark Chrome		**-19**	1,902.40
Brushed Dark Platinum		**-99**	2,282.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 838 979

Affusion pipe with cover plate
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- inherently safe from back flow
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection
- 3/8“ shower outlet
- plug-link mounting

Notes:
- Fits IMO, MEM, CL.1, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 838 979** FF	FF	Euro
Chrome		**-00**	1,038.50
Brushed Platinum		**-06**	1,661.60
Brushed Durabrass (23kt Gold)		**-28**	2,492.40
Brushed Bronze (PVD)		**-42**	1,661.60
Dark Chrome		**-19**	1,557.80
Brushed Dark Platinum		**-99**	1,869.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 821 979 +
28 285 979

WATER TUBE Kneipp wall elbow
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2“ wall elbow
- hose nozzle with sleeve M33
- inherently safe from back flow

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **27 821 979** FF max. flow 15 l/min FF	Euro	1x **28 285 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	719.60	**-00**	110.10	**829.70**
Brushed Platinum	**-06**	1,151.30	**-06**	176.20	**1,327.50**
Brushed Durabrass (23kt Gold)	**-28**	1,727.00	**-28**	264.20	**1,991.20**
Brushed Bronze (PVD)	**-42**	1,151.20	**-42**	176.20	**1,327.40**
Dark Chrome	**-19**	1,079.40	**-19**	165.20	**1,244.60**
Brushed Dark Platinum	**-99**	1,295.40	**-99**	198.10	**1,493.50**

Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

28 286 979 FF	FF	Euro
Chrome	**-00**	110.10
Brushed Platinum	**-06**	176.20
Brushed Durabrass (23kt Gold)	**-28**	264.20
Brushed Bronze (PVD)	**-42**	176.20
Dark Chrome	**-19**	165.20
Brushed Dark Platinum	**-99**	198.10

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

---

28 490 970

Wall elbow with integrated shower holder
- 3/8“ shower outlet
- rosette 60 x 60 mm
- 1/2“ connection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 490 970** FF	FF	Euro
Chrome		**-00**	250.20
Brushed Platinum		**-06**	400.80
Brushed Durabrass (23kt Gold)		**-28**	600.50
Brushed Bronze (PVD)		**-42**	400.40
Dark Chrome		**-19**	375.60
Brushed Dark Platinum		**-99**	450.10

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

---

28 450 980

Wall elbow
- 3/8“ shower outlet
- rosette 60 x 60 mm
- 1/2“ connection

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 450 980** FF	FF	Euro
Chrome		**-00**	173.40
Brushed Platinum		**-06**	277.60
Brushed Durabrass (23kt Gold)		**-28**	416.20
Brushed Bronze (PVD)		**-42**	277.40
Dark Chrome		**-19**	260.30
Brushed Dark Platinum		**-99**	312.30

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 050 980

Wall bracket
- rosette 60 x 60 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 050 980 FF	FF	Euro
Chrome		-00	225.10
Brushed Platinum		-06	360.60
Brushed Durabrass (23kt Gold)		-28	540.20
Brushed Bronze (PVD)		-42	360.30
Dark Chrome		-19	337.80
Brushed Dark Platinum		-99	405.20

28 060 970

Wall bracket swivel
- pivotable 75°

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 060 970 FF	FF	Euro
Chrome		-00	207.70
Brushed Platinum		-06	332.40
Brushed Durabrass (23kt Gold)		-28	498.50
Brushed Bronze (PVD)		-42	332.10
Dark Chrome		-19	311.40
Brushed Dark Platinum		-99	373.90

12 540 970 NEW

Slide unit
- for pipe diameter 18 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	12 540 970 FF	FF	Euro
Chrome		-00	143.90
Brushed Platinum		-06	230.20
Brushed Durabrass (23kt Gold)		-28	345.40
Brushed Bronze (PVD)		-42	230.20
Dark Chrome		-19	215.80
Brushed Dark Platinum		-99	258.90

12 550 970 NEW

Slide unit
- Pipe diameter 20 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	12 550 970 FF	FF	Euro
Chrome		-00	143.90
Brushed Platinum		-06	230.20
Brushed Durabrass (23kt Gold)		-28	345.40
Brushed Bronze (PVD)		-42	230.20
Dark Chrome		-19	215.80
Brushed Dark Platinum		-99	258.90

36 060 670

Concealed single-lever mixer with cover plate
- cover plate 80 x 80 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 060 670 FF	FF	Euro
Chrome		-00	493.20
Brushed Platinum		-06	796.40
Brushed Durabrass (23kt Gold)		-28	1,183.70
Brushed Bronze (PVD)		-42	789.10
Dark Chrome		-19	739.90
Brushed Dark Platinum		-99	887.90

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm	Concealed rough parts	90	235.80

For details and miscellaneous, see page 728

36 046 970

Concealed single-lever mixer with cover plate with integrated shower connection
- cover plate 80 x 80 mm

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 046 970 FF	FF	Euro
Chrome		-00	602.50
Brushed Platinum		-06	964.00
Brushed Durabrass (23kt Gold)		-28	1,446.00
Brushed Bronze (PVD)		-42	964.00
Dark Chrome		-19	903.80
Brushed Dark Platinum		-99	1,084.70

Required miscellaneous

Concealed wall mounting

	35 050 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	90	336.80

For details and miscellaneous, see page 728

36 120 670

Concealed single-lever mixer with diverter
- automatic diverter
- cover plate 150 x 90 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 120 670 FF	FF	Euro
Chrome		-00	632.80
Brushed Platinum		-06	1,012.40
Brushed Durabrass (23kt Gold)		-28	1,518.70
Brushed Bronze (PVD)		-42	1,012.50
Dark Chrome		-19	949.00
Brushed Dark Platinum		-99	1,138.80

Required miscellaneous

Concealed single-lever mixer

	35 020 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	90	248.70

For details and miscellaneous, see page 729

Required miscellaneous

Concealed single-lever mixer with backflow preventor

	35 021 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	90	355.40

For details and miscellaneous, see page 729

36 425 670

Concealed thermostat with one function volume control
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 425 670** FF	FF	Euro
Chrome		**-00**	793.80
Brushed Platinum		**-06**	1,281.60
Brushed Durabrass (23kt Gold)		**-28**	1,905.10
Brushed Bronze (PVD)		**-42**	1,270.10
Dark Chrome		**-19**	1,190.80
Brushed Dark Platinum		**-99**	1,428.90

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	457.60

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	480.60

36 426 670

Concealed thermostat with two function volume control
- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 426 670** FF	FF	Euro
Chrome		**-00**	941.20
Brushed Platinum		**-06**	1,520.00
Brushed Durabrass (23kt Gold)		**-28**	2,258.90
Brushed Bronze (PVD)		**-42**	1,506.00
Dark Chrome		**-19**	1,411.90
Brushed Dark Platinum		**-99**	1,694.10

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	457.60

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	480.60

36 427 670

Concealed thermostat with three function volume control
- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 427 670** FF	FF	Euro
Chrome		**-00**	998.00
Brushed Platinum		**-06**	1,611.20
Brushed Durabrass (23kt Gold)		**-28**	2,395.20
Brushed Bronze (PVD)		**-42**	1,596.80
Dark Chrome		**-19**	1,496.90
Brushed Dark Platinum		**-99**	1,796.20

Required miscellaneous

Concealed thermostat

	35 427 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	479.40

Required miscellaneous

Concealed thermostat with built-in isolators

	35 428 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	503.00

36 503 780 +
36 607 811 +
11 187 811

xTOOL Thermostat module with 1 valve 1/2”
- cover plate 120 x 120 mm
- handle Ø 60mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

36 501 985-FF can also be used as an alternative.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 780** FF FF	Euro	1x **36 607 811** FF 1x **11 187 811** FF FF	Euro	Total price: Euro
Chrome	**-00**	1,355.90	**-00** **-00**	302.50 59.50	**1,717.90**
Brushed Platinum	**-06**	2,169.80	**-06** **-06**	483.90 95.20	**2,748.90**
Brushed Durabrass (23kt Gold)	**-28**	3,254.20	**-28** **-28**	726.00 142.80	**4,123.00**
Brushed Bronze (PVD)	**-42**	2,169.40	**-42** **-42**	483.90 95.10	**2,748.40**
Dark Chrome	**-19**	2,034.00	**-19** **-19**	453.70 89.30	**2,577.00**
Brushed Dark Platinum	**-99**	2,440.80	**-99** **-99**	544.70 107.20	**3,092.70**

Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

	35 511 970 FF FF	Euro
• min. recess depth 95 mm • max. recess depth 160 mm For details and miscellaneous, see page 730	Concealed rough parts **90**	743.70

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts **90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts **90**	118.70

36 503 780 +
2x **36 607 811 +**
2x **11 187 811**

xTOOL Thermostat module with 2 valves 1/2”
- cover plate 120 x 120 mm
- handle Ø 60mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

36 503 985-FF can also be used as an alternative.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 780** FF FF	Euro	2x **36 607 811** FF 2x **11 187 811** FF FF	Euro	Total price: Euro
Chrome	**-00**	1,355.90	**-00** **-00**	302.50 59.50	**2,079.90**
Brushed Platinum	**-06**	2,169.80	**-06** **-06**	483.90 95.20	**3,328.00**
Brushed Durabrass (23kt Gold)	**-28**	3,254.20	**-28** **-28**	726.00 142.80	**4,991.80**
Brushed Bronze (PVD)	**-42**	2,169.40	**-42** **-42**	483.90 95.10	**3,327.40**
Dark Chrome	**-19**	2,034.00	**-19** **-19**	453.70 89.30	**3,120.00**
Brushed Dark Platinum	**-99**	2,440.80	**-99** **-99**	544.70 107.20	**3,744.60**

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF

	FF	Euro
Concealed rough parts	**90**	1,239.70

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF

	FF	Euro
Concealed rough parts	**90**	1,226.10

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

	FF	Euro
Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

	FF	Euro
Concealed rough parts	**90**	118.70

For details and miscellaneous, see page 743

36 503 780 +
3x **36 607 811 +**
3x **11 187 811**

xTOOL Thermostat module with 3 valves 1/2"
- cover plate 120 x 120 mm
- handle Ø 60mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

36 503 985-FF can also be used as an alternative.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 780** FF FF	Euro	3x **36 607 811** FF 3x **11 187 811** FF FF	Euro	Total price: Euro
Chrome	**-00**	1,355.90	**-00** **-00**	302.50 59.50	**2,441.90**
Brushed Platinum	**-06**	2,169.80	**-06** **-06**	483.90 95.20	**3,907.10**
Brushed Durabrass (23kt Gold)	**-28**	3,254.20	**-28** **-28**	726.00 142.80	**5,860.60**
Brushed Bronze (PVD)	**-42**	2,169.40	**-42** **-42**	483.90 95.10	**3,906.40**
Dark Chrome	**-19**	2,034.00	**-19** **-19**	453.70 89.30	**3,663.00**
Brushed Dark Platinum	**-99**	2,440.80	**-99** **-99**	544.70 107.20	**4,396.50**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 731

	FF	Euro
Concealed rough parts	**90**	1,332.30

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 731

	FF	Euro
Concealed rough parts	**90**	1,443.30

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

For details and miscellaneous, see page 743

	FF	Euro
Concealed rough parts	**90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

For details and miscellaneous, see page 743

	FF	Euro
Concealed rough parts	**90**	118.70

36 503 780

xTOOL Concealed thermostat without volume control 3/4"
- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 503 780** FF	FF	Euro
Chrome		**-00**	1,355.90
Brushed Platinum		**-06**	2,169.80
Brushed Durabrass (23kt Gold)		**-28**	3,254.20
Brushed Bronze (PVD)		**-42**	2,169.40
Dark Chrome		**-19**	2,034.00
Brushed Dark Platinum		**-99**	2,440.80

Required miscellaneous

xTOOL Concealed thermostat module without volume control

35 503 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 730

	FF	Euro
Concealed rough parts	**90**	907.90

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

For details and miscellaneous, see page 743

	FF	Euro
Concealed rough parts	**90**	117.80

36 503 985

xTOOL Concealed thermostat without volume control 3/4“
- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 503 985** FF	FF	Euro
Chrome		**-00**	1,385.50
Brushed Platinum		**-06**	2,217.00
Brushed Durabrass (23kt Gold)		**-28**	3,325.20
Brushed Bronze (PVD)		**-42**	2,216.90
Dark Chrome		**-19**	2,078.60
Brushed Dark Platinum		**-99**	2,494.00

Required miscellaneous

xTOOL Concealed thermostat module without volume control

35 503 970 FF | FF | Euro

- min. recess depth 95 mm
- max. recess depth 160 mm

Concealed rough parts | **90** | 907.90

For details and miscellaneous, see page 730

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF | Euro

Concealed rough parts | **90** | 117.80

For details and miscellaneous, see page 743

---

36 607 741

Wall valve clockwise closing cold 1/2“
- without rosette
- handle Ø 60mm
- with cold marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 741** FF	FF	Euro
Chrome		**-00**	315.90
Brushed Platinum		**-06**	505.40
Brushed Durabrass (23kt Gold)		**-28**	758.20
Brushed Bronze (PVD)		**-42**	505.50
Dark Chrome		**-19**	473.90
Brushed Dark Platinum		**-99**	568.80

Product alternative
- with hot marking

Standard article	**36 607 742** FF	FF	Euro
Chrome		**-00**	315.90
Brushed Platinum		**-06**	505.40
Brushed Durabrass (23kt Gold)		**-28**	758.20
Brushed Bronze (PVD)		**-42**	505.50
Dark Chrome		**-19**	473.90
Brushed Dark Platinum		**-99**	568.80

Required miscellaneous

Wall valve 1/2“

35 607 970 FF | FF | Euro

- min. recess depth 85 mm
- max. recess depth 145 mm

Concealed rough parts | **90** | 95.40

For details and miscellaneous, see page 732

---

36 607 811 +
11 187 811

Wall valve clockwise closing 1/2”
- without marking
- without rosette
- handle Ø 60mm
- head part with cut-to-length spindle and sleeve

Fits CYO

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 607 811** FF		1x **11 187 811** FF		**Total price:**
	FF	Euro	FF	Euro	Euro
Chrome	**-00**	302.50	**-00**	59.50	**362.00**
Brushed Platinum	**-06**	483.90	**-06**	95.20	**579.10**
Platinum / Brushed Platinum	**-36**	484.20	**-06**	95.20	**579.40**
Brushed Durabrass (23kt Gold)	**-28**	726.00	**-28**	142.80	**868.80**
Durabrass / Brushed Durabrass (23kt Gold)	**-38**	726.00	**-28**	142.80	**868.80**
Brushed Bronze (PVD)	**-42**	483.90	**-42**	95.10	**579.00**
Dark Chrome	**-19**	453.70	**-19**	89.30	**543.00**
Brushed Dark Platinum	**-99**	544.70	**-99**	107.20	**651.90**

Required miscellaneous

Wall valve 1/2“

35 607 970 FF | FF | Euro

- min. recess depth 75 mm
- max. recess depth 145 mm

Concealed rough parts | **90** | 95.40

For details and miscellaneous, see page 732

36 607 812 + 11 187 811

Wall valve clockwise closing 1/2”
- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CYO

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 607 812** FF FF	1x **36 607 812** FF Euro	1x **11 187 811** FF FF	1x **11 187 811** FF Euro	**Total price:** Euro
Chrome	**-00**	302.50	**-00**	59.50	**362.00**
Brushed Platinum	**-06**	483.90	**-06**	95.20	**579.10**
Platinum / Brushed Platinum	**-36**	484.20	**-06**	95.20	**579.40**
Brushed Durabrass (23kt Gold)	**-28**	726.00	**-28**	142.80	**868.80**
Durabrass / Brushed Durabrass (23kt Gold)	**-38**	726.00	**-28**	142.80	**868.80**
Brushed Bronze (PVD)	**-42**	483.90	**-42**	95.10	**579.00**
Dark Chrome	**-19**	453.70	**-19**	89.30	**543.00**
Brushed Dark Platinum	**-99**	544.70	**-99**	107.20	**651.90**

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 145 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

---

36 607 740

Wall valve clockwise closing 1/2“
- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 740** FF	FF	Euro
Chrome		**-00**	302.50
Brushed Platinum		**-06**	483.90
Brushed Durabrass (23kt Gold)		**-28**	726.00
Brushed Bronze (PVD)		**-42**	483.90
Dark Chrome		**-19**	453.90
Brushed Dark Platinum		**-99**	544.60

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

---

36 608 811 + 11 187 811

Wall valve clockwise closing 3/4”
- without marking
- without rosette
- handle Ø 60mm
- head part with cut-to-length spindle and sleeve

Fits CYO

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 608 811** FF FF	1x **36 608 811** FF Euro	1x **11 187 811** FF FF	1x **11 187 811** FF Euro	**Total price:** Euro
Chrome	**-00**	302.50	**-00**	59.50	**362.00**
Brushed Platinum	**-06**	484.20	**-06**	95.20	**579.40**
Platinum / Brushed Platinum	**-36**	484.20	**-06**	95.20	**579.40**
Brushed Durabrass (23kt Gold)	**-28**	726.00	**-28**	142.80	**868.80**
Durabrass / Brushed Durabrass (23kt Gold)	**-38**	726.00	**-28**	142.80	**868.80**
Brushed Bronze (PVD)	**-42**	483.90	**-42**	95.10	**579.00**
Dark Chrome	**-19**	453.70	**-19**	89.30	**543.00**
Brushed Dark Platinum	**-99**	544.70	**-99**	107.20	**651.90**

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 145 mm	Concealed rough parts	**90**	125.20

For details and miscellaneous, see page 732

36 608 740

Wall valve clockwise closing 3/4“
- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 608 740 FF	FF	Euro
Chrome		-00	302.50
Brushed Platinum		-06	483.90
Brushed Durabrass (23kt Gold)		-28	726.00
Brushed Bronze (PVD)		-42	483.90
Dark Chrome		-19	453.90
Brushed Dark Platinum		-99	544.60

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	90	125.20

For details and miscellaneous, see page 732

20 000 811 +
11 187 811

Deck valve clockwise closing
- without marking
- hole diameter valve 32 mm
- without rosette
- handle Ø 60mm

Fits CYO

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x 20 000 811 FF		1x 11 187 811 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	337.60	-00	59.50	**397.10**
Brushed Platinum	-06	539.80	-06	95.20	**635.00**
Platinum / Brushed Platinum	-36	539.80	-06	95.20	**635.00**
Brushed Durabrass (23kt Gold)	-28	810.20	-28	142.80	**953.00**
Durabrass / Brushed Durabrass (23kt Gold)	-38	810.20	-28	142.80	**953.00**
Brushed Bronze (PVD)	-42	95.10	-42	540.10	**635.20**
Dark Chrome	-19	506.30	-19	89.30	**595.60**
Brushed Dark Platinum	-99	607.30	-99	107.20	**714.50**

20 000 740

Deck valve clockwise closing cold
- hole diameter 32 mm
- handle Ø 60mm
- without rosette
- with cold marking

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	20 000 740 FF	FF	Euro
Chrome		-00	337.60
Brushed Platinum		-06	539.80
Brushed Durabrass (23kt Gold)		-28	810.20
Brushed Bronze (PVD)		-42	540.10
Dark Chrome		-19	506.30
Brushed Dark Platinum		-99	607.30

Product alternative
- with hot marking

Standard article	20 000 741 FF	FF	Euro
Chrome		-00	337.60
Brushed Platinum		-06	539.80
Brushed Durabrass (23kt Gold)		-28	810.20
Brushed Bronze (PVD)		-42	540.10
Dark Chrome		-19	506.30
Brushed Dark Platinum		-99	607.30

36 200 740

Concealed two-way diverter
- rotary diverter
- without rosette
- handle Ø 60mm

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 200 740 FF	FF	Euro
Chrome		-00	358.90
Brushed Platinum		-06	574.20
Brushed Durabrass (23kt Gold)		-28	861.40
Brushed Bronze (PVD)		-42	574.10
Dark Chrome		-19	538.40
Brushed Dark Platinum		-99	646.00

Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	90	310.70

For details and miscellaneous, see page 732

36 210 740

Concealed three-way diverter
- rotary diverter
- without rosette
- handle Ø 60mm

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 210 740** FF	FF	Euro
Chrome		**-00**	358.90
Brushed Platinum		**-06**	574.20
Brushed Durabrass (23kt Gold)		**-28**	861.40
Brushed Bronze (PVD)		**-42**	574.10
Dark Chrome		**-19**	538.40
Brushed Dark Platinum		**-99**	646.00

Required miscellaneous

Concealed three-way diverter

	35 203 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	378.40

For details and miscellaneous, see page 732

25 863 811

Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set
- **247mm projection**
- rectangular, air-enriched flow
- max. spout flow rate 26.5 l/min
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- total height 980 - 1050 mm
- stand pipe height 598 - 668 mm
- height up to aerator 903 – 973 mm
- push-on rosette 131 x 131 mm
- metal shower hose 1250mm with integrated anti-twist protection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 863 811** FF	FF	Euro
Chrome		**-00**	5,101.70
Brushed Platinum		**-06**	8,162.70
Brushed Durabrass (23kt Gold)		**-28**	12,244.10
Brushed Bronze (PVD)		**-42**	8,162.80
Dark Chrome		**-19**	7,652.60
Brushed Dark Platinum		**-99**	9,183.00

Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 150 mm	Concealed rough parts	**90**	882.10

For details and miscellaneous, see page 732

27 632 811

Bath shower set for bath rim or tile edge installation
- **167mm projection**
- spout: rectangular normal flow
- max. flow 23.8 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter spout 28 mm
- hole diameter for complete hand shower set 32 mm
- rosette for mixer 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 632 811** FF	FF	Euro
Chrome		**-00**	2,526.30
Brushed Platinum		**-06**	4,042.00
Brushed Durabrass (23kt Gold)		**-28**	6,063.10
Brushed Bronze (PVD)		**-42**	4,042.00
Dark Chrome		**-19**	3,789.50
Brushed Dark Platinum		**-99**	4,547.10

Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
	Concealed rough parts	**90**	1,883.80

For details and miscellaneous, see page 734

27 523 811 +
11 283 811

Five-hole bath mixer for bath rim or tile edge installation
- **167mm projection**
- rectangular, air-enriched flow
- max. flow 23.8 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter spout 32 mm
- hole diameter valve 32 mm
- rosette for complete hand shower set 60 x 60mm
- handle Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection
- with hot / cold marking

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **27 523 811** FF		1x **11 283 811** FF		**Total price:**
	FF	Euro	FF	Euro	Euro
Chrome	**-00**	3,420.30	**-00**	119.20	**3,539.50**
Brushed Platinum	**-06**	5,472.50	**-06**	190.60	**5,663.10**
Brushed Durabrass (23kt Gold)	**-28**	8,208.70	**-28**	286.10	**8,494.80**
Brushed Bronze (PVD)	**-42**	5,472.40	**-42**	190.70	**5,663.10**
Dark Chrome	**-19**	5,130.40	**-19**	178.70	**5,309.10**
Brushed Dark Platinum	**-99**	6,156.30	**-99**	214.40	**6,370.70**

Product alternative
- with red & blue marking
- for three-hole basin mixers and five-hole bath mixers

Standard article	**11 284 811** FF	FF	Euro
Chrome		**-00**	119.20
Brushed Platinum		**-06**	190.60
Brushed Durabrass (23kt Gold)		**-28**	286.10
Brushed Bronze (PVD)		**-42**	190.70
Dark Chrome		**-19**	178.70
Brushed Dark Platinum		**-99**	214.40

27 702 980

Hand shower set for bath rim or tile edge installation
- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 702 980** FF	FF	Euro
Chrome		**-00**	599.60
Brushed Platinum		**-06**	959.10
Brushed Durabrass (23kt Gold)		**-28**	1,439.00
Brushed Bronze (PVD)		**-42**	959.30
Dark Chrome		**-19**	899.20
Brushed Dark Platinum		**-99**	1,079.10

29 300 670

Single-lever bath mixer for bath rim or tile edge installation
- rosette 60 x 60 mm
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**29 300 670** FF	FF	Euro
Chrome		**-00**	709.80
Brushed Platinum		**-06**	1,135.60
Brushed Durabrass (23kt Gold)		**-28**	1,703.50
Brushed Bronze (PVD)		**-42**	1,135.70
Dark Chrome		**-19**	1,064.50
Brushed Dark Platinum		**-99**	1,277.40

29 140 670

Two-way diverter for bath rim or tile edge installation
- automatic bath/shower diverter
- hole diameter 32 mm
- rosette 60 x 60 mm
- 1/2“ connection
- max. flow 64.9 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**29 140 670** FF	FF	Euro
Chrome		**-00**	915.60
Brushed Platinum		**-06**	1,465.00
Brushed Durabrass (23kt Gold)		**-28**	2,197.40
Brushed Bronze (PVD)		**-42**	1,465.00
Dark Chrome		**-19**	1,373.30
Brushed Dark Platinum		**-99**	1,648.10

36 243 970

Pop-up waste and overflow
- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 243 970** FF	FF	Euro
Chrome		**-00**	232.10
Brushed Platinum		**-06**	371.60
Brushed Durabrass (23kt Gold)		**-28**	557.00
Brushed Bronze (PVD)		**-42**	371.30
Dark Chrome		**-19**	348.30
Brushed Dark Platinum		**-99**	417.70

Required miscellaneous

Pop-up waste and overflow

	35 227 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	188.20

36 247 970

Bath spout with pop-up waste and overflow
- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 247 970** FF	FF	Euro
Chrome		**-00**	351.10
Brushed Platinum		**-06**	561.90
Brushed Durabrass (23kt Gold)		**-28**	842.60
Brushed Bronze (PVD)		**-42**	561.90
Dark Chrome		**-19**	526.80
Brushed Dark Platinum		**-99**	631.90

Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	518.30

Required miscellaneous

Vacuum breaker

	36 150 970 FF	FF	Euro
	Chrome	**-00**	96.30
	Brushed Platinum	**-06**	154.00
	Brushed Durabrass (23kt Gold)	**-28**	231.10
	Brushed Bronze (PVD)	**-42**	154.10
	Dark Chrome	**-19**	144.40
	Brushed Dark Platinum	**-99**	173.10

83 030 780

Bath grip
- gauge 185 mm
- width 300mm
- height 35 mm
- 65mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 030 780** FF	FF	Euro
Chrome		**-00**	442.90
Brushed Platinum		**-06**	708.20
Brushed Durabrass (23kt Gold)		**-28**	1,063.00
Brushed Bronze (PVD)		**-42**	708.60
Dark Chrome		**-19**	664.30
Brushed Dark Platinum		**-99**	797.10

83 060 780

Towel bar
- gauge 400 mm
- width 600mm
- height 35 mm
- 80mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 060 780** FF	FF	Euro
Chrome		**-00**	578.80
Brushed Platinum		**-06**	926.10
Brushed Durabrass (23kt Gold)		**-28**	1,389.10
Brushed Bronze (PVD)		**-42**	926.10
Dark Chrome		**-19**	868.20
Brushed Dark Platinum		**-99**	1,041.80

83 070 780

Towel bar
- gauge 320 mm
- width 450mm
- height 35 mm
- 80mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 070 780** FF	FF	Euro
Chrome		**-00**	531.20
Brushed Platinum		**-06**	850.00
Brushed Durabrass (23kt Gold)		**-28**	1,274.90
Brushed Bronze (PVD)		**-42**	850.00
Dark Chrome		**-19**	796.70
Brushed Dark Platinum		**-99**	956.10

83 210 780

Towel bar in two parts non-swivel
- width 90mm
- height 35 mm
- 420mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 210 780** FF	FF	Euro
Chrome		**-00**	449.40
Brushed Platinum		**-06**	719.30
Brushed Durabrass (23kt Gold)		**-28**	1,078.60
Brushed Bronze (PVD)		**-42**	718.90
Dark Chrome		**-19**	674.20
Brushed Dark Platinum		**-99**	808.80

83 200 780

Towel ring angular
- width 190mm
- height 35 mm
- 105mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 200 780** FF	FF	Euro
Chrome		**-00**	408.60
Brushed Platinum		**-06**	653.80
Brushed Durabrass (23kt Gold)		**-28**	980.60
Brushed Bronze (PVD)		**-42**	653.80
Dark Chrome		**-19**	612.90
Brushed Dark Platinum		**-99**	735.50

83 200 811

Towel ring round
- width 200mm
- 118mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 200 811** FF	FF	Euro
Chrome		**-00**	506.40
Brushed Platinum		**-06**	810.40
Brushed Durabrass (23kt Gold)		**-28**	1,215.40
Brushed Bronze (PVD)		**-42**	810.40
Dark Chrome		**-19**	759.80
Brushed Dark Platinum		**-99**	911.60

83 251 780

Hooks
- width 19mm
- height 44 mm
- 35mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 251 780** FF	FF	Euro
Chrome		**-00**	120.40
Brushed Platinum		**-06**	192.70
Brushed Durabrass (23kt Gold)		**-28**	289.00
Brushed Bronze (PVD)		**-42**	192.70
Dark Chrome		**-19**	180.70
Brushed Dark Platinum		**-99**	216.90

83 401 979

Tumbler holder wall model
- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 401 979** FF	FF	Euro
Chrome		**-00**	292.80
Brushed Platinum		**-06**	468.60
Brushed Durabrass (23kt Gold)		**-28**	702.70
Brushed Bronze (PVD)		**-42**	468.60
Dark Chrome		**-19**	439.40
Brushed Dark Platinum		**-99**	527.10

Recommended miscellaneous

Crystal tumbler

	08 90 00 008 FF	FF	Euro
	Glass	**82**	109.00

83 410 979

Soap dish wall model
- width 120mm
- height 20 mm
- 145mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 410 979** FF	FF	Euro
Chrome		**-00**	303.80
Brushed Platinum		**-06**	486.00
Brushed Durabrass (23kt Gold)		**-28**	729.10
Brushed Bronze (PVD)		**-42**	486.00
Dark Chrome		**-19**	455.80
Brushed Dark Platinum		**-99**	546.90

83 410 780



Soap dish wall model
- width 120mm
- height 45 mm
- 120mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 410 780** FF	FF	Euro
Chrome		**-00**	459.20
Brushed Platinum		**-06**	734.70
Brushed Durabrass (23kt Gold)		**-28**	1,102.10
Brushed Bronze (PVD)		**-42**	734.70
Dark Chrome		**-19**	688.80
Brushed Dark Platinum		**-99**	826.60

83 435 970

Dispenser wall model
- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 435 970** FF	FF	Euro
Chrome		**-00**	480.50
Brushed Platinum		**-06**	768.70
Brushed Durabrass (23kt Gold)		**-28**	1,153.20
Brushed Bronze (PVD)		**-42**	768.80
Dark Chrome		**-19**	720.80
Brushed Dark Platinum		**-99**	865.00

83 290 970



Shower basket for wall mounting
- width 200mm
- height 70 mm
- 115mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 290 970** FF	FF	Euro
Chrome		**-00**	232.70
Brushed Platinum		**-06**	372.30
Brushed Durabrass (23kt Gold)		**-28**	558.50
Brushed Bronze (PVD)		**-42**	372.10
Dark Chrome		**-19**	349.00
Brushed Dark Platinum		**-99**	418.80

83 500 780

Tissue holder without cover
- width 140mm
- height 35 mm
- 85mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 500 780** FF	FF	Euro
Chrome		**-00**	323.10
Brushed Platinum		**-06**	516.70
Brushed Durabrass (23kt Gold)		**-28**	775.40
Brushed Bronze (PVD)		**-42**	516.80
Dark Chrome		**-19**	484.50
Brushed Dark Platinum		**-99**	581.30

83 590 780

Reserve tissue holder
- width 132mm
- height 35 mm
- 116mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 590 780** FF	FF	Euro
Chrome		**-00**	323.10
Brushed Platinum		**-06**	516.70
Brushed Durabrass (23kt Gold)		**-28**	775.40
Brushed Bronze (PVD)		**-42**	516.80
Dark Chrome		**-19**	484.50
Brushed Dark Platinum		**-99**	581.30

83 900 780

Toilet brush set wall model
- crystal glass brush holder, matte
- brush, matte black
- width 118mm
- height 415 mm
- 118mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 900 780** FF	FF	Euro
Chrome		**-00**	499.50
Brushed Platinum		**-06**	799.20
Brushed Durabrass (23kt Gold)		**-28**	1,198.80
Brushed Bronze (PVD)		**-42**	799.20
Dark Chrome		**-19**	749.10
Brushed Dark Platinum		**-99**	899.00

83 910 979

Toilet brush set wall model
- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 910 979** FF	FF	Euro
Chrome		**-00**	545.20
Brushed Platinum		**-06**	872.40
Brushed Durabrass (23kt Gold)		**-28**	1,308.50
Brushed Bronze (PVD)		**-42**	872.20
Dark Chrome		**-19**	817.80
Brushed Dark Platinum		**-99**	981.30

84 910 979

Toilet brush set free-standing model
- brush, matte black
- width 100mm
- height 456 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**84 910 979** FF	FF	Euro
Chrome		**-00**	493.20
Brushed Platinum		**-06**	789.10
Brushed Durabrass (23kt Gold)		**-28**	1,183.70
Brushed Bronze (PVD)		**-42**	789.20
Dark Chrome		**-19**	739.90
Brushed Dark Platinum		**-99**	887.70

12 660 979

Cover plate for the concealed WC cistern made by TeCe
- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:
- TECEprofil dry wall construction, article numbers:
- 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers:
- 9370300, 9375300, 9371300

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 660 979** FF	FF	Euro
Chrome		**-00**	894.90
Brushed Platinum		**-06**	1,432.20
Brushed Durabrass (23kt Gold)		**-28**	2,147.80
Brushed Bronze (PVD)		**-42**	1,432.00
Dark Chrome		**-19**	1,342.30
Brushed Dark Platinum		**-99**	1,611.00

12 665 979

Flush plate for concealed WC cisterns made by Geberit round
- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Not compatible with GEBERIT Duo Fresh module

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 665 979** FF	FF	Euro
Chrome		**-00**	509.60
Brushed Platinum		**-06**	815.30
Brushed Durabrass (23kt Gold)		**-28**	1,223.00
Brushed Bronze (PVD)		**-42**	815.30
Dark Chrome		**-19**	764.40
Brushed Dark Platinum		**-99**	917.30

83 150 979

Lighted mirror round
- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 979** FF	FF	Euro
Matte White		**-10**	1,855.40
Matte Black		**-33**	1,855.40

83 151 979

Lighted mirror round
- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 979** FF	FF	Euro
Matte White		**-10**	2,168.30
Matte Black		**-33**	2,168.30

83 150 980

Lighted mirror angular
- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 980** FF	FF	Euro
Matte White		**-10**	1,734.60
Matte Black		**-33**	1,734.60

83 151 980

Lighted mirror angular
- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 980** FF	FF	Euro
Matte White		**-10**	2,048.60
Matte Black		**-33**	2,048.60

36 390 980

Electronic control elements for towel warmer
- rosette 80 x 80 mm
- Control element for towel warmer: 833XX980-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	**36 390 980** FF	FF	Euro
Chrome		**-00**	525.00
Dark Chrome		**-19**	787.50
Brushed Dark Platinum		**-99**	945.00

83 304 980

Towel warmer, 4-fold, projection left, without control element
- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 304 980** FF	FF	Euro
Chrome		**-00**	2,772.00
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

35 311 970 FF

- min. recess depth 70 mm
- max. recess depth 100 mm

Concealed rough parts | FF | **90** | Euro 772.50

For details and miscellaneous, see page 739

83 306 980

Towel warmer, 6-fold, projection left, without control element
- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

This appliance is a stationary electric space heater and, in order to comply with the mandatory ecodesign requirements of Commission Regulation (EU) 2024/1103, must be equipped with at least one control with control function TW(f2).

Standard article	**83 306 980** FF	FF	Euro
Chrome		**-00**	4,158.00
Dark Chrome		**-19**	6,237.00
Brushed Dark Platinum		**-99**	7,484.40

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

35 313 970 FF

- min. recess depth 70 mm
- max. recess depth 100 mm

Concealed rough parts | FF | **90** | Euro 1,030.00

For details and miscellaneous, see page 739

83 314 980

Towel warmer, 4-fold, projection right, without control element
- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 314 980** FF	FF	Euro
Chrome		**-00**	2,772.00
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

35 311 970 FF

- min. recess depth 70 mm
- max. recess depth 100 mm

Concealed rough parts | FF | **90** | Euro 772.50

For details and miscellaneous, see page 739

83 316 980

Towel warmer, 6-fold, projection right, without control element
- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 316 980** FF	FF	Euro
Chrome		**-00**	4,158.00
Dark Chrome		**-19**	6,237.00
Brushed Dark Platinum		**-99**	7,484.40

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

35 313 970 FF

- min. recess depth 70 mm
- max. recess depth 100 mm

Concealed rough parts | FF | **90** | Euro 1,030.00

For details and miscellaneous, see page 739

83 304 980 + 36 390 980

Towel warmer, 4-fold, projection left, with control element
- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 304 980** FF FF	Euro	1x **36 390 980** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

35 312 970 FF

- min. recess depth 70 mm
- max. recess depth 100 mm

For details and miscellaneous, see page 739

	FF	Euro
Concealed rough parts	**90**	875.50

83 306 980 + 36 390 980

Towel warmer, 6-fold, projection left, with control element
- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 306 980** FF FF	Euro	1x **36 390 980** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	4,158.00	**-00**	525.00	**4,683.00**
Dark Chrome	**-19**	6,237.00	**-19**	787.50	**7,024.50**
Brushed Dark Platinum	**-99**	7,484.40	**-99**	945.00	**8,429.40**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

35 314 970 FF

- min. recess depth 70 mm
- max. recess depth 100 mm

For details and miscellaneous, see page 739

	FF	Euro
Concealed rough parts	**90**	1,133.00

83 314 980 + 36 390 980

Towel warmer, 4-fold, projection right, with control element
- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 314 980** FF FF	Euro	1x **36 390 980** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

35 312 970 FF

- min. recess depth 70 mm
- max. recess depth 100 mm

For details and miscellaneous, see page 739

	FF	Euro
Concealed rough parts	**90**	875.50

83 316 980 + 36 390 980

Towel warmer, 6-fold, projection right, with control element
- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 316 980** FF FF	Euro	1x **36 390 980** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	4,158.00	**-00**	525.00	**4,683.00**
Dark Chrome	**-19**	6,237.00	**-19**	787.50	**7,024.50**
Brushed Dark Platinum	**-99**	7,484.40	**-99**	945.00	**8,429.40**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

35 314 970 FF

- min. recess depth 70 mm
- max. recess depth 100 mm

For details and miscellaneous, see page 739

	FF	Euro
Concealed rough parts	**90**	1,133.00

IMO

Sieger Design

Basin
from page 187

Bidet
from page 193

Shower
from page 152

Thermostats, mixers, diverters and valves
from page 219

Bath
from page 229

Accessories
from page 190

Basin fittings

Single-lever basin mixers

105mm projection

33 525 671

125mm projection

33 500 671
33 521 671*

135mm projection

33 502 671
33 522 671*

170mm projection

33 528 671
33 526 671*

with a raised pillar base

170mm projection

33 537 671

Free-standing basin mixers

195mm projection

22 585 671

Two-hole basin mixers

165mm projection

29 217 671

220mm projection

29 218 671

Three-hole basin mixers

165mm projection

20 713 671

Pillar taps

105mm projection

17 500 671

Wall-mounted single-lever basin mixers

140mm projection

36 860 671

170mm projection

36 861 671

Wall-mounted basin mixers

141mm projection

36 707 671

171mm projection

36 712 671

Touchfree

165mm projection

13 716 671 +
42 765 970

170mm projection

13 800 671 +
42 765 970

Showers

Shower sets

26 412 980 +
28 012 979

26 412 979 +
28 018 979

Shower pipes with shower thermostat

34 464 979 +
28 025 979
34 466 979*

34 465 979 +
28 018 979
34 469 979*

34 463 980 +
28 018 979
34 468 980*

34 464 980 +
28 018 979
34 469 980*

Head showers with one spray type

28 504 670

28 611 970

28 613 970

Head showers with multiple jet types

28 508 980

Rain showers with wall connection

28 647 670
28 645 670*

28 646 670
28 644 670*

Rain showers with wall connection

28 647 970
28 645 970*

28 646 970
28 644 970*

28 677 670
28 675 670*

28 676 670
28 674 670*

28 677 970
28 675 970*

28 676 970
28 674 970*

Rain showers with wall connection

28 762 980
28 760 980*

28 763 980
28 761 980*

Rain showers with ceiling connection

28 666 970
28 664 970*

28 667 970
28 665 970*

28 686 970
28 684 970*

28 687 970
28 685 970*

Rain showers with ceiling connection

28 772 980
28 770 980*

28 773 980
28 771 980*

Rain showers for ceiling connection

28 041 980

28 042 980

Rain showers for ceiling installation

28 043 980

28 044 980

Hand shower sets with integrated shower holder

27 812 970

Hand shower sets

27 809 985

27 811 980

Hand shower sets with cover plate

27 818 980

Side showers

28 518 782

Massage modules

WATER POINTS

36 515 979

Massage modules

WATER BAR

36 517 979

WATER CURVE

36 514 979

WATER FAN

36 513 979
36 512 979*

Waterfalls

WATER SHEET

13 415 979

WATER FALL

13 420 979

WATER FALL

13 425 979

Kneipp modules

WATER TUBE

27 838 979

27 821 979 +
28 285 979

Bath fittings

Single-lever mixers

36 120 670

29 300 670

Free-standing bath fittings

279mm projection

25 863 671

Three-hole single-lever bath mixers

224mm projection

27 412 670

Bath spouts

200mm projection

13 801 670

Hand shower sets

230mm projection

27 702 980

Diverters

29 140 670

Miscellaneous

26mm projection

36 243 970

integrated bath filling

26mm projection

36 247 970

33 525 671

Single-lever basin mixer without pop-up waste
- **105mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 129 mm
- height up to aerator 66 mm
- hole diameter 35 mm
- rosette Ø 50 mm optional
- 2 x pressure hose with 3/8“ cap nut
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 525 671** FF	FF	Euro
Chrome		**-00**	541.30
Brushed Chrome		**-93**	703.60
Brushed Platinum		**-06**	866.00
Brushed Light Gold (PVD)		**-27**	812.00
Brushed Gold (PVD)		**-37**	812.00
Dark Chrome		**-19**	812.00
Brushed Dark Platinum		**-99**	974.30
Matte Black		**-33**	730.70

33 500 671

Single-lever basin mixer with pop-up waste
- **125mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 138 mm
- height up to aerator 71 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 500 671** FF	FF	Euro
Chrome		**-00**	547.90
Brushed Chrome		**-93**	712.30
Brushed Platinum		**-06**	876.80
Brushed Light Gold (PVD)		**-27**	821.80
Brushed Gold (PVD)		**-37**	821.90
Dark Chrome		**-19**	821.80
Brushed Dark Platinum		**-99**	986.30
Matte Black		**-33**	739.70

Product alternative
- **without pop-up waste**

Standard article	**33 521 671** FF	FF	Euro
Chrome		**-00**	509.70
Brushed Chrome		**-93**	662.70
Brushed Platinum		**-06**	815.40
Brushed Light Gold (PVD)		**-27**	764.60
Brushed Gold (PVD)		**-37**	764.60
Dark Chrome		**-19**	764.60
Brushed Dark Platinum		**-99**	917.40
Matte Black		**-33**	688.20

33 502 671 **NEW**

Single-lever basin mixer with pop-up waste
- **135mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 158 mm
- height up to aerator 90 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can contribute to Water Use Reduction in LEED® Green Building Rating

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 502 671** FF	FF	Euro
Chrome		**-00**	630.10
Brushed Chrome		**-93**	819.10
Brushed Platinum		**-06**	1,008.20
Brushed Light Gold (PVD)		**-27**	945.20
Brushed Gold (PVD)		**-37**	945.20
Dark Chrome		**-19**	945.20
Brushed Dark Platinum		**-99**	1,134.20
Matte Black		**-33**	850.60

Product alternative
- **without pop-up waste**

Standard article	**33 522 671** FF	FF	Euro
Chrome		**-00**	586.10
Brushed Chrome		**-93**	762.00
Brushed Platinum		**-06**	937.80
Brushed Light Gold (PVD)		**-27**	879.20
Brushed Gold (PVD)		**-37**	879.20
Dark Chrome		**-19**	879.20
Brushed Dark Platinum		**-99**	1,055.00
Matte Black		**-33**	791.30

33 537 671

Single-lever basin mixer with raised base without pop-up waste
- **170mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 298 mm
- height up to aerator 230 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

for use on bowl sink.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 537 671** FF	FF	Euro
Chrome		**-00**	795.30
Brushed Chrome		**-93**	1,033.80
Brushed Platinum		**-06**	1,272.40
Brushed Light Gold (PVD)		**-27**	1,192.90
Brushed Gold (PVD)		**-37**	1,193.00
Dark Chrome		**-19**	1,192.90
Brushed Dark Platinum		**-99**	1,431.40
Matte Black		**-33**	1,073.50

33 528 671

Single-lever basin mixer with high spout with pop-up waste
- **170mm projection**
- rectangular, air-enriched flow
- height of mixer 279 mm
- height up to aerator 235 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- fixed spout

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 528 671** FF	FF	Euro
Chrome		**-00**	938.70
Brushed Chrome		**-93**	1,220.40
Brushed Platinum		**-06**	1,501.90
Brushed Light Gold (PVD)		**-27**	1,408.20
Brushed Gold (PVD)		**-37**	1,408.10
Dark Chrome		**-19**	1,408.20
Brushed Dark Platinum		**-99**	1,689.80
Matte Black		**-33**	1,267.40

Product alternative
- **without pop-up waste**

Standard article	**33 526 671** FF	FF	Euro
Chrome		**-00**	866.30
Brushed Chrome		**-93**	1,126.00
Brushed Platinum		**-06**	1,386.00
Brushed Light Gold (PVD)		**-27**	1,299.40
Brushed Gold (PVD)		**-37**	1,299.50
Dark Chrome		**-19**	1,299.40
Brushed Dark Platinum		**-99**	1,559.10
Matte Black		**-33**	1,169.40

22 585 671

Single-hole basin mixer with stand pipe without pop-up waste
- **195mm projection**
- fixed spout
- rectangular, air-enriched flow
- total height 1038 - 1103 mm
- height up to aerator 970 – 1040 mm
- rosette Ø 135 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 585 671** FF	FF	Euro
Chrome		**-00**	1,984.20
Brushed Chrome		**-93**	2,579.40
Brushed Platinum		**-06**	3,174.70
Brushed Light Gold (PVD)		**-27**	2,976.20
Brushed Gold (PVD)		**-37**	2,976.30
Dark Chrome		**-19**	2,976.20
Brushed Dark Platinum		**-99**	3,571.50
Matte Black		**-33**	2,678.60

Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 150 mm	Concealed rough parts	**90**	882.10

For details and miscellaneous, see page 732

29 217 671

Two-hole basin mixer with pop-up waste
- **165mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 220 mm
- height up to aerator 176 mm
- hole diameter spout 35 mm
- hole diameter valve 35 mm
- 1x screw-in M 10 x 1 pressure hose, leak-tested
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**29 217 671** FF	FF	Euro
Chrome		**-00**	1,139.50
Brushed Chrome		**-93**	1,481.30
Brushed Platinum		**-06**	1,823.00
Brushed Light Gold (PVD)		**-27**	1,709.20
Brushed Gold (PVD)		**-37**	1,709.30
Dark Chrome		**-19**	1,709.20
Brushed Dark Platinum		**-99**	2,051.00
Matte Black		**-33**	1,538.30

29 218 671

Two-hole basin mixer with high spout without pop-up waste
- **220mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 361 mm
- height up to aerator 317 mm
- hole diameter spout 35 mm
- hole diameter valve 35 mm
- 1x screw-in M 10 x 1 pressure hose, leak-tested
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**29 218 671** FF	FF	Euro
Chrome		**-00**	1,199.40
Brushed Chrome		**-93**	1,559.30
Brushed Platinum		**-06**	1,919.00
Brushed Light Gold (PVD)		**-27**	1,799.20
Brushed Gold (PVD)		**-37**	1,799.10
Dark Chrome		**-19**	1,799.20
Brushed Dark Platinum		**-99**	2,158.90
Matte Black		**-33**	1,619.20

20 713 671

Three-hole basin mixer with pop-up waste
- **165mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 220 mm
- height up to aerator 177 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 713 671** FF	FF	Euro
Chrome		**-00**	1,199.40
Brushed Chrome		**-93**	1,559.30
Brushed Platinum		**-06**	1,919.00
Brushed Light Gold (PVD)		**-27**	1,799.20
Brushed Gold (PVD)		**-37**	1,799.10
Dark Chrome		**-19**	1,799.20
Brushed Dark Platinum		**-99**	2,158.90
Matte Black		**-33**	1,619.20

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

17 500 671

Pillar tap cold water
- 105mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 126 mm
- height up to aerator 66 mm
- hole diameter 35 mm
- 1/2“ connection
- rosette Ø 50 mm
- max. flow 4.5 l/min
- lead-free

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**17 500 671** FF	FF	Euro
Chrome		**-00**	451.50
Brushed Chrome		**-93**	587.10
Brushed Platinum		**-06**	722.50
Brushed Light Gold (PVD)		**-27**	677.30
Brushed Gold (PVD)		**-37**	677.30
Dark Chrome		**-19**	677.30
Brushed Dark Platinum		**-99**	812.80
Matte Black		**-33**	609.60

36 860 671

Wall-mounted single-lever basin mixer without pop-up waste
- **140mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 860 671** FF	FF	Euro
Chrome		**-00**	791.90
Brushed Chrome		**-93**	1,029.40
Brushed Platinum		**-06**	1,267.00
Brushed Light Gold (PVD)		**-27**	1,187.90
Brushed Gold (PVD)		**-37**	1,187.90
Dark Chrome		**-19**	1,187.90
Brushed Dark Platinum		**-99**	1,425.40
Matte Black		**-33**	1,069.10

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 861 671

Wall-mounted single-lever basin mixer without pop-up waste
- **170mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 861 671** FF	FF	Euro
Chrome		**-00**	835.30
Brushed Chrome		**-93**	1,085.90
Brushed Platinum		**-06**	1,336.40
Brushed Light Gold (PVD)		**-27**	1,253.00
Brushed Gold (PVD)		**-37**	1,253.00
Dark Chrome		**-19**	1,253.00
Brushed Dark Platinum		**-99**	1,503.50
Matte Black		**-33**	1,127.70

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 707 671

Wall-mounted basin mixer without pop-up waste
- **141mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- individual rosettes 60 x 60 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 707 671** FF	FF	Euro
Chrome		**-00**	960.00
Brushed Chrome		**-93**	1,248.00
Brushed Platinum		**-06**	1,536.00
Brushed Light Gold (PVD)		**-27**	1,440.10
Brushed Gold (PVD)		**-37**	1,440.00
Dark Chrome		**-19**	1,440.10
Brushed Dark Platinum		**-99**	1,728.10
Matte Black		**-33**	1,296.00

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 110 mm • max. recess depth 150 mm	Concealed rough parts	**90**	203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 110 mm • max. recess depth 150 mm	Concealed rough parts	**90**	161.90

For details and miscellaneous, see page 728

36 712 671

Wall-mounted basin mixer without pop-up waste
- **171mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- individual rosettes 60 x 60 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 712 671** FF	FF	Euro
Chrome		**-00**	1,003.60
Brushed Chrome		**-93**	1,304.70
Brushed Platinum		**-06**	1,605.90
Brushed Light Gold (PVD)		**-27**	1,505.50
Brushed Gold (PVD)		**-37**	1,505.40
Dark Chrome		**-19**	1,505.50
Brushed Dark Platinum		**-99**	1,806.50
Matte Black		**-33**	1,354.90

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 110 mm • max. recess depth 150 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	203.00

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 110 mm • max. recess depth 150 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	161.90

13 716 671 + 42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **165mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 220 mm
- height up to aerator 176 mm
- hole diameter 35 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2“ connection
- max. flow 4.6 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **13 716 671** FF max. flow 4.5 l/min		1x **42 765 970 90** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	581.10	**90**	721.90	**1,303.00**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	329.40

13 800 671 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **170mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 40 mm
- rosettes 80 x 60 mm
- 1/2“ connection
- max. flow 4.6 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **13 800 671** FF max. flow 4.5 l/min		1x **42 765 970 90** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	572.10	**90**	721.90	**1,294.00**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

	35 741 970 FF	FF	Euro
For details and miscellaneous, see page 733	Concealed rough parts	**90**	329.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm For details and miscellaneous, see page 732	Concealed rough parts	**90**	128.90

Miscellaneous

22 901 782

Angle valve
- rosette 60 x 60 mm
- hose covering 200mm, for shortening
- 1/2“ connection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 901 782** FF	FF	Euro
Chrome		**-00**	225.90
Brushed Chrome		**-93**	293.50
Brushed Platinum		**-06**	361.40
Brushed Light Gold (PVD)		**-27**	338.70
Brushed Gold (PVD)		**-37**	338.90
Dark Chrome		**-19**	338.80
Brushed Dark Platinum		**-99**	406.70
Matte Black		**-33**	305.10

10 060 780

Siphon for basin 1 1/4“
- rosette 78 x 78 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 060 780** FF	FF	Euro
Chrome		**-00**	406.80
Brushed Chrome		**-93**	528.80
Brushed Platinum		**-06**	650.90
Brushed Light Gold (PVD)		**-27**	610.20
Brushed Gold (PVD)		**-37**	610.20
Dark Chrome		**-19**	610.20
Brushed Dark Platinum		**-99**	732.20
Matte Black		**-33**	549.40

27 701 970

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 970** FF	FF	Euro
Chrome		**-00**	339.30
Brushed Chrome		**-93**	441.00
Brushed Platinum		**-06**	542.60
Brushed Light Gold (PVD)		**-27**	508.80
Brushed Gold (PVD)		**-37**	509.00
Dark Chrome		**-19**	508.80
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 701 670

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 670** FF	FF	Euro
Chrome		**-00**	339.30
Brushed Chrome		**-93**	441.00
Brushed Platinum		**-06**	542.60
Brushed Light Gold (PVD)		**-27**	508.80
Brushed Gold (PVD)		**-37**	509.00
Dark Chrome		**-19**	508.80
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

33 600 671

Single-lever bidet mixer with pop-up waste
- **125mm projection**
- fixed spout
- ball-joint pivotable through 35°
- rectangular, air-enriched flow
- height of mixer 138 mm
- height up to aerator 89 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 600 671** FF	FF	Euro
Chrome		**-00**	878.40
Brushed Chrome		**-93**	1,142.00
Brushed Platinum		**-06**	1,405.40
Brushed Light Gold (PVD)		**-27**	1,317.60
Brushed Gold (PVD)		**-37**	1,317.60
Dark Chrome		**-19**	1,317.60
Brushed Dark Platinum		**-99**	1,581.20
Matte Black		**-33**	1,185.90

26 412 980 + 28 012 979

NEW

Shower set
- spray head Ø 120mm
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 800 mm
- rosette 60 x 60 mm
- Pipe diameter 18 mm

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 980** FF FF	Euro	1x **28 012 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	737.00	**-00**	247.90	**984.90**
Brushed Chrome	**-93**	958.10	**-93**	322.10	**1,280.20**
Brushed Platinum	**-06**	1,179.20	**-06**	396.60	**1,575.80**
Brushed Light Gold (PVD)	**-27**	1,105.50	**-27**	371.80	**1,477.30**
Brushed Gold (PVD)	**-37**	1,105.50	**-37**	371.90	**1,477.40**
Dark Chrome	**-19**	1,105.50	**-19**	371.80	**1,477.30**
Brushed Dark Platinum	**-99**	1,326.60	**-99**	446.30	**1,772.90**
Matte Black	**-33**	995.00	**-33**	334.60	**1,329.60**

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

28 450 980 FF	FF	Euro
Chrome	**-00**	173.40
Brushed Chrome	**-93**	225.50
Brushed Platinum	**-06**	277.60
Brushed Light Gold (PVD)	**-27**	260.10
Brushed Gold (PVD)	**-37**	260.10
Dark Chrome	**-19**	260.30
Brushed Dark Platinum	**-99**	312.30
Matte Black	**-33**	234.20

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	185.30	**-93**	267.20	**-93**	324.10
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	398.90
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	213.80	**-27**	308.50	**-27**	374.00
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	213.90	**-37**	308.40	**-37**	374.00
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	213.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	256.50	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	192.40	**-33**	277.60	**-33**	336.50

26 412 979 + 28 018 979

NEW

Shower set
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow.
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 853 mm
- Pipe diameter 18 mm

Notes:
- Fits CL.1, IMO, MEM, SERIES-VARIOUS, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 979** FF FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	441.30	**-00**	142.60	**583.90**
Brushed Chrome	**-93**	573.70	**-93**	185.30	**759.00**
Brushed Platinum	**-06**	706.10	**-06**	228.00	**934.10**
Brushed Light Gold (PVD)	**-27**	662.00	**-27**	213.80	**875.80**
Brushed Gold (PVD)	**-37**	662.00	**-37**	213.90	**875.90**
Dark Chrome	**-19**	662.00	**-19**	213.80	**875.80**
Brushed Dark Platinum	**-99**	794.30	**-99**	256.50	**1,050.80**
Matte Black	**-33**	595.80	**-33**	192.40	**788.20**

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

	35 085 970 FF	FF	Euro
	Concealed rough parts	**90**	128.90

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

	28 450 980 FF	FF	Euro
	Chrome	**-00**	173.40
	Brushed Chrome	**-93**	225.50
	Brushed Platinum	**-06**	277.60
	Brushed Gold (PVD)	**-37**	260.10
	Dark Chrome	**-19**	260.30
	Brushed Dark Platinum	**-99**	312.30
	Matte Black	**-33**	234.20

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	371.80	**-27**	308.50	**-27**	374.00
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	371.90	**-37**	308.40	**-37**	374.00
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

34 464 979 + 28 025 979 **NEW**

Shower pipe with shower thermostat with hand shower set FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, LULU
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 464 979** FF max. flow 5 l/min FF	Euro	1x **28 025 979** FF max. flow 5 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	2,726.20	**-000010**	132.60	**2,858.80**
Brushed Chrome	**-93**	3,544.10	**-930010**	172.40	**3,716.50**
Brushed Platinum	**-06**	4,361.90	**-060010**	212.10	**4,574.00**
Brushed Light Gold (PVD)	**-27**	4,089.30	**-270010**	198.90	**4,288.20**
Brushed Gold (PVD)	**-37**	4,089.30	**-370010**	198.90	**4,288.20**
Dark Chrome	**-19**	4,089.30	**-190010**	198.90	**4,288.20**
Brushed Dark Platinum	**-99**	4,907.20	**-990010**	238.70	**5,145.90**
Matte Black	**-33**	3,680.40	**-330010**	179.00	**3,859.40**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 466 979** FF	FF	Euro
Chrome	**-00**	2,058.10
Brushed Chrome	**-93**	2,675.50
Brushed Light Gold (PVD)	**-27**	3,087.20
Brushed Gold (PVD)	**-37**	3,087.20
Dark Chrome	**-19**	3,087.20
Brushed Dark Platinum	**-99**	3,704.60
Matte Black	**-33**	2,778.40

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 671.

1 jet
Ø 130 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

4 jets
Ø 120 mm

1 jet

Alternative hand shower	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	247.90	**-00**	249.30
Brushed Chrome	**-93**	248.20	**-93**	185.30	**-93**	267.20	**-93**	322.10	**-93**	324.10
Brushed Platinum	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	396.60	**-06**	398.90
Brushed Light Gold (PVD)	**-27**	286.40	**-27**	213.80	**-27**	308.50	**-27**	371.80	**-27**	374.00
Brushed Gold (PVD)	**-37**	286.50	**-37**	213.90	**-37**	308.40	**-37**	371.90	**-37**	374.00
Dark Chrome	**-19**	286.40	**-19**	213.80	**-19**	308.50	**-19**	371.80	**-19**	374.00
Brushed Dark Platinum	**-99**	343.70	**-99**	256.50	**-99**	370.20	**-99**	446.30	**-99**	448.70
Matte Black	**-33**	258.00	**-33**	192.40	**-33**	277.60	**-33**	334.60	**-33**	336.50

34 465 979 + 28 018 979 **NEW**

Shower pipe with shower thermostat with hand shower set 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1146mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 465 979** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	2,871.60	**-00**	142.60	**3,014.20**
Brushed Chrome	**-93**	3,733.20	**-93**	185.30	**3,918.50**
Brushed Platinum	**-06**	4,594.60	**-06**	228.00	**4,822.60**
Brushed Light Gold (PVD)	**-27**	4,307.50	**-27**	213.80	**4,521.30**
Brushed Gold (PVD)	**-37**	4,307.40	**-37**	213.90	**4,521.30**
Dark Chrome	**-19**	4,307.50	**-19**	213.80	**4,521.30**
Brushed Dark Platinum	**-99**	5,168.90	**-99**	256.50	**5,425.40**
Matte Black	**-33**	3,876.70	**-33**	192.40	**4,069.10**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 469 979** FF	FF	Euro
Chrome	**-00**	2,327.10
Brushed Chrome	**-93**	3,025.30
Brushed Light Gold (PVD)	**-27**	3,490.70
Brushed Gold (PVD)	**-37**	3,490.70
Dark Chrome	**-19**	3,490.70
Brushed Dark Platinum	**-99**	4,188.80
Matte Black	**-33**	3,141.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	371.80	**-27**	308.50	**-27**	374.00
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	371.90	**-37**	308.40	**-37**	374.00
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

34 463 980 + 28 018 979 **NEW**

Shower pipe with shower thermostat with hand shower set FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6.8 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow.
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 453mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1170mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, MEM, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 463 980** FF max. flow 6.8 l/min FF	Euro	1x **28 018 979** FF max. flow 6.8 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,233.20	**-000010**	142.60	**3,375.80**
Brushed Chrome	**-93**	4,203.20	**-930010**	185.30	**4,388.50**
Brushed Platinum	**-06**	5,173.00	**-060010**	228.00	**5,401.00**
Brushed Light Gold (PVD)	**-27**	4,849.70	**-270010**	213.80	**5,063.50**
Brushed Gold (PVD)	**-37**	4,849.80	**-370010**	213.90	**5,063.70**
Dark Chrome	**-19**	4,849.70	**-190010**	213.80	**5,063.50**
Brushed Dark Platinum	**-99**	5,819.70	**-990010**	256.60	**6,076.30**
Matte Black	**-33**	4,364.70	**-330010**	192.40	**4,557.10**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 468 980** FF	FF	Euro
Chrome	**-00**	2,688.60
Brushed Chrome	**-93**	3,495.20
Brushed Light Gold (PVD)	**-27**	4,032.90
Brushed Gold (PVD)	**-37**	4,032.90
Dark Chrome	**-19**	4,032.90
Brushed Dark Platinum	**-99**	4,839.60
Matte Black	**-33**	3,629.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	371.80	**-27**	308.50	**-27**	374.00
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	371.90	**-37**	308.40	**-37**	374.00
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

34 464 980 + 28 018 979 **NEW**

Shower pipe with shower thermostat with hand shower set 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1146mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 464 980** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,233.20	**-00**	142.60	**3,375.80**
Brushed Chrome	**-93**	4,203.20	**-93**	185.30	**4,388.50**
Brushed Platinum	**-06**	5,173.00	**-06**	228.00	**5,401.00**
Brushed Light Gold (PVD)	**-27**	4,849.70	**-27**	213.80	**5,063.50**
Brushed Gold (PVD)	**-37**	4,849.80	**-37**	213.90	**5,063.70**
Dark Chrome	**-19**	4,849.70	**-19**	213.80	**5,063.50**
Brushed Dark Platinum	**-99**	5,819.70	**-99**	256.50	**6,076.20**
Matte Black	**-33**	4,364.70	**-33**	192.40	**4,557.10**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 469 980** FF	FF	Euro
Chrome	**-00**	2,688.60
Brushed Chrome	**-93**	3,495.20
Brushed Light Gold (PVD)	**-27**	4,032.90
Brushed Gold (PVD)	**-37**	4,032.90
Dark Chrome	**-19**	4,032.90
Brushed Dark Platinum	**-99**	4,839.60
Matte Black	**-33**	3,629.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	371.80	**-27**	308.50	**-27**	374.00
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	371.90	**-37**	308.40	**-37**	374.00
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

28 504 670

Shower head
- spray head Ø 100mm
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system

Technical data:
- 180-210mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **28 504 670** FF	FF	Euro
Chrome	**-00**	643.80
Brushed Chrome	**-93**	836.90
Brushed Platinum	**-06**	1,021.40
Brushed Light Gold (PVD)	**-27**	965.60
Brushed Gold (PVD)	**-37**	965.70
Dark Chrome	**-19**	965.50
Brushed Dark Platinum	**-99**	1,158.60
Matte Black	**-33**	869.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 508 980

Shower head
- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:
- 200-mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 508 980** FF	FF	Euro
Chrome		**-00**	714.40
Brushed Chrome		**-93**	928.70
Brushed Platinum		**-06**	1,142.70
Brushed Light Gold (PVD)		**-27**	1,071.50
Brushed Gold (PVD)		**-37**	1,071.60
Dark Chrome		**-19**	1,071.50
Brushed Dark Platinum		**-99**	1,286.10
Matte Black		**-33**	964.50

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 508 980** FF	FF	Euro
Chrome		**-000010**	714.40
Brushed Chrome		**-930010**	928.70
Brushed Platinum		**-060010**	1,142.70
Brushed Light Gold (PVD)		**-270010**	1,071.50
Brushed Gold (PVD)		**-370010**	1,071.60
Dark Chrome		**-190010**	1,071.50
Brushed Dark Platinum		**-990010**	1,286.10
Matte Black		**-330010**	964.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 611 970 NEW

Shower head with ceiling fixing
- INTENSE RAIN, flow rate max. 8 l/min
- Function from: 6 l/min
- with anti-scale system

Technical data:
- Adjustable spray angle ±7°
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META

Standard article	**28 611 970** FF	FF	Euro
Chrome		**-00**	365.20
Brushed Chrome		**-93**	474.70
Brushed Light Gold (PVD)		**-27**	547.80
Brushed Gold (PVD)		**-37**	547.80
Dark Chrome		**-19**	547.80
Brushed Dark Platinum		**-99**	657.30
Matte Black		**-33**	493.00

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 611 970** FF	FF	Euro
Chrome		**-000010**	365.20
Brushed Chrome		**-930010**	474.70
Brushed Light Gold (PVD)		**-270010**	547.80
Brushed Gold (PVD)		**-370010**	547.80
Dark Chrome		**-190010**	547.80
Brushed Dark Platinum		**-990010**	657.30
Matte Black		**-330010**	493.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 613 970 **NEW**

Shower head
- INTENSE RAIN, flow rate max. 8 l/min
- Function from: 6 l/min
- with anti-scale system

Technical data:
- 156-mm projection
- ball-joint pivotable through 30°
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, TARA

Standard article	**28 613 970** FF	FF	Euro
Chrome		**-00**	434.40
Brushed Chrome		**-93**	564.70
Brushed Light Gold (PVD)		**-27**	651.60
Brushed Gold (PVD)		**-37**	651.60
Dark Chrome		**-19**	651.60
Brushed Dark Platinum		**-99**	781.90
Matte Black		**-33**	586.40

Product alternative
- FlowReduce
- Max. flow rate 5.7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 613 970** FF	FF	Euro
Chrome		**-000010**	434.40
Brushed Chrome		**-930010**	564.70
Brushed Light Gold (PVD)		**-270010**	651.60
Brushed Gold (PVD)		**-370010**	651.60
Dark Chrome		**-190010**	651.60
Brushed Dark Platinum		**-990010**	781.90
Matte Black		**-330010**	586.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 647 670 **NEW**

Rain shower with wall fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 65 x 65 mm
- 1/2“ connection

Notes:
- Fits IMO, SERIES-VARIOUS, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 647 670** FF	FF	Euro
Chrome		**-00**	1,071.00
Brushed Chrome		**-93**	1,392.30
Brushed Platinum		**-06**	1,713.60
Brushed Light Gold (PVD)		**-27**	1,606.50
Brushed Gold (PVD)		**-37**	1,606.50
Dark Chrome		**-19**	1,606.50
Brushed Dark Platinum		**-99**	1,927.80
Matte Black		**-33**	1,445.90

Product alternative
- Material rain shower: plastic

Standard article	**28 645 670** FF	FF	Euro
Chrome		**-00**	628.80
Brushed Chrome		**-93**	817.50
Brushed Light Gold (PVD)		**-27**	943.30
Brushed Gold (PVD)		**-37**	943.20
Dark Chrome		**-19**	943.30
Brushed Dark Platinum		**-99**	1,131.90
Matte Black		**-33**	848.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 646 670 NEW

Rain shower with wall fixing FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 65 x 65 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, SERIES-VARIOUS, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 646 670** FF	FF	Euro
Chrome		**-00**	1,071.00
Brushed Chrome		**-93**	1,392.30
Brushed Platinum		**-06**	1,713.60
Brushed Light Gold (PVD)		**-27**	1,606.50
Brushed Gold (PVD)		**-37**	1,606.50
Dark Chrome		**-19**	1,606.50
Brushed Dark Platinum		**-99**	1,927.80
Matte Black		**-33**	1,445.90

Product alternative
- Material rain shower: plastic

Standard article	**28 644 670** FF	FF	Euro
Chrome		**-00**	618.60
Brushed Chrome		**-93**	804.10
Brushed Light Gold (PVD)		**-27**	927.90
Brushed Gold (PVD)		**-37**	927.90
Dark Chrome		**-19**	927.90
Brushed Dark Platinum		**-99**	1,113.40
Matte Black		**-33**	835.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 647 970 NEW

Rain shower with wall fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 647 970** FF	FF	Euro
Chrome		**-00**	1,012.30
Brushed Chrome		**-93**	1,316.00
Brushed Platinum		**-06**	1,619.70
Brushed Light Gold (PVD)		**-27**	1,518.50
Brushed Gold (PVD)		**-37**	1,518.50
Dark Chrome		**-19**	1,518.50
Brushed Dark Platinum		**-99**	1,822.20
Matte Black		**-33**	1,366.60

Product alternative
- Material rain shower: plastic

Standard article	**28 645 970** FF	FF	Euro
Chrome		**-00**	618.60
Brushed Chrome		**-93**	804.10
Brushed Light Gold (PVD)		**-27**	927.90
Brushed Gold (PVD)		**-37**	927.90
Dark Chrome		**-19**	927.90
Brushed Dark Platinum		**-99**	1,113.40
Matte Black		**-33**	835.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 646 970 NEW

Rain shower with wall fixing FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 646 970** FF	FF	Euro
Chrome		**-00**	1,012.30
Brushed Chrome		**-93**	1,316.00
Brushed Platinum		**-06**	1,619.70
Brushed Light Gold (PVD)		**-27**	1,518.50
Brushed Gold (PVD)		**-37**	1,518.50
Dark Chrome		**-19**	1,518.50
Brushed Dark Platinum		**-99**	1,822.20
Matte Black		**-33**	1,366.60

Product alternative
- Material rain shower: plastic

Standard article	**28 644 970** FF	FF	Euro
Chrome		**-00**	628.80
Brushed Chrome		**-93**	817.50
Brushed Light Gold (PVD)		**-27**	943.30
Brushed Gold (PVD)		**-37**	943.20
Dark Chrome		**-19**	943.30
Brushed Dark Platinum		**-99**	1,131.90
Matte Black		**-33**	848.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 677 670 NEW

Rain shower with wall fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 65 x 65 mm
- 1/2“ connection

Notes:
- Fits IMO, SERIES-VARIOUS, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 677 670** FF	FF	Euro
Chrome		**-00**	1,257.00
Brushed Chrome		**-93**	1,634.00
Brushed Platinum		**-06**	2,011.20
Brushed Light Gold (PVD)		**-27**	1,885.50
Brushed Gold (PVD)		**-37**	1,885.50
Dark Chrome		**-19**	1,885.50
Brushed Dark Platinum		**-99**	2,262.50
Matte Black		**-33**	1,696.90

Product alternative
- Material rain shower: plastic

Standard article	**28 675 670** FF	FF	Euro
Chrome		**-00**	803.00
Brushed Chrome		**-93**	1,043.90
Brushed Light Gold (PVD)		**-27**	1,204.60
Brushed Gold (PVD)		**-37**	1,204.50
Dark Chrome		**-19**	1,204.60
Brushed Dark Platinum		**-99**	1,445.40
Matte Black		**-33**	1,084.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 676 670 NEW

Rain shower with wall fixing FlowReduce 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 65 x 65 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, SERIES-VARIOUS, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 676 670** FF	FF	Euro
Chrome		**-00**	1,257.00
Brushed Chrome		**-93**	1,634.00
Brushed Platinum		**-06**	2,011.20
Brushed Light Gold (PVD)		**-27**	1,885.50
Brushed Gold (PVD)		**-37**	1,885.50
Dark Chrome		**-19**	1,885.50
Brushed Dark Platinum		**-99**	2,262.50
Matte Black		**-33**	1,696.90

Product alternative
- Material rain shower: plastic

Standard article	**28 674 670** FF	FF	Euro
Chrome		**-00**	618.60
Brushed Chrome		**-93**	804.10
Brushed Light Gold (PVD)		**-27**	927.90
Brushed Gold (PVD)		**-37**	927.90
Dark Chrome		**-19**	927.90
Brushed Dark Platinum		**-99**	1,113.40
Matte Black		**-33**	835.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 677 970 NEW

Rain shower with wall fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 677 970** FF	FF	Euro
Chrome		**-00**	1,192.50
Brushed Chrome		**-93**	1,550.20
Brushed Platinum		**-06**	1,908.00
Brushed Light Gold (PVD)		**-27**	1,788.80
Brushed Gold (PVD)		**-37**	1,788.80
Dark Chrome		**-19**	1,788.80
Brushed Dark Platinum		**-99**	2,146.50
Matte Black		**-33**	1,609.90

Product alternative
- Material rain shower: plastic

Standard article	**28 675 970** FF	FF	Euro
Chrome		**-00**	792.40
Brushed Chrome		**-93**	1,030.20
Brushed Light Gold (PVD)		**-27**	1,188.70
Brushed Gold (PVD)		**-37**	1,188.60
Dark Chrome		**-19**	1,188.70
Brushed Dark Platinum		**-99**	1,426.40
Matte Black		**-33**	1,069.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 676 970 NEW

Rain shower with wall fixing FlowReduce 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 676 970** FF	FF	Euro
Chrome		**-00**	1,192.50
Brushed Chrome		**-93**	1,550.20
Brushed Platinum		**-06**	1,908.00
Brushed Light Gold (PVD)		**-27**	1,788.80
Brushed Gold (PVD)		**-37**	1,788.80
Dark Chrome		**-19**	1,788.80
Brushed Dark Platinum		**-99**	2,146.50
Matte Black		**-33**	1,609.90

Product alternative
- Material rain shower: plastic

Standard article	**28 674 970** FF	FF	Euro
Chrome		**-00**	792.40
Brushed Chrome		**-93**	1,030.20
Brushed Light Gold (PVD)		**-27**	1,188.70
Brushed Gold (PVD)		**-37**	1,188.60
Dark Chrome		**-19**	1,188.70
Brushed Dark Platinum		**-99**	1,426.40
Matte Black		**-33**	1,069.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 762 980 NEW

Rain shower with wall fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 762 980** FF	FF	Euro
Chrome		**-00**	1,605.00
Brushed Chrome		**-93**	2,086.60
Brushed Platinum		**-06**	2,568.10
Brushed Light Gold (PVD)		**-27**	2,407.50
Brushed Gold (PVD)		**-37**	2,407.50
Dark Chrome		**-19**	2,407.50
Brushed Dark Platinum		**-99**	2,889.10
Matte Black		**-33**	2,166.80

Product alternative
- Material rain shower: plastic

Standard article	**28 760 980** FF	FF	Euro
Chrome		**-00**	946.90
Brushed Chrome		**-93**	1,230.90
Brushed Light Gold (PVD)		**-27**	1,420.30
Brushed Gold (PVD)		**-37**	1,420.40
Dark Chrome		**-19**	1,420.30
Brushed Dark Platinum		**-99**	1,704.40
Matte Black		**-33**	1,278.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 763 980 NEW

Rain shower with wall fixing 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 12 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 763 980 FF	FF	Euro
Chrome		-00	1,605.00
Brushed Chrome		-93	2,086.60
Brushed Platinum		-06	2,568.10
Brushed Light Gold (PVD)		-27	2,407.50
Brushed Gold (PVD)		-37	2,407.50
Dark Chrome		-19	2,407.50
Brushed Dark Platinum		-99	2,889.10
Matte Black		-33	2,166.80

Product alternative
- Material rain shower: plastic

Standard article	28 761 980 FF	FF	Euro
Chrome		-00	946.90
Brushed Chrome		-93	1,230.90
Brushed Light Gold (PVD)		-27	1,420.30
Brushed Gold (PVD)		-37	1,420.40
Dark Chrome		-19	1,420.30
Brushed Dark Platinum		-99	1,704.40
Matte Black		-33	1,278.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 666 970 NEW

Rain shower with ceiling fixing FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 666 970 FF	FF	Euro
Chrome		-00	860.30
Brushed Chrome		-93	1,118.40
Brushed Platinum		-06	1,376.40
Brushed Light Gold (PVD)		-27	1,290.50
Brushed Gold (PVD)		-37	1,290.50
Dark Chrome		-19	1,290.50
Brushed Dark Platinum		-99	1,548.40
Matte Black		-33	1,161.40

Product alternative
- Material rain shower: plastic

Standard article	28 664 970 FF	FF	Euro
Chrome		-00	580.30
Brushed Chrome		-93	754.40
Brushed Light Gold (PVD)		-27	870.60
Brushed Gold (PVD)		-37	870.50
Dark Chrome		-19	870.60
Brushed Dark Platinum		-99	1,044.60
Matte Black		-33	783.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 667 970 NEW

Rain shower with ceiling fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 667 970 FF	FF	Euro
Chrome		-00	860.30
Brushed Chrome		-93	1,118.40
Brushed Platinum		-06	1,376.40
Brushed Light Gold (PVD)		-27	1,290.50
Brushed Gold (PVD)		-37	1,290.50
Dark Chrome		-19	1,290.50
Brushed Dark Platinum		-99	1,548.40
Matte Black		-33	1,161.40

Product alternative
- Material rain shower: plastic

Standard article	28 665 970 FF	FF	Euro
Chrome		-00	580.30
Brushed Chrome		-93	754.40
Brushed Light Gold (PVD)		-27	870.60
Brushed Gold (PVD)		-37	870.50
Dark Chrome		-19	870.60
Brushed Dark Platinum		-99	1,044.60
Matte Black		-33	783.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 686 970 NEW

Rain shower with ceiling fixing FlowReduce 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 686 970 FF	FF	Euro
Chrome		-00	1,014.20
Brushed Chrome		-93	1,318.50
Brushed Platinum		-06	1,622.70
Brushed Light Gold (PVD)		-27	1,521.30
Brushed Gold (PVD)		-37	1,521.30
Dark Chrome		-19	1,521.30
Brushed Dark Platinum		-99	1,825.50
Matte Black		-33	1,369.20

Product alternative
- Material rain shower: plastic

Standard article	28 684 970 FF	FF	Euro
Chrome		-00	729.40
Brushed Chrome		-93	948.30
Brushed Light Gold (PVD)		-27	1,094.20
Brushed Gold (PVD)		-37	1,094.10
Dark Chrome		-19	1,094.20
Brushed Dark Platinum		-99	1,313.00
Matte Black		-33	984.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 687 970 NEW

Rain shower with ceiling fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 687 970** FF	FF	Euro
Chrome		**-00**	1,014.20
Brushed Chrome		**-93**	1,318.50
Brushed Platinum		**-06**	1,622.70
Brushed Light Gold (PVD)		**-27**	1,521.30
Brushed Gold (PVD)		**-37**	1,521.30
Dark Chrome		**-19**	1,521.30
Brushed Dark Platinum		**-99**	1,825.50
Matte Black		**-33**	1,369.20

Product alternative
- Material rain shower: plastic

Standard article	**28 685 970** FF	FF	Euro
Chrome		**-00**	729.40
Brushed Chrome		**-93**	948.30
Brushed Light Gold (PVD)		**-27**	1,094.20
Brushed Gold (PVD)		**-37**	1,094.10
Dark Chrome		**-19**	1,094.20
Brushed Dark Platinum		**-99**	1,313.00
Matte Black		**-33**	984.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 772 980 NEW

Rain shower with ceiling fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 772 980** FF	FF	Euro
Chrome		**-00**	1,364.30
Brushed Chrome		**-93**	1,773.60
Brushed Platinum		**-06**	2,182.80
Brushed Light Gold (PVD)		**-27**	2,046.50
Brushed Gold (PVD)		**-37**	2,046.50
Dark Chrome		**-19**	2,046.50
Brushed Dark Platinum		**-99**	2,455.60
Matte Black		**-33**	1,841.80

Product alternative
- Material rain shower: plastic

Standard article	**28 770 980** FF	FF	Euro
Chrome		**-00**	836.00
Brushed Chrome		**-93**	1,086.90
Brushed Platinum		**-06**	1,337.60
Brushed Light Gold (PVD)		**-27**	1,254.00
Brushed Gold (PVD)		**-37**	1,254.00
Dark Chrome		**-19**	1,254.00
Brushed Dark Platinum		**-99**	1,504.90
Matte Black		**-33**	1,128.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 773 980 NEW

Rain shower with ceiling fixing 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 12 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 773 980 FF	FF	Euro
Chrome		-00	1,364.30
Brushed Chrome		-93	1,773.60
Brushed Platinum		-06	2,182.80
Brushed Light Gold (PVD)		-27	2,046.50
Brushed Gold (PVD)		-37	2,046.50
Dark Chrome		-19	2,046.50
Brushed Dark Platinum		-99	2,455.60
Matte Black		-33	1,841.80

Product alternative
- Material rain shower: plastic

Standard article	28 771 980 FF	FF	Euro
Chrome		-00	836.00
Brushed Chrome		-93	1,086.90
Brushed Light Gold (PVD)		-27	1,254.00
Brushed Gold (PVD)		-37	1,254.00
Dark Chrome		-19	1,254.00
Brushed Dark Platinum		-99	1,504.90
Matte Black		-33	1,128.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 041 980

Rain shower for surface-mounted ceiling installation 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 041 980 FF	FF	Euro
Chrome		-00	858.90
Brushed Chrome		-93	1,116.60
Brushed Platinum		-06	1,374.20
Brushed Light Gold (PVD)		-27	1,288.40
Brushed Gold (PVD)		-37	1,288.40
Dark Chrome		-19	1,288.40
Brushed Dark Platinum		-99	1,546.00
Matte Black		-33	1,159.50

Required miscellaneous

Concealed ceiling installation box with ceiling fixing

	35 041 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2“ outlet	Concealed rough parts	90	572.60

For details and miscellaneous, see page 735

28 042 980

Rain shower for surface-mounted ceiling installation with light 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Electric:
- Ceiling module power supply
- 350mA (CC)
- Spot lighting
- LED colour temperature approx. 3000 K
- Technology: LED, not dimmable
- Contains energy efficiency class bulbs
- Bulbs protected against splashing water
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Provided by customer: Light switch
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 042 980** FF	FF	Euro
Chrome		**-00**	1,290.50
Brushed Chrome		**-93**	1,677.70
Brushed Platinum		**-06**	2,064.80
Brushed Light Gold (PVD)		**-27**	1,935.80
Brushed Gold (PVD)		**-37**	1,935.80
Dark Chrome		**-19**	1,935.80
Brushed Dark Platinum		**-99**	2,322.90
Matte Black		**-33**	1,742.20

Required miscellaneous

Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
	Concealed rough parts	**90**	860.20

- concealed rough parts
- min. recess depth 90 mm
- max. recess depth 115 mm
- 2x female thread 1/2" connections
- Input 100-240V AC 50-60Hz
- Output 350 mA SELV / Class 2
- Provided by customer: Light switch

For details and miscellaneous, see page 736

28 043 980

Rain shower for recessed ceiling installation 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 043 980** FF	FF	Euro
Chrome		**-00**	1,647.10
Brushed Chrome		**-93**	2,141.20
Brushed Platinum		**-06**	2,635.40
Brushed Light Gold (PVD)		**-27**	2,470.70
Brushed Gold (PVD)		**-37**	2,470.70
Dark Chrome		**-19**	2,470.70
Brushed Dark Platinum		**-99**	2,964.80
Matte Black		**-33**	2,223.60

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation

	35 043 970 FF	FF	Euro
	Concealed rough parts	**90**	1,098.10

- concealed rough parts
- recess depth 137mm
- 2x female thread 1/2" outlet
- flush-mounted RAL 9003 signal white light reflection box 310 x 250 mm

For details and miscellaneous, see page 734

28 044 980

Rain shower for recessed ceiling installation with light 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Electric:
- Ceiling module power supply
- 12V DC (CV)
- Spot lighting
- Ambient lighting
- LED coloured light RGBW
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Activation:
- Provided by customer: Zigbee gateway
- ZigBee Light Link RGBW controller

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Dornbracht recommends consulting a systems integrator.

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 044 980** FF	FF	Euro
Chrome		**-00**	2,472.80
Brushed Chrome		**-93**	3,214.60
Brushed Platinum		**-06**	3,956.50
Brushed Light Gold (PVD)		**-27**	3,709.20
Brushed Gold (PVD)		**-37**	3,709.20
Dark Chrome		**-19**	3,709.20
Brushed Dark Platinum		**-99**	4,451.00
Matte Black		**-33**	3,338.30

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation with light

	35 044 970 FF	FF	Euro
• concealed rough parts • flush-mounted installation box 360x 300 mm RAL 9003 signal white • recess depth 137mm • Input 100-240V AC 50-60Hz • Output 12V DC SELV / Class 2 • ZigBee Light Link RGBW controller	Concealed rough parts	**90**	1,648.60

For details and miscellaneous, see page 735

27 812 970 NEW

Hand shower set with integrated shower holder
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- 1/2“ connection
- rosette 60 x 60 mm

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 812 970** FF	FF	Euro
Chrome		**-00**	493.10
Brushed Chrome		**-93**	641.00
Brushed Platinum		**-06**	789.00
Brushed Light Gold (PVD)		**-27**	739.60
Brushed Gold (PVD)		**-37**	739.70
Dark Chrome		**-19**	739.60
Brushed Dark Platinum		**-99**	887.60
Matte Black		**-33**	665.70

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 812 970** FF	FF	Euro
Chrome		**-000010**	493.10
Brushed Chrome		**-930010**	641.00
Brushed Platinum		**-060010**	789.00
Brushed Light Gold (PVD)		**-270010**	739.60
Brushed Gold (PVD)		**-370010**	739.70
Dark Chrome		**-190010**	739.60
Brushed Dark Platinum		**-990010**	887.60
Matte Black		**-330010**	665.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 809 985

Hand shower set with individual rosettes with volume control
- with volume control
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits CL.1, SYMETRICS, CYO, IMO, MEM

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 809 985** FF	FF	Euro
Chrome		**-00**	976.60
Brushed Chrome		**-93**	1,269.60
Brushed Platinum		**-06**	1,562.60
Brushed Light Gold (PVD)		**-27**	1,465.00
Brushed Gold (PVD)		**-37**	1,464.90
Dark Chrome		**-19**	1,465.00
Brushed Dark Platinum		**-99**	1,757.80

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 809 985** FF	FF	Euro
Chrome		**-000010**	976.60
Brushed Chrome		**-930010**	1,269.60
Brushed Platinum		**-060010**	1,562.60
Brushed Light Gold (PVD)		**-270010**	1,465.00
Brushed Gold (PVD)		**-370010**	1,464.90
Dark Chrome		**-190010**	1,465.00
Brushed Dark Platinum		**-990010**	1,757.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 811 980 NEW

Hand shower set with individual rosettes
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

technical data:
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 811 980** FF	FF	Euro
Chrome		**-00**	744.00
Brushed Chrome		**-93**	967.30
Brushed Platinum		**-06**	1,190.50
Brushed Light Gold (PVD)		**-27**	1,116.00
Brushed Gold (PVD)		**-37**	1,116.00
Dark Chrome		**-19**	1,116.00
Brushed Dark Platinum		**-99**	1,339.30
Matte Black		**-33**	1,004.40

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 811 980** FF	FF	Euro
Chrome		**-000010**	744.00
Brushed Chrome		**-930010**	967.30
Brushed Platinum		**-060010**	1,190.50
Brushed Light Gold (PVD)		**-270010**	1,116.00
Brushed Gold (PVD)		**-370010**	1,116.00
Dark Chrome		**-190010**	1,116.00
Brushed Dark Platinum		**-990010**	1,339.30
Matte Black		**-330010**	1,004.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 818 980

Hand shower set with cover plate
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- cover plate 240 x 60 mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	27 818 980 FF	FF	Euro
Chrome		**-00**	884.50
Brushed Chrome		**-93**	1,150.10
Brushed Platinum		**-06**	1,415.10
Brushed Light Gold (PVD)		**-27**	1,327.00
Brushed Gold (PVD)		**-37**	1,326.80
Dark Chrome		**-19**	1,327.00
Brushed Dark Platinum		**-99**	1,592.20
Matte Black		**-33**	1,194.20

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 818 980 FF	FF	Euro
Chrome		**-000010**	884.50
Brushed Chrome		**-930010**	1,150.10
Brushed Platinum		**-060010**	1,415.10
Brushed Light Gold (PVD)		**-270010**	1,327.00
Brushed Gold (PVD)		**-370010**	1,326.80
Dark Chrome		**-190010**	1,327.00
Brushed Dark Platinum		**-990010**	1,592.20
Matte Black		**-330010**	1,194.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 518 782

Body spray without volume control FlowReduce
- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- max. flow 5 l/min
- anti-scale system

Technical data:
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, MEM, CYO

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 518 782 FF	FF	Euro
Chrome		**-00**	397.30
Brushed Chrome		**-93**	516.60
Brushed Platinum		**-06**	635.90
Brushed Light Gold (PVD)		**-27**	596.00
Brushed Gold (PVD)		**-37**	596.00
Dark Chrome		**-19**	596.00
Brushed Dark Platinum		**-99**	715.40
Matte Black		**-33**	536.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 515 979

WATER POINTS Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 120 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 515 979** FF	FF	Euro
Chrome		**-00**	577.30
Brushed Chrome		**-93**	750.40
Brushed Platinum		**-06**	923.20
Brushed Light Gold (PVD)		**-27**	865.90
Brushed Gold (PVD)		**-37**	866.00
Dark Chrome		**-19**	866.00
Brushed Dark Platinum		**-99**	1,039.00
Matte Black		**-33**	779.10

Required miscellaneous

WATER POINTS Adapter plate

	12 305 970 FF	FF	Euro
• adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.	Accesories	**90**	37.90

For details and miscellaneous, see page 742

Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm	Concealed rough parts	**90**	234.20

For details and miscellaneous, see page 733

36 517 979

WATER BAR Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 517 979** FF	FF	Euro
Chrome		**-00**	891.50
Brushed Chrome		**-93**	1,158.80
Brushed Platinum		**-06**	1,426.60
Brushed Light Gold (PVD)		**-27**	1,337.20
Brushed Gold (PVD)		**-37**	1,337.30
Dark Chrome		**-19**	1,337.20
Brushed Dark Platinum		**-99**	1,604.30
Matte Black		**-33**	1,227.20

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

36 514 979

WATER CURVE Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- Function from: 5.7 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 60 mm
- 1/2“ connection

Notes:
- This product reduces water consumption by % (compared to requirements of EPAct ,92)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 514 979** FF	FF	Euro
Chrome		**-00**	1,160.00
Brushed Chrome		**-93**	1,508.00
Brushed Platinum		**-06**	1,856.10
Brushed Light Gold (PVD)		**-27**	1,740.10
Brushed Gold (PVD)		**-37**	1,740.00
Dark Chrome		**-19**	1,740.00
Brushed Dark Platinum		**-99**	2,088.10
Matte Black		**-33**	1,565.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 513 979

WATER FAN vertical Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 513 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Chrome		**-93**	1,125.10
Brushed Platinum		**-06**	1,385.20
Brushed Light Gold (PVD)		**-27**	1,298.10
Brushed Gold (PVD)		**-37**	1,298.10
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60
Matte Black		**-33**	1,191.50

Product alternative
- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**36 512 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Chrome		**-93**	1,125.10
Brushed Platinum		**-06**	1,385.20
Brushed Light Gold (PVD)		**-27**	1,298.10
Brushed Gold (PVD)		**-37**	1,298.10
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60
Matte Black		**-33**	1,191.50

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

13 415 979

WATER SHEET Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **150mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 415 979** FF	FF	Euro
Chrome		**-00**	1,194.80
Brushed Chrome		**-93**	1,553.30
Brushed Platinum		**-06**	1,911.60
Brushed Light Gold (PVD)		**-27**	1,792.20
Brushed Gold (PVD)			1,792.20
Dark Chrome		**-19**	1,792.40
Brushed Dark Platinum		**-99**	2,150.60
Matte Black		**-33**	1,612.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 420 979



WATER FALL Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **120mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 420 979** FF	FF	Euro
Chrome		**-00**	1,706.90
Brushed Chrome		**-93**	2,219.10
Brushed Platinum		**-06**	2,731.60
Brushed Light Gold (PVD)		**-27**	2,560.40
Brushed Gold (PVD)		**-37**	2,560.40
Dark Chrome		**-19**	2,560.50
Matte Black		**-33**	2,304.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 425 979

WATER FALL Cascade spout with individual jets for wall mounting
- PEARLSTREAM
- Max. flow rate 9.5 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- plate 240 mm x 60 mm
- **22mm projection**
- connection 1/2“, for shortening
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 425 979** FF	FF	Euro
Chrome		**-00**	1,268.40
Brushed Chrome		**-93**	1,648.80
Brushed Platinum		**-06**	2,029.40
Brushed Light Gold (PVD)		**-27**	1,902.60
Brushed Gold (PVD)		**-37**	1,902.60
Dark Chrome		**-19**	1,902.40
Brushed Dark Platinum		**-99**	2,282.80
Matte Black		**-33**	1,712.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 838 979

Affusion pipe with cover plate
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- inherently safe from back flow
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection
- 3/8“ shower outlet
- plug-link mounting

Notes:
- Fits IMO, MEM, CL.1, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 838 979** FF	FF	Euro
Chrome		**-00**	1,038.50
Brushed Chrome		**-93**	1,350.10
Brushed Platinum		**-06**	1,661.60
Brushed Light Gold (PVD)		**-27**	1,557.80
Brushed Gold (PVD)		**-37**	1,557.80
Dark Chrome		**-19**	1,557.80
Brushed Dark Platinum		**-99**	1,869.30
Matte Black		**-33**	1,402.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 821 979 +
28 285 979

WATER TUBE Kneipp wall elbow
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2“ wall elbow
- hose nozzle with sleeve M33
- inherently safe from back flow

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **27 821 979** FF max. flow 15 l/min FF	Euro	1x **28 285 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	719.60	**-00**	110.10	**829.70**
Brushed Chrome	**-93**	935.60	**-93**	143.10	**1,078.70**
Brushed Platinum	**-06**	1,151.30	**-06**	176.20	**1,327.50**
Brushed Light Gold (PVD)	**-27**	1,079.40	**-27**	165.20	**1,244.60**
Brushed Gold (PVD)	**-37**	1,079.40	**-37**	165.20	**1,244.60**
Dark Chrome	**-19**	1,079.40	**-19**	165.20	**1,244.60**
Brushed Dark Platinum	**-99**	1,295.40	**-99**	198.10	**1,493.50**
Matte Black	**-33**	971.40	**-33**	148.60	**1,120.00**

Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

	28 286 979 FF	FF	Euro
• hose nozzle with sleeve M33 • with holding ring	Chrome	**-00**	110.10
	Brushed Chrome	**-93**	143.10
	Brushed Platinum	**-06**	176.20
	Brushed Light Gold (PVD)	**-27**	165.20
	Brushed Gold (PVD)	**-37**	165.20
	Dark Chrome	**-19**	165.20
	Brushed Dark Platinum	**-99**	198.10
	Matte Black	**-33**	148.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 490 970

Wall elbow with integrated shower holder
- 3/8“ shower outlet
- rosette 60 x 60 mm
- 1/2“ connection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 490 970** FF	FF	Euro
Chrome		**-00**	250.20
Brushed Chrome		**-93**	325.40
Brushed Platinum		**-06**	400.80
Brushed Light Gold (PVD)		**-27**	375.50
Brushed Gold (PVD)		**-37**	375.30
Dark Chrome		**-19**	375.60
Brushed Dark Platinum		**-99**	450.10
Matte Black		**-33**	337.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 450 980

Wall elbow
- 3/8“ shower outlet
- rosette 60 x 60 mm
- 1/2“ connection

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 450 980** FF	FF	Euro
Chrome		**-00**	173.40
Brushed Chrome		**-93**	225.50
Brushed Platinum		**-06**	277.60
Brushed Light Gold (PVD)		**-27**	260.10
Brushed Gold (PVD)		**-37**	260.10
Dark Chrome		**-19**	260.30
Brushed Dark Platinum		**-99**	312.30
Matte Black		**-33**	234.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 050 980

Wall bracket
- rosette 60 x 60 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 050 980** FF	FF	Euro
Chrome		**-00**	225.10
Brushed Chrome		**-93**	292.60
Brushed Platinum		**-06**	360.60
Brushed Light Gold (PVD)		**-27**	337.80
Brushed Gold (PVD)		**-37**	337.70
Dark Chrome		**-19**	337.80
Brushed Dark Platinum		**-99**	405.20
Matte Black		**-33**	304.00

28 060 970

Wall bracket swivel
- pivotable 75°

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 060 970** FF	FF	Euro
Chrome		**-00**	207.70
Brushed Chrome		**-93**	270.00
Brushed Platinum		**-06**	332.40
Brushed Light Gold (PVD)		**-27**	311.30
Brushed Gold (PVD)		**-37**	311.60
Dark Chrome		**-19**	311.40
Brushed Dark Platinum		**-99**	373.90
Matte Black		**-33**	280.60

12 540 970 NEW

Slide unit
- for pipe diameter 18 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 540 970** FF	FF	Euro
Chrome		**-00**	143.90
Brushed Chrome		**-93**	187.00
Brushed Platinum		**-06**	230.20
Brushed Light Gold (PVD)		**-27**	215.80
Brushed Gold (PVD)		**-37**	215.90
Dark Chrome		**-19**	215.80
Brushed Dark Platinum		**-99**	258.90
Matte Black		**-33**	194.30

12 550 970 **NEW** **Slide unit**

- Pipe diameter 20 mm

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 550 970** FF	FF	Euro
Chrome		**-00**	143.90
Brushed Chrome		**-93**	187.00
Brushed Platinum		**-06**	230.20
Brushed Light Gold (PVD)		**-27**	215.80
Brushed Gold (PVD)		**-37**	215.90
Dark Chrome		**-19**	215.80
Brushed Dark Platinum		**-99**	258.90
Matte Black		**-33**	194.30

33 301 670

Single-lever shower mixer for wall mounting
- **3/8“ shower outlet**
- slide-on rosettes Ø 60 mm
- 1/2“ connection
- gauge 150 mm - 15 mm

Intrinsic protection against back flow.

Fits IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 301 670** FF	FF	Euro
Chrome		**-00**	702.30
Brushed Chrome		**-93**	913.10
Brushed Platinum		**-06**	1,123.10
Brushed Light Gold (PVD)		**-27**	1,053.60
Brushed Gold (PVD)		**-37**	1,053.50
Dark Chrome		**-19**	1,053.60
Brushed Dark Platinum		**-99**	1,264.10
Matte Black		**-33**	948.20

34 444 979 NEW

Shower thermostat for wall mounting
- with volume control
- with FlowReduce function
- slide-on rosettes Ø 70 mm
- 3/8“ shower outlet
- 1/2“ connection
- gauge 150 mm - 13 mm

Notes:
- inherently safe from back flow

Fits MEM, IMO, META, TARA, VAIA, LULU, LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**34 444 979** FF	FF	Euro
Chrome		**-00**	736.60
Brushed Chrome		**-93**	957.60
Brushed Platinum		**-06**	1,178.50
Brushed Light Gold (PVD)		**-27**	1,104.90
Brushed Gold (PVD)		**-37**	1,104.90
Dark Chrome		**-19**	1,104.90
Brushed Dark Platinum		**-99**	1,325.80
Matte Black		**-33**	994.40

36 060 670

Concealed single-lever mixer with cover plate
- cover plate 80 x 80 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 060 670** FF	FF	Euro
Chrome		**-00**	493.20
Brushed Chrome		**-93**	641.10
Brushed Platinum		**-06**	796.40
Brushed Light Gold (PVD)		**-27**	739.80
Brushed Gold (PVD)		**-37**	739.80
Dark Chrome		**-19**	739.90
Brushed Dark Platinum		**-99**	887.90
Matte Black		**-33**	665.90

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 046 970

Concealed single-lever mixer with cover plate with integrated shower connection
- cover plate 80 x 80 mm

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 046 970** FF	FF	Euro
Chrome		**-00**	602.50
Brushed Chrome		**-93**	783.30
Brushed Platinum		**-06**	964.00
Brushed Light Gold (PVD)		**-27**	903.80
Brushed Gold (PVD)		**-37**	903.80
Dark Chrome		**-19**	903.80
Brushed Dark Platinum		**-99**	1,084.70
Matte Black		**-33**	813.40

Required miscellaneous

Concealed wall mounting

	35 050 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	336.80

For details and miscellaneous, see page 728

36 120 670

Concealed single-lever mixer with diverter
- automatic diverter
- cover plate 150 x 90 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 120 670** FF	FF	Euro
Chrome		**-00**	632.80
Brushed Chrome		**-93**	822.60
Brushed Platinum		**-06**	1,012.40
Brushed Light Gold (PVD)		**-27**	949.10
Brushed Gold (PVD)		**-37**	949.20
Dark Chrome		**-19**	949.00
Brushed Dark Platinum		**-99**	1,138.80
Matte Black		**-33**	854.30

Required miscellaneous

Concealed single-lever mixer

	35 020 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	248.70

Required miscellaneous

Concealed single-lever mixer with backflow preventor

	35 021 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	355.40

36 425 670

Concealed thermostat with one function volume control
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 425 670** FF	FF	Euro
Chrome		**-00**	793.80
Brushed Chrome		**-93**	1,031.90
Brushed Platinum		**-06**	1,281.60
Brushed Light Gold (PVD)		**-27**	1,190.70
Brushed Gold (PVD)		**-37**	1,190.70
Dark Chrome		**-19**	1,190.80
Brushed Dark Platinum		**-99**	1,428.90
Matte Black		**-33**	1,081.80

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	457.60

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	480.60

36 426 670

Concealed thermostat with two function volume control
- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 426 670** FF	FF	Euro
Chrome		**-00**	941.20
Brushed Chrome		**-93**	1,223.60
Brushed Platinum		**-06**	1,520.00
Brushed Light Gold (PVD)		**-27**	1,411.80
Brushed Gold (PVD)		**-37**	1,411.80
Dark Chrome		**-19**	1,411.90
Brushed Dark Platinum		**-99**	1,694.10
Matte Black		**-33**	1,282.70

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	457.60

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	480.60

36 427 670

Concealed thermostat with three function volume control
- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 427 670** FF	FF	Euro
Chrome		**-00**	998.00
Brushed Chrome		**-93**	1,297.40
Brushed Platinum		**-06**	1,611.20
Brushed Light Gold (PVD)		**-27**	1,497.00
Brushed Gold (PVD)		**-37**	1,497.00
Dark Chrome		**-19**	1,496.90
Brushed Dark Platinum		**-99**	1,796.20
Matte Black		**-33**	1,359.60

Required miscellaneous

Concealed thermostat

	35 427 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	479.40

Required miscellaneous

Concealed thermostat with built-in isolators

	35 428 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	503.00

36 503 780 +
36 607 671

xTOOL Thermostat module with 1 valve
- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 780** FF Basic Product FF	Euro	1x **36 607 671** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,355.90	**-00**	330.10	**1,686.00**
Brushed Chrome	**-93**	1,762.60	**-93**	429.10	**2,191.70**
Brushed Platinum	**-06**	2,169.80	**-06**	528.20	**2,698.00**
Brushed Light Gold (PVD)	**-27**	2,033.90	**-27**	495.10	**2,529.00**
Brushed Gold (PVD)	**-37**	2,033.90	**-37**	495.20	**2,529.10**
Dark Chrome	**-19**	2,034.00	**-19**	495.10	**2,529.10**
Brushed Dark Platinum	**-99**	2,440.80	**-99**	594.20	**3,035.00**
Matte Black	**-33**	1,829.80	**-33**	445.60	**2,275.40**

Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

35 511 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts | FF **90** | Euro 743.70

For details and miscellaneous, see page 730

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 780 +
2x **36 607 671**

xTOOL Thermostat module with 2 valves
- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 780** FF Basic Product FF	Euro	2x **36 607 671** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,355.90	**-00**	330.10	**2,016.10**
Brushed Chrome	**-93**	1,762.60	**-93**	429.10	**2,620.80**
Brushed Platinum	**-06**	2,169.80	**-06**	528.20	**3,226.20**
Brushed Light Gold (PVD)	**-27**	2,033.90	**-27**	495.10	**3,024.10**
Brushed Gold (PVD)	**-37**	2,033.90	**-37**	495.20	**3,024.30**
Dark Chrome	**-19**	2,034.00	**-19**	495.10	**3,024.20**
Brushed Dark Platinum	**-99**	2,440.80	**-99**	594.20	**3,629.20**
Matte Black	**-33**	1,829.80	**-33**	445.60	**2,721.00**

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts | FF **90** | Euro 1,239.70

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts | FF **90** | Euro 1,226.10

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 780 +
2x **36 607 980**

xTOOL Thermostat module with 2 valves
- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 780** FF Basic Product FF	Euro	2x **36 607 980** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,355.90	**-00**	275.00	**1,905.90**
Brushed Chrome	**-93**	1,762.60	**-93**	357.50	**2,477.60**
Brushed Platinum	**-06**	2,169.80	**-06**	439.60	**3,049.00**
Brushed Light Gold (PVD)	**-27**	2,033.90	**-27**	412.50	**2,858.90**
Brushed Gold (PVD)	**-37**	2,033.90	**-37**	412.50	**2,858.90**
Dark Chrome	**-19**	2,034.00	**-19**	412.50	**2,859.00**
Brushed Dark Platinum	**-99**	2,440.80	**-99**	495.10	**3,431.00**
Matte Black	**-33**	1,829.80	**-33**	371.30	**2,572.40**

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF

- min. recess depth 95 mm
- max. recess depth 160 mm

Concealed rough parts | FF **90** | Euro 1,226.10

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF

- min. recess depth 95 mm
- max. recess depth 160 mm

Concealed rough parts | FF **90** | Euro 1,239.70

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 780 +
3x **36 607 671**

xTOOL Thermostat module with 3 valves
- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 780** FF Basic Product FF	Euro	3x **36 607 671** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,355.90	**-00**	330.10	**2,346.20**
Brushed Chrome	**-93**	1,762.60	**-93**	429.10	**3,049.90**
Brushed Platinum	**-06**	2,169.80	**-06**	528.20	**3,754.40**
Brushed Light Gold (PVD)	**-27**	2,033.90	**-27**	495.10	**3,519.20**
Brushed Gold (PVD)	**-37**	2,033.90	**-37**	495.20	**3,519.50**
Dark Chrome	**-19**	2,034.00	**-19**	495.10	**3,519.30**
Brushed Dark Platinum	**-99**	2,440.80	**-99**	594.20	**4,223.40**
Matte Black	**-33**	1,829.80	**-33**	445.60	**3,166.60**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts | FF **90** | Euro 1,332.30

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts | FF **90** | Euro 1,443.30

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 780 +
3x **36 607 980**

xTOOL Thermostat module with 3 valves
- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 780** FF Basic Product FF	Euro	3x **36 607 980** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,355.90	**-00**	275.00	**2,180.90**
Brushed Chrome	**-93**	1,762.60	**-93**	357.50	**2,835.10**
Brushed Platinum	**-06**	2,169.80	**-06**	439.60	**3,488.60**
Brushed Light Gold (PVD)	**-27**	2,033.90	**-27**	412.50	**3,271.40**
Brushed Gold (PVD)	**-37**	2,033.90	**-37**	412.50	**3,271.40**
Dark Chrome	**-19**	2,034.00	**-19**	412.50	**3,271.50**
Brushed Dark Platinum	**-99**	2,440.80	**-99**	495.10	**3,926.10**
Matte Black	**-33**	1,829.80	**-33**	371.30	**2,943.70**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

- min. recess depth 95 mm
- max. recess depth 160 mm

Concealed rough parts | FF **90** | Euro 1,443.30

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

- min. recess depth 95 mm
- max. recess depth 160 mm

Concealed rough parts | FF **90** | Euro 1,332.30

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

---

36 503 780

xTOOL Concealed thermostat without volume control 3/4“
- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 503 780** FF	FF	Euro
Chrome		**-00**	1,355.90
Brushed Chrome		**-93**	1,762.60
Brushed Platinum		**-06**	2,169.80
Brushed Light Gold (PVD)		**-27**	2,033.90
Brushed Gold (PVD)		**-37**	2,033.90
Dark Chrome		**-19**	2,034.00
Brushed Dark Platinum		**-99**	2,440.80
Matte Black		**-33**	1,829.80

Required miscellaneous

xTOOL Concealed thermostat module without volume control

35 503 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts | FF **90** | Euro 907.90

For details and miscellaneous, see page 730

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

36 503 985

xTOOL Concealed thermostat without volume control 3/4“
- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 503 985** FF	FF	Euro
Chrome		**-00**	1,385.50
Brushed Chrome		**-93**	1,801.30
Brushed Platinum		**-06**	2,217.00
Brushed Light Gold (PVD)		**-27**	2,078.40
Brushed Gold (PVD)		**-37**	2,078.30
Dark Chrome		**-19**	2,078.60
Brushed Dark Platinum		**-99**	2,494.00
Matte Black		**-33**	1,870.30

Required miscellaneous

xTOOL Concealed thermostat module without volume control

	35 503 970 FF	FF	Euro
• min. recess depth 95 mm • max. recess depth 160 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	907.90

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

36 607 980

Wall valve anti-clockwise closing 1/2“
- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits IMO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 980** FF	FF	Euro
Chrome		**-00**	275.00
Brushed Chrome		**-93**	357.50
Brushed Platinum		**-06**	439.60
Brushed Light Gold (PVD)		**-27**	412.50
Brushed Gold (PVD)		**-37**	412.50
Dark Chrome		**-19**	412.50
Brushed Dark Platinum		**-99**	495.10
Matte Black		**-33**	371.30

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 145 mm For details and miscellaneous, see page 732	Concealed rough parts	**90**	95.40

36 607 985

Wall valve anti-clockwise closing 1/2“
- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits IMO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 985** FF	FF	Euro
Chrome		**-00**	326.40
Brushed Chrome		**-93**	424.40
Brushed Platinum		**-06**	522.30
Brushed Light Gold (PVD)		**-27**	489.70
Brushed Gold (PVD)		**-37**	489.60
Dark Chrome		**-19**	489.60
Brushed Dark Platinum		**-99**	587.80
Matte Black		**-33**	440.60

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 145 mm For details and miscellaneous, see page 732	Concealed rough parts	**90**	95.40

36 608 980

Wall valve anti-clockwise closing 3/4“
- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits IMO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 980** FF	FF	Euro
Chrome		**-00**	274.90
Brushed Chrome		**-93**	357.50
Brushed Platinum		**-06**	439.70
Brushed Light Gold (PVD)		**-27**	412.40
Brushed Gold (PVD)		**-37**	412.40
Dark Chrome		**-19**	412.30
Brushed Dark Platinum		**-99**	494.90
Matte Black		**-33**	371.10

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 145 mm	Concealed rough parts	**90**	125.20

For details and miscellaneous, see page 732

36 608 985

Wall valve anti-clockwise closing 3/4“
- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits IMO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 985** FF	FF	Euro
Chrome		**-00**	326.40
Brushed Chrome		**-93**	424.30
Brushed Platinum		**-06**	522.30
Brushed Light Gold (PVD)		**-27**	489.70
Brushed Gold (PVD)		**-37**	489.60
Dark Chrome		**-19**	489.60
Brushed Dark Platinum		**-99**	587.80
Matte Black		**-33**	440.60

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 145 mm	Concealed rough parts	**90**	125.20

For details and miscellaneous, see page 732

36 607 671

Wall valve clockwise closing 1/2“
- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits IMO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 671** FF	FF	Euro
Chrome		**-00**	330.10
Brushed Chrome		**-93**	429.10
Brushed Platinum		**-06**	528.20
Brushed Light Gold (PVD)		**-27**	495.10
Brushed Gold (PVD)		**-37**	495.20
Dark Chrome		**-19**	495.10
Brushed Dark Platinum		**-99**	594.20
Matte Black		**-33**	445.60

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 105 mm • max. recess depth 150 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

36 608 671

Wall valve clockwise closing 3/4“
- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits IMO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 671** FF	FF	Euro
Chrome		**-00**	330.10
Brushed Chrome		**-93**	429.10
Brushed Platinum		**-06**	528.20
Brushed Light Gold (PVD)		**-27**	495.10
Brushed Gold (PVD)		**-37**	495.20
Dark Chrome		**-19**	495.10
Brushed Dark Platinum		**-99**	594.20
Matte Black		**-33**	445.60

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 105 mm • max. recess depth 150 mm	Concealed rough parts	**90**	125.20

For details and miscellaneous, see page 732

36 200 985

Concealed two-way diverter
- rotary diverter
- rosette 60 x 60 mm

Fits IMO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 200 985** FF	FF	Euro
Chrome		**-00**	389.80
Brushed Chrome		**-93**	506.70
Brushed Platinum		**-06**	623.60
Brushed Light Gold (PVD)		**-27**	584.60
Brushed Gold (PVD)		**-37**	584.70
Dark Chrome		**-19**	584.60
Brushed Dark Platinum		**-99**	701.60
Matte Black		**-33**	526.20

Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	310.70

For details and miscellaneous, see page 732

36 210 985

Concealed three-way diverter
- rotary diverter
- rosette 60 x 60 mm

Fits IMO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 210 985** FF	FF	Euro
Chrome		**-00**	389.80
Brushed Chrome		**-93**	506.70
Brushed Platinum		**-06**	623.60
Brushed Light Gold (PVD)		**-27**	584.60
Brushed Gold (PVD)		**-37**	584.70
Dark Chrome		**-19**	584.70
Brushed Dark Platinum		**-99**	701.40
Matte Black		**-33**	526.20

Required miscellaneous

Concealed three-way diverter

	35 203 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	378.40

For details and miscellaneous, see page 732

25 863 671

Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set
- **279mm projection**
- spout: cascade
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- total height 943 - 1013 mm
- stand pipe height 548 - 618 mm
- height up to aerator 891 – 961 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. flow for complete hand shower set 6.8 l/min
- slide-on rosettes Ø 135 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 863 671** FF	FF	Euro
Chrome		**-00**	4,225.90
Brushed Chrome		**-93**	5,493.70
Brushed Platinum		**-06**	6,761.60
Brushed Light Gold (PVD)		**-27**	6,339.00
Brushed Gold (PVD)		**-37**	6,338.90
Dark Chrome		**-19**	6,339.00
Brushed Dark Platinum		**-99**	7,606.60
Matte Black		**-33**	5,705.00

Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 150 mm	Concealed rough parts	**90**	882.10

For details and miscellaneous, see page 732

33 200 671

Single-lever bath mixer for wall mounting without shower set
- **190mm projection**
- rectangular normal flow
- automatic bath/shower diverter
- 3/8“ shower outlet
- slide-on rosettes Ø 60 mm
- 1/2“ connection
- gauge 150 mm - 15 mm
- max. flow 16.7 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 200 671** FF	FF	Euro
Chrome		**-00**	916.30
Brushed Chrome		**-93**	1,191.20
Brushed Platinum		**-06**	1,466.20
Brushed Light Gold (PVD)		**-27**	1,374.60
Brushed Gold (PVD)		**-37**	1,374.50
Dark Chrome		**-19**	1,374.60
Brushed Dark Platinum		**-99**	1,649.40
Matte Black		**-33**	1,237.10

27 412 670

Three-hole single-lever bath mixer for bath rim or tile edge installation
- **224mm projection**
- spout: cascade
- max. flow 19.2 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 110 mm
- height up to aerator 138 mm
- hole diameter spout 32 mm
- single-lever mixer hole diameter 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for mixer 60 x 60mm
- rosette for spout 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- metal shower hose 2250mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 412 670** FF	FF	Euro
Chrome		**-00**	2,326.20
Brushed Chrome		**-93**	3,024.10
Brushed Platinum		**-06**	3,721.90
Brushed Light Gold (PVD)		**-27**	3,489.40
Brushed Gold (PVD)		**-37**	3,489.30
Dark Chrome		**-19**	3,489.40
Brushed Dark Platinum		**-99**	4,187.10
Matte Black		**-33**	3,140.30

Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
	Concealed rough parts	**90**	1,883.80

For details and miscellaneous, see page 734

Recommended miscellaneous

Decorative caps for Perfecto

	12 801 970 FF	FF	Euro
• 1 pair	Chrome	**-00**	58.30
	Brushed Chrome	**-93**	75.70
	Brushed Platinum	**-06**	93.50
	Brushed Light Gold (PVD)	**-27**	87.40
	Brushed Gold (PVD)	**-37**	87.50
	Dark Chrome	**-19**	87.60
	Brushed Dark Platinum	**-99**	104.80
	Matte Black	**-33**	79.10

13 801 670

Bath spout for wall mounting
- **200mm projection**
- rectangular normal flow
- hole diameter 37 mm
- 1/2“ connection
- max. flow 25.1 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	13 801 670 FF	FF	Euro
Chrome		**-00**	654.60
Brushed Chrome		**-93**	851.00
Brushed Platinum		**-06**	1,047.40
Brushed Light Gold (PVD)		**-27**	981.90
Brushed Gold (PVD)		**-37**	981.90
Dark Chrome		**-19**	981.90
Brushed Dark Platinum		**-99**	1,178.20
Matte Black		**-33**	883.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 702 980

Hand shower set for bath rim or tile edge installation
- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	27 702 980 FF	FF	Euro
Chrome		**-00**	599.60
Brushed Chrome		**-93**	779.40
Brushed Platinum		**-06**	959.10
Brushed Light Gold (PVD)		**-27**	899.30
Brushed Gold (PVD)		**-37**	899.40
Dark Chrome		**-19**	899.20
Brushed Dark Platinum		**-99**	1,079.10
Matte Black		**-33**	809.00

29 300 670

Single-lever bath mixer for bath rim or tile edge installation
- rosette 60 x 60 mm
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	29 300 670 FF	FF	Euro
Chrome		**-00**	709.80
Brushed Chrome		**-93**	922.60
Brushed Platinum		**-06**	1,135.60
Brushed Light Gold (PVD)		**-27**	1,064.60
Brushed Gold (PVD)		**-37**	1,064.70
Dark Chrome		**-19**	1,064.50
Brushed Dark Platinum		**-99**	1,277.40
Matte Black		**-33**	958.20

29 140 670

Two-way diverter for bath rim or tile edge installation
- automatic bath/shower diverter
- hole diameter 32 mm
- rosette 60 x 60 mm
- 1/2“ connection
- max. flow 64.9 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	29 140 670 FF	FF	Euro
Chrome		**-00**	915.60
Brushed Chrome		**-93**	1,190.30
Brushed Platinum		**-06**	1,465.00
Brushed Light Gold (PVD)		**-27**	1,373.40
Brushed Gold (PVD)		**-37**	1,373.40
Dark Chrome		**-19**	1,373.30
Brushed Dark Platinum		**-99**	1,648.10
Matte Black		**-33**	1,236.10

36 243 970

Pop-up waste and overflow
- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 243 970 FF	FF	Euro
Chrome		**-00**	232.10
Brushed Chrome		**-93**	301.80
Brushed Platinum		**-06**	371.60
Brushed Light Gold (PVD)		**-27**	348.20
Brushed Gold (PVD)		**-37**	348.20
Dark Chrome		**-19**	348.30
Brushed Dark Platinum		**-99**	417.70
Matte Black		**-33**	313.60

Required miscellaneous

Pop-up waste and overflow

	35 227 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	188.20

36 247 970

Bath spout with pop-up waste and overflow
- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 247 970** FF	FF	Euro
Chrome		**-00**	351.10
Brushed Chrome		**-93**	456.50
Brushed Platinum		**-06**	561.90
Brushed Light Gold (PVD)		**-27**	526.80
Brushed Gold (PVD)		**-37**	526.70
Dark Chrome		**-19**	526.80
Brushed Dark Platinum		**-99**	631.90
Matte Black		**-33**	473.90

Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	518.30

Required miscellaneous

Vacuum breaker

	36 150 970 FF	FF	Euro
	Chrome	**-00**	96.30
	Brushed Chrome	**-93**	125.30
	Brushed Platinum	**-06**	154.00
	Brushed Light Gold (PVD)	**-27**	144.50
	Brushed Gold (PVD)	**-37**	144.50
	Dark Chrome	**-19**	144.40
	Brushed Dark Platinum	**-99**	173.10
	Matte Black	**-33**	130.10

83 030 976

Bath grip
- gauge 278 mm
- width 320mm
- Height: 35 mm
- 90mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 030 976** FF	FF	Euro
Chrome		**-00**	244.90
Brushed Chrome		**-93**	318.30
Brushed Platinum		**-06**	391.80
Brushed Light Gold (PVD)		**-27**	367.30
Brushed Gold (PVD)		**-37**	367.40
Dark Chrome		**-19**	367.30
Brushed Dark Platinum		**-99**	440.70
Matte Black		**-33**	330.50

83 060 976

Towel bar
- gauge 558 mm
- width 600mm
- Height: 33 mm
- 90mm projection

Standard article	**83 060 976** FF	FF	Euro
Chrome		**-00**	272.10
Brushed Chrome		**-93**	353.70
Brushed Platinum		**-06**	435.40
Brushed Light Gold (PVD)		**-27**	408.10
Brushed Gold (PVD)		**-37**	408.20
Dark Chrome		**-19**	408.10
Brushed Dark Platinum		**-99**	489.80
Matte Black		**-33**	367.40

Recommended miscellaneous

Attachment set for towel bar/tumbler mounting on one side with cover

	11 001 976 FF	FF	Euro
Chrome		**-00**	69.20
Brushed Chrome		**-93**	90.00
Brushed Platinum		**-06**	110.80
Brushed Light Gold (PVD)		**-27**	103.80
Brushed Gold (PVD)		**-37**	103.80
Dark Chrome		**-19**	103.80
Brushed Dark Platinum		**-99**	124.60
Matte Black		**-33**	93.50

83 080 976

Towel bar
- gauge 758 mm
- width 800mm
- Height: 35 mm
- 89mm projection

Standard article	**83 080 976** FF	FF	Euro
Chrome		**-00**	323.90
Brushed Chrome		**-93**	421.20
Brushed Platinum		**-06**	518.30
Brushed Light Gold (PVD)		**-27**	485.90
Brushed Gold (PVD)		**-37**	485.90
Dark Chrome		**-19**	485.90
Brushed Dark Platinum		**-99**	583.10
Matte Black		**-33**	437.20

Recommended miscellaneous

Attachment set for towel bar/tumbler mounting on one side with cover

	11 001 976 FF	FF	Euro
Chrome		**-00**	69.20
Brushed Chrome		**-93**	90.00
Brushed Platinum		**-06**	110.80
Brushed Light Gold (PVD)		**-27**	103.80
Brushed Gold (PVD)		**-37**	103.80
Dark Chrome		**-19**	103.80
Brushed Dark Platinum		**-99**	124.60
Matte Black		**-33**	93.50

83 215 976

Towel bar
- gauge 358 mm
- width 35mm
- Height: 420 mm
- 89mm projection
- Holds up to 6 guest towels

Standard article	**83 215 976** FF	FF	Euro
Chrome		**-00**	317.70
Brushed Chrome		**-93**	413.10
Brushed Platinum		**-06**	508.40
Brushed Light Gold (PVD)		**-27**	476.60
Brushed Gold (PVD)		**-37**	476.60
Dark Chrome		**-19**	476.60
Brushed Dark Platinum		**-99**	571.90
Matte Black		**-33**	428.90

83 211 976

Towel bar 1-piece non-swivel
- width 32mm
- Height: 80 mm
- 454mm projection

Standard article	**83 211 976** FF	FF	Euro
Chrome		**-00**	231.20
Brushed Chrome		**-93**	300.50
Brushed Platinum		**-06**	370.00
Brushed Light Gold (PVD)		**-27**	346.80
Brushed Gold (PVD)		**-37**	346.80
Dark Chrome		**-19**	346.80
Brushed Dark Platinum		**-99**	416.10
Matte Black		**-33**	312.20

83 210 976

Towel bar in two parts non-swivel
- width 70mm
- Height: 32 mm
- 451mm projection

Standard article	**83 210 976** FF	FF	Euro
Chrome		**-00**	289.20
Brushed Chrome		**-93**	375.90
Brushed Platinum		**-06**	462.60
Brushed Light Gold (PVD)		**-27**	433.80
Brushed Gold (PVD)		**-37**	433.80
Dark Chrome		**-19**	433.80
Brushed Dark Platinum		**-99**	520.50
Matte Black		**-33**	390.40

83 200 976

Towel ring
- width 220mm
- Height: 128 mm
- 66mm projection

Standard article	**83 200 976** FF	FF	Euro
Chrome		**-00**	253.90
Brushed Chrome		**-93**	330.10
Brushed Platinum		**-06**	406.40
Brushed Light Gold (PVD)		**-27**	380.90
Brushed Gold (PVD)		**-37**	380.90
Dark Chrome		**-19**	380.90
Brushed Dark Platinum		**-99**	457.10
Matte Black		**-33**	342.80

83 250 976

Hooks
- width 32mm
- Height: 73 mm
- 43mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 250 976** FF	FF	Euro
Chrome		**-00**	50.80
Brushed Chrome		**-93**	66.00
Brushed Platinum		**-06**	81.40
Brushed Light Gold (PVD)		**-27**	76.20
Brushed Gold (PVD)		**-37**	76.20
Dark Chrome		**-19**	76.20
Brushed Dark Platinum		**-99**	91.50
Matte Black		**-33**	68.70

83 256 976

Hooks in two parts
- width 126mm
- Height: 46 mm
- 50mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 256 976** FF	FF	Euro
Chrome		**-00**	86.70
Brushed Chrome		**-93**	112.80
Brushed Platinum		**-06**	138.70
Brushed Light Gold (PVD)		**-27**	130.10
Brushed Gold (PVD)		**-37**	130.10
Dark Chrome		**-19**	130.10
Brushed Dark Platinum		**-99**	156.10
Matte Black		**-33**	117.10

83 400 976

Tumbler holder
- gauge 90 mm
- width 139mm
- Height: 149 mm
- 103mm projection
- crystal glass brush holder, matte

Standard article	**83 400 976** FF	FF	Euro
Chrome		**-00**	231.20
Brushed Chrome		**-93**	300.50
Brushed Platinum		**-06**	370.00
Brushed Light Gold (PVD)		**-27**	346.80
Brushed Gold (PVD)		**-37**	346.80
Dark Chrome		**-19**	346.80
Brushed Dark Platinum		**-99**	416.10
Matte Black		**-33**	312.20

83 410 976

Soap dish
- gauge 90 mm
- width 140mm
- Height: 67 mm
- 103mm projection
- crystal glass brush holder, matte

Standard article	**83 410 976** FF	FF	Euro
Chrome		**-00**	231.30
Brushed Chrome		**-93**	300.70
Brushed Platinum		**-06**	370.10
Brushed Light Gold (PVD)		**-27**	347.00
Brushed Gold (PVD)		**-37**	347.00
Dark Chrome		**-19**	347.00
Brushed Dark Platinum		**-99**	416.40
Matte Black		**-33**	312.40

83 433 976

Shelf
- width 303mm
- 122mm projection

Standard article	**83 433 976** FF	FF	Euro
Chrome		**-00**	420.80
Brushed Chrome		**-93**	547.10
Brushed Platinum		**-06**	673.40
Brushed Light Gold (PVD)		**-27**	631.30
Brushed Gold (PVD)		**-37**	631.20
Dark Chrome		**-19**	631.30
Brushed Dark Platinum		**-99**	757.50
Matte Black		**-33**	568.20

83 430 976

Lotion dispenser
- gauge 90 mm
- width 140mm
- Height: 130 mm
- 103mm projection
- Crystal glass container, frosted

Standard article	**83 430 976** FF	FF	Euro
Chrome		**-00**	266.20
Brushed Chrome		**-93**	346.00
Brushed Platinum		**-06**	425.90
Brushed Light Gold (PVD)		**-27**	399.30
Brushed Gold (PVD)		**-37**	399.30
Dark Chrome		**-19**	399.30
Brushed Dark Platinum		**-99**	479.10
Matte Black		**-33**	359.30

83 500 976

Tissue holder
- gauge 61 mm
- width 155mm
- Height: 37 mm
- 89mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 500 976** FF	FF	Euro
Chrome		**-00**	194.40
Brushed Chrome		**-93**	252.60
Brushed Platinum		**-06**	310.90
Brushed Light Gold (PVD)		**-27**	291.60
Brushed Gold (PVD)		**-37**	291.60
Dark Chrome		**-19**	291.60
Brushed Dark Platinum		**-99**	349.90
Matte Black		**-33**	262.40

83 515 976

Tissue holder with shelf
- gauge 90 mm
- width 145mm
- Height: 73 mm
- 103mm projection

Standard article	**83 515 976** FF	FF	Euro
Chrome		**-00**	289.40
Brushed Chrome		**-93**	376.20
Brushed Platinum		**-06**	463.10
Brushed Light Gold (PVD)		**-27**	434.10
Brushed Gold (PVD)		**-37**	434.10
Dark Chrome		**-19**	434.10
Brushed Dark Platinum		**-99**	521.00
Matte Black		**-33**	390.70

83 525 976

Tissue holder
- gauge 230 mm
- width 285mm
- Height: 73 mm
- 103mm projection

Standard article	**83 525 976** FF	FF	Euro
Chrome		**-00**	451.50
Brushed Chrome		**-93**	587.10
Brushed Platinum		**-06**	722.40
Brushed Light Gold (PVD)		**-27**	677.40
Brushed Gold (PVD)		**-37**	677.30
Dark Chrome		**-19**	677.40
Brushed Dark Platinum		**-99**	812.70
Matte Black		**-33**	609.50

83 590 976

Reserve tissue holder
- gauge 61 mm
- width 90mm
- Height: 155 mm
- 130mm projection

Standard article	**83 590 976** FF	FF	Euro
Chrome		**-00**	196.70
Brushed Chrome		**-93**	255.60
Brushed Platinum		**-06**	314.60
Brushed Light Gold (PVD)		**-27**	294.90
Brushed Gold (PVD)		**-37**	295.10
Dark Chrome		**-19**	294.90
Brushed Dark Platinum		**-99**	353.90
Matte Black		**-33**	265.40

83 900 976

Toilet brush set
- gauge 61 mm
- width 100mm
- Height: 467 mm
- 135mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 900 976** FF	FF	Euro
Chrome		**-00**	277.60
Brushed Chrome		**-93**	360.90
Brushed Platinum		**-06**	444.20
Brushed Light Gold (PVD)		**-27**	416.50
Brushed Gold (PVD)		**-37**	416.40
Dark Chrome		**-19**	416.50
Brushed Dark Platinum		**-99**	499.80
Matte Black		**-33**	374.70

12 660 979

Cover plate for the concealed WC cistern made by TeCe
- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:
- TECEprofil dry wall construction, article numbers:
- 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers:
- 9370300, 9375300, 9371300

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 660 979** FF	FF	Euro
Chrome		**-00**	894.90
Brushed Chrome		**-93**	1,163.50
Brushed Platinum		**-06**	1,432.20
Brushed Light Gold (PVD)		**-27**	1,342.40
Brushed Gold (PVD)		**-37**	1,342.40
Dark Chrome		**-19**	1,342.30
Brushed Dark Platinum		**-99**	1,611.00
Matte Black		**-33**	1,208.10

12 665 979

Flush plate for concealed WC cisterns made by Geberit round
- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Not compatible with GEBERIT Duo Fresh module

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 665 979** FF	FF	Euro
Chrome		**-00**	509.60
Brushed Chrome		**-93**	662.60
Brushed Platinum		**-06**	815.30
Brushed Light Gold (PVD)		**-27**	764.40
Brushed Gold (PVD)		**-37**	764.40
Dark Chrome		**-19**	764.40
Brushed Dark Platinum		**-99**	917.30
Matte Black		**-33**	688.00

83 150 979

Lighted mirror round
- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 979** FF	FF	Euro
Matte White		**-10**	1,855.40
Matte Black		**-33**	1,855.40

83 151 979

Lighted mirror round
- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 979** FF	FF	Euro
Matte White		**-10**	2,168.30
Matte Black		**-33**	2,168.30

83 150 980

Lighted mirror angular
- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 980** FF	FF	Euro
Matte White		**-10**	1,734.60
Matte Black		**-33**	1,734.60

83 151 980

Lighted mirror angular
- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 980** FF	FF	Euro
Matte White		**-10**	2,048.60
Matte Black		**-33**	2,048.60

36 390 980

Electronic control elements for towel warmer
- rosette 80 x 80 mm
- Control element for towel warmer: 833XX980-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	**36 390 980** FF	FF	Euro
Chrome		**-00**	525.00
Brushed Chrome		**-93**	682.50
Dark Chrome		**-19**	787.50
Brushed Dark Platinum		**-99**	945.00
Matte Black		**-33**	708.80

83 304 980

Towel warmer, 4-fold, projection left, without control element
- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 304 980** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Chrome		**-93**	3,603.60
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60
Matte Black		**-33**	3,742.20

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	772.50

For details and miscellaneous, see page 739

83 306 980

Towel warmer, 6-fold, projection left, without control element
- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

This appliance is a stationary electric space heater and, in order to comply with the mandatory ecodesign requirements of Commission Regulation (EU) 2024/1103, must be equipped with at least one control with control function TW(f2).

Standard article	**83 306 980** FF	FF	Euro
Chrome		**-00**	4,158.00
Brushed Chrome		**-93**	5,405.40
Dark Chrome		**-19**	6,237.00
Brushed Dark Platinum		**-99**	7,484.40
Matte Black		**-33**	5,613.30

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,030.00

For details and miscellaneous, see page 739

83 314 980

Towel warmer, 4-fold, projection right, without control element
- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 314 980** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Chrome		**-93**	3,603.60
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60
Matte Black		**-33**	3,742.20

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	772.50

For details and miscellaneous, see page 739

83 316 980

Towel warmer, 6-fold, projection right, without control element
- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 316 980** FF	FF	Euro
Chrome		**-00**	4,158.00
Brushed Chrome		**-93**	5,405.40
Dark Chrome		**-19**	6,237.00
Brushed Dark Platinum		**-99**	7,484.40
Matte Black		**-33**	5,613.30

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,030.00

For details and miscellaneous, see page 739

83 304 980 +
36 390 980

Towel warmer, 4-fold, projection left, with control element
- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 304 980** FF		1x **36 390 980** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Chrome	**-93**	3,603.60	**-93**	682.50	**4,286.10**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**
Matte Black	**-33**	3,742.20	**-33**	708.80	**4,451.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

	35 312 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	875.50

For details and miscellaneous, see page 739

83 306 980 +
36 390 980

Towel warmer, 6-fold, projection left, with control element
- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 306 980** FF		1x **36 390 980** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	4,158.00	**-00**	525.00	**4,683.00**
Brushed Chrome	**-93**	5,405.40	**-93**	682.50	**6,087.90**
Dark Chrome	**-19**	6,237.00	**-19**	787.50	**7,024.50**
Brushed Dark Platinum	**-99**	7,484.40	**-99**	945.00	**8,429.40**
Matte Black	**-33**	5,613.30	**-33**	708.80	**6,322.10**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,133.00

For details and miscellaneous, see page 739

83 314 980 +
36 390 980

Towel warmer, 4-fold, projection right, with control element
- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 314 980** FF		1x **36 390 980** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Chrome	**-93**	3,603.60	**-93**	682.50	**4,286.10**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**
Matte Black	**-33**	3,742.20	**-33**	708.80	**4,451.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

	35 312 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	875.50

For details and miscellaneous, see page 739

83 316 980 +
36 390 980

Towel warmer, 6-fold, projection right, with control element
- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 316 980** FF		1x **36 390 980** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	4,158.00	**-00**	525.00	**4,683.00**
Brushed Chrome	**-93**	5,405.40	**-93**	682.50	**6,087.90**
Dark Chrome	**-19**	6,237.00	**-19**	787.50	**7,024.50**
Brushed Dark Platinum	**-99**	7,484.40	**-99**	945.00	**8,429.40**
Matte Black	**-33**	5,613.30	**-33**	708.80	**6,322.10**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,133.00

For details and miscellaneous, see page 739

LISSÉ

Sieger Design

Basin
from page 200

Bidet
from page 245

Shower
from page 204

Thermostats, mixers, diverters and valves
from page 263

Bath
from page 224

Accessories
from page 269

Basin fittings

Single-lever basin mixers

130mm projection

33 500 845
33 521 845*

with a raised pillar base

130mm projection

33 506 845
33 526 845*

215mm projection

33 537 845

Three-hole basin mixers

130mm projection

20 713 845

Wall-mounted single-lever basin mixers

170mm projection

36 860 845

210mm projection

36 861 845

Touchfree

130mm projection

13 700 845 +
42 765 970

Showers

Shower sets

26 412 979 +
28 018 979

Shower pipes with shower thermostat

34 464 979 +
28 025 979
34 466 979*

34 465 979 +
28 018 979
34 469 979*

Head showers with one spray type

28 504 979

28 611 970

28 613 970

Head showers with multiple jet types

28 508 979

28 505 979

Rain showers with wall connection

28 647 970
28 645 970*

28 646 970
28 644 970*

28 677 970
28 675 970*

28 676 970
28 674 970*

Rain showers with wall connection

28 659 970

28 762 710
28 760 710*

28 763 710
28 761 710*

Rain showers with ceiling connection

28 666 970
28 664 970*

28 667 970
28 665 970*

28 686 970
28 684 970*

Rain showers with ceiling connection

28 687 970
28 685 970*

28 699 970

28 772 710
28 770 710*

Rain showers for ceiling connection

28 031 970

28 032 970

Rain showers for ceiling installation

28 033 970

Rain showers for ceiling installation

28 034 970

Hand shower sets

27 803 845

Side showers

28 518 979

Massage modules

WATER POINTS

36 515 979

WATER BAR

36 517 979

WATER CURVE

36 514 979

Massage modules

WATER FAN

36 513 979
36 512 979*

Waterfalls

WATER SHEET

13 415 979

WATER FALL

13 420 979

WATER FALL

13 425 979

Kneipp modules

WATER TUBE

27 823 979 +
28 285 979

Bath fittings

Single-lever mixers

36 120 845

36 120 845

Wall-mounted mixers for wall mounting

190mm projection

33 200 845

Three-hole single-lever bath mixers

200mm projection

27 412 845

Bath spouts

210mm projection

13 801 845

Hand shower sets

230mm projection

27 702 979

Miscellaneous

26mm projection

36 243 970

integrated bath filling

26mm projection

36 247 970

33 500 845

Single-lever basin mixer with pop-up waste
- **130mm projection**
- 1 1/4“ pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 127 mm
- height up to aerator 75 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2x European pressure hose
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 500 845** FF	FF	Euro
Chrome		**-00**	575.70
Brushed Chrome		**-93**	748.50
Brushed Platinum		**-06**	920.90
Brushed Light Gold (PVD)		**-27**	863.70
Dark Chrome		**-19**	863.70
Brushed Dark Platinum		**-99**	1,036.20
Matte Black		**-33**	777.20

Product alternative
- **without pop-up waste**

Standard article	**33 521 845** FF	FF	Euro
Chrome		**-00**	499.40
Brushed Chrome		**-93**	649.10
Brushed Platinum		**-06**	798.90
Brushed Light Gold (PVD)		**-27**	749.00
Dark Chrome		**-19**	749.00
Brushed Dark Platinum		**-99**	898.70
Matte Black		**-33**	674.10

33 506 845

Single-lever basin mixer with raised base with pop-up waste
- **130mm projection**
- 1 1/4“ pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 236 mm
- height up to aerator 185 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2x European pressure hose
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 506 845** FF	FF	Euro
Chrome		**-00**	965.40
Brushed Chrome		**-93**	1,255.00
Brushed Platinum		**-06**	1,544.60
Brushed Light Gold (PVD)		**-27**	1,448.20
Dark Chrome		**-19**	1,448.20
Brushed Dark Platinum		**-99**	1,737.60
Matte Black		**-33**	1,303.40

Product alternative
- **without pop-up waste**

Standard article	**33 526 845** FF	FF	Euro
Chrome		**-00**	840.20
Brushed Chrome		**-93**	1,092.30
Brushed Platinum		**-06**	1,344.50
Brushed Light Gold (PVD)		**-27**	1,260.50
Dark Chrome		**-19**	1,260.50
Brushed Dark Platinum		**-99**	1,512.50
Matte Black		**-33**	1,134.40

33 537 845

Single-lever basin mixer with raised base without pop-up waste
- **215mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 292 mm
- height up to aerator 241 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2x European pressure hose
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

for use on bowl sink.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 537 845** FF	FF	Euro
Chrome		**-00**	1,073.60
Brushed Chrome		**-93**	1,395.70
Brushed Platinum		**-06**	1,718.00
Brushed Light Gold (PVD)		**-27**	1,610.40
Dark Chrome		**-19**	1,610.40
Brushed Dark Platinum		**-99**	1,932.40
Matte Black		**-33**	1,449.30

20 713 845

Three-hole basin mixer with pop-up waste
- **130mm projection**
- 1 1/4“ pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 95 mm
- height up to aerator 75 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 48 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 713 845** FF	FF	Euro
Chrome		**-00**	903.50
Brushed Chrome		**-93**	1,174.50
Brushed Platinum		**-06**	1,445.40
Brushed Light Gold (PVD)		**-27**	1,355.20
Dark Chrome		**-19**	1,355.20
Brushed Dark Platinum		**-99**	1,626.20
Matte Black		**-33**	1,219.60

Required miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

36 860 845

Wall-mounted single-lever basin mixer without pop-up waste
- **170mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette 78 x 78 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 860 845** FF	FF	Euro
Chrome		**-00**	856.50
Brushed Chrome		**-93**	1,113.40
Brushed Platinum		**-06**	1,370.00
Brushed Light Gold (PVD)		**-27**	1,284.70
Dark Chrome		**-19**	1,284.70
Brushed Dark Platinum		**-99**	1,541.70
Matte Black		**-33**	1,156.30

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 861 845

Wall-mounted single-lever basin mixer without pop-up waste
- **210mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette 78 x 78 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 861 845** FF	FF	Euro
Chrome		**-00**	893.80
Brushed Chrome		**-93**	1,161.90
Brushed Platinum		**-06**	1,429.80
Brushed Light Gold (PVD)		**-27**	1,340.60
Dark Chrome		**-19**	1,340.60
Brushed Dark Platinum		**-99**	1,608.80
Matte Black		**-33**	1,206.60

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

13 700 845 + 42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **130mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 95 mm
- height up to aerator 75 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2“ connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 700 845** FF max. flow 5.7 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	427.00	**90**	721.90	**1,148.90**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	329.40

Miscellaneous

22 901 979

Angle valve

- rosette Ø 55 mm
- hose covering 200mm, for shortening

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 901 979** FF	FF	Euro
Chrome		**-00**	198.00
Brushed Chrome		**-93**	257.50
Brushed Platinum		**-06**	316.80
Brushed Light Gold (PVD)		**-27**	297.00
Dark Chrome		**-19**	296.90
Brushed Dark Platinum		**-99**	356.30
Matte Black		**-33**	267.30

10 060 970

Siphon for basin

- rosette Ø 70 mm

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 060 970** FF	FF	Euro
Chrome		**-00**	355.50
Brushed Chrome		**-93**	462.20
Brushed Platinum		**-06**	569.00
Brushed Light Gold (PVD)		**-27**	533.40
Dark Chrome		**-19**	533.30
Brushed Dark Platinum		**-99**	640.00
Matte Black		**-33**	480.10

27 701 970

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 970** FF	FF	Euro
Chrome		**-00**	339.30
Brushed Chrome		**-93**	441.00
Brushed Platinum		**-06**	542.60
Brushed Light Gold (PVD)		**-27**	508.80
Dark Chrome		**-19**	508.80
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 701 670

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 670** FF	FF	Euro
Chrome		**-00**	339.30
Brushed Chrome		**-93**	441.00
Brushed Platinum		**-06**	542.60
Brushed Light Gold (PVD)		**-27**	508.80
Dark Chrome		**-19**	508.80
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

26 412 979 +
28 018 979

NEW

Shower set
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow.
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 853 mm
- Pipe diameter 18 mm

Notes:
- Fits CL.1, IMO, MEM, SERIES-VARIOUS, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 979** FF FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	441.30	**-00**	142.60	**583.90**
Brushed Chrome	**-93**	573.70	**-93**	185.30	**759.00**
Brushed Platinum	**-06**	706.10	**-06**	228.00	**934.10**
Brushed Light Gold (PVD)	**-27**	662.00	**-27**	213.80	**875.80**
Dark Chrome	**-19**	662.00	**-19**	213.80	**875.80**
Brushed Dark Platinum	**-99**	794.30	**-99**	256.50	**1,050.80**
Matte Black	**-33**	595.80	**-33**	192.40	**788.20**

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

	35 085 970 FF	FF	Euro
	Concealed rough parts	**90**	128.90

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

	28 450 980 FF	FF	Euro
	Chrome	**-00**	173.40
	Brushed Chrome	**-93**	225.50
	Brushed Platinum	**-06**	277.60
	Dark Chrome	**-19**	260.30
	Brushed Dark Platinum	**-99**	312.30
	Matte Black	**-33**	234.20

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	371.80	**-27**	308.50	**-27**	374.00
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

34 464 979 + 28 025 979

NEW

Shower pipe with shower thermostat with hand shower set FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, LULU
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 464 979** FF max. flow 5 l/min FF	Euro	1x **28 025 979** FF max. flow 5 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	2,726.20	**-000010**	132.60	**2,858.80**
Brushed Chrome	**-93**	3,544.10	**-930010**	172.40	**3,716.50**
Brushed Platinum	**-06**	4,361.90	**-060010**	212.10	**4,574.00**
Brushed Light Gold (PVD)	**-27**	4,089.30	**-270010**	198.90	**4,288.20**
Dark Chrome	**-19**	4,089.30	**-190010**	198.90	**4,288.20**
Brushed Dark Platinum	**-99**	4,907.20	**-990010**	238.70	**5,145.90**
Matte Black	**-33**	3,680.40	**-330010**	179.00	**3,859.40**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 466 979** FF	FF	Euro
Chrome	**-00**	2,058.10
Brushed Chrome	**-93**	2,675.50
Brushed Light Gold (PVD)	**-27**	3,087.20
Dark Chrome	**-19**	3,087.20
Brushed Dark Platinum	**-99**	3,704.60
Matte Black	**-33**	2,778.40

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 671.

1 jet
Ø 130 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

4 jets
Ø 120 mm

1 jet

Alternative hand shower	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	247.90	**-00**	249.30
Brushed Chrome	**-93**	248.20	**-93**	185.30	**-93**	267.20	**-93**	322.10	**-93**	324.10
Brushed Platinum	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	396.60	**-06**	398.90
Brushed Light Gold (PVD)	**-27**	286.40	**-27**	213.80	**-27**	308.50	**-27**	371.80	**-27**	374.00
Dark Chrome	**-19**	286.40	**-19**	213.80	**-19**	308.50	**-19**	371.80	**-19**	374.00
Brushed Dark Platinum	**-99**	343.70	**-99**	256.50	**-99**	370.20	**-99**	446.30	**-99**	448.70
Matte Black	**-33**	258.00	**-33**	192.40	**-33**	277.60	**-33**	334.60	**-33**	336.50

34 465 979 + 28 018 979 **NEW**

Shower pipe with shower thermostat with hand shower set 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1146mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 465 979** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	2,871.60	**-00**	142.60	**3,014.20**
Brushed Chrome	**-93**	3,733.20	**-93**	185.30	**3,918.50**
Brushed Platinum	**-06**	4,594.60	**-06**	228.00	**4,822.60**
Brushed Light Gold (PVD)	**-27**	4,307.50	**-27**	213.80	**4,521.30**
Dark Chrome	**-19**	4,307.50	**-19**	213.80	**4,521.30**
Brushed Dark Platinum	**-99**	5,168.90	**-99**	256.50	**5,425.40**
Matte Black	**-33**	3,876.70	**-33**	192.40	**4,069.10**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 469 979** FF	FF	Euro
Chrome	**-00**	2,327.10
Brushed Chrome	**-93**	3,025.30
Brushed Light Gold (PVD)	**-27**	3,490.70
Dark Chrome	**-19**	3,490.70
Brushed Dark Platinum	**-99**	4,188.80
Matte Black	**-33**	3,141.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	371.80	**-27**	308.50	**-27**	374.00
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

28 504 979

Shower head
- spray head Ø 100mm
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system

Technical data:
- 180-210mm projection
- ball-joint pivotable through 30°
- rosettes Ø 55 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **28 504 979** FF	FF	Euro
Chrome	**-00**	621.20
Brushed Chrome	**-93**	807.50
Brushed Platinum	**-06**	994.20
Brushed Light Gold (PVD)	**-27**	931.80
Dark Chrome	**-19**	932.00
Brushed Dark Platinum	**-99**	1,118.40
Matte Black	**-33**	838.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 508 979

Shower head
- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:
- 200-mm projection
- ball-joint pivotable through 30°
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 508 979** FF	FF	Euro
Chrome		**-00**	694.90
Brushed Chrome		**-93**	903.40
Brushed Platinum		**-06**	1,111.40
Brushed Light Gold (PVD)		**-27**	1,042.30
Dark Chrome		**-19**	1,042.20
Brushed Dark Platinum		**-99**	1,250.60
Matte Black		**-33**	938.00

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 508 979** FF	FF	Euro
Chrome		**-000010**	694.90
Brushed Chrome		**-930010**	903.40
Brushed Platinum		**-060010**	1,111.40
Brushed Light Gold (PVD)		**-270010**	1,042.30
Dark Chrome		**-190010**	1,042.20
Brushed Dark Platinum		**-990010**	1,250.60
Matte Black		**-330010**	938.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 505 979

Shower head
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 7.6 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- 155-mm projection
- ball-joint pivotable through 18° (in any direction)
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 505 979** FF	FF	Euro
Chrome		**-00**	387.10
Brushed Chrome		**-93**	503.40
Brushed Platinum		**-06**	619.50
Brushed Light Gold (PVD)		**-27**	580.80
Dark Chrome		**-19**	580.80
Brushed Dark Platinum		**-99**	697.00
Matte Black		**-33**	522.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 611 970 **NEW**

Shower head with ceiling fixing
- INTENSE RAIN, flow rate max. 8 l/min
- Function from: 6 l/min
- with anti-scale system

Technical data:
- Adjustable spray angle ±7°
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META

Standard article	**28 611 970** FF	FF	Euro
Chrome		**-00**	365.20
Brushed Chrome		**-93**	474.70
Brushed Light Gold (PVD)		**-27**	547.80
Dark Chrome		**-19**	547.80
Brushed Dark Platinum		**-99**	657.30
Matte Black		**-33**	493.00

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 611 970** FF	FF	Euro
Chrome		**-000010**	365.20
Brushed Chrome		**-930010**	474.70
Brushed Light Gold (PVD)		**-270010**	547.80
Dark Chrome		**-190010**	547.80
Brushed Dark Platinum		**-990010**	657.30
Matte Black		**-330010**	493.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 613 970 **NEW**

Shower head
- INTENSE RAIN, flow rate max. 8 l/min
- Function from: 6 l/min
- with anti-scale system

Technical data:
- 156-mm projection
- ball-joint pivotable through 30°
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, TARA

Standard article	**28 613 970** FF	FF	Euro
Chrome		**-00**	434.40
Brushed Chrome		**-93**	564.70
Brushed Light Gold (PVD)		**-27**	651.60
Dark Chrome		**-19**	651.60
Brushed Dark Platinum		**-99**	781.90
Matte Black		**-33**	586.40

Product alternative
- FlowReduce
- Max. flow rate 5.7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 613 970** FF	FF	Euro
Chrome		**-000010**	434.40
Brushed Chrome		**-930010**	564.70
Brushed Light Gold (PVD)		**-270010**	651.60
Dark Chrome		**-190010**	651.60
Brushed Dark Platinum		**-990010**	781.90
Matte Black		**-330010**	586.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 647 970 **NEW**

Rain shower with wall fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 647 970** FF	FF	Euro
Chrome		**-00**	1,012.30
Brushed Chrome		**-93**	1,316.00
Brushed Platinum		**-06**	1,619.70
Brushed Light Gold (PVD)		**-27**	1,518.50
Dark Chrome		**-19**	1,518.50
Brushed Dark Platinum		**-99**	1,822.20
Matte Black		**-33**	1,366.60

Product alternative
- Material rain shower: plastic

Standard article	**28 645 970** FF	FF	Euro
Chrome		**-00**	618.60
Brushed Chrome		**-93**	804.10
Brushed Light Gold (PVD)		**-27**	927.90
Dark Chrome		**-19**	927.90
Brushed Dark Platinum		**-99**	1,113.40
Matte Black		**-33**	835.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

---

28 646 970 **NEW**

Rain shower with wall fixing FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 646 970** FF	FF	Euro
Chrome		**-00**	1,012.30
Brushed Chrome		**-93**	1,316.00
Brushed Platinum		**-06**	1,619.70
Brushed Light Gold (PVD)		**-27**	1,518.50
Dark Chrome		**-19**	1,518.50
Brushed Dark Platinum		**-99**	1,822.20
Matte Black		**-33**	1,366.60

Product alternative
- Material rain shower: plastic

Standard article	**28 644 970** FF	FF	Euro
Chrome		**-00**	628.80
Brushed Chrome		**-93**	817.50
Brushed Light Gold (PVD)		**-27**	943.30
Dark Chrome		**-19**	943.30
Brushed Dark Platinum		**-99**	1,131.90
Matte Black		**-33**	848.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 677 970 NEW

Rain shower with wall fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 677 970 FF	FF	Euro
Chrome		-00	1,192.50
Brushed Chrome		-93	1,550.20
Brushed Platinum		-06	1,908.00
Brushed Light Gold (PVD)		-27	1,788.80
Dark Chrome		-19	1,788.80
Brushed Dark Platinum		-99	2,146.50
Matte Black		-33	1,609.90

Product alternative
- Material rain shower: plastic

Standard article	28 675 970 FF	FF	Euro
Chrome		-00	792.40
Brushed Chrome		-93	1,030.20
Brushed Light Gold (PVD)		-27	1,188.70
Dark Chrome		-19	1,188.70
Brushed Dark Platinum		-99	1,426.40
Matte Black		-33	1,069.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

---

28 676 970 NEW

Rain shower with wall fixing FlowReduce 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 676 970 FF	FF	Euro
Chrome		-00	1,192.50
Brushed Chrome		-93	1,550.20
Brushed Platinum		-06	1,908.00
Brushed Light Gold (PVD)		-27	1,788.80
Dark Chrome		-19	1,788.80
Brushed Dark Platinum		-99	2,146.50
Matte Black		-33	1,609.90

Product alternative
- Material rain shower: plastic

Standard article	28 674 970 FF	FF	Euro
Chrome		-00	792.40
Brushed Chrome		-93	1,030.20
Brushed Light Gold (PVD)		-27	1,188.70
Dark Chrome		-19	1,188.70
Brushed Dark Platinum		-99	1,426.40
Matte Black		-33	1,069.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

---

28 659 970

Rain shower with wall fixing 400 mm
- rain shower Ø 400 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 659 970 FF	FF	Euro
Chrome		-00	2,087.80
Brushed Chrome		-93	2,714.10
Brushed Platinum		-06	3,340.60
Brushed Light Gold (PVD)		-27	3,131.70
Dark Chrome		-19	3,131.80
Brushed Dark Platinum		-99	3,757.80
Matte Black		-33	2,818.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 762 710 NEW

Rain shower with wall fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 78 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits LISSÉ, LULU

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 762 710 FF	FF	Euro
Chrome		-00	1,551.40
Brushed Platinum		-06	2,482.20

Product alternative
- Material rain shower: plastic

Standard article	28 760 710 FF	FF	Euro
Chrome		-00	946.80
Brushed Platinum		-06	1,514.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

---

28 763 710 NEW

Rain shower with wall fixing 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 12 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 78 x 60 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, LULU

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 763 710 FF	FF	Euro
Chrome		-00	1,551.40
Brushed Platinum		-06	2,482.20

Product alternative
- Material rain shower: plastic

Standard article	28 761 710 FF	FF	Euro
Chrome		-00	946.80
Brushed Platinum		-06	1,514.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

---

28 666 970 NEW

Rain shower with ceiling fixing FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 666 970 FF	FF	Euro
Chrome		-00	860.30
Brushed Chrome		-93	1,118.40
Brushed Platinum		-06	1,376.40
Brushed Light Gold (PVD)		-27	1,290.50
Dark Chrome		-19	1,290.50
Brushed Dark Platinum		-99	1,548.40
Matte Black		-33	1,161.40

Product alternative
- Material rain shower: plastic

Standard article	28 664 970 FF	FF	Euro
Chrome		-00	580.30
Brushed Chrome		-93	754.40
Brushed Light Gold (PVD)		-27	870.60
Dark Chrome		-19	870.60
Brushed Dark Platinum		-99	1,044.60
Matte Black		-33	783.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 667 970 NEW

Rain shower with ceiling fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 667 970** FF	FF	Euro
Chrome		**-00**	860.30
Brushed Chrome		**-93**	1,118.40
Brushed Platinum		**-06**	1,376.40
Brushed Light Gold (PVD)		**-27**	1,290.50
Dark Chrome		**-19**	1,290.50
Brushed Dark Platinum		**-99**	1,548.40
Matte Black		**-33**	1,161.40

Product alternative
- Material rain shower: plastic

Standard article	**28 665 970** FF	FF	Euro
Chrome		**-00**	580.30
Brushed Chrome		**-93**	754.40
Brushed Light Gold (PVD)		**-27**	870.60
Dark Chrome		**-19**	870.60
Brushed Dark Platinum		**-99**	1,044.60
Matte Black		**-33**	783.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 686 970 NEW

Rain shower with ceiling fixing FlowReduce 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 686 970** FF	FF	Euro
Chrome		**-00**	1,014.20
Brushed Chrome		**-93**	1,318.50
Brushed Platinum		**-06**	1,622.70
Brushed Light Gold (PVD)		**-27**	1,521.30
Dark Chrome		**-19**	1,521.30
Brushed Dark Platinum		**-99**	1,825.50
Matte Black		**-33**	1,369.20

Product alternative
- Material rain shower: plastic

Standard article	**28 684 970** FF	FF	Euro
Chrome		**-00**	729.40
Brushed Chrome		**-93**	948.30
Brushed Light Gold (PVD)		**-27**	1,094.20
Dark Chrome		**-19**	1,094.20
Brushed Dark Platinum		**-99**	1,313.00
Matte Black		**-33**	984.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 687 970 NEW

Rain shower with ceiling fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 687 970 FF	FF	Euro
Chrome		-00	1,014.20
Brushed Chrome		-93	1,318.50
Brushed Platinum		-06	1,622.70
Brushed Light Gold (PVD)		-27	1,521.30
Dark Chrome		-19	1,521.30
Brushed Dark Platinum		-99	1,825.50
Matte Black		-33	1,369.20

Product alternative
- Material rain shower: plastic

Standard article	28 685 970 FF	FF	Euro
Chrome		-00	729.40
Brushed Chrome		-93	948.30
Brushed Light Gold (PVD)		-27	1,094.20
Dark Chrome		-19	1,094.20
Brushed Dark Platinum		-99	1,313.00
Matte Black		-33	984.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

---

28 699 970

Rain shower with ceiling fixing 400 mm
- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- with anti-scale system
- quick clearing

Technical data:
- rosette Ø 60 mm optional
- 1/2“ connection

Notes:
- Fits LISSÉ, META, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 699 970 FF	FF	Euro
Chrome		-00	1,867.10
Brushed Chrome		-93	2,427.20
Brushed Platinum		-06	2,987.30
Brushed Light Gold (PVD)		-27	2,800.70
Dark Chrome		-19	2,800.50
Brushed Dark Platinum		-99	3,360.50
Matte Black		-33	2,520.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

---

28 772 710 NEW

Rain shower with ceiling fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette 78 x 55 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, LULU
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 772 710 FF	FF	Euro
Chrome		-00	1,318.90
Brushed Platinum		-06	2,110.30

Product alternative
- Material rain shower: plastic

Standard article	28 770 710 FF	FF	Euro
Chrome		-00	836.00
Brushed Platinum		-06	1,337.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 031 970

Rain shower for surface-mounted ceiling installation 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

technical data:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 031 970** FF	FF	Euro
Chrome		**-00**	858.90
Brushed Chrome		**-93**	1,116.60
Brushed Platinum		**-06**	1,374.20
Brushed Light Gold (PVD)		**-27**	1,288.40
Dark Chrome		**-19**	1,288.40
Brushed Dark Platinum		**-99**	1,546.00
Matte Black		**-33**	1,159.50

Required miscellaneous

Concealed ceiling installation box with ceiling fixing

	35 041 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2" outlet	Concealed rough parts	**90**	572.60

For details and miscellaneous, see page 735

28 032 970

Rain shower for surface-mounted ceiling installation with light 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Electric:
- Ceiling module power supply
- 350mA (CC)
- Spot lighting
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Technology: LED, not dimmable
- Contains energy efficiency class bulbs
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Provided by customer: Light switch
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 032 970** FF	FF	Euro
Chrome		**-00**	1,290.50
Brushed Chrome		**-93**	1,677.70
Brushed Platinum		**-06**	2,064.80
Brushed Light Gold (PVD)		**-27**	1,935.80
Dark Chrome		**-19**	1,935.80
Brushed Dark Platinum		**-99**	2,322.90
Matte Black		**-33**	1,742.20

Required miscellaneous

Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2" connections • Input 100-240V AC 50-60Hz • Output 350 mA SELV / Class 2 • Provided by customer: Light switch	Concealed rough parts	**90**	860.20

For details and miscellaneous, see page 736

28 033 970

Rain shower for recessed ceiling installation 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 033 970** FF	FF	Euro
Chrome		**-00**	1,647.10
Brushed Chrome		**-93**	2,141.20
Brushed Platinum		**-06**	2,635.40
Brushed Light Gold (PVD)		**-27**	2,470.70
Dark Chrome		**-19**	2,470.70
Brushed Dark Platinum		**-99**	2,964.80
Matte Black		**-33**	2,223.60

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation

	35 033 970 FF	FF	Euro
• concealed rough parts • recess depth 137mm • 2x female thread 1/2“ outlet • flush-mounted installation box Ø 360 mm RAL 9003 signal white	Concealed rough parts	**90**	1,098.10

For details and miscellaneous, see page 734

28 034 970

Rain shower for recessed ceiling installation with light 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

electrical:
- Ceiling module power supply
- 12V DC (CV)
- Ambient lighting
- Spot lighting
- LED coloured light RGBW
- **includes light bulbs with a Class G energy efficiency**
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Activation:
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- Bulbs protected against splashing water

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Dornbracht recommends consulting a systems integrator.

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 034 970** FF	FF	Euro
Chrome		**-00**	2,472.80
Brushed Chrome		**-93**	3,214.60
Brushed Platinum		**-06**	3,956.50
Brushed Light Gold (PVD)		**-27**	3,709.20
Dark Chrome		**-19**	3,709.20
Brushed Dark Platinum		**-99**	4,451.00
Matte Black		**-33**	3,338.30

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation with light

	35 034 970 FF	FF	Euro
• concealed rough parts • flush-mounted reflection box Ø 360 mm RAL 9003 signal white • recess depth 137mm • 2x female thread 1/2“ outlet • Input 100-240V AC 50-60Hz • Output 12V DC SELV / Class 2 • ZigBee Light Link RGBW controller	Concealed rough parts	**90**	1,648.60

For details and miscellaneous, see page 735

27 803 845

Hand shower set with individual rosettes
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow 60 x 78mm
- rosette for shower holder 60 x 78mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 803 845** FF	FF	Euro
Chrome		**-00**	500.30
Brushed Chrome		**-93**	650.40
Brushed Platinum		**-06**	800.60
Brushed Light Gold (PVD)		**-27**	750.40
Dark Chrome		**-19**	750.40
Brushed Dark Platinum		**-99**	900.50
Matte Black		**-33**	675.20

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 803 845** FF	FF	Euro
Chrome		**-000010**	500.30
Brushed Chrome		**-930010**	650.40
Brushed Platinum		**-060010**	800.60
Brushed Light Gold (PVD)		**-270010**	750.40
Dark Chrome		**-190010**	750.40
Brushed Dark Platinum		**-990010**	900.50
Matte Black		**-330010**	675.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 518 979

Body spray without volume control FlowReduce
- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 5 l/min (at 3 bar)
- with anti-scale system

Technical data:
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, COYA

Fits META, TARA, VAIA, LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 518 979** FF	FF	Euro
Chrome		**-00**	328.70
Brushed Chrome		**-93**	427.20
Brushed Platinum		**-06**	525.90
Brushed Light Gold (PVD)		**-27**	493.00
Dark Chrome		**-19**	493.00
Brushed Dark Platinum		**-99**	591.50
Matte Black		**-33**	443.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 515 979

WATER POINTS Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 120 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 515 979** FF	FF	Euro
Chrome		**-00**	577.30
Brushed Chrome		**-93**	750.40
Brushed Platinum		**-06**	923.20
Brushed Light Gold (PVD)		**-27**	865.90
Dark Chrome		**-19**	866.00
Brushed Dark Platinum		**-99**	1,039.00
Matte Black		**-33**	779.10

Required miscellaneous

WATER POINTS Adapter plate

	12 305 970 FF	FF	Euro
• adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.	Accesories	**90**	37.90

For details and miscellaneous, see page 742

Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm	Concealed rough parts	**90**	234.20

For details and miscellaneous, see page 733

36 517 979

WATER BAR Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 517 979** FF	FF	Euro
Chrome		**-00**	891.50
Brushed Chrome		**-93**	1,158.80
Brushed Platinum		**-06**	1,426.60
Brushed Light Gold (PVD)		**-27**	1,337.20
Dark Chrome		**-19**	1,337.20
Brushed Dark Platinum		**-99**	1,604.30
Matte Black		**-33**	1,227.20

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

36 514 979

WATER CURVE Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- Function from: 5.7 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 60 mm
- 1/2“ connection

Notes:
- This product reduces water consumption by % (compared to requirements of EPAct ,92)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 514 979** FF	FF	Euro
Chrome		**-00**	1,160.00
Brushed Chrome		**-93**	1,508.00
Brushed Platinum		**-06**	1,856.10
Brushed Light Gold (PVD)		**-27**	1,740.10
Dark Chrome		**-19**	1,740.00
Brushed Dark Platinum		**-99**	2,088.10
Matte Black		**-33**	1,565.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 513 979

WATER FAN vertical Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 513 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Chrome		**-93**	1,125.10
Brushed Platinum		**-06**	1,385.20
Brushed Light Gold (PVD)		**-27**	1,298.10
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60
Matte Black		**-33**	1,191.50

Product alternative
- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**36 512 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Chrome		**-93**	1,125.10
Brushed Platinum		**-06**	1,385.20
Brushed Light Gold (PVD)		**-27**	1,298.10
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60
Matte Black		**-33**	1,191.50

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

13 415 979

WATER SHEET Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **150mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 415 979** FF	FF	Euro
Chrome		**-00**	1,194.80
Brushed Chrome		**-93**	1,553.30
Brushed Platinum		**-06**	1,911.60
Brushed Light Gold (PVD)		**-27**	1,792.20
Dark Chrome		**-19**	1,792.40
Brushed Dark Platinum		**-99**	2,150.60
Matte Black		**-33**	1,612.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 420 979



WATER FALL Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **120mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 420 979** FF	FF	Euro
Chrome		**-00**	1,706.90
Brushed Chrome		**-93**	2,219.10
Brushed Platinum		**-06**	2,731.60
Brushed Light Gold (PVD)		**-27**	2,560.40
Dark Chrome		**-19**	2,560.50
Matte Black		**-33**	2,304.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 425 979

WATER FALL Cascade spout with individual jets for wall mounting
- PEARLSTREAM
- Max. flow rate 9.5 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- plate 240 mm x 60 mm
- **22mm projection**
- connection 1/2“, for shortening
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 425 979** FF	FF	Euro
Chrome		**-00**	1,268.40
Brushed Chrome		**-93**	1,648.80
Brushed Platinum		**-06**	2,029.40
Brushed Light Gold (PVD)		**-27**	1,902.60
Dark Chrome		**-19**	1,902.40
Brushed Dark Platinum		**-99**	2,282.80
Matte Black		**-33**	1,712.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

---

27 823 979 +
28 285 979

WATER TUBE Kneipp wall elbow with hose holder with individual rosettes
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: l/min
- with volume control
- inherently safe from back flow
- holder for Kneipp hose
- hose nozzle with sleeve M33

Technical data:
- rosette Ø 60 mm
- 1/2“ wall elbow

Notes:
- Fits LISSÉ, LULU, MADISON, META, TARA, VAIA, COYA

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **27 823 979** FF max. flow 15 l/min FF	Euro	1x **28 285 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	619.00	**-00**	110.10	**729.10**
Brushed Chrome	**-93**	804.60	**-93**	143.10	**947.70**
Brushed Platinum	**-06**	990.40	**-06**	176.20	**1,166.60**
Brushed Light Gold (PVD)	**-27**	928.50	**-27**	165.20	**1,093.70**
Dark Chrome	**-19**	928.20	**-19**	165.20	**1,093.40**
Brushed Dark Platinum	**-99**	1,114.10	**-99**	198.10	**1,312.20**
Matte Black	**-33**	835.50	**-33**	148.60	**984.10**

Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

	28 286 979 FF	FF	Euro
• hose nozzle with sleeve M33 • with holding ring	Chrome	**-00**	110.10
	Brushed Chrome	**-93**	143.10
	Brushed Platinum	**-06**	176.20
	Brushed Light Gold (PVD)	**-27**	165.20
	Dark Chrome	**-19**	165.20
	Brushed Dark Platinum	**-99**	198.10
	Matte Black	**-33**	148.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

---

28 450 845

Wall elbow
- 3/8“ shower outlet
- rosette 60 x 78 mm
- 1/2“ connection

Intrinsic protection against back flow.

Fits LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 450 845** FF	FF	Euro
Chrome		**-00**	126.40
Brushed Chrome		**-93**	164.40
Brushed Platinum		**-06**	202.20
Brushed Light Gold (PVD)		**-27**	189.60
Dark Chrome		**-19**	189.60
Brushed Dark Platinum		**-99**	227.50
Matte Black		**-33**	170.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 050 845

Wall bracket
- rosette 60 x 78 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 050 845 FF	FF	Euro
Chrome		-00	162.90
Brushed Chrome		-93	211.70
Brushed Platinum		-06	260.40
Brushed Light Gold (PVD)		-27	244.20
Dark Chrome		-19	244.20
Brushed Dark Platinum		-99	293.10
Matte Black		-33	219.80

28 060 970

Wall bracket swivel
- pivotable 75°

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 060 970 FF	FF	Euro
Chrome		-00	207.70
Brushed Chrome		-93	270.00
Brushed Platinum		-06	332.40
Brushed Light Gold (PVD)		-27	311.30
Dark Chrome		-19	311.40
Brushed Dark Platinum		-99	373.90
Matte Black		-33	280.60

12 540 970 NEW

Slide unit
- for pipe diameter 18 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	12 540 970 FF	FF	Euro
Chrome		-00	143.90
Brushed Chrome		-93	187.00
Brushed Platinum		-06	230.20
Brushed Light Gold (PVD)		-27	215.80
Dark Chrome		-19	215.80
Brushed Dark Platinum		-99	258.90
Matte Black		-33	194.30

12 550 970 NEW

Slide unit
- Pipe diameter 20 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	12 550 970 FF	FF	Euro
Chrome		-00	143.90
Brushed Chrome		-93	187.00
Brushed Platinum		-06	230.20
Brushed Light Gold (PVD)		-27	215.80
Dark Chrome		-19	215.80
Brushed Dark Platinum		-99	258.90
Matte Black		-33	194.30

33 300 845

Single-lever shower mixer for wall mounting
- 3/8“ shower outlet
- slide-on rosettes Ø 60 mm
- 1/2“ connection
- gauge 150 mm - 15 mm

Intrinsic protection against back flow.

Fits LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	33 300 845 FF	FF	Euro
Chrome		-00	723.20
Brushed Chrome		-93	940.20
Brushed Platinum		-06	1,156.90
Brushed Light Gold (PVD)		-27	1,084.90
Dark Chrome		-19	1,084.90
Brushed Dark Platinum		-99	1,301.80
Matte Black		-33	976.30

34 444 979 NEW

Shower thermostat for wall mounting
- with volume control
- with FlowReduce function
- slide-on rosettes Ø 70 mm
- 3/8“ shower outlet
- 1/2“ connection
- gauge 150 mm - 13 mm

Notes:
- inherently safe from back flow

Fits MEM, IMO, META, TARA, VAIA, LULU, LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	34 444 979 FF	FF	Euro
Chrome		-00	736.60
Brushed Chrome		-93	957.60
Brushed Platinum		-06	1,178.50
Brushed Light Gold (PVD)		-27	1,104.90
Dark Chrome		-19	1,104.90
Brushed Dark Platinum		-99	1,325.80
Matte Black		-33	994.40

36 060 845

Concealed single-lever mixer with cover plate
- cover plate 78 x 78 mm

Fits LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 060 845 FF	FF	Euro
Chrome		-00	433.40
Brushed Chrome		-93	563.40
Brushed Platinum		-06	693.40
Brushed Light Gold (PVD)		-27	650.20
Dark Chrome		-19	650.20
Brushed Dark Platinum		-99	779.90
Matte Black		-33	585.10

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm	Concealed rough parts	90	235.80

For details and miscellaneous, see page 728

36 120 845

Concealed single-lever mixer with diverter
- automatic diverter
- cover plate 150 x 90 mm

Fits LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 120 845 FF	FF	Euro
Chrome		-00	562.30
Brushed Chrome		-93	731.00
Brushed Platinum		-06	899.70
Brushed Light Gold (PVD)		-27	843.50
Dark Chrome		-19	843.50
Brushed Dark Platinum		-99	1,012.20
Matte Black		-33	759.30

Required miscellaneous

Concealed single-lever mixer

	35 020 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	90	248.70

For details and miscellaneous, see page 729

Required miscellaneous

Concealed single-lever mixer with backflow preventor

	35 021 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	90	355.40

For details and miscellaneous, see page 729

36 425 845

Concealed thermostat with one function volume control
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 425 845** FF	FF	Euro
Chrome		**-00**	824.70
Brushed Chrome		**-93**	1,071.90
Brushed Platinum		**-06**	1,319.60
Brushed Light Gold (PVD)		**-27**	1,236.90
Dark Chrome		**-19**	1,236.90
Brushed Dark Platinum		**-99**	1,484.30
Matte Black		**-33**	1,113.30

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	457.60

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	480.60

36 426 845

Concealed thermostat with two function volume control
- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 426 845** FF	FF	Euro
Chrome		**-00**	978.00
Brushed Chrome		**-93**	1,271.60
Brushed Platinum		**-06**	1,565.00
Brushed Light Gold (PVD)		**-27**	1,467.10
Dark Chrome		**-19**	1,467.10
Brushed Dark Platinum		**-99**	1,760.40
Matte Black		**-33**	1,320.30

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	457.60

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	480.60

36 427 845

Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits LISSÉ

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 427 845** FF	FF	Euro
Chrome		**-00**	1,014.30
Brushed Chrome		**-93**	1,318.70
Brushed Platinum		**-06**	1,623.00
Brushed Light Gold (PVD)		**-27**	1,521.60
Dark Chrome		**-19**	1,521.60
Brushed Dark Platinum		**-99**	1,825.70
Matte Black		**-33**	1,369.40

Required miscellaneous

Concealed thermostat

	35 427 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	479.40

For details and miscellaneous, see page 730

Required miscellaneous

Concealed thermostat with built-in isolators

	35 428 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	503.00

For details and miscellaneous, see page 730

33 200 845

Single-lever bath mixer for wall mounting without shower set
- 190-200mm projection
- circular normal flow
- automatic bath/shower diverter
- 3/8“ shower outlet
- slide-on rosettes Ø 60 mm
- 1/2“ connection
- gauge 150 mm - 15 mm
- max. flow 13.5 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 200 845** FF	FF	Euro
Chrome		**-00**	847.20
Brushed Chrome		**-93**	1,101.50
Brushed Platinum		**-06**	1,355.40
Brushed Light Gold (PVD)		**-27**	1,270.80
Dark Chrome		**-19**	1,270.80
Brushed Dark Platinum		**-99**	1,524.90
Matte Black		**-33**	1,143.60

27 412 845

Three-hole single-lever bath mixer for bath rim or tile edge installation
- spout: circular, air-enriched flow
- max. flow 16.9 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **200mm projection**
- automatic bath/shower diverter
- height of mixer 141 mm
- height up to aerator 88 mm
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 50mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 412 845** FF	FF	Euro
Chrome		**-00**	2,012.30
Brushed Chrome		**-93**	2,616.10
Brushed Platinum		**-06**	3,219.80
Brushed Light Gold (PVD)		**-27**	3,018.40
Dark Chrome		**-19**	3,018.40
Brushed Dark Platinum		**-99**	3,622.30
Matte Black		**-33**	2,716.80

Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	1,883.80

Recommended miscellaneous

Decorative caps for Perfecto

	12 801 970 FF	FF	Euro
• 1 pair	Chrome	**-00**	58.30
	Brushed Chrome	**-93**	75.70
	Brushed Platinum	**-06**	93.50
	Brushed Light Gold (PVD)	**-27**	87.40
	Dark Chrome	**-19**	87.60
	Brushed Dark Platinum	**-99**	104.80
	Matte Black	**-33**	79.10

13 801 845

Bath spout for wall mounting
- **210mm projection**
- circular normal flow
- hole diameter 37 mm
- 1/2“ connection
- plug-link mounting
- max. flow 21.5 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 801 845** FF	FF	Euro
Chrome		**-00**	611.50
Brushed Chrome		**-93**	795.00
Brushed Platinum		**-06**	978.40
Brushed Light Gold (PVD)		**-27**	917.20
Dark Chrome		**-19**	917.20
Brushed Dark Platinum		**-99**	1,100.60
Matte Black		**-33**	825.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm For details and miscellaneous, see page 732	Concealed rough parts	**90**	128.90

27 702 979

Hand shower set for bath rim or tile edge installation
- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 50 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 702 979** FF	FF	Euro
Chrome		**-00**	609.70
Brushed Chrome		**-93**	792.60
Brushed Platinum		**-06**	975.50
Brushed Light Gold (PVD)		**-27**	914.70
Dark Chrome		**-19**	914.70
Brushed Dark Platinum		**-99**	1,097.60
Matte Black		**-33**	823.10

36 120 845

Concealed single-lever mixer with diverter
- automatic diverter
- cover plate 150 x 90 mm

Fits LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 120 845** FF	FF	Euro
Chrome		**-00**	562.30
Brushed Chrome		**-93**	731.00
Brushed Platinum		**-06**	899.70
Brushed Light Gold (PVD)		**-27**	843.50
Dark Chrome		**-19**	843.50
Brushed Dark Platinum		**-99**	1,012.20
Matte Black		**-33**	759.30

Required miscellaneous

Concealed single-lever mixer

	35 020 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	248.70

For details and miscellaneous, see page 729

Required miscellaneous

Concealed single-lever mixer with backflow preventor

	35 021 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	355.40

For details and miscellaneous, see page 729

36 243 970

Pop-up waste and overflow
- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 243 970** FF	FF	Euro
Chrome		**-00**	232.10
Brushed Chrome		**-93**	301.80
Brushed Platinum		**-06**	371.60
Brushed Light Gold (PVD)		**-27**	348.20
Dark Chrome		**-19**	348.30
Brushed Dark Platinum		**-99**	417.70
Matte Black		**-33**	313.60

Required miscellaneous

Pop-up waste and overflow

	35 227 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	188.20

36 247 970

Bath spout with pop-up waste and overflow
- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 247 970** FF	FF	Euro
Chrome		**-00**	351.10
Brushed Chrome		**-93**	456.50
Brushed Platinum		**-06**	561.90
Brushed Light Gold (PVD)		**-27**	526.80
Dark Chrome		**-19**	526.80
Brushed Dark Platinum		**-99**	631.90
Matte Black		**-33**	473.90

Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	518.30

Required miscellaneous

Vacuum breaker

	36 150 970 FF	FF	Euro
	Chrome	**-00**	96.30
	Brushed Chrome	**-93**	125.30
	Brushed Platinum	**-06**	154.00
	Brushed Light Gold (PVD)	**-27**	144.50
	Dark Chrome	**-19**	144.40
	Brushed Dark Platinum	**-99**	173.10
	Matte Black	**-33**	130.10

83 020 979

Bath grip
- gauge 200 mm
- width 240mm
- height 40 mm
- rosette Ø 40 mm
- 75mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 020 979** FF	FF	Euro
Chrome		**-00**	303.80
Brushed Chrome		**-93**	395.00
Brushed Platinum		**-06**	486.00
Brushed Light Gold (PVD)		**-27**	455.70
Dark Chrome		**-19**	455.80
Brushed Dark Platinum		**-99**	546.80
Matte Black		**-33**	410.10

83 060 979

Towel bar
- gauge 600 mm
- width 640mm
- height 40 mm
- rosette Ø 40 mm
- 65mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 060 979** FF	FF	Euro
Chrome		**-00**	311.30
Brushed Chrome		**-93**	404.80
Brushed Platinum		**-06**	498.20
Brushed Light Gold (PVD)		**-27**	467.30
Dark Chrome		**-19**	467.30
Brushed Dark Platinum		**-99**	560.50
Matte Black		**-33**	420.50

83 080 979

Towel bar
- gauge 800 mm
- width 840mm
- height 40 mm
- rosette Ø 40 mm
- 65mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 080 979** FF	FF	Euro
Chrome		**-00**	324.20
Brushed Chrome		**-93**	421.50
Brushed Platinum		**-06**	518.60
Brushed Light Gold (PVD)		**-27**	486.40
Dark Chrome		**-19**	486.40
Brushed Dark Platinum		**-99**	583.60
Matte Black		**-33**	437.60

83 211 979

Towel bar 1-piece non-swivel
- rosette Ø 40 mm
- 490mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 211 979** FF	FF	Euro
Chrome		**-00**	178.10
Brushed Chrome		**-93**	231.60
Brushed Platinum		**-06**	285.30
Brushed Light Gold (PVD)		**-27**	267.20
Dark Chrome		**-19**	267.10
Brushed Dark Platinum		**-99**	320.70
Matte Black		**-33**	240.50

83 215 979

Towel bar 1-piece non-swivel
- rosette Ø 40 mm
- 360mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 215 979** FF	FF	Euro
Chrome		**-00**	163.40
Brushed Chrome		**-93**	212.40
Brushed Platinum		**-06**	261.80
Brushed Light Gold (PVD)		**-27**	245.10
Dark Chrome		**-19**	244.90
Brushed Dark Platinum		**-99**	294.10
Matte Black		**-33**	220.50

83 200 979

Towel ring round
- width 185mm
- rosette Ø 40 mm
- 55mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 200 979** FF	FF	Euro
Chrome		**-00**	185.30
Brushed Chrome		**-93**	241.00
Brushed Platinum		**-06**	296.90
Brushed Light Gold (PVD)		**-27**	277.90
Dark Chrome		**-19**	278.10
Brushed Dark Platinum		**-99**	333.60
Matte Black		**-33**	250.10

83 251 979

Hooks
- rosette Ø 40 mm
- 50mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 251 979** FF	FF	Euro
Chrome		**-00**	77.10
Brushed Chrome		**-93**	100.30
Brushed Platinum		**-06**	123.50
Brushed Light Gold (PVD)		**-27**	115.70
Dark Chrome		**-19**	115.70
Brushed Dark Platinum		**-99**	138.60
Matte Black		**-33**	104.20

83 256 979

Hooks in two parts
- width 80mm
- rosette Ø 40 mm
- 55mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 256 979** FF	FF	Euro
Chrome		**-00**	143.00
Brushed Chrome		**-93**	186.00
Brushed Platinum		**-06**	229.30
Brushed Light Gold (PVD)		**-27**	214.40
Dark Chrome		**-19**	214.40
Brushed Dark Platinum		**-99**	257.60
Matte Black		**-33**	193.10

83 401 979

Tumbler holder wall model
- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 401 979** FF	FF	Euro
Chrome		**-00**	292.80
Brushed Chrome		**-93**	380.80
Brushed Platinum		**-06**	468.60
Brushed Light Gold (PVD)		**-27**	439.40
Dark Chrome		**-19**	439.40
Brushed Dark Platinum		**-99**	527.10
Matte Black		**-33**	395.30

Recommended miscellaneous

Crystal tumbler

	08 90 00 008 FF	FF	Euro
	Glass	**82**	109.00

83 410 979

Soap dish wall model
- width 120mm
- height 20 mm
- 145mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 410 979** FF	FF	Euro
Chrome		**-00**	303.80
Brushed Chrome		**-93**	395.00
Brushed Platinum		**-06**	486.00
Brushed Light Gold (PVD)		**-27**	455.70
Dark Chrome		**-19**	455.80
Brushed Dark Platinum		**-99**	546.90
Matte Black		**-33**	410.10

83 482 970

Shelf wall model
- width 300mm
- height 26 mm
- 100mm projection
- **without grid element**

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 482 970** FF	FF	Euro
Chrome		**-00**	165.00
Brushed Chrome		**-93**	214.40
Brushed Platinum		**-06**	263.80
Brushed Light Gold (PVD)		**-27**	247.50
Dark Chrome		**-19**	247.40
Brushed Dark Platinum		**-99**	296.90
Matte Black		**-33**	222.80

Required miscellaneous

Grid element

	82 482 970 FF	FF	Euro
• plastic grid elements	Creamy White	**-51**	70.10
	Taupe	**-53**	70.10
	Matte Black	**-33**	70.10
	Light Grey	**-52**	70.10

83 435 970

Dispenser wall model
- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 435 970** FF	FF	Euro
Chrome		**-00**	480.50
Brushed Chrome		**-93**	624.60
Brushed Platinum		**-06**	768.70
Brushed Light Gold (PVD)		**-27**	720.80
Dark Chrome		**-19**	720.80
Brushed Dark Platinum		**-99**	865.00
Matte Black		**-33**	648.80

83 290 970



Shower basket for wall mounting
- width 200mm
- height 70 mm
- 115mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 290 970** FF	FF	Euro
Chrome		**-00**	232.70
Brushed Chrome		**-93**	302.50
Brushed Platinum		**-06**	372.30
Brushed Light Gold (PVD)		**-27**	349.00
Dark Chrome		**-19**	349.00
Brushed Dark Platinum		**-99**	418.80
Matte Black		**-33**	314.20

83 500 979

Tissue holder without cover
- width 150mm
- height 95 mm
- rosette Ø 40 mm
- 40mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 500 979** FF	FF	Euro
Chrome		**-00**	275.60
Brushed Chrome		**-93**	358.40
Brushed Platinum		**-06**	441.00
Brushed Light Gold (PVD)		**-27**	413.60
Dark Chrome		**-19**	413.60
Brushed Dark Platinum		**-99**	496.20
Matte Black		**-33**	372.10

83 510 979

Tissue holder with cover
- width 150mm
- height 95 mm
- rosette Ø 40 mm
- 40mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 510 979** FF	FF	Euro
Chrome		**-00**	353.90
Brushed Chrome		**-93**	460.00
Brushed Platinum		**-06**	565.80
Brushed Light Gold (PVD)		**-27**	530.80
Dark Chrome		**-19**	530.60
Brushed Dark Platinum		**-99**	636.90
Matte Black		**-33**	477.90

83 590 979

Reserve tissue holder
- rosette Ø 40 mm
- 105mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 590 979** FF	FF	Euro
Chrome		**-00**	181.20
Brushed Chrome		**-93**	235.60
Brushed Platinum		**-06**	290.10
Brushed Light Gold (PVD)		**-27**	271.80
Dark Chrome		**-19**	271.80
Brushed Dark Platinum		**-99**	326.10
Matte Black		**-33**	244.70

83 900 970

Toilet brush set wall model
- crystal glass
- brush, matte black
- width 126mm
- height 415 mm
- 120mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 900 970** FF	FF	Euro
Chrome		**-00**	416.00
Brushed Chrome		**-93**	541.00
Brushed Platinum		**-06**	665.70
Brushed Light Gold (PVD)		**-27**	624.10
Dark Chrome		**-19**	624.20
Brushed Dark Platinum		**-99**	749.00
Matte Black		**-33**	561.90

83 910 979

Toilet brush set wall model
- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 910 979 FF	FF	Euro
Chrome		**-00**	545.20
Brushed Chrome		**-93**	708.90
Brushed Platinum		**-06**	872.40
Brushed Light Gold (PVD)		**-27**	817.70
Dark Chrome		**-19**	817.80
Brushed Dark Platinum		**-99**	981.30
Matte Black		**-33**	735.90

84 910 979

Toilet brush set free-standing model
- brush, matte black
- width 100mm
- height 456 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	84 910 979 FF	FF	Euro
Chrome		**-00**	493.20
Brushed Chrome		**-93**	641.10
Brushed Platinum		**-06**	789.10
Brushed Light Gold (PVD)		**-27**	739.80
Dark Chrome		**-19**	739.90
Brushed Dark Platinum		**-99**	887.70
Matte Black		**-33**	665.90

12 660 979

Cover plate for the concealed WC cistern made by TeCe
- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:
- TECEprofil dry wall construction, article numbers:
- 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers:
- 9370300, 9375300, 9371300

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	12 660 979 FF	FF	Euro
Chrome		**-00**	894.90
Brushed Chrome		**-93**	1,163.50
Brushed Platinum		**-06**	1,432.20
Brushed Light Gold (PVD)		**-27**	1,342.40
Dark Chrome		**-19**	1,342.30
Brushed Dark Platinum		**-99**	1,611.00
Matte Black		**-33**	1,208.10

12 665 979

Flush plate for concealed WC cisterns made by Geberit round
- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Not compatible with GEBERIT Duo Fresh module

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	12 665 979 FF	FF	Euro
Chrome		**-00**	509.60
Brushed Chrome		**-93**	662.60
Brushed Platinum		**-06**	815.30
Brushed Light Gold (PVD)		**-27**	764.40
Dark Chrome		**-19**	764.40
Brushed Dark Platinum		**-99**	917.30
Matte Black		**-33**	688.00

83 150 979

Lighted mirror round
- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	83 150 979 FF	FF	Euro
Matte White		**-10**	1,855.40
Matte Black		**-33**	1,855.40

83 151 979

Lighted mirror round
- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 979** FF	FF	Euro
Matte White		**-10**	2,168.30
Matte Black		**-33**	2,168.30

83 150 980

Lighted mirror angular
- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 980** FF	FF	Euro
Matte White		**-10**	1,734.60
Matte Black		**-33**	1,734.60

83 151 980

Lighted mirror angular
- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 980** FF	FF	Euro
Matte White		**-10**	2,048.60
Matte Black		**-33**	2,048.60

36 390 979

Electronic control elements for towel warmer
- rosette Ø 80 mm
- Control element for towel warmer: 833XX979-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	**36 390 979** FF	FF	Euro
Chrome		**-00**	525.00
Brushed Chrome		**-93**	682.50
Dark Chrome		**-19**	787.50
Brushed Dark Platinum		**-99**	945.00
Matte Black		**-33**	708.80

83 304 979

Towel warmer, 4-fold, projection left, without control element
- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 304 979** FF	FF	Euro
Chrome		**-00**	1,848.00
Brushed Chrome		**-93**	2,402.40
Dark Chrome		**-19**	2,772.00
Brushed Dark Platinum		**-99**	3,326.40
Matte Black		**-33**	2,494.80

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	772.50

For details and miscellaneous, see page 739

83 306 979

Towel warmer, 6-fold, projection left, without control element
- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

This appliance is a stationary electric space heater and, in order to comply with the mandatory ecodesign requirements of Commission Regulation (EU) 2024/1103, must be equipped with at least one control with control function TW(f2).

Standard article	**83 306 979** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Chrome		**-93**	3,603.60
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60
Matte Black		**-33**	3,742.20

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,030.00

For details and miscellaneous, see page 739

83 314 979

Towel warmer, 4-fold, projection right, without control element
- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 314 979** FF	FF	Euro
Chrome		**-00**	1,848.00
Brushed Chrome		**-93**	2,402.40
Dark Chrome		**-19**	2,772.00
Brushed Dark Platinum		**-99**	3,326.40
Matte Black		**-33**	2,494.80

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	772.50

For details and miscellaneous, see page 739

83 316 979

Towel warmer, 6-fold, projection right, without control element
- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 316 979** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Chrome		**-93**	3,603.60
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60
Matte Black		**-33**	3,742.20

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,030.00

For details and miscellaneous, see page 739

83 304 979 +
36 390 979

Towel warmer, 4-fold, projection left, with control element
- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 304 979** FF		1x **36 390 979** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,848.00	**-00**	525.00	**2,373.00**
Brushed Chrome	**-93**	2,402.40	**-93**	682.50	**3,084.90**
Dark Chrome	**-19**	2,772.00	**-19**	787.50	**3,559.50**
Brushed Dark Platinum	**-99**	3,326.40	**-99**	945.00	**4,271.40**
Matte Black	**-33**	2,494.80	**-33**	708.80	**3,203.60**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

	35 312 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	875.50

For details and miscellaneous, see page 739

83 306 979 +
36 390 979

Towel warmer, 6-fold, projection left, with control element
- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 306 979** FF		1x **36 390 979** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Chrome	**-93**	3,603.60	**-93**	682.50	**4,286.10**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**
Matte Black	**-33**	3,742.20	**-33**	708.80	**4,451.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,133.00

For details and miscellaneous, see page 739

83 314 979 +
36 390 979

Towel warmer, 4-fold, projection right, with control element
- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 314 979** FF		1x **36 390 979** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,848.00	**-00**	525.00	**2,373.00**
Brushed Chrome	**-93**	2,402.40	**-93**	682.50	**3,084.90**
Dark Chrome	**-19**	2,772.00	**-19**	787.50	**3,559.50**
Brushed Dark Platinum	**-99**	3,326.40	**-99**	945.00	**4,271.40**
Matte Black	**-33**	2,494.80	**-33**	708.80	**3,203.60**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

	35 312 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	875.50

For details and miscellaneous, see page 739

83 316 979 +
36 390 979

Towel warmer, 6-fold, projection right, with control element
- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 316 979** FF		1x **36 390 979** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Chrome	**-93**	3,603.60	**-93**	682.50	**4,286.10**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**
Matte Black	**-33**	3,742.20	**-33**	708.80	**4,451.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,133.00

For details and miscellaneous, see page 739

LULU

Sieger Design

Basin
from page 238

Bidet
from page 240

Shower
from page 283

Thermostats, mixers, diverters and valves
from page 252

Bath
from page 256

Accessories
from page 258

Basin fittings

Single-lever basin mixers

155mm projection

33 500 710
33 521 710*

Three-hole basin mixers

155mm projection

20 713 710

Wall-mounted single-lever basin mixers

200mm projection

36 860 710

Showers

Shower sets

26 412 710 +
28 012 979

26 412 979 +
28 018 979

Shower pipes with shower thermostat

34 464 979 +
28 025 979
34 466 979*

34 465 979 +
28 018 979
34 469 979*

Head showers with multiple jet types

28 508 710

Rain showers with wall connection

28 762 710
28 760 710*

Rain showers with wall connection

28 763 710
28 761 710*

Rain showers with ceiling connection

28 772 710
28 770 710*

28 773 710
28 771 710*

Rain showers for ceiling connection

28 041 980

28 042 980

Rain showers for ceiling installation

28 043 980

Rain showers for ceiling installation

28 044 980

Hand shower sets

27 808 710

Massage modules

WATER POINTS

36 515 979

WATER BAR

36 517 979

WATER CURVE

36 514 979

WATER FAN

36 513 979
36 512 979*

Waterfalls

WATER SHEET

13 415 979

WATER FALL

13 420 979

WATER FALL

13 425 979

Kneipp modules

WATER TUBE

27 823 979 +
28 285 979

Bath fittings

Single-lever mixers

36 122 710

36 122 710

Free-standing bath fittings

215mm projection

25 863 710

Three-hole single-lever bath mixers

215mm projection

27 412 710

Bath shower sets

215mm projection

27 512 710

Miscellaneous

26mm projection

36 243 970

integrated bath filling

26mm projection

36 247 970

33 500 710

Single-lever basin mixer with pop-up waste
- **155mm projection**
- 1 1/4“ pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 113 mm
- height up to aerator 90 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2x European pressure hose
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 500 710** FF	FF	Euro
Chrome		**-00**	1,031.60
Brushed Platinum		**-06**	1,650.60

Product alternative
- **without pop-up waste**

Standard article	**33 521 710** FF	FF	Euro
Chrome		**-00**	980.00
Brushed Platinum		**-06**	1,568.20

20 713 710

Three-hole basin mixer with pop-up waste
- **155mm projection**
- fixed spout
- 1 1/4“ pop-up waste
- circular, air-enriched flow
- height of mixer 114 mm
- height up to aerator 90 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 47 x 55 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 713 710** FF	FF	Euro
Chrome		**-00**	1,408.90
Brushed Platinum		**-06**	2,254.50

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

36 860 710

Wall-mounted single-lever basin mixer without pop-up waste
- **200mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette 78 x 78 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 860 710** FF	FF	Euro
Chrome		**-00**	968.10
Brushed Platinum		**-06**	1,549.20

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

Miscellaneous

22 901 979

Angle valve
- rosette Ø 55 mm
- hose covering 200mm, for shortening

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 901 979** FF	FF	Euro
Chrome		**-00**	198.00
Brushed Platinum		**-06**	316.80

10 060 970

Siphon for basin
- rosette Ø 70 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 060 970** FF	FF	Euro
Chrome		**-00**	355.50
Brushed Platinum		**-06**	569.00

27 701 970

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 970** FF	FF	Euro
Chrome		**-00**	339.30
Brushed Platinum		**-06**	542.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 701 670

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 670** FF	FF	Euro
Chrome		**-00**	339.30
Brushed Platinum		**-06**	542.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

26 412 710 +
28 012 979

NEW

Shower set
- spray head Ø 120mm
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow.
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 800 mm
- rosette 78 x 55 mm
- Pipe diameter 18 mm

Notes:
- Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 710** FF FF	Euro	1x **28 012 979** FF max. flow 15 l/min FF	Euro	Total price: Euro
Chrome	**-00**	737.10	**-00**	247.90	**985.00**
Brushed Platinum	**-06**	1,179.40	**-06**	396.60	**1,576.00**

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

28 450 710 FF	FF	Euro
Chrome	**-00**	181.20
Brushed Platinum	**-06**	289.60

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

Alternative hand shower	1 jet Ø 100 mm		1 jet Ø 130 mm		5 jets Ø 100 mm		5 jets Ø 130 mm		1 jet	
	28 015 979 FF max. flow 15 l/min		**28 017 979** FF max. flow 15 l/min		**28 018 979** FF max. flow 15 l/min		**28 016 979** FF max. flow 15 l/min		**28 029 979** FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	398.90

---

26 412 979 +
28 018 979

NEW

Shower set
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow.
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 853 mm
- Pipe diameter 18 mm

Notes:
- Fits CL.1, IMO, MEM, SERIES-VARIOUS, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 979** FF FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	Total price: Euro
Chrome	**-00**	441.30	**-00**	142.60	**583.90**
Brushed Platinum	**-06**	706.10	**-06**	228.00	**934.10**

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

28 450 980 FF	FF	Euro
Chrome	**-00**	173.40
Brushed Platinum	**-06**	277.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

Alternative hand shower	1 jet Ø 100 mm		1 jet Ø 130 mm		4 jets Ø 120 mm		5 jets Ø 130 mm		1 jet	
	28 015 979 FF max. flow 15 l/min		**28 017 979** FF max. flow 15 l/min		**28 012 979** FF max. flow 15 l/min		**28 016 979** FF max. flow 15 l/min		**28 029 979** FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90

34 464 979 + 28 025 979

NEW

Shower pipe with shower thermostat with hand shower set FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, LULU
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 464 979** FF max. flow 5 l/min FF	Euro	1x **28 025 979** FF max. flow 5 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	2,726.20	**-000010**	132.60	**2,858.80**
Brushed Platinum	**-06**	4,361.90	**-060010**	212.10	**4,574.00**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article	**34 466 979** FF	FF	Euro
Chrome		**-00**	2,058.10

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 671.

1 jet
Ø 130 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

4 jets
Ø 120 mm

1 jet

Alternative hand shower	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	247.90	**-00**	249.30
Brushed Platinum	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	396.60	**-06**	398.90

34 465 979 + 28 018 979 NEW

Shower pipe with shower thermostat with hand shower set 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1146mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 465 979** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	Total price: Euro
Chrome	**-00**	2,871.60	**-00**	142.60	**3,014.20**
Brushed Platinum	**-06**	4,594.60	**-06**	228.00	**4,822.60**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 469 979** FF	FF	Euro
Chrome	**-00**	2,327.10

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90

28 508 710

Shower head
- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:
- 200-mm projection
- ball-joint pivotable through 30°
- rosette 78 x 55 mm
- 1/2“ connection

Notes:
- Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **28 508 710** FF	FF	Euro
Chrome	**-00**	690.70
Brushed Platinum	**-06**	1,105.30

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article **28 508 710** FF	FF	Euro
Chrome	**-000010**	690.70
Brushed Platinum	**-060010**	1,105.30

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

		FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 762 710 NEW

Rain shower with wall fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 78 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits LISSÉ, LULU

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 762 710 FF	FF	Euro
Chrome		-00	1,551.40
Brushed Platinum		-06	2,482.20

Product alternative
- Material rain shower: plastic

Standard article	28 760 710 FF	FF	Euro
Chrome		-00	946.80
Brushed Platinum		-06	1,514.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

---

28 763 710 NEW

Rain shower with wall fixing 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 12 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 78 x 60 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, LULU

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 763 710 FF	FF	Euro
Chrome		-00	1,551.40
Brushed Platinum		-06	2,482.20

Product alternative
- Material rain shower: plastic

Standard article	28 761 710 FF	FF	Euro
Chrome		-00	946.80
Brushed Platinum		-06	1,514.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

---

28 772 710 NEW

Rain shower with ceiling fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette 78 x 55 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, LULU
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 772 710 FF	FF	Euro
Chrome		-00	1,318.90
Brushed Platinum		-06	2,110.30

Product alternative
- Material rain shower: plastic

Standard article	28 770 710 FF	FF	Euro
Chrome		-00	836.00
Brushed Platinum		-06	1,337.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 773 710 NEW

Rain shower with ceiling fixing 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 12 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette 78 x 55 mm
- 1/2“ connection

Notes:
- Fits LULU

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 773 710** FF	FF	Euro
Chrome		**-00**	1,318.90
Brushed Platinum		**-06**	2,110.30

Product alternative
- Material rain shower: plastic

Standard article	**28 771 710** FF	FF	Euro
Chrome		**-00**	836.00
Brushed Platinum		**-06**	1,337.60

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts | FF **90** | Euro 128.90

For details and miscellaneous, see page 732

28 041 980

Rain shower for surface-mounted ceiling installation 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 041 980** FF	FF	Euro
Chrome		**-00**	858.90
Brushed Platinum		**-06**	1,374.20

Required miscellaneous

Concealed ceiling installation box with ceiling fixing

35 041 970 FF

- concealed rough parts
- min. recess depth 90 mm
- max. recess depth 115 mm
- 2x female thread 1/2“ outlet

Concealed rough parts | FF **90** | Euro 572.60

For details and miscellaneous, see page 735

28 042 980

Rain shower for surface-mounted ceiling installation with light 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Electric:
- Ceiling module power supply
- 350mA (CC)
- Spot lighting
- LED colour temperature approx. 3000 K
- Technology: LED, not dimmable
- Contains energy efficiency class bulbs
- Bulbs protected against splashing water
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Provided by customer: Light switch
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 042 980 FF	FF	Euro
Chrome		-00	1,290.50
Brushed Platinum		-06	2,064.80

Required miscellaneous

Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2“ connections • Input 100-240V AC 50-60Hz • Output 350 mA SELV / Class 2 • Provided by customer: Light switch	Concealed rough parts	90	860.20

For details and miscellaneous, see page 736

28 043 980

Rain shower for recessed ceiling installation 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 043 980 FF	FF	Euro
Chrome		-00	1,647.10
Brushed Platinum		-06	2,635.40

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation

	35 043 970 FF	FF	Euro
• concealed rough parts • recess depth 137mm • 2x female thread 1/2“ outlet • flush-mounted RAL 9003 signal white light reflection box 310 x 250 mm	Concealed rough parts	90	1,098.10

For details and miscellaneous, see page 734

28 044 980

Rain shower for recessed ceiling installation with light 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Electric:
- Ceiling module power supply
- 12V DC (CV)
- Spot lighting
- Ambient lighting
- LED coloured light RGBW
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Activation:
- Provided by customer: Zigbee gateway
- ZigBee Light Link RGBW controller

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Dornbracht recommends consulting a systems integrator.

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 044 980** FF	FF	Euro
Chrome		**-00**	2,472.80
Brushed Platinum		**-06**	3,956.50

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation with light

	35 044 970 FF	FF	Euro
• concealed rough parts • flush-mounted installation box 360x 300 mm RAL 9003 signal white • recess depth 137mm • Input 100-240V AC 50-60Hz • Output 12V DC SELV / Class 2 • ZigBee Light Link RGBW controller	Concealed rough parts	**90**	1,648.60

For details and miscellaneous, see page 735

27 808 710

Hand shower set with individual rosettes
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow 78 x 55mm
- rosette for shower holder 78 x 55mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 808 710** FF	FF	Euro
Chrome		**-00**	721.40
Brushed Platinum		**-06**	1,154.30

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 808 710** FF	FF	Euro
Chrome		**-000010**	721.40
Brushed Platinum		**-060010**	1,154.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 515 979

WATER POINTS Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 120 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 515 979 FF	FF	Euro
Chrome		-00	577.30
Brushed Platinum		-06	923.20

Required miscellaneous

WATER POINTS Adapter plate

	12 305 970 FF	FF	Euro
• adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.	Accesories	90	37.90

For details and miscellaneous, see page 742

Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm	Concealed rough parts	90	234.20

For details and miscellaneous, see page 733

36 517 979

WATER BAR Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 517 979 FF	FF	Euro
Chrome		-00	891.50
Brushed Platinum		-06	1,426.60

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	90	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	90	117.80

For details and miscellaneous, see page 743

36 514 979

WATER CURVE Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- Function from: 5.7 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 60 mm
- 1/2“ connection

Notes:
- This product reduces water consumption by % (compared to requirements of EPAct ,92)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 514 979 FF	FF	Euro
Chrome		-00	1,160.00
Brushed Platinum		-06	1,856.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

36 513 979

WATER FAN vertical Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 513 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Platinum		**-06**	1,385.20

Product alternative
- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**36 512 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Platinum		**-06**	1,385.20

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

13 415 979

WATER SHEET Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **150mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 415 979** FF	FF	Euro
Chrome		**-00**	1,194.80
Brushed Platinum		**-06**	1,911.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 420 979



WATER FALL Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **120mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 420 979** FF	FF	Euro
Chrome		**-00**	1,706.90
Brushed Platinum		**-06**	2,731.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 425 979

WATER FALL Cascade spout with individual jets for wall mounting
- PEARLSTREAM
- Max. flow rate 9.5 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- plate 240 mm x 60 mm
- **22mm projection**
- connection 1/2“, for shortening
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 425 979** FF	FF	Euro
Chrome		**-00**	1,268.40
Brushed Platinum		**-06**	2,029.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 823 979 +
28 285 979

WATER TUBE Kneipp wall elbow with hose holder with individual rosettes
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: l/min
- with volume control
- inherently safe from back flow
- holder for Kneipp hose
- hose nozzle with sleeve M33

Technical data:
- rosette Ø 60 mm
- 1/2“ wall elbow

Notes:
- Fits LISSÉ, LULU, MADISON, META, TARA, VAIA, COYA

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **27 823 979** FF max. flow 15 l/min FF	Euro	1x **28 285 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	619.00	**-00**	110.10	**729.10**
Brushed Platinum	**-06**	990.40	**-06**	176.20	**1,166.60**

Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

	28 286 979 FF	FF	Euro
• hose nozzle with sleeve M33 • with holding ring	Chrome	**-00**	110.10
	Brushed Platinum	**-06**	176.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 450 710

Wall elbow
- 3/8“ shower outlet
- rosette 78 x 55 mm
- 1/2“ connection

Intrinsic protection against back flow.

Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 450 710** FF	FF	Euro
Chrome		**-00**	181.20
Brushed Platinum		**-06**	289.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 060 970

Wall bracket swivel
- pivotable 75°

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 060 970** FF	FF	Euro
Chrome		**-00**	207.70
Brushed Platinum		**-06**	332.40

12 540 970 **NEW**

Slide unit
- for pipe diameter 18 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 540 970** FF	FF	Euro
Chrome		**-00**	143.90
Brushed Platinum		**-06**	230.20

12 550 970 **NEW** **Slide unit**

- Pipe diameter 20 mm

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 550 970** FF	FF	Euro
Chrome		**-00**	143.90
Brushed Platinum		**-06**	230.20

34 444 979 NEW

Shower thermostat for wall mounting
- with volume control
- with FlowReduce function
- slide-on rosettes Ø 70 mm
- 3/8“ shower outlet
- 1/2“ connection
- gauge 150 mm - 13 mm

Notes:
- inherently safe from back flow

Fits MEM, IMO, META, TARA, VAIA, LULU, LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**34 444 979** FF	FF	Euro
Chrome		**-00**	736.60
Brushed Platinum		**-06**	1,178.50

36 122 710

Concealed single-lever mixer with diverter
- automatic diverter
- cover plate 150 x 90 mm

Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 122 710** FF	FF	Euro
Chrome		**-00**	949.10
Brushed Platinum		**-06**	1,518.80

Required miscellaneous

Concealed single-lever mixer

	35 020 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	248.70

For details and miscellaneous, see page 729

Required miscellaneous

Concealed single-lever mixer with backflow preventor

	35 021 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	355.40

For details and miscellaneous, see page 729

36 425 710

Concealed thermostat with one function volume control
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 425 710** FF	FF	Euro
Chrome		**-00**	888.00
Brushed Platinum		**-06**	1,420.90

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	457.60

For details and miscellaneous, see page 729

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	480.60

For details and miscellaneous, see page 729

36 426 710

Concealed thermostat with two function volume control
- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 426 710** FF	FF	Euro
Chrome		**-00**	1,050.70
Brushed Platinum		**-06**	1,681.30

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	457.60

For details and miscellaneous, see page 729

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	480.60

For details and miscellaneous, see page 729

36 427 710

Concealed thermostat with three function volume control
- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 427 710** FF	FF	Euro
Chrome		**-00**	1,090.30
Brushed Platinum		**-06**	1,744.50

Required miscellaneous

Concealed thermostat

	35 427 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	479.40

For details and miscellaneous, see page 730

Required miscellaneous

Concealed thermostat with built-in isolators

	35 428 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	503.00

For details and miscellaneous, see page 730

36 503 710 +
36 607 710

xTOOL Thermostat module with 1 valve
- cover plate 120 x 120 mm
- rosette 78 x 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 710** FF FF	1x **36 503 710** FF Euro	1x **36 607 710** FF FF	1x **36 607 710** FF Euro	**Total price:** Euro
Chrome	**-00**	1,372.90	**-00**	275.20	**1,648.10**
Brushed Platinum	**-06**	2,196.00	**-06**	440.00	**2,636.00**

Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

	35 511 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm	Concealed rough parts	**90**	743.70

For details and miscellaneous, see page 730

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
	Concealed rough parts	**90**	118.70

For details and miscellaneous, see page 743

36 503 710 +
2x **36 607 710**

xTOOL Thermostat module with 2 valves
- cover plate 120 x 120 mm
- rosette 78 x 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 710** FF FF	Euro	2x **36 607 710** FF FF	Euro	Total price: Euro
Chrome	**-00**	1,372.90	**-00**	275.20	**1,923.30**
Brushed Platinum	**-06**	2,196.00	**-06**	440.00	**3,076.00**

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 731

	FF	Euro
Concealed rough parts	**90**	1,239.70

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 731

	FF	Euro
Concealed rough parts	**90**	1,226.10

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

For details and miscellaneous, see page 743

	FF	Euro
Concealed rough parts	**90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

For details and miscellaneous, see page 743

	FF	Euro
Concealed rough parts	**90**	118.70

36 503 710 +
3x **36 607 710**

xTOOL Thermostat module with 3 valves
- cover plate 120 x 120 mm
- rosette 78 x 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 710** FF FF	Euro	3x **36 607 710** FF FF	Euro	Total price: Euro
Chrome	**-00**	1,372.90	**-00**	275.20	**2,198.50**
Brushed Platinum	**-06**	2,196.00	**-06**	440.00	**3,516.00**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 731

	FF	Euro
Concealed rough parts	**90**	1,332.30

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 731

	FF	Euro
Concealed rough parts	**90**	1,443.30

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

For details and miscellaneous, see page 743

	FF	Euro
Concealed rough parts	**90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

For details and miscellaneous, see page 743

	FF	Euro
Concealed rough parts	**90**	118.70

36 503 710

xTOOL Concealed thermostat without volume control 3/4“
- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 503 710** FF	FF	Euro
Chrome		**-00**	1,372.90
Brushed Platinum		**-06**	2,196.00

Required miscellaneous

xTOOL Concealed thermostat module without volume control

35 503 970 FF | FF | Euro

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | **90** | 907.90

For details and miscellaneous, see page 730

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF | Euro

For details and miscellaneous, see page 743

Concealed rough parts | **90** | 117.80

---

36 607 710

Wall valve clockwise closing 1/2“
- rosette 78 x 55 mm
- head part with cut-to-length spindle and sleeve

Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 710** FF	FF	Euro
Chrome		**-00**	275.20
Brushed Platinum		**-06**	440.00

Required miscellaneous

Wall valve 1/2“

35 607 970 FF | FF | Euro

- min. recess depth 75 mm
- max. recess depth 145 mm

Concealed rough parts | **90** | 95.40

For details and miscellaneous, see page 732

---

36 608 710

Wall valve clockwise closing 3/4“
- rosette 78 x 55 mm
- head part with cut-to-length spindle and sleeve

Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 710** FF	FF	Euro
Chrome		**-00**	275.20
Brushed Platinum		**-06**	440.00

Required miscellaneous

Wall valve 3/4“

35 608 970 FF | FF | Euro

- min. recess depth 75 mm
- max. recess depth 145 mm

Concealed rough parts | **90** | 125.20

For details and miscellaneous, see page 732

25 863 710

Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set
- spout: circular, air-enriched flow
- max. flow 26.4 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- **215mm projection**
- total height 932 - 1002 mm
- stand pipe height 598 - 668 mm
- height up to aerator 825 – 895 mm
- push-on rosette 131 x 131 mm
- metal shower hose 1250mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 863 710** FF	FF	Euro
Chrome		**-00**	5,101.70
Brushed Platinum		**-06**	8,162.70

Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 150 mm	Concealed rough parts	**90**	882.10

For details and miscellaneous, see page 732

27 412 710

Three-hole single-lever bath mixer for bath rim or tile edge installation
- spout: circular, air-enriched flow
- max. flow 26.4 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 110 mm
- height up to aerator 84 mm
- **215mm projection**
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout 63 x 63mm
- rosette for complete hand shower set 63 x 63mm
- rosette for single-lever mixer 52 x 52mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 412 710** FF	FF	Euro
Chrome		**-00**	2,333.00
Brushed Platinum		**-06**	3,732.90

Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
	Concealed rough parts	**90**	1,883.80

For details and miscellaneous, see page 734

Recommended miscellaneous

Decorative caps for Perfecto

	12 801 970 FF	FF	Euro
• 1 pair	Chrome	**-00**	58.30
	Brushed Platinum	**-06**	93.50

27 512 710

Bath shower set for bath rim or tile edge installation
- spout: circular, air-enriched flow
- max. flow 23.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **215mm projection**
- automatic bath/shower diverter
- height of mixer 110 mm
- height up to aerator 84 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout 63 x 63mm
- rosette for complete hand shower set 63 x 63mm
- rosette for deck valve 63 x 63mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 512 710** FF	FF	Euro
Chrome		**-00**	2,332.20
Brushed Platinum		**-06**	3,731.60

Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
	Concealed rough parts	**90**	1,883.80

For details and miscellaneous, see page 734

Recommended miscellaneous

Decorative caps for Perfecto

	12 801 970 FF	FF	Euro
• 1 pair	Chrome	**-00**	58.30
	Brushed Platinum	**-06**	93.50

36 122 710

Concealed single-lever mixer with diverter
- automatic diverter
- cover plate 150 x 90 mm

Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 122 710** FF	FF	Euro
Chrome		**-00**	949.10
Brushed Platinum		**-06**	1,518.80

Required miscellaneous

Concealed single-lever mixer

	35 020 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	248.70

For details and miscellaneous, see page 729

Required miscellaneous

Concealed single-lever mixer with backflow preventor

	35 021 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	355.40

For details and miscellaneous, see page 729

---

36 243 970

Pop-up waste and overflow
- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 243 970** FF	FF	Euro
Chrome		**-00**	232.10
Brushed Platinum		**-06**	371.60

Required miscellaneous

Pop-up waste and overflow

	35 227 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	188.20

---

36 247 970

Bath spout with pop-up waste and overflow
- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 247 970** FF	FF	Euro
Chrome		**-00**	351.10
Brushed Platinum		**-06**	561.90

Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	518.30

Required miscellaneous

Vacuum breaker

	36 150 970 FF	FF	Euro
	Chrome	**-00**	96.30
	Brushed Platinum	**-06**	154.00

83 030 976

Bath grip
- gauge 278 mm
- width 320mm
- Height: 35 mm
- 90mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 030 976** FF	FF	Euro
Chrome		**-00**	244.90
Brushed Platinum		**-06**	391.80

83 060 976

Towel bar
- gauge 558 mm
- width 600mm
- Height: 33 mm
- 90mm projection

Standard article	**83 060 976** FF	FF	Euro
Chrome		**-00**	272.10
Brushed Platinum		**-06**	435.40

Recommended miscellaneous

Attachment set for towel bar/tumbler mounting on one side with cover

	11 001 976 FF	FF	Euro
	Chrome	**-00**	69.20
	Brushed Platinum	**-06**	110.80

83 080 976

Towel bar
- gauge 758 mm
- width 800mm
- Height: 35 mm
- 89mm projection

Standard article	**83 080 976** FF	FF	Euro
Chrome		**-00**	323.90
Brushed Platinum		**-06**	518.30

Recommended miscellaneous

Attachment set for towel bar/tumbler mounting on one side with cover

	11 001 976 FF	FF	Euro
	Chrome	**-00**	69.20
	Brushed Platinum	**-06**	110.80

83 215 976

Towel bar
- gauge 358 mm
- width 35mm
- Height: 420 mm
- 89mm projection
- Holds up to 6 guest towels

Standard article	**83 215 976** FF	FF	Euro
Chrome		**-00**	317.70
Brushed Platinum		**-06**	508.40

83 211 976

Towel bar 1-piece non-swivel
- width 32mm
- Height: 80 mm
- 454mm projection

Standard article	**83 211 976** FF	FF	Euro
Chrome		**-00**	231.20
Brushed Platinum		**-06**	370.00

83 210 976

Towel bar in two parts non-swivel
- width 70mm
- Height: 32 mm
- 451mm projection

Standard article	**83 210 976** FF	FF	Euro
Chrome		**-00**	289.20
Brushed Platinum		**-06**	462.60

83 200 976

Towel ring
- width 220mm
- Height: 128 mm
- 66mm projection

Standard article	**83 200 976** FF	FF	Euro
Chrome		**-00**	253.90
Brushed Platinum		**-06**	406.40

83 250 976

Hooks
- width 32mm
- Height: 73 mm
- 43mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 250 976** FF	FF	Euro
Chrome		**-00**	50.80
Brushed Platinum		**-06**	81.40

83 256 976

Hooks in two parts
- width 126mm
- Height: 46 mm
- 50mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 256 976** FF	FF	Euro
Chrome		**-00**	86.70
Brushed Platinum		**-06**	138.70

83 400 976

Tumbler holder
- gauge 90 mm
- width 139mm
- Height: 149 mm
- 103mm projection
- crystal glass brush holder, matte

Standard article	**83 400 976** FF	FF	Euro
Chrome		**-00**	231.20
Brushed Platinum		**-06**	370.00

83 410 976

Soap dish
- gauge 90 mm
- width 140mm
- Height: 67 mm
- 103mm projection
- crystal glass brush holder, matte

Standard article	**83 410 976** FF	FF	Euro
Chrome		**-00**	231.30
Brushed Platinum		**-06**	370.10

83 433 976

Shelf
- width 303mm
- 122mm projection

Standard article	**83 433 976** FF	FF	Euro
Chrome		**-00**	420.80
Brushed Platinum		**-06**	673.40

83 430 976

Lotion dispenser
- gauge 90 mm
- width 140mm
- Height: 130 mm
- 103mm projection
- Crystal glass container, frosted

Standard article	**83 430 976** FF	FF	Euro
Chrome		**-00**	266.20
Brushed Platinum		**-06**	425.90

83 500 976

Tissue holder
- gauge 61 mm
- width 155mm
- Height: 37 mm
- 89mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 500 976** FF	FF	Euro
Chrome		**-00**	194.40
Brushed Platinum		**-06**	310.90

83 515 976

Tissue holder with shelf
- gauge 90 mm
- width 145mm
- Height: 73 mm
- 103mm projection

Standard article	**83 515 976** FF	FF	Euro
Chrome		**-00**	289.40
Brushed Platinum		**-06**	463.10

83 525 976

Tissue holder
- gauge 230 mm
- width 285mm
- Height: 73 mm
- 103mm projection

Standard article	83 525 976 FF	FF	Euro
Chrome		-00	451.50
Brushed Platinum		-06	722.40

83 590 976

Reserve tissue holder
- gauge 61 mm
- width 90mm
- Height: 155 mm
- 130mm projection

Standard article	83 590 976 FF	FF	Euro
Chrome		-00	196.70
Brushed Platinum		-06	314.60

83 900 976

Toilet brush set
- gauge 61 mm
- width 100mm
- Height: 467 mm
- 135mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 900 976 FF	FF	Euro
Chrome		-00	277.60
Brushed Platinum		-06	444.20

12 660 979

Cover plate for the concealed WC cistern made by TeCe
- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:
- TECEprofil dry wall construction, article numbers:
- 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers:
- 9370300, 9375300, 9371300

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	12 660 979 FF	FF	Euro
Chrome		-00	894.90
Brushed Platinum		-06	1,432.20

12 665 979

Flush plate for concealed WC cisterns made by Geberit round
- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Not compatible with GEBERIT Duo Fresh module

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	12 665 979 FF	FF	Euro
Chrome		-00	509.60
Brushed Platinum		-06	815.30

83 150 979

Lighted mirror round
- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 979** FF	FF	Euro
Matte White		**-10**	1,855.40
Matte Black		**-33**	1,855.40

83 151 979

Lighted mirror round
- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 979** FF	FF	Euro
Matte White		**-10**	2,168.30
Matte Black		**-33**	2,168.30

83 150 980

Lighted mirror angular
- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 980** FF	FF	Euro
Matte White		**-10**	1,734.60
Matte Black		**-33**	1,734.60

83 151 980

Lighted mirror angular
- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 980** FF	FF	Euro
Matte White		**-10**	2,048.60
Matte Black		**-33**	2,048.60

36 390 979

Electronic control elements for towel warmer
- rosette Ø 80 mm
- Control element for towel warmer: 833XX979-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	**36 390 979** FF	FF	Euro
Chrome		**-00**	525.00

83 304 979

Towel warmer, 4-fold, projection left, without control element
- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	83 304 979 FF	FF	Euro
Chrome		-00	1,848.00

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

		35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts		90	772.50

For details and miscellaneous, see page 739

83 306 979

Towel warmer, 6-fold, projection left, without control element
- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

This appliance is a stationary electric space heater and, in order to comply with the mandatory ecodesign requirements of Commission Regulation (EU) 2024/1103, must be equipped with at least one control with control function TW(f2).

Standard article	83 306 979 FF	FF	Euro
Chrome		-00	2,772.00

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

		35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts		90	1,030.00

For details and miscellaneous, see page 739

83 314 979

Towel warmer, 4-fold, projection right, without control element
- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	83 314 979 FF	FF	Euro
Chrome		-00	1,848.00

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

		35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts		90	772.50

For details and miscellaneous, see page 739

83 316 979

Towel warmer, 6-fold, projection right, without control element
- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	83 316 979 FF	FF	Euro
Chrome		-00	2,772.00

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

		35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts		90	1,030.00

For details and miscellaneous, see page 739

83 304 979 +
36 390 979

Towel warmer, 4-fold, projection left, with control element
- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 304 979** FF		1x **36 390 979** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,848.00	**-00**	525.00	**2,373.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

35 312 970 FF

- min. recess depth 70 mm
- max. recess depth 100 mm

Concealed rough parts

FF	Euro
90	875.50

For details and miscellaneous, see page 739

83 306 979 +
36 390 979

Towel warmer, 6-fold, projection left, with control element
- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 306 979** FF		1x **36 390 979** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

35 314 970 FF

- min. recess depth 70 mm
- max. recess depth 100 mm

Concealed rough parts

FF	Euro
90	1,133.00

For details and miscellaneous, see page 739

83 314 979 +
36 390 979

Towel warmer, 4-fold, projection right, with control element
- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 314 979** FF		1x **36 390 979** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,848.00	**-00**	525.00	**2,373.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

35 312 970 FF

- min. recess depth 70 mm
- max. recess depth 100 mm

Concealed rough parts

FF	Euro
90	875.50

For details and miscellaneous, see page 739

83 316 979 +
36 390 979

Towel warmer, 6-fold, projection right, with control element
- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 316 979** FF		1x **36 390 979** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

35 314 970 FF

- min. recess depth 70 mm
- max. recess depth 100 mm

Concealed rough parts

FF	Euro
90	1,133.00

For details and miscellaneous, see page 739

MADISON

Basin
from page 268

Bidet
from page 313

Shower
from page 272

Thermostats, mixers, diverters and valves
from page 323

Bath
from page 286

Accessories
from page 288

Basin fittings

Single-hole basin mixers

130mm projection

22 500 360

Three-hole basin mixers

135mm projection

20 700 360

135mm projection

20 700 370 +
2x 11 170 370

Wall-mounted basin mixers

190mm projection

36 712 361

Showers

Shower sets

26 413 370 +
28 002 970

Shower pipes with shower mixer

26 632 360 +
28 002 970

Shower pipes with shower thermostat

34 459 360 +
11 420 360 +
28 002 978

Head showers with multiple jet types

28 508 360

Rain showers with wall connection

28 545 977

Rain showers with ceiling connection

28 565 977

Hand shower sets

27 803 361

Massage modules

WATER POINTS

36 515 979

WATER BAR

36 517 979

WATER CURVE

36 514 979

WATER FAN

36 513 979
36 512 979*

Waterfalls

WATER SHEET

13 415 979

Waterfalls

WATER FALL

13 420 979

WATER FALL

13 425 979

Kneipp modules

WATER TUBE

27 823 979 +
28 285 979

Bath fittings

Free-standing bath fittings	Wall-mounted mixers for wall mounting	Bath shower sets	Miscellaneous	integrated bath filling
245mm projection	160mm projection	225mm projection	26mm projection	26mm projection
25 943 360	25 023 360	27 502 360	36 243 970	36 247 970

MADISON

22 500 360

Single-hole basin mixer with pop-up waste
- **130mm projection**
- 1 1/4“ pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 100 mm
- height up to aerator 65 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x US pressure hose, 3/8“
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 500 360** FF	FF	Euro
Chrome		**-00**	1,031.80
Platinum		**-08**	1,651.30
Brushed Platinum		**-06**	1,651.30
Durabrass (23kt Gold)		**-09**	2,476.30
Brushed Durabrass (23kt Gold)		**-28**	2,476.30
Brushed Dark Brass (PVD)		**-39**	1,651.00
Brushed Bronze (PVD)		**-42**	1,651.00
Brushed Dark Bronze (PVD)		**-43**	1,857.20
Brushed Dark Platinum		**-99**	1,857.50

20 700 360

Three-hole basin mixer with pop-up waste
- **135mm projection**
- 1 1/4“ pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 72 mm
- height up to aerator 40 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- without rosette
- 2x 1/2“ x 1/2“ high pressure hose
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 700 360** FF	FF	Euro
Chrome		**-00**	1,639.90
Platinum		**-08**	2,624.10
Brushed Platinum		**-06**	2,624.10
Durabrass (23kt Gold)		**-09**	3,935.80
Brushed Durabrass (23kt Gold)		**-28**	3,935.80
Brushed Dark Brass (PVD)		**-39**	2,623.80
Brushed Bronze (PVD)		**-42**	2,623.80
Brushed Dark Bronze (PVD)		**-43**	2,951.80
Brushed Dark Platinum		**-99**	2,952.10

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

20 700 370 +
2x **11 170 370**

Three-hole basin mixer with pop-up waste
- **135mm projection**
- 1 1/4“ pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 72 mm
- height up to aerator 40 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- without rosette
- 2x 1/2“ x 1/2“ high pressure hose
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

NOTE: For the white lever inserts please order 2x 11 170 370-12

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **20 700 370** FF max. flow 7 l/min		2x **11 170 370** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,598.90	**-00**	120.00	**1,838.90**
Platinum	**-08**	2,558.10	**-08**	192.20	**2,942.50**
Brushed Platinum	**-06**	2,558.10	**-06**	192.20	**2,942.50**
Durabrass (23kt Gold)	**-09**	3,837.40	**-09**	288.00	**4,413.40**
Brushed Durabrass (23kt Gold)	**-28**	3,837.40	**-28**	288.00	**4,413.40**
Brushed Dark Brass (PVD)	**-39**	2,558.20	**-39**	192.00	**2,942.20**
Brushed Bronze (PVD)	**-42**	192.00	**-42**	2,558.20	**2,942.20**
Brushed Dark Bronze (PVD)	**-43**	216.00	**-43**	2,878.00	**3,310.00**
Brushed Dark Platinum	**-99**	2,877.80	**-99**	216.10	**3,310.00**

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

36 712 361

Wall-mounted basin mixer without pop-up waste
- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- slide-on rosettes Ø 55 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 712 361** FF	FF	Euro
Chrome		**-00**	1,356.40
Platinum		**-08**	2,170.00
Brushed Platinum		**-06**	2,170.00
Durabrass (23kt Gold)		**-09**	3,255.40
Brushed Durabrass (23kt Gold)		**-28**	3,255.40
Brushed Dark Brass (PVD)		**-39**	2,170.20
Brushed Bronze (PVD)		**-42**	2,170.20
Brushed Dark Bronze (PVD)		**-43**	2,441.50
Brushed Dark Platinum		**-99**	2,441.50

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	203.00

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	161.90

Miscellaneous

22 900 360

Angle valve
- rosette Ø 60 mm
- porcelain insert COLD

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 900 360** FF	FF	Euro
Chrome		**-00**	224.80
Platinum		**-08**	359.80
Brushed Platinum		**-06**	359.80
Durabrass (23kt Gold)		**-09**	539.50
Brushed Durabrass (23kt Gold)		**-28**	539.50
Brushed Dark Brass (PVD)		**-39**	359.70
Brushed Bronze (PVD)		**-42**	359.70
Brushed Dark Bronze (PVD)		**-43**	404.60
Brushed Dark Platinum		**-99**	404.60

22 900 361

Angle valve
- rosette Ø 60 mm
- porcelain insert HOT

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 900 361** FF	FF	Euro
Chrome		**-00**	224.80
Platinum		**-08**	359.80
Brushed Platinum		**-06**	359.80
Durabrass (23kt Gold)		**-09**	539.50
Brushed Durabrass (23kt Gold)		**-28**	539.50
Brushed Dark Brass (PVD)		**-39**	359.70
Brushed Bronze (PVD)		**-42**	359.70
Brushed Dark Bronze (PVD)		**-43**	404.60
Brushed Dark Platinum		**-99**	404.60

10 040 970

Siphon for basin 1 1/4“
- rosette Ø 80 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 040 970** FF	FF	Euro
Chrome		**-00**	512.30
Platinum		**-08**	819.40
Brushed Platinum		**-06**	819.40
Durabrass (23kt Gold)		**-09**	1,229.50
Brushed Durabrass (23kt Gold)		**-28**	1,229.50
Brushed Dark Brass (PVD)		**-39**	819.60
Brushed Bronze (PVD)		**-42**	819.60
Brushed Dark Bronze (PVD)		**-43**	922.10
Brushed Dark Platinum		**-99**	922.20

11 170 370

Lever insert
- for basin fittings

NOTE:Mixers are supplied without lever inserts. Please order the lever inserts separately!

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**11 170 370** FF	FF	Euro
Chrome		**-00**	120.00
Platinum		**-08**	192.20
Brushed Platinum		**-06**	192.20
Durabrass (23kt Gold)		**-09**	288.00
Brushed Durabrass (23kt Gold)		**-28**	288.00
Brushed Dark Brass (PVD)		**-39**	192.00
Brushed Bronze (PVD)		**-42**	192.00
Brushed Dark Bronze (PVD)		**-43**	216.00
Brushed Dark Platinum		**-99**	216.10
white		**-12**	120.00

24 510 360

Single-hole bidet mixer with pop-up waste
- **125mm projection**
- **european pop-up waste**
- ball-joint pivotable through 15°
- circular, air-enriched flow
- height of mixer 88 mm
- height up to aerator 78 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x European pressure hose for bidet fitting
- max. flow 7 l/min

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**24 510 360** FF	FF	Euro
Chrome		**-00**	1,289.90
Platinum		**-08**	2,063.70
Brushed Platinum		**-06**	2,063.70
Durabrass (23kt Gold)		**-09**	3,095.80
Brushed Durabrass (23kt Gold)		**-28**	3,095.80
Brushed Dark Brass (PVD)		**-39**	2,063.80
Brushed Bronze (PVD)		**-42**	2,063.80
Brushed Dark Bronze (PVD)		**-43**	2,321.80
Brushed Dark Platinum		**-99**	2,322.00

27 701 970

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 970** FF	FF	Euro
Chrome		**-00**	339.30
Platinum		**-08**	542.60
Brushed Platinum		**-06**	542.60
Durabrass (23kt Gold)		**-09**	814.30
Brushed Durabrass (23kt Gold)		**-28**	814.30
Brushed Dark Brass (PVD)		**-39**	542.90
Brushed Bronze (PVD)		**-42**	542.70
Brushed Dark Bronze (PVD)		**-43**	610.70
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 701 670

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 670** FF	FF	Euro
Chrome		**-00**	339.30
Platinum		**-08**	542.60
Brushed Platinum		**-06**	542.60
Brushed Durabrass (23kt Gold)		**-28**	814.30
Brushed Dark Brass (PVD)		**-39**	542.90
Brushed Bronze (PVD)		**-42**	542.70
Brushed Dark Bronze (PVD)		**-43**	610.70
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

MADISON

26 413 370 +
28 002 970

Shower set
- spray head Ø 64mm
- COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 6 l/min
- inherently safe from back flow
- shower hose connector 1/2“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 850 mm
- rosette Ø 60 mm
- Pipe diameter 18 mm

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 413 370** FF FF	Euro	1x **28 002 970** FF max. flow 9 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	810.70	**-00**	321.30	**1,132.00**
Platinum	**-08**	1,297.40	**-08**	513.90	**1,811.30**
Brushed Platinum	**-06**	1,297.40	**-06**	513.90	**1,811.30**
Durabrass (23kt Gold)	**-09**	1,945.70	**-09**	771.10	**2,716.80**
Brushed Durabrass (23kt Gold)	**-28**	1,945.70	**-28**	771.10	**2,716.80**
Brushed Dark Brass (PVD)	**-39**	1,297.20	**-39**	514.20	**1,811.40**
Brushed Bronze (PVD)	**-42**	1,297.20	**-42**	514.20	**1,811.40**
Brushed Dark Bronze (PVD)	**-43**	1,459.30	**-43**	578.30	**2,037.60**
Brushed Dark Platinum	**-99**	1,459.40	**-99**	578.10	**2,037.50**

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

28 450 410 FF	FF	Euro
Chrome	**-00**	112.10
Platinum	**-08**	179.40
Brushed Platinum	**-06**	179.40
Durabrass (23kt Gold)	**-09**	269.00
Brushed Durabrass (23kt Gold)	**-28**	269.00
Brushed Dark Brass (PVD)	**-39**	179.40
Brushed Bronze (PVD)	**-42**	179.40
Brushed Dark Bronze (PVD)	**-43**	201.80
Brushed Dark Platinum	**-99**	201.90

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 674.

3 jets
Ø 95 mm

Alternative hand shower	**28 002 978** FF max. flow 9 l/min FF	Euro
Chrome	**-00**	247.90
Platinum	**-08**	396.60
Brushed Platinum	**-06**	396.60
Durabrass (23kt Gold)	**-09**	595.00
Brushed Durabrass (23kt Gold)	**-28**	595.00
Brushed Dark Brass (PVD)	**-39**	396.60
Brushed Bronze (PVD)	**-42**	396.60
Brushed Dark Bronze (PVD)	**-43**	446.20
Brushed Dark Platinum	**-99**	446.30

26 632 360 +
28 002 970

Showerpipe with shower mixer
- rain shower Ø 200 mm
- Rain shower material: metal
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 64mm
- Hand shower: COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- 1/2“ connection
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter for fixed-riser shower/hand shower
- slide-on rosettes Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- shower with fixed riser projection 420mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1180mm
- rosette for wall mounting Ø 70mm
- rosette for shower holder Ø 66mm
- rosette for shower mixer Ø 60mm
- Pipe diameter 20 mm
- gauge 150 mm - 13 mm

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **26 632 360** FF max. flow 14 l/min		1x **28 002 970** FF max. flow 9 l/min		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	3,345.40	**-00**	321.30	**3,666.70**
Platinum	**-08**	5,352.60	**-08**	513.90	**5,866.50**
Brushed Platinum	**-06**	5,352.60	**-06**	513.90	**5,866.50**
Durabrass (23kt Gold)	**-09**	8,029.00	**-09**	771.10	**8,800.10**
Brushed Durabrass (23kt Gold)	**-28**	8,029.00	**-28**	771.10	**8,800.10**
Brushed Dark Brass (PVD)	**-39**	5,352.70	**-39**	514.20	**5,866.90**
Brushed Bronze (PVD)	**-42**	5,352.70	**-42**	514.20	**5,866.90**
Brushed Dark Bronze (PVD)	**-43**	6,021.70	**-43**	578.30	**6,600.00**
Brushed Dark Platinum	**-99**	6,021.80	**-99**	578.10	**6,599.90**

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 674.

3 jets
Ø 95 mm

	28 002 978 FF max. flow 9 l/min	
Alternative hand shower	FF	Euro
Chrome	**-00**	247.90
Platinum	**-08**	396.60
Brushed Platinum	**-06**	396.60
Brushed Durabrass (23kt Gold)	**-28**	595.00
Brushed Dark Brass (PVD)	**-39**	396.60
Brushed Bronze (PVD)	**-42**	396.60
Brushed Dark Bronze (PVD)	**-43**	446.20
Brushed Dark Platinum	**-99**	446.30

MADISON

34 459 360 +
11 420 360 +
28 002 978

Showerpipe with shower thermostat
- rain shower Ø 200 mm
- Rain shower material: metal
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 95mm
- Hand shower: Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUA-PRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- 1/2“ connection
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter for fixed-riser shower/hand shower
- two-part push-on rosette Ø 65 mm
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- shower with fixed riser projection 420mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1160mm
- rosette for shower holder Ø 65mm
- rosette for wall mounting Ø 60mm
- Pipe diameter 20 mm
- gauge 150 mm - 13 mm

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **34 459 360** FF		1x **11 420 360** FF 1x **28 002 978** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	3,340.90	**-00**	302.00	**3,890.80**
			-00	247.90	
Platinum	**-08**	5,345.70	**-08**	483.00	**6,225.30**
			-08	396.60	
Brushed Platinum	**-06**	5,345.70	**-06**	483.00	**6,225.30**
			-06	396.60	
Durabrass (23kt Gold)	**-09**	8,018.20	**-09**	724.80	**9,338.00**
			-09	595.00	
Brushed Durabrass (23kt Gold)	**-28**	8,018.20	**-28**	724.80	**9,338.00**
			-28	595.00	
Brushed Dark Brass (PVD)	**-39**	5,345.40	**-39**	483.10	**6,225.10**
			-39	396.60	
Brushed Bronze (PVD)	**-42**	5,345.40	**-42**	483.10	**6,225.10**
			-42	396.60	
Brushed Dark Bronze (PVD)	**-43**	6,013.60	**-43**	543.60	**7,003.40**
			-43	446.20	
Brushed Dark Platinum	**-99**	6,013.60	**-99**	543.50	**7,003.40**
			-99	446.30	

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 669.

1 jet
Ø 64 mm

	28 002 970 FF max. flow 9 l/min	
Alternative hand shower	FF	Euro
Chrome	**-00**	321.30
Platinum	**-08**	513.90
Brushed Platinum	**-06**	513.90
Durabrass (23kt Gold)	**-09**	771.10
Brushed Durabrass (23kt Gold)	**-28**	771.10
Brushed Dark Brass (PVD)	**-39**	514.20
Brushed Bronze (PVD)	**-42**	514.20
Brushed Dark Bronze (PVD)	**-43**	578.30
Brushed Dark Platinum	**-99**	578.10

28 508 360

Shower head
- spray head Ø 94mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:
- 200-mm projection
- ball-joint pivotable through 30°
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 508 360** FF	FF	Euro
Chrome		**-00**	694.90
Platinum		**-08**	1,111.50
Brushed Platinum		**-06**	1,111.50
Durabrass (23kt Gold)		**-09**	1,667.80
Brushed Durabrass (23kt Gold)		**-28**	1,667.80
Brushed Dark Brass (PVD)		**-39**	1,111.70
Brushed Bronze (PVD)		**-42**	1,111.70
Brushed Dark Bronze (PVD)		**-43**	1,250.80
Brushed Dark Platinum		**-99**	1,250.60

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 508 360** FF	FF	Euro
Chrome		**-000010**	694.90
Platinum		**-080010**	1,111.50
Brushed Platinum		**-060010**	1,111.50
Durabrass (23kt Gold)		**-090010**	1,667.80
Brushed Durabrass (23kt Gold)		**-280010**	1,667.80
Brushed Dark Brass (PVD)		**-390010**	1,111.70
Brushed Bronze (PVD)		**-420010**	1,111.70
Brushed Dark Bronze (PVD)		**-430010**	1,250.80
Brushed Dark Platinum		**-990010**	1,250.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 545 977

Rain shower with wall fixing 200 mm
- rain shower Ø 200 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- with anti-scale system

Technical data:
- 435mm projection
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 545 977** FF	FF	Euro
Chrome		**-00**	1,292.10
Platinum		**-08**	2,067.20
Brushed Platinum		**-06**	2,067.20
Durabrass (23kt Gold)		**-09**	3,101.00
Brushed Durabrass (23kt Gold)		**-28**	3,101.00
Brushed Dark Brass (PVD)		**-39**	2,067.60
Brushed Bronze (PVD)		**-42**	2,067.60
Brushed Dark Bronze (PVD)		**-43**	2,325.80
Brushed Dark Platinum		**-99**	2,325.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 565 977

Rain shower with ceiling fixing 200 mm
- rain shower Ø 200 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- with anti-scale system

Technical data:
- distance between ceiling and lower edge of the shower 185mm
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 565 977** FF	FF	Euro
Chrome		**-00**	976.60
Platinum		**-08**	1,562.60
Brushed Platinum		**-06**	1,562.60
Durabrass (23kt Gold)		**-09**	2,343.80
Brushed Durabrass (23kt Gold)		**-28**	2,343.80
Brushed Dark Brass (PVD)		**-39**	1,562.50
Brushed Bronze (PVD)		**-42**	1,562.50
Brushed Dark Bronze (PVD)		**-43**	1,757.90
Brushed Dark Platinum		**-99**	1,757.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 803 361

Hand shower set with individual rosettes
- spray head Ø 64mm
- COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system
- inherently safe from back flow
- metal shower hose 1250mm with integrated anti-twist protection

technical data:
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- 1/2“ wall elbow
- 1/2“ shower outlet

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 803 361** FF	FF	Euro
Chrome		**-00**	714.90
Platinum		**-08**	1,143.50
Brushed Platinum		**-06**	1,143.50
Durabrass (23kt Gold)		**-09**	1,715.80
Brushed Durabrass (23kt Gold)		**-28**	1,715.80
Brushed Dark Brass (PVD)		**-39**	1,144.00
Brushed Bronze (PVD)		**-42**	1,144.00
Brushed Dark Bronze (PVD)		**-43**	1,286.80
Brushed Dark Platinum		**-99**	1,287.00

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 803 361** FF	FF	Euro
Chrome		**-000010**	714.90
Platinum		**-080010**	1,143.50
Brushed Platinum		**-060010**	1,143.50
Durabrass (23kt Gold)		**-090010**	1,715.80
Brushed Durabrass (23kt Gold)		**-280010**	1,715.80
Brushed Dark Brass (PVD)		**-390010**	1,144.00
Brushed Bronze (PVD)		**-420010**	1,144.00
Brushed Dark Bronze (PVD)		**-430010**	1,286.80
Brushed Dark Platinum		**-990010**	1,287.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 515 979

WATER POINTS Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 120 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 515 979** FF	FF	Euro
Chrome		**-00**	577.30
Platinum		**-08**	923.20
Brushed Platinum		**-06**	923.20
Brushed Durabrass (23kt Gold)		**-28**	1,385.50
Brushed Dark Brass (PVD)		**-39**	923.70
Brushed Bronze (PVD)		**-42**	923.60
Brushed Dark Bronze (PVD)		**-43**	1,039.10
Brushed Dark Platinum		**-99**	1,039.00

Required miscellaneous

WATER POINTS Adapter plate

	12 305 970 FF	FF	Euro
• adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.	Accesories	**90**	37.90

For details and miscellaneous, see page 742

Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm	Concealed rough parts	**90**	234.20

For details and miscellaneous, see page 733

36 517 979

WATER BAR Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 517 979** FF	FF	Euro
Chrome		**-00**	891.50
Platinum		**-08**	1,426.60
Brushed Platinum		**-06**	1,426.60
Brushed Durabrass (23kt Gold)		**-28**	2,139.60
Brushed Dark Brass (PVD)		**-39**	1,426.40
Brushed Bronze (PVD)		**-42**	1,426.40
Brushed Dark Bronze (PVD)		**-43**	1,604.70
Brushed Dark Platinum		**-99**	1,604.30

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

36 514 979

WATER CURVE Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- Function from: 5.7 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 60 mm
- 1/2“ connection

Notes:
- This product reduces water consumption by % (compared to requirements of EPAct ,92)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 514 979** FF	FF	Euro
Chrome		**-00**	1,160.00
Platinum		**-08**	1,856.10
Brushed Platinum		**-06**	1,856.10
Brushed Durabrass (23kt Gold)		**-28**	2,784.00
Brushed Dark Brass (PVD)		**-39**	1,856.10
Brushed Bronze (PVD)		**-42**	1,856.20
Brushed Dark Bronze (PVD)		**-43**	2,088.00
Brushed Dark Platinum		**-99**	2,088.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 513 979

WATER FAN vertical Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 513 979** FF	FF	Euro
Chrome		**-00**	865.40
Platinum		**-08**	1,385.20
Brushed Platinum		**-06**	1,385.20
Brushed Durabrass (23kt Gold)		**-28**	2,077.00
Brushed Dark Brass (PVD)		**-39**	1,384.60
Brushed Bronze (PVD)		**-42**	1,384.60
Brushed Dark Bronze (PVD)		**-43**	1,557.70
Brushed Dark Platinum		**-99**	1,557.60

Product alternative
- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**36 512 979** FF	FF	Euro
Chrome		**-00**	865.40
Platinum		**-08**	1,385.20
Brushed Platinum		**-06**	1,385.20
Brushed Durabrass (23kt Gold)		**-28**	2,077.00
Brushed Dark Brass (PVD)		**-39**	1,384.60
Brushed Bronze (PVD)		**-42**	1,384.60
Brushed Dark Bronze (PVD)		**-43**	1,557.70
Brushed Dark Platinum		**-99**	1,557.60

Required miscellaneous

Concealed wall installation box

35 206 970 FF | FF | Euro

- min. recess depth 100 mm
- max. recess depth 173 mm

Concealed rough parts | **90** | 316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF | Euro

For details and miscellaneous, see page 743

Concealed rough parts | **90** | 117.80

---

13 415 979

WATER SHEET Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **150mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 415 979** FF	FF	Euro
Chrome		**-00**	1,194.80
Platinum		**-08**	1,911.60
Brushed Platinum		**-06**	1,911.60
Brushed Durabrass (23kt Gold)		**-28**	2,867.50
Brushed Dark Brass (PVD)		**-39**	1,911.70
Brushed Bronze (PVD)		**-42**	1,911.70
Brushed Dark Bronze (PVD)		**-43**	2,150.60
Brushed Dark Platinum		**-99**	2,150.60

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF | FF | Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts | **90** | 128.90

For details and miscellaneous, see page 732

---

13 420 979



WATER FALL Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **120mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 420 979** FF	FF	Euro
Chrome		**-00**	1,706.90
Platinum		**-08**	2,731.60
Brushed Platinum		**-06**	2,731.60
Brushed Durabrass (23kt Gold)		**-28**	4,096.60
Brushed Dark Brass (PVD)		**-39**	2,731.20
Brushed Bronze (PVD)		**-42**	2,731.20
Brushed Dark Bronze (PVD)		**-43**	3,072.40

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF | FF | Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts | **90** | 128.90

For details and miscellaneous, see page 732

13 425 979

WATER FALL Cascade spout with individual jets for wall mounting
- PEARLSTREAM
- Max. flow rate 9.5 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- plate 240 mm x 60 mm
- **22mm projection**
- connection 1/2“, for shortening
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 425 979** FF	FF	Euro
Chrome		**-00**	1,268.40
Platinum		**-08**	2,029.40
Brushed Platinum		**-06**	2,029.40
Brushed Durabrass (23kt Gold)		**-28**	3,044.20
Brushed Dark Brass (PVD)		**-39**	2,029.40
Brushed Bronze (PVD)		**-42**	2,029.40
Brushed Dark Bronze (PVD)		**-43**	2,283.10
Brushed Dark Platinum		**-99**	2,282.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

---

27 823 979 +
28 285 979

WATER TUBE Kneipp wall elbow with hose holder with individual rosettes
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: l/min
- with volume control
- inherently safe from back flow
- holder for Kneipp hose
- hose nozzle with sleeve M33

Technical data:
- rosette Ø 60 mm
- 1/2“ wall elbow

Notes:
- Fits LISSÉ, LULU, MADISON, META, TARA, VAIA, COYA

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **27 823 979** FF max. flow 15 l/min FF	Euro	1x **28 285 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	619.00	**-00**	110.10	**729.10**
Platinum	**-08**	990.40	**-08**	176.10	**1,166.50**
Brushed Platinum	**-06**	990.40	**-06**	176.20	**1,166.60**
Brushed Durabrass (23kt Gold)	**-28**	1,485.60	**-28**	264.20	**1,749.80**
Brushed Dark Brass (PVD)	**-39**	990.40	**-39**	176.20	**1,166.60**
Brushed Bronze (PVD)	**-42**	990.50	**-42**	176.20	**1,166.70**
Brushed Dark Bronze (PVD)	**-43**	1,114.20	**-43**	198.20	**1,312.40**
Brushed Dark Platinum	**-99**	1,114.10	**-99**	198.10	**1,312.20**

Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

	28 286 979 FF	FF	Euro
• hose nozzle with sleeve M33 • with holding ring	Chrome	**-00**	110.10
	Platinum	**-08**	176.10
	Brushed Platinum	**-06**	176.20
	Brushed Durabrass (23kt Gold)	**-28**	264.20
	Brushed Dark Brass (PVD)	**-39**	176.20
	Brushed Bronze (PVD)	**-42**	176.20
	Brushed Dark Bronze (PVD)	**-43**	198.20
	Brushed Dark Platinum	**-99**	198.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

---

28 450 410

Wall elbow
- 1/2“ shower outlet
- rosette Ø 55 mm
- 1/2“ connection

Intrinsic protection against back flow.

Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 450 410** FF	FF	Euro
Chrome		**-00**	112.10
Platinum		**-08**	179.40
Brushed Platinum		**-06**	179.40
Durabrass (23kt Gold)		**-09**	269.00
Brushed Durabrass (23kt Gold)		**-28**	269.00
Brushed Dark Brass (PVD)		**-39**	179.40
Brushed Bronze (PVD)		**-42**	179.40
Brushed Dark Bronze (PVD)		**-43**	201.80
Brushed Dark Platinum		**-99**	201.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

MADISON

28 060 970

Wall bracket swivel
- pivotable 75°

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 060 970** FF	FF	Euro
Chrome		**-00**	207.70
Platinum		**-08**	332.40
Brushed Platinum		**-06**	332.40
Brushed Durabrass (23kt Gold)		**-28**	498.50
Brushed Dark Brass (PVD)		**-39**	332.20
Brushed Bronze (PVD)		**-42**	332.10
Brushed Dark Bronze (PVD)		**-43**	373.90
Brushed Dark Platinum		**-99**	373.90

12 540 970 **NEW**

Slide unit
- for pipe diameter 18 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 540 970** FF	FF	Euro
Chrome		**-00**	143.90
Platinum		**-08**	230.20
Brushed Platinum		**-06**	230.20
Durabrass (23kt Gold)		**-09**	345.40
Brushed Durabrass (23kt Gold)		**-28**	345.40
Brushed Dark Brass (PVD)		**-39**	230.20
Brushed Bronze (PVD)		**-42**	230.20
Brushed Dark Bronze (PVD)		**-43**	259.00
Brushed Dark Platinum		**-99**	258.90

12 550 970 **NEW**

Slide unit
- Pipe diameter 20 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 550 970** FF	FF	Euro
Chrome		**-00**	143.90
Platinum		**-08**	230.20
Brushed Platinum		**-06**	230.20
Durabrass (23kt Gold)		**-09**	345.40
Brushed Durabrass (23kt Gold)		**-28**	345.40
Brushed Dark Brass (PVD)		**-39**	230.20
Brushed Bronze (PVD)		**-42**	230.20
Brushed Dark Bronze (PVD)		**-43**	259.00
Brushed Dark Platinum		**-99**	258.90

36 425 977

Concealed thermostat with one function volume control
- cover plate Ø 175 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 425 977** FF	FF	Euro
Chrome		**-00**	800.10
Platinum		**-08**	1,279.80
Brushed Platinum		**-06**	1,279.80
Durabrass (23kt Gold)		**-09**	1,920.20
Brushed Durabrass (23kt Gold)		**-28**	1,920.20
Brushed Dark Brass (PVD)		**-39**	1,280.20
Brushed Bronze (PVD)		**-42**	1,280.20
Brushed Dark Bronze (PVD)		**-43**	1,440.20
Brushed Dark Platinum		**-99**	1,440.10

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	457.60

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	480.60

36 426 977

Concealed thermostat with two function volume control
- rotary diverter with volume control and shut-off function
- cover plate Ø 175 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 426 977** FF	FF	Euro
Chrome		**-00**	957.00
Platinum		**-08**	1,530.40
Brushed Platinum		**-06**	1,530.40
Durabrass (23kt Gold)		**-09**	2,296.80
Brushed Durabrass (23kt Gold)		**-28**	2,296.80
Brushed Dark Brass (PVD)		**-39**	1,531.20
Brushed Bronze (PVD)		**-42**	1,531.20
Brushed Dark Bronze (PVD)		**-43**	1,722.60
Brushed Dark Platinum		**-99**	1,722.10

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	457.60

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	480.60

36 427 977

Concealed thermostat with three function volume control
- rotary diverter with volume control and shut-off function
- cover plate Ø 175 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 427 977** FF	FF	Euro
Chrome		**-00**	994.60
Platinum		**-08**	1,590.90
Brushed Platinum		**-06**	1,590.90
Durabrass (23kt Gold)		**-09**	2,387.00
Brushed Durabrass (23kt Gold)		**-28**	2,387.00
Brushed Dark Brass (PVD)		**-39**	1,591.30
Brushed Bronze (PVD)		**-42**	1,591.30
Brushed Dark Bronze (PVD)		**-43**	1,790.30
Brushed Dark Platinum		**-99**	1,790.40

Required miscellaneous

Concealed thermostat

35 427 970 FF

- min. recess depth 80 mm
- max. recess depth 136 mm

Concealed rough parts | FF **90** | Euro 479.40

For details and miscellaneous, see page 730

Required miscellaneous

Concealed thermostat with built-in isolators

35 428 970 FF

- min. recess depth 80 mm
- max. recess depth 136 mm

Concealed rough parts | FF **90** | Euro 503.00

For details and miscellaneous, see page 730

36 607 361

xTOOL Thermostat module with 1 valve
- cover plate Ø 124 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 977** FF FF	Euro	1x **36 607 361** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,194.60	**-00**	303.70	**1,498.30**
Platinum	**-08**	1,911.30	**-08**	485.90	**2,397.20**
Brushed Platinum	**-06**	1,911.30	**-06**	485.90	**2,397.20**
Durabrass (23kt Gold)	**-09**	2,867.00	**-09**	728.90	**3,595.90**
Brushed Durabrass (23kt Gold)	**-28**	2,867.00	**-28**	728.90	**3,595.90**
Brushed Dark Brass (PVD)	**-39**	1,911.40	**-39**	485.90	**2,397.30**
Brushed Bronze (PVD)	**-42**	1,911.40	**-42**	485.90	**2,397.30**
Brushed Dark Bronze (PVD)	**-43**	2,150.30	**-43**	546.70	**2,697.00**
Brushed Dark Platinum	**-99**	2,150.20	**-99**	546.50	**2,696.70**

Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

35 511 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 743.70

For details and miscellaneous, see page 730

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 977 +
2x **36 607 361**

xTOOL Thermostat module with 2 valves
- cover plate Ø 124 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 977** FF FF	1x **36 503 977** FF Euro	2x **36 607 361** FF FF	2x **36 607 361** FF Euro	**Total price:** Euro
Chrome	**-00**	1,194.60	**-00**	303.70	**1,802.00**
Platinum	**-08**	1,911.30	**-08**	485.90	**2,883.10**
Brushed Platinum	**-06**	1,911.30	**-06**	485.90	**2,883.10**
Durabrass (23kt Gold)	**-09**	2,867.00	**-09**	728.90	**4,324.80**
Brushed Durabrass (23kt Gold)	**-28**	2,867.00	**-28**	728.90	**4,324.80**
Brushed Dark Brass (PVD)	**-39**	1,911.40	**-39**	485.90	**2,883.20**
Brushed Bronze (PVD)	**-42**	1,911.40	**-42**	485.90	**2,883.20**
Brushed Dark Bronze (PVD)	**-43**	2,150.30	**-43**	546.70	**3,243.70**
Brushed Dark Platinum	**-99**	2,150.20	**-99**	546.50	**3,243.20**

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF

	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm	Concealed rough parts **90**	1,239.70

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF

	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm	Concealed rough parts **90**	1,226.10

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

	FF	Euro
Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

	FF	Euro
Concealed rough parts	**90**	118.70

For details and miscellaneous, see page 743

36 503 977 +
3x **36 607 361**

xTOOL Thermostat module with 3 valves
- cover plate Ø 124 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 977** FF FF	Euro	3x **36 607 361** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,194.60	**-00**	303.70	**2,105.70**
Platinum	**-08**	1,911.30	**-08**	485.90	**3,369.00**
Brushed Platinum	**-06**	1,911.30	**-06**	485.90	**3,369.00**
Durabrass (23kt Gold)	**-09**	2,867.00	**-09**	728.90	**5,053.70**
Brushed Durabrass (23kt Gold)	**-28**	2,867.00	**-28**	728.90	**5,053.70**
Brushed Dark Brass (PVD)	**-39**	1,911.40	**-39**	485.90	**3,369.10**
Brushed Bronze (PVD)	**-42**	1,911.40	**-42**	485.90	**3,369.10**
Brushed Dark Bronze (PVD)	**-43**	2,150.30	**-43**	546.70	**3,790.40**
Brushed Dark Platinum	**-99**	2,150.20	**-99**	546.50	**3,789.70**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,332.30

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,443.30

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 977

xTOOL Concealed thermostat without volume control 3/4“
- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 503 977** FF	FF	Euro
Chrome		**-00**	1,194.60
Platinum		**-08**	1,911.30
Brushed Platinum		**-06**	1,911.30
Durabrass (23kt Gold)		**-09**	2,867.00
Brushed Durabrass (23kt Gold)		**-28**	2,867.00
Brushed Dark Brass (PVD)		**-39**	1,911.40
Brushed Bronze (PVD)		**-42**	1,911.40
Brushed Dark Bronze (PVD)		**-43**	2,150.30
Brushed Dark Platinum		**-99**	2,150.20

Required miscellaneous

xTOOL Concealed thermostat module without volume control

35 503 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 907.90

For details and miscellaneous, see page 730

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

36 607 361

Wall valve clockwise closing 1/2“
- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve
- 3x porcelain insert: HOT, COLD and NEUTRAL

Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 361** FF	FF	Euro
Chrome		**-00**	303.70
Platinum		**-08**	485.90
Brushed Platinum		**-06**	485.90
Durabrass (23kt Gold)		**-09**	728.90
Brushed Durabrass (23kt Gold)		**-28**	728.90
Brushed Dark Brass (PVD)		**-39**	485.90
Brushed Bronze (PVD)		**-42**	485.90
Brushed Dark Bronze (PVD)		**-43**	546.70
Brushed Dark Platinum		**-99**	546.50

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 145 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

36 608 361

Wall valve clockwise closing 3/4“
- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve
- 3x porcelain insert: HOT, COLD and NEUTRAL

Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 361** FF	FF	Euro
Chrome		**-00**	303.70
Platinum		**-08**	485.90
Brushed Platinum		**-06**	485.90
Durabrass (23kt Gold)		**-09**	728.90
Brushed Durabrass (23kt Gold)		**-28**	728.90
Brushed Dark Brass (PVD)		**-39**	485.90
Brushed Bronze (PVD)		**-42**	485.90
Brushed Dark Bronze (PVD)		**-43**	546.70
Brushed Dark Platinum		**-99**	546.50

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 145 mm	Concealed rough parts	**90**	125.20

For details and miscellaneous, see page 732

36 200 361

Concealed two-way diverter
- rotary diverter
- rosette Ø 60 mm
- NEUTRAL porcelain insert

Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 200 361** FF	FF	Euro
Chrome		**-00**	580.30
Platinum		**-08**	928.20
Brushed Platinum		**-06**	928.20
Durabrass (23kt Gold)		**-09**	1,392.70
Brushed Durabrass (23kt Gold)		**-28**	1,392.70
Brushed Dark Brass (PVD)		**-39**	928.60
Brushed Bronze (PVD)		**-42**	928.60
Brushed Dark Bronze (PVD)		**-43**	1,044.50
Brushed Dark Platinum		**-99**	1,044.40

Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 155 mm	Concealed rough parts	**90**	310.70

For details and miscellaneous, see page 732

25 943 360

Two-hole bath mixer for free-standing assembly with hand shower set
- **245mm projection**
- spout: rectangular normal flow
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- hand shower with anti-scale system
- rotary diverter for bath/shower
- wall bracket
- total height 901 mm
- stand pipes height 730 mm
- height up to aerator 610 mm
- slide-on rosettes Ø 90 mm
- gauge 153 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. flow 51 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 943 360** FF	FF	Euro
Chrome		**-00**	4,404.30
Platinum		**-08**	7,046.90
Brushed Platinum		**-06**	7,046.90
Durabrass (23kt Gold)		**-09**	10,570.30
Brushed Durabrass (23kt Gold)		**-28**	10,570.30
Brushed Dark Brass (PVD)		**-39**	7,046.90
Brushed Bronze (PVD)		**-42**	7,046.90
Brushed Dark Bronze (PVD)		**-43**	7,927.70
Brushed Dark Platinum		**-99**	7,927.90

Required miscellaneous

Concealed floor mounting

	35 944 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 160 mm	Concealed rough parts	**90**	564.80

For details and miscellaneous, see page 732

25 023 360

Bath mixer for wall mounting with hand shower set
- **160mm projection**
- Hand shower: COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- spout: rectangular normal flow
- wall bracket
- rotary diverter for bath/shower
- rosette Ø 70 mm
- 1/2“ connection
- gauge 153 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. spout flow rate 26 l/min

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 023 360** FF	FF	Euro
Chrome		**-00**	1,793.40
Platinum		**-08**	2,869.20
Brushed Platinum		**-06**	2,869.20
Durabrass (23kt Gold)		**-09**	4,304.20
Brushed Durabrass (23kt Gold)		**-28**	4,304.20
Brushed Dark Brass (PVD)		**-39**	2,869.50
Brushed Bronze (PVD)		**-42**	2,869.50
Brushed Dark Bronze (PVD)		**-43**	3,228.10
Brushed Dark Platinum		**-99**	3,228.30

27 502 360

Bath shower set for bath rim or tile edge installation
- spout: circular, air-enriched flow
- max. spout flow rate 23 l/min
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **225mm projection**
- automatic bath/shower diverter
- height of mixer 185 mm
- height up to aerator 140 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 55mm
- rosette for deck valve Ø 55mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 502 360** FF	FF	Euro
Chrome		**-00**	3,468.30
Platinum		**-08**	5,549.00
Brushed Platinum		**-06**	5,549.00
Durabrass (23kt Gold)		**-09**	8,323.90
Brushed Durabrass (23kt Gold)		**-28**	8,323.90
Brushed Dark Brass (PVD)		**-39**	5,549.10
Brushed Bronze (PVD)		**-42**	5,549.10
Brushed Dark Bronze (PVD)		**-43**	6,242.90
Brushed Dark Platinum		**-99**	6,242.90

Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
	Concealed rough parts	**90**	1,883.80

For details and miscellaneous, see page 734

Recommended miscellaneous

Decorative caps for Perfecto

	12 801 970 FF	FF	Euro
• 1 pair	Chrome	**-00**	58.30
	Platinum	**-08**	93.50
	Brushed Platinum	**-06**	93.50
	Durabrass (23kt Gold)	**-09**	139.90
	Brushed Durabrass (23kt Gold)	**-28**	139.90
	Brushed Dark Brass (PVD)	**-39**	93.20
	Brushed Bronze (PVD)	**-42**	93.20
	Brushed Dark Bronze (PVD)	**-43**	104.90
	Brushed Dark Platinum	**-99**	104.80

36 243 970

Pop-up waste and overflow
- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 243 970** FF	FF	Euro
Chrome		**-00**	232.10
Platinum		**-08**	371.60
Brushed Platinum		**-06**	371.60
Durabrass (23kt Gold)		**-09**	557.00
Brushed Durabrass (23kt Gold)		**-28**	557.00
Brushed Dark Brass (PVD)		**-39**	371.40
Brushed Bronze (PVD)		**-42**	371.30
Brushed Dark Bronze (PVD)		**-43**	417.80
Brushed Dark Platinum		**-99**	417.70

Required miscellaneous

Pop-up waste and overflow

	35 227 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	188.20

36 247 970

Bath spout with pop-up waste and overflow
- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 247 970** FF	FF	Euro
Chrome		**-00**	351.10
Platinum		**-08**	561.90
Brushed Platinum		**-06**	561.90
Durabrass (23kt Gold)		**-09**	842.60
Brushed Durabrass (23kt Gold)		**-28**	842.60
Brushed Dark Brass (PVD)		**-39**	561.90
Brushed Bronze (PVD)		**-42**	561.90
Brushed Dark Bronze (PVD)		**-43**	632.00
Brushed Dark Platinum		**-99**	631.90

Required miscellaneous

Vacuum breaker

	36 150 970 FF	FF	Euro
	Chrome	**-00**	96.30
	Platinum	**-08**	154.00
	Brushed Platinum	**-06**	154.00
	Durabrass (23kt Gold)	**-09**	231.10
	Brushed Durabrass (23kt Gold)	**-28**	231.10
	Brushed Dark Brass (PVD)	**-39**	154.00
	Brushed Bronze (PVD)	**-42**	154.10
	Brushed Dark Bronze (PVD)	**-43**	173.10
	Brushed Dark Platinum	**-99**	173.10

Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	518.30

MADISON

83 030 361

Bath grip
- gauge 300 mm
- width 360mm
- height 60 mm
- rosette Ø 60 mm
- 90mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 030 361** FF	FF	Euro
Chrome		**-00**	361.40
Platinum		**-08**	578.40
Brushed Platinum		**-06**	578.40
Durabrass (23kt Gold)		**-09**	867.40
Brushed Durabrass (23kt Gold)		**-28**	867.40
Brushed Dark Brass (PVD)		**-39**	578.20
Brushed Bronze (PVD)		**-42**	578.20
Brushed Dark Bronze (PVD)		**-43**	650.50
Brushed Dark Platinum		**-99**	650.60

Recommended miscellaneous

Mounting for towel bar/tumbler mounting on two sides

	12 358 970 FF	FF	Euro
• for towel bar mounting plus towel bar mounting on back.	Accesories	**90**	79.10

83 045 361

Towel bar
- gauge 450 mm
- width 510mm
- height 60 mm
- rosette Ø 60 mm
- 90mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 045 361** FF	FF	Euro
Chrome		**-00**	392.70
Platinum		**-08**	628.00
Brushed Platinum		**-06**	628.00
Durabrass (23kt Gold)		**-09**	942.50
Brushed Durabrass (23kt Gold)		**-28**	942.50
Brushed Dark Brass (PVD)		**-39**	628.30
Brushed Bronze (PVD)		**-42**	628.30
Brushed Dark Bronze (PVD)		**-43**	706.90
Brushed Dark Platinum		**-99**	706.50

Recommended miscellaneous

Mounting for towel bar/tumbler mounting on two sides

	12 358 970 FF	FF	Euro
• for towel bar mounting plus towel bar mounting on back.	Accesories	**90**	79.10

83 060 361

Towel bar
- gauge 600 mm
- width 660mm
- height 60 mm
- rosette Ø 60 mm
- 90mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 060 361** FF	FF	Euro
Chrome		**-00**	406.60
Platinum		**-08**	650.50
Brushed Platinum		**-06**	650.50
Durabrass (23kt Gold)		**-09**	975.80
Brushed Durabrass (23kt Gold)		**-28**	975.80
Brushed Dark Brass (PVD)		**-39**	650.40
Brushed Bronze (PVD)		**-42**	650.40
Brushed Dark Bronze (PVD)		**-43**	731.90
Brushed Dark Platinum		**-99**	731.60

Recommended miscellaneous

Mounting for towel bar/tumbler mounting on two sides

	12 358 970 FF	FF	Euro
• for towel bar mounting plus towel bar mounting on back.	Accesories	**90**	79.10

83 210 361

Towel bar in two parts swivel
- width 85mm
- height 70 mm
- rosette Ø 60 mm
- 485mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 210 361** FF	FF	Euro
Chrome		**-00**	397.30
Platinum		**-08**	635.90
Brushed Platinum		**-06**	635.90
Durabrass (23kt Gold)		**-09**	953.50
Brushed Durabrass (23kt Gold)		**-28**	953.50
Brushed Dark Brass (PVD)		**-39**	635.70
Brushed Bronze (PVD)		**-42**	635.70
Brushed Dark Bronze (PVD)		**-43**	715.10
Brushed Dark Platinum		**-99**	715.50

83 200 361

Towel ring round
- width 185mm
- rosette Ø 60 mm
- 97mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 200 361** FF	FF	Euro
Chrome		**-00**	248.20
Platinum		**-08**	397.00
Brushed Platinum		**-06**	397.00
Durabrass (23kt Gold)		**-09**	595.70
Brushed Durabrass (23kt Gold)		**-28**	595.70
Brushed Dark Brass (PVD)		**-39**	397.10
Brushed Bronze (PVD)		**-42**	397.10
Brushed Dark Bronze (PVD)		**-43**	446.80
Brushed Dark Platinum		**-99**	446.70

83 250 970

Hooks
- 1 pair
- 35mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 250 970** FF	FF	Euro
Chrome		**-00**	39.80
Platinum		**-08**	63.80
Brushed Platinum		**-06**	63.80
Durabrass (23kt Gold)		**-09**	95.50
Brushed Durabrass (23kt Gold)		**-28**	95.50
Brushed Dark Brass (PVD)		**-39**	63.70
Brushed Bronze (PVD)		**-42**	63.70
Brushed Dark Bronze (PVD)		**-43**	71.60
Brushed Dark Platinum		**-99**	71.60

83 251 970

Hooks
- 55mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 251 970** FF	FF	Euro
Chrome		**-00**	38.40
Platinum		**-08**	61.50
Brushed Platinum		**-06**	61.50
Durabrass (23kt Gold)		**-09**	92.20
Brushed Durabrass (23kt Gold)		**-28**	92.20
Brushed Dark Brass (PVD)		**-39**	61.40
Brushed Bronze (PVD)		**-42**	61.40
Brushed Dark Bronze (PVD)		**-43**	69.10
Brushed Dark Platinum		**-99**	69.20

83 252 970

Hooks
- 75mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 252 970** FF	FF	Euro
Chrome		**-00**	50.50
Platinum		**-08**	80.40
Brushed Platinum		**-06**	80.40
Durabrass (23kt Gold)		**-09**	121.20
Brushed Durabrass (23kt Gold)		**-28**	121.20
Brushed Dark Brass (PVD)		**-39**	80.70
Brushed Bronze (PVD)		**-42**	80.70
Brushed Dark Bronze (PVD)		**-43**	90.90
Brushed Dark Platinum		**-99**	90.80

83 401 979

Tumbler holder wall model
- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 401 979** FF	FF	Euro
Chrome		**-00**	292.80
Platinum		**-08**	468.60
Brushed Platinum		**-06**	468.60
Durabrass (23kt Gold)		**-09**	702.70
Brushed Durabrass (23kt Gold)		**-28**	702.70
Brushed Dark Brass (PVD)		**-39**	468.60
Brushed Bronze (PVD)		**-42**	468.60
Brushed Dark Bronze (PVD)		**-43**	527.00
Brushed Dark Platinum		**-99**	527.10

Recommended miscellaneous

Crystal tumbler

	08 90 00 008 FF	FF	Euro
	Glass	**82**	109.00

MADISON

83 410 979

Soap dish wall model
- width 120mm
- height 20 mm
- 145mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 410 979** FF	FF	Euro
Chrome		**-00**	303.80
Platinum		**-08**	486.00
Brushed Platinum		**-06**	486.00
Durabrass (23kt Gold)		**-09**	729.10
Brushed Durabrass (23kt Gold)		**-28**	729.10
Brushed Dark Brass (PVD)		**-39**	486.00
Brushed Bronze (PVD)		**-42**	486.00
Brushed Dark Bronze (PVD)		**-43**	546.80
Brushed Dark Platinum		**-99**	546.90

83 435 970

Dispenser wall model
- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 435 970** FF	FF	Euro
Chrome		**-00**	480.50
Platinum		**-08**	768.70
Brushed Platinum		**-06**	768.70
Brushed Durabrass (23kt Gold)		**-28**	1,153.20
Brushed Dark Brass (PVD)		**-39**	768.80
Brushed Bronze (PVD)		**-42**	768.80
Brushed Dark Bronze (PVD)		**-43**	864.90
Brushed Dark Platinum		**-99**	865.00

83 290 970



Shower basket for wall mounting
- width 200mm
- height 70 mm
- 115mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 290 970** FF	FF	Euro
Chrome		**-00**	232.70
Platinum		**-08**	372.30
Brushed Platinum		**-06**	372.30
Durabrass (23kt Gold)		**-09**	558.50
Brushed Durabrass (23kt Gold)		**-28**	558.50
Brushed Dark Brass (PVD)		**-39**	372.20
Brushed Bronze (PVD)		**-42**	372.10
Brushed Dark Bronze (PVD)		**-43**	418.90
Brushed Dark Platinum		**-99**	418.80

83 500 361

Tissue holder without cover
- width 145mm
- height 120 mm
- 95mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 500 361** FF	FF	Euro
Chrome		**-00**	249.30
Platinum		**-08**	399.10
Brushed Platinum		**-06**	399.10
Durabrass (23kt Gold)		**-09**	598.30
Brushed Durabrass (23kt Gold)		**-28**	598.30
Brushed Dark Brass (PVD)		**-39**	398.90
Brushed Bronze (PVD)		**-42**	398.90
Brushed Dark Bronze (PVD)		**-43**	448.70
Brushed Dark Platinum		**-99**	449.20

83 510 361

Tissue holder with cover
- width 145mm
- height 90 mm
- 150mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 510 361** FF	FF	Euro
Chrome		**-00**	311.70
Platinum		**-08**	498.90
Brushed Platinum		**-06**	498.90
Durabrass (23kt Gold)		**-09**	748.10
Brushed Durabrass (23kt Gold)		**-28**	748.10
Brushed Dark Brass (PVD)		**-39**	498.90
Brushed Bronze (PVD)		**-42**	498.90
Brushed Dark Bronze (PVD)		**-43**	561.10
Brushed Dark Platinum		**-99**	561.50

83 590 361

Reserve tissue holder
- height 170 mm
- rosette Ø 60 mm
- 93mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 590 361** FF	FF	Euro
Chrome		**-00**	248.20
Platinum		**-08**	397.00
Brushed Platinum		**-06**	397.00
Durabrass (23kt Gold)		**-09**	595.70
Brushed Durabrass (23kt Gold)		**-28**	595.70
Brushed Dark Brass (PVD)		**-39**	397.10
Brushed Bronze (PVD)		**-42**	397.10
Brushed Dark Bronze (PVD)		**-43**	446.80
Brushed Dark Platinum		**-99**	446.70

83 900 361

Toilet brush set wall model
- crystal glass brush holder, matte
- brush head, white
- width 110mm
- height 400 mm
- 147mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 900 361** FF	FF	Euro
Chrome		**-00**	594.30
Platinum		**-08**	950.50
Brushed Platinum		**-06**	950.50
Durabrass (23kt Gold)		**-09**	1,426.30
Brushed Durabrass (23kt Gold)		**-28**	1,426.30
Brushed Dark Brass (PVD)		**-39**	950.90
Brushed Bronze (PVD)		**-42**	950.90
Brushed Dark Bronze (PVD)		**-43**	1,069.70
Brushed Dark Platinum		**-99**	1,069.60

83 910 979

Toilet brush set wall model
- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 910 979** FF	FF	Euro
Chrome		**-00**	545.20
Platinum		**-08**	872.40
Brushed Platinum		**-06**	872.40
Brushed Durabrass (23kt Gold)		**-28**	1,308.50
Brushed Dark Brass (PVD)		**-39**	872.30
Brushed Bronze (PVD)		**-42**	872.20
Brushed Dark Bronze (PVD)		**-43**	981.40
Brushed Dark Platinum		**-99**	981.30

12 660 979

Cover plate for the concealed WC cistern made by TeCe
- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:
- TECEprofil dry wall construction, article numbers:
- 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers:
- 9370300, 9375300, 9371300

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 660 979** FF	FF	Euro
Chrome		**-00**	894.90
Platinum		**-08**	1,432.20
Brushed Platinum		**-06**	1,432.20
Brushed Durabrass (23kt Gold)		**-28**	2,147.80
Brushed Dark Brass (PVD)		**-39**	1,431.90
Brushed Bronze (PVD)		**-42**	1,432.00
Brushed Dark Bronze (PVD)		**-43**	1,610.80
Brushed Dark Platinum		**-99**	1,611.00

12 665 979

Flush plate for concealed WC cisterns made by Geberit round
- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Not compatible with GEBERIT Duo Fresh module

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 665 979** FF	FF	Euro
Chrome		**-00**	509.60
Platinum		**-08**	815.30
Brushed Platinum		**-06**	815.30
Durabrass (23kt Gold)		**-09**	1,223.00
Brushed Durabrass (23kt Gold)		**-28**	1,223.00
Brushed Dark Brass (PVD)		**-39**	815.30
Brushed Bronze (PVD)		**-42**	815.30
Brushed Dark Bronze (PVD)		**-43**	917.30
Brushed Dark Platinum		**-99**	917.30

83 150 979

Lighted mirror round
- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 979** FF	FF	Euro
Matte White		**-10**	1,855.40
Matte Black		**-33**	1,855.40

83 151 979

Lighted mirror round
- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 979** FF	FF	Euro
Matte White		**-10**	2,168.30
Matte Black		**-33**	2,168.30

83 150 980

Lighted mirror angular
- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 980** FF	FF	Euro
Matte White		**-10**	1,734.60
Matte Black		**-33**	1,734.60

83 151 980

Lighted mirror angular
- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 980** FF	FF	Euro
Matte White		**-10**	2,048.60
Matte Black		**-33**	2,048.60

36 390 979

Electronic control elements for towel warmer
- rosette Ø 80 mm
- Control element for towel warmer: 833XX979-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	**36 390 979** FF	FF	Euro
Chrome		**-00**	525.00
Brushed Dark Platinum		**-99**	945.00

83 304 979

Towel warmer, 4-fold, projection left, without control element
- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 304 979** FF	FF	Euro
Chrome		**-00**	1,848.00
Brushed Dark Platinum		**-99**	3,326.40

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	772.50

For details and miscellaneous, see page 739

83 306 979

Towel warmer, 6-fold, projection left, without control element
- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

This appliance is a stationary electric space heater and, in order to comply with the mandatory ecodesign requirements of Commission Regulation (EU) 2024/1103, must be equipped with at least one control with control function TW(f2).

Standard article	**83 306 979** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Dark Platinum		**-99**	4,989.60

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

35 313 970 FF | FF | Euro

- min. recess depth 70 mm
- max. recess depth 100 mm

Concealed rough parts | **90** | 1,030.00

For details and miscellaneous, see page 739

83 314 979

Towel warmer, 4-fold, projection right, without control element
- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 314 979** FF	FF	Euro
Chrome		**-00**	1,848.00
Brushed Dark Platinum		**-99**	3,326.40

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

35 311 970 FF | FF | Euro

- min. recess depth 70 mm
- max. recess depth 100 mm

Concealed rough parts | **90** | 772.50

For details and miscellaneous, see page 739

83 316 979

Towel warmer, 6-fold, projection right, without control element
- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 316 979** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Dark Platinum		**-99**	4,989.60

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

35 313 970 FF | FF | Euro

- min. recess depth 70 mm
- max. recess depth 100 mm

Concealed rough parts | **90** | 1,030.00

For details and miscellaneous, see page 739

83 304 979 +
36 390 979

Towel warmer, 4-fold, projection left, with control element
- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 304 979** FF		1x **36 390 979** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,848.00	**-00**	525.00	**2,373.00**
Brushed Dark Platinum	**-99**	3,326.40	**-99**	945.00	**4,271.40**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

35 312 970 FF | FF | Euro

- min. recess depth 70 mm
- max. recess depth 100 mm

Concealed rough parts | **90** | 875.50

For details and miscellaneous, see page 739

83 306 979 +
36 390 979

Towel warmer, 6-fold, projection left, with control element
- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 306 979** FF		1x **36 390 979** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,133.00

For details and miscellaneous, see page 739

83 314 979 +
36 390 979

Towel warmer, 4-fold, projection right, with control element
- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 314 979** FF		1x **36 390 979** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,848.00	**-00**	525.00	**2,373.00**
Brushed Dark Platinum	**-99**	3,326.40	**-99**	945.00	**4,271.40**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

	35 312 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	875.50

For details and miscellaneous, see page 739

83 316 979 +
36 390 979

Towel warmer, 6-fold, projection right, with control element
- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 316 979** FF		1x **36 390 979** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,133.00

For details and miscellaneous, see page 739

MEM

Sieger Design

Basin
from page 341

Bidet
from page 306

Shower
from page 349

Thermostats, mixers, diverters and valves
from page 326

Bath
from page 336

Accessories
from page 383

Basin fittings

Single-lever basin mixers

113mm projection

33 502 782
33 522 782*

Three-hole basin mixers

165mm projection

20 705 782

165mm projection

20 713 782

200mm projection

20 715 782

Wall-mounted single-lever basin mixers

207mm projection

36 861 782
36 864 782*

247mm projection

36 862 782

Wall-mounted basin mixers

170mm projection

36 707 782

200mm projection

36 712 782

240mm projection

36 717 782

Wall-mounted basin spouts

200mm projection

13 800 782

Touchfree

165mm projection

44 521 782

200mm projection

13 716 782 +
42 765 970

Touchfree

200mm projection

13 800 782 +
42 765 970

Showers

Shower sets

26 412 980 +
28 012 979

26 412 979 +
28 018 979

Shower pipes with shower thermostat

34 463 980 +
28 018 979
34 468 980*

34 464 980 +
28 018 979
34 469 980*

Head showers with one spray type

28 504 670

Head showers with multiple jet types

28 508 980

Rain showers with wall connection

28 762 980
28 760 980*

28 763 980
28 761 980*

Rain showers with ceiling connection

28 772 980
28 770 980*

28 773 980
28 771 980*

Rain showers for ceiling connection

28 041 980

28 042 980

Rain showers for ceiling installation

28 043 980

28 044 980

Hand shower sets with integrated shower holder

27 812 970

Hand shower sets

27 809 985

27 811 980

Hand shower sets with cover plate

27 818 980

Side showers

28 518 782

Massage modules

WATER POINTS

36 515 979

WATER BAR

36 517 979

WATER CURVE

36 514 979

WATER FAN

36 513 979
36 512 979*

Waterfalls

WATER SHEET

13 415 979

Waterfalls

WATER FALL

13 420 979

WATER FALL

13 425 979

Kneipp modules

27 838 979

WATER TUBE

27 821 979 +
28 285 979

Bath fittings

Single-lever mixers

36 120 670

29 300 670

Free-standing bath fittings

267mm projection

25 863 782

Bath spouts

280mm projection

13 672 780

235mm projection

13 630 740

220mm projection

13 801 782

Bath spouts

200mm projection

13 430 740

Three-hole single-lever bath mixers

220mm projection

27 412 782

Bath shower sets

220mm projection

27 532 782

Hand shower sets

230mm projection

27 702 980

Diverters

29 140 670

Miscellaneous

26mm projection

36 243 970

integrated bath filling

26mm projection

36 247 970

33 502 782

Single-lever basin mixer with pop-up waste
- **113mm projection**
- 1 1/4“ pop-up waste
- fixed spout
- rectangular, air-enriched flow
- height of mixer 284 mm
- height up to aerator 216 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x US pressure hose, 3/8“
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 502 782** FF	FF	Euro
Chrome		**-00**	1,225.00
Platinum		**-08**	1,959.90
Brushed Platinum		**-06**	1,959.90
Champagne (22kt Gold)		**-47**	2,940.00
Brushed Champagne (22kt Gold)		**-46**	2,940.00
Brushed Durabrass (23kt Gold)		**-28**	2,940.00
Brushed Dark Brass (PVD)		**-39**	1,960.00
Brushed Bronze (PVD)		**-42**	1,960.00
Brushed Dark Bronze (PVD)		**-43**	2,205.00
Dark Chrome		**-19**	1,837.50
Brushed Dark Platinum		**-99**	2,205.10

Product alternative
- **without pop-up waste**

Standard article	**33 522 782** FF	FF	Euro
Chrome		**-00**	1,164.70
Platinum		**-08**	1,863.50
Brushed Platinum		**-06**	1,863.50
Champagne (22kt Gold)		**-47**	2,795.30
Brushed Champagne (22kt Gold)		**-46**	2,795.30
Brushed Durabrass (23kt Gold)		**-28**	2,795.30
Brushed Dark Brass (PVD)		**-39**	1,863.40
Brushed Bronze (PVD)		**-42**	1,863.40
Brushed Dark Bronze (PVD)		**-43**	2,096.50
Dark Chrome		**-19**	1,747.10
Brushed Dark Platinum		**-99**	2,096.50

20 705 782

Three-hole basin mixer with pop-up waste
- **165mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 144 mm
- height up to aerator 78 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 705 782** FF	FF	Euro
Chrome		**-00**	1,717.30
Platinum		**-08**	2,747.60
Brushed Platinum		**-06**	2,747.60
Champagne (22kt Gold)		**-47**	4,121.50
Brushed Champagne (22kt Gold)		**-46**	4,121.50
Brushed Durabrass (23kt Gold)		**-28**	4,121.50
Brushed Dark Brass (PVD)		**-39**	2,747.60
Brushed Bronze (PVD)		**-42**	2,747.60
Brushed Dark Bronze (PVD)		**-43**	3,091.10
Dark Chrome		**-19**	2,576.10
Brushed Dark Platinum		**-99**	3,091.10

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

20 713 782

Three-hole basin mixer with pop-up waste
- **165mm projection**
- 1 1/4“ pop-up waste
- fixed spout
- rectangular, air-enriched flow
- height of mixer 277 mm
- height up to aerator 170 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 8.3 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 713 782** FF	FF	Euro
Chrome		**-00**	1,717.30
Platinum		**-08**	2,748.00
Brushed Platinum		**-06**	2,748.00
Champagne (22kt Gold)		**-47**	4,121.50
Brushed Champagne (22kt Gold)		**-46**	4,121.50
Brushed Durabrass (23kt Gold)		**-28**	4,121.50
Brushed Dark Brass (PVD)		**-39**	2,747.60
Brushed Bronze (PVD)		**-42**	2,747.60
Brushed Dark Bronze (PVD)		**-43**	3,091.10
Dark Chrome		**-19**	2,576.10
Brushed Dark Platinum		**-99**	3,091.20

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

20 715 782

Three-hole basin mixer with pop-up waste
- **200mm projection**
- fixed spout
- 1 1/4“ pop-up waste
- rectangular, air-enriched flow
- height of mixer 320 mm
- height up to aerator 195 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 8.3 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 715 782** FF	FF	Euro
Chrome		**-00**	1,798.90
Platinum		**-08**	2,878.30
Brushed Platinum		**-06**	2,878.30
Champagne (22kt Gold)		**-47**	4,317.40
Brushed Champagne (22kt Gold)		**-46**	4,317.40
Brushed Durabrass (23kt Gold)		**-28**	4,317.40
Brushed Dark Brass (PVD)		**-39**	2,878.20
Brushed Bronze (PVD)		**-42**	2,878.20
Brushed Dark Bronze (PVD)		**-43**	3,238.00
Dark Chrome		**-19**	2,698.40
Brushed Dark Platinum		**-99**	3,238.10

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

36 861 782

Wall-mounted single-lever basin mixer without pop-up waste
- **207mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 861 782** FF	FF	Euro
Chrome		**-00**	1,147.10
Platinum		**-08**	1,835.80
Brushed Platinum		**-06**	1,835.80
Champagne (22kt Gold)		**-47**	2,753.00
Brushed Champagne (22kt Gold)		**-46**	2,753.00
Brushed Durabrass (23kt Gold)		**-28**	2,753.00
Brushed Dark Brass (PVD)		**-39**	1,835.40
Brushed Bronze (PVD)		**-42**	1,835.40
Brushed Dark Bronze (PVD)		**-43**	2,064.80
Dark Chrome		**-19**	1,720.80
Brushed Dark Platinum		**-99**	2,065.00

Product alternative
- cover plate 80 x 180 mm

Standard article	**36 864 782** FF	FF	Euro
Chrome		**-00**	1,299.00
Platinum		**-08**	2,078.00
Brushed Platinum		**-06**	2,078.00
Champagne (22kt Gold)		**-47**	3,117.60
Brushed Champagne (22kt Gold)		**-46**	3,117.60
Brushed Durabrass (23kt Gold)		**-28**	3,117.60
Brushed Dark Brass (PVD)		**-39**	2,078.50
Brushed Bronze (PVD)		**-42**	2,078.50
Brushed Dark Bronze (PVD)		**-43**	2,338.20
Dark Chrome		**-19**	1,948.40
Brushed Dark Platinum		**-99**	2,338.20

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 862 782

Wall-mounted single-lever basin mixer without pop-up waste
- **247mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 862 782** FF	FF	Euro
Chrome		**-00**	1,194.90
Platinum		**-08**	1,912.70
Brushed Platinum		**-06**	1,912.70
Champagne (22kt Gold)		**-47**	2,867.80
Brushed Champagne (22kt Gold)		**-46**	2,867.80
Brushed Durabrass (23kt Gold)		**-28**	2,867.80
Brushed Dark Brass (PVD)		**-39**	1,911.80
Brushed Bronze (PVD)		**-42**	1,911.80
Brushed Dark Bronze (PVD)		**-43**	2,150.80
Dark Chrome		**-19**	1,792.50
Brushed Dark Platinum		**-99**	2,150.80

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 707 782

Wall-mounted basin mixer without pop-up waste
- **170mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- individual rosettes 60 x 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 707 782** FF	FF	Euro
Chrome		**-00**	1,318.50
Platinum		**-08**	2,109.80
Brushed Platinum		**-06**	2,109.80
Champagne (22kt Gold)		**-47**	3,164.40
Brushed Champagne (22kt Gold)		**-46**	3,164.40
Brushed Durabrass (23kt Gold)		**-28**	3,164.40
Brushed Dark Brass (PVD)		**-39**	2,109.60
Brushed Bronze (PVD)		**-42**	2,109.60
Brushed Dark Bronze (PVD)		**-43**	2,373.30
Dark Chrome		**-19**	1,977.90
Brushed Dark Platinum		**-99**	2,373.40

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 110 mm • max. recess depth 150 mm	Concealed rough parts	**90**	203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 110 mm • max. recess depth 150 mm	Concealed rough parts	**90**	161.90

For details and miscellaneous, see page 728

36 712 782

Wall-mounted basin mixer without pop-up waste
- **200mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- individual rosettes 60 x 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 712 782** FF	FF	Euro
Chrome		**-00**	1,378.30
Platinum		**-08**	2,205.20
Brushed Platinum		**-06**	2,205.20
Champagne (22kt Gold)		**-47**	3,307.90
Brushed Champagne (22kt Gold)		**-46**	3,307.90
Brushed Durabrass (23kt Gold)		**-28**	3,307.90
Brushed Dark Brass (PVD)		**-39**	2,205.40
Brushed Bronze (PVD)		**-42**	2,205.40
Brushed Dark Bronze (PVD)		**-43**	2,480.90
Dark Chrome		**-19**	2,067.60
Brushed Dark Platinum		**-99**	2,480.80

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 110 mm • max. recess depth 150 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	203.00

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 110 mm • max. recess depth 150 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	161.90

36 717 782

Wall-mounted basin mixer without pop-up waste
- **240mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- individual rosette 60 x 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 717 782** FF	FF	Euro
Chrome		**-00**	1,436.20
Platinum		**-08**	2,297.60
Brushed Platinum		**-06**	2,297.60
Champagne (22kt Gold)		**-47**	3,446.90
Brushed Champagne (22kt Gold)		**-46**	3,446.90
Brushed Durabrass (23kt Gold)		**-28**	3,446.90
Brushed Dark Brass (PVD)		**-39**	2,297.90
Brushed Bronze (PVD)		**-42**	2,297.90
Brushed Dark Bronze (PVD)		**-43**	2,585.20
Dark Chrome		**-19**	2,154.60
Brushed Dark Platinum		**-99**	2,585.50

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 110 mm • max. recess depth 150 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	203.00

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 110 mm • max. recess depth 150 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	161.90

13 800 782

Wall-mounted basin spout without pop-up waste
- **200mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- rosette 60 x 60 mm
- 1/2“ connection
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 800 782** FF	FF	Euro
Chrome		**-00**	803.60
Platinum		**-08**	1,285.10
Brushed Platinum		**-06**	1,285.10
Champagne (22kt Gold)		**-47**	1,928.60
Brushed Champagne (22kt Gold)		**-46**	1,928.60
Brushed Durabrass (23kt Gold)		**-28**	1,928.60
Brushed Dark Brass (PVD)		**-39**	1,285.70
Brushed Bronze (PVD)		**-42**	1,285.70
Brushed Dark Bronze (PVD)		**-43**	1,446.50
Dark Chrome		**-19**	1,205.30
Brushed Dark Platinum		**-99**	1,446.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

44 521 782

Touchfree Washstand fitting with electronic opening and closing function without pop-up waste
- **165mm projection**
- Infrared sensor technology
- height of mixer 313 mm
- height up to aerator 206 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- rectangular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**44 521 782** FF	FF	Euro
Chrome		**-00**	964.10
Platinum		**-08**	1,542.70
Brushed Platinum		**-06**	1,542.70
Champagne (22kt Gold)		**-47**	2,313.80
Brushed Champagne (22kt Gold)		**-46**	2,313.80
Brushed Durabrass (23kt Gold)		**-28**	2,313.80
Brushed Dark Brass (PVD)		**-39**	1,542.70
Brushed Bronze (PVD)		**-42**	1,542.70
Brushed Dark Bronze (PVD)		**-43**	1,735.40
Dark Chrome		**-19**	1,446.30
Brushed Dark Platinum		**-99**	1,735.40
Matte Black		**-33**	1,301.70

13 716 782 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **200mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 321 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2“ connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 716 782** FF max. flow 5.7 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,083.20	**90**	721.90	**1,805.10**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

35 740 970 FF	FF	Euro
Concealed rough parts	**90**	329.40

For details and miscellaneous, see page 734

13 800 782 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **200mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- rosette for spout 60 x 60mm
- 1/2“ connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 800 782** FF max. flow 5.7 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	803.60	**90**	721.90	**1,525.50**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

35 741 970 FF	FF	Euro
Concealed rough parts	**90**	329.40

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 733

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

Miscellaneous

22 901 782

Angle valve
- rosette 60 x 60 mm
- hose covering 200mm, for shortening
- 1/2“ connection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 901 782** FF	FF	Euro
Chrome		**-00**	225.90
Platinum		**-08**	361.40
Brushed Platinum		**-06**	361.40
Champagne (22kt Gold)		**-47**	542.20
Brushed Champagne (22kt Gold)		**-46**	542.20
Brushed Durabrass (23kt Gold)		**-28**	542.20
Brushed Dark Brass (PVD)		**-39**	361.30
Brushed Bronze (PVD)		**-42**	361.30
Brushed Dark Bronze (PVD)		**-43**	406.60
Dark Chrome		**-19**	338.80
Brushed Dark Platinum		**-99**	406.70
Matte Black		**-33**	305.10

10 060 780

Siphon for basin 1 1/4“
- rosette 78 x 78 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 060 780** FF	FF	Euro
Chrome		**-00**	406.80
Platinum		**-08**	650.90
Brushed Platinum		**-06**	650.90
Champagne (22kt Gold)		**-47**	976.30
Brushed Champagne (22kt Gold)		**-46**	976.30
Brushed Durabrass (23kt Gold)		**-28**	976.30
Brushed Dark Brass (PVD)		**-39**	650.90
Brushed Bronze (PVD)		**-42**	650.80
Brushed Dark Bronze (PVD)		**-43**	732.20
Dark Chrome		**-19**	610.20
Brushed Dark Platinum		**-99**	732.20
Matte Black		**-33**	549.40

33 600 782

Single-lever bidet mixer with pop-up waste
- **110mm projection**
- **european pop-up waste**
- ball-joint pivotable through 44°
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 140 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x European pressure hose for bidet fitting
- max. flow 6 l/min

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 600 782** FF	FF	Euro
Chrome		**-00**	1,613.00
Platinum		**-08**	2,580.90
Brushed Platinum		**-06**	2,580.90
Champagne (22kt Gold)		**-47**	3,871.20
Brushed Champagne (22kt Gold)		**-46**	3,871.20
Brushed Durabrass (23kt Gold)		**-28**	3,871.20
Brushed Dark Brass (PVD)		**-39**	2,580.90
Brushed Bronze (PVD)		**-42**	2,580.90
Brushed Dark Bronze (PVD)		**-43**	2,903.40
Dark Chrome		**-19**	2,419.70
Brushed Dark Platinum		**-99**	2,903.50

27 701 970

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 970** FF	FF	Euro
Chrome		**-00**	339.30
Platinum		**-08**	542.60
Brushed Platinum		**-06**	542.60
Champagne (22kt Gold)		**-47**	814.30
Brushed Champagne (22kt Gold)		**-46**	814.30
Durabrass (23kt Gold)		**-09**	814.30
Brushed Durabrass (23kt Gold)		**-28**	814.30
Brushed Dark Brass (PVD)		**-39**	542.90
Brushed Bronze (PVD)		**-42**	542.70
Brushed Dark Bronze (PVD)		**-43**	610.70
Dark Chrome		**-19**	508.80
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 701 670

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 670** FF	FF	Euro
Chrome		**-00**	339.30
Platinum		**-08**	542.60
Brushed Platinum		**-06**	542.60
Champagne (22kt Gold)		**-47**	814.30
Brushed Champagne (22kt Gold)		**-46**	814.30
Brushed Durabrass (23kt Gold)		**-28**	814.30
Brushed Dark Brass (PVD)		**-39**	542.90
Brushed Bronze (PVD)		**-42**	542.70
Brushed Dark Bronze (PVD)		**-43**	610.70
Dark Chrome		**-19**	508.80
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

26 412 980 + 28 012 979

NEW

Shower set
- spray head Ø 120mm
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 800 mm
- rosette 60 x 60 mm
- Pipe diameter 18 mm

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 980** FF FF	Euro	1x **28 012 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	737.00	**-00**	247.90	**984.90**
Platinum	**-08**	1,179.20	**-08**	396.60	**1,575.80**
Brushed Platinum	**-06**	1,179.20	**-06**	396.60	**1,575.80**
Champagne (22kt Gold)	**-47**	1,768.80	**-47**	595.00	**2,363.80**
Brushed Champagne (22kt Gold)	**-46**	1,768.80	**-46**	595.00	**2,363.80**
Brushed Durabrass (23kt Gold)	**-28**	1,768.80	**-28**	595.00	**2,363.80**
Brushed Dark Brass (PVD)	**-39**	1,179.20	**-39**	396.60	**1,575.80**
Brushed Bronze (PVD)	**-42**	1,179.20	**-42**	396.60	**1,575.80**
Brushed Dark Bronze (PVD)	**-43**	1,326.60	**-43**	446.20	**1,772.80**
Dark Chrome	**-19**	1,105.50	**-19**	371.80	**1,477.30**
Brushed Dark Platinum	**-99**	1,326.60	**-99**	446.30	**1,772.90**
Matte Black	**-33**	995.00	**-33**	334.60	**1,329.60**

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts **90**	128.90

For details and miscellaneous, see page 732

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

	28 450 980 FF FF	Euro
Chrome	**-00**	173.40
Platinum	**-08**	277.60
Brushed Platinum	**-06**	277.60
Champagne (22kt Gold)	**-47**	416.20
Brushed Champagne (22kt Gold)	**-46**	416.20
Brushed Durabrass (23kt Gold)	**-28**	416.20
Brushed Dark Brass (PVD)	**-39**	277.40
Brushed Bronze (PVD)	**-42**	277.40
Brushed Dark Bronze (PVD)	**-43**	312.10
Dark Chrome	**-19**	260.30
Brushed Dark Platinum	**-99**	312.30
Matte Black	**-33**	234.20

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	249.30
Platinum	**-08**	212.40	**-08**	305.70	**-08**	228.00	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	342.20	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	342.20	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	342.20	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	228.10	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	228.00	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	256.70	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	213.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	256.50	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	192.40	**-33**	277.60	**-33**	336.50

26 412 979 +
28 018 979

NEW

Shower set
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow.
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 853 mm
- Pipe diameter 18 mm

Notes:
- Fits CL.1, IMO, MEM, SERIES-VARIOUS, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 979** FF FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	441.30	**-00**	142.60	**583.90**
Platinum	**-08**	706.10	**-08**	228.00	**934.10**
Brushed Platinum	**-06**	706.10	**-06**	228.00	**934.10**
Champagne (22kt Gold)	**-47**	1,059.10	**-47**	342.20	**1,401.30**
Brushed Champagne (22kt Gold)	**-46**	1,059.10	**-46**	342.20	**1,401.30**
Brushed Durabrass (23kt Gold)	**-28**	1,059.10	**-28**	342.20	**1,401.30**
Brushed Dark Brass (PVD)	**-39**	706.10	**-39**	228.10	**934.20**
Brushed Bronze (PVD)	**-42**	706.10	**-42**	228.00	**934.10**
Brushed Dark Bronze (PVD)	**-43**	794.30	**-43**	256.70	**1,051.00**
Dark Chrome	**-19**	662.00	**-19**	213.80	**875.80**
Brushed Dark Platinum	**-99**	794.30	**-99**	256.50	**1,050.80**
Matte Black	**-33**	595.80	**-33**	192.40	**788.20**

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

28 450 980 FF	FF	Euro
Chrome	**-00**	173.40
Platinum	**-08**	277.60
Brushed Platinum	**-06**	277.60
Champagne (22kt Gold)	**-47**	416.20
Brushed Champagne (22kt Gold)	**-46**	416.20
Brushed Durabrass (23kt Gold)	**-28**	416.20
Dark Chrome	**-19**	260.30
Brushed Dark Platinum	**-99**	312.30
Matte Black	**-33**	234.20

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

34 463 980 + 28 018 979

NEW

Shower pipe with shower thermostat with hand shower set FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6.8 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow.
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 453mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1170mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, MEM, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 463 980** FF max. flow 6.8 l/min FF	Euro	1x **28 018 979** FF max. flow 6.8 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,233.20	**-000010**	142.60	**3,375.80**
Platinum	**-08**	5,173.00	**-080010**	228.00	**5,401.00**
Brushed Platinum	**-06**	5,173.00	**-060010**	228.00	**5,401.00**
Champagne (22kt Gold)	**-47**	7,759.70	**-470010**	342.20	**8,101.90**
Brushed Champagne (22kt Gold)	**-46**	7,759.70	**-460010**	342.20	**8,101.90**
Brushed Durabrass (23kt Gold)	**-28**	7,759.70	**-280010**	342.20	**8,101.90**
Brushed Dark Brass (PVD)	**-39**	5,173.00	**-390010**	228.10	**5,401.10**
Brushed Bronze (PVD)	**-42**	5,173.00	**-420010**	228.00	**5,401.00**
Brushed Dark Bronze (PVD)	**-43**	5,819.80	**-430010**	256.70	**6,076.50**
Dark Chrome	**-19**	4,849.70	**-190010**	213.80	**5,063.50**
Brushed Dark Platinum	**-99**	5,819.70	**-990010**	256.60	**6,076.30**
Matte Black	**-33**	4,364.70	**-330010**	192.40	**4,557.10**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 468 980** FF	FF	Euro
Chrome	**-00**	2,688.60
Brushed Durabrass (23kt Gold)	**-28**	6,452.60
Brushed Bronze (PVD)	**-42**	4,301.90
Dark Chrome	**-19**	4,032.90
Brushed Dark Platinum	**-99**	4,839.60
Matte Black	**-33**	3,629.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

34 464 980 + 28 018 979 **NEW**

Shower pipe with shower thermostat with hand shower set 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1146mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 464 980** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,233.20	**-00**	142.60	**3,375.80**
Platinum	**-08**	5,173.00	**-08**	228.00	**5,401.00**
Brushed Platinum	**-06**	5,173.00	**-06**	228.00	**5,401.00**
Champagne (22kt Gold)	**-47**	7,759.70	**-47**	342.20	**8,101.90**
Brushed Champagne (22kt Gold)	**-46**	7,759.70	**-46**	342.20	**8,101.90**
Brushed Durabrass (23kt Gold)	**-28**	7,759.70	**-28**	342.20	**8,101.90**
Brushed Dark Brass (PVD)	**-39**	5,173.00	**-39**	228.10	**5,401.10**
Brushed Bronze (PVD)	**-42**	5,173.00	**-42**	228.00	**5,401.00**
Brushed Dark Bronze (PVD)	**-43**	5,819.80	**-43**	256.70	**6,076.50**
Dark Chrome	**-19**	4,849.70	**-19**	213.80	**5,063.50**
Brushed Dark Platinum	**-99**	5,819.70	**-99**	256.50	**6,076.20**
Matte Black	**-33**	4,364.70	**-33**	192.40	**4,557.10**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 469 980** FF	FF	Euro
Chrome	**-00**	2,688.60
Brushed Bronze (PVD)	**-42**	4,301.90
Dark Chrome	**-19**	4,032.90
Brushed Dark Platinum	**-99**	4,839.60
Matte Black	**-33**	3,629.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

28 504 670

Shower head
- spray head Ø 100mm
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system

Technical data:
- 180-210mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 504 670** FF	FF	Euro
Chrome		**-00**	643.80
Platinum		**-08**	1,029.90
Brushed Platinum		**-06**	1,021.40
Champagne (22kt Gold)		**-47**	1,545.10
Brushed Champagne (22kt Gold)		**-46**	1,545.10
Brushed Durabrass (23kt Gold)		**-28**	1,545.10
Brushed Dark Brass (PVD)		**-39**	1,029.90
Brushed Bronze (PVD)		**-42**	1,029.90
Brushed Dark Bronze (PVD)		**-43**	1,158.80
Dark Chrome		**-19**	965.50
Brushed Dark Platinum		**-99**	1,158.60
Matte Black		**-33**	869.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 508 980

Shower head
- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:
- 200-mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 508 980** FF	FF	Euro
Chrome		**-00**	714.40
Platinum		**-08**	1,143.00
Brushed Platinum		**-06**	1,142.70
Champagne (22kt Gold)		**-47**	1,714.60
Brushed Champagne (22kt Gold)		**-46**	1,714.60
Brushed Durabrass (23kt Gold)		**-28**	1,714.60
Brushed Dark Brass (PVD)		**-39**	1,143.10
Brushed Bronze (PVD)		**-42**	1,143.10
Brushed Dark Bronze (PVD)		**-43**	1,285.90
Dark Chrome		**-19**	1,071.50
Brushed Dark Platinum		**-99**	1,286.10
Matte Black		**-33**	964.50

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 508 980** FF	FF	Euro
Chrome		**-000010**	714.40
Platinum		**-080010**	1,143.00
Brushed Platinum		**-060010**	1,142.70
Champagne (22kt Gold)		**-470010**	1,714.60
Brushed Champagne (22kt Gold)		**-460010**	1,714.60
Brushed Durabrass (23kt Gold)		**-280010**	1,714.60
Brushed Dark Brass (PVD)		**-390010**	1,143.10
Brushed Bronze (PVD)		**-420010**	1,143.10
Brushed Dark Bronze (PVD)		**-430010**	1,285.90
Dark Chrome		**-190010**	1,071.50
Brushed Dark Platinum		**-990010**	1,286.10
Matte Black		**-330010**	964.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 762 980 NEW

Rain shower with wall fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 762 980** FF	FF	Euro
Chrome		**-00**	1,605.00
Platinum		**-08**	2,568.10
Brushed Platinum		**-06**	2,568.10
Champagne (22kt Gold)		**-47**	3,852.00
Brushed Champagne (22kt Gold)		**-46**	3,852.00
Brushed Durabrass (23kt Gold)		**-28**	3,852.00
Brushed Dark Brass (PVD)		**-39**	2,568.10
Brushed Bronze (PVD)		**-42**	2,568.10
Brushed Dark Bronze (PVD)		**-43**	2,889.00
Dark Chrome		**-19**	2,407.50
Brushed Dark Platinum		**-99**	2,889.10
Matte Black		**-33**	2,166.80

Product alternative
- Material rain shower: plastic

Standard article	**28 760 980** FF	FF	Euro
Chrome		**-00**	946.90
Brushed Dark Brass (PVD)		**-39**	1,515.00
Brushed Bronze (PVD)		**-42**	1,515.00
Brushed Dark Bronze (PVD)		**-43**	1,704.40
Dark Chrome		**-19**	1,420.30
Brushed Dark Platinum		**-99**	1,704.40
Matte Black		**-33**	1,278.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 763 980 NEW

Rain shower with wall fixing 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 12 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 763 980** FF	FF	Euro
Chrome		**-00**	1,605.00
Platinum		**-08**	2,568.10
Brushed Platinum		**-06**	2,568.10
Champagne (22kt Gold)		**-47**	3,852.00
Brushed Champagne (22kt Gold)		**-46**	3,852.00
Brushed Durabrass (23kt Gold)		**-28**	3,852.00
Brushed Dark Brass (PVD)		**-39**	2,568.00
Brushed Bronze (PVD)		**-42**	2,568.10
Brushed Dark Bronze (PVD)		**-43**	2,889.00
Dark Chrome		**-19**	2,407.50
Brushed Dark Platinum		**-99**	2,889.10
Matte Black		**-33**	2,166.80

Product alternative
- Material rain shower: plastic

Standard article	**28 761 980** FF	FF	Euro
Chrome		**-00**	946.90
Brushed Dark Brass (PVD)		**-39**	1,515.00
Brushed Bronze (PVD)		**-42**	1,515.00
Brushed Dark Bronze (PVD)		**-43**	1,704.40
Dark Chrome		**-19**	1,420.30
Brushed Dark Platinum		**-99**	1,704.40
Matte Black		**-33**	1,278.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 772 980 NEW

Rain shower with ceiling fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 772 980** FF	FF	Euro
Chrome		**-00**	1,364.30
Platinum		**-08**	2,182.80
Brushed Platinum		**-06**	2,182.80
Champagne (22kt Gold)		**-47**	3,274.30
Brushed Champagne (22kt Gold)		**-46**	3,274.30
Brushed Durabrass (23kt Gold)		**-28**	3,274.30
Brushed Dark Brass (PVD)		**-39**	2,182.90
Brushed Bronze (PVD)		**-42**	2,182.80
Brushed Dark Bronze (PVD)		**-43**	2,455.70
Dark Chrome		**-19**	2,046.50
Brushed Dark Platinum		**-99**	2,455.60
Matte Black		**-33**	1,841.80

Product alternative
- Material rain shower: plastic

Standard article	**28 770 980** FF	FF	Euro
Chrome		**-00**	836.00
Brushed Platinum		**-06**	1,337.60
Brushed Dark Brass (PVD)		**-39**	1,337.60
Brushed Bronze (PVD)		**-42**	1,337.60
Brushed Dark Bronze (PVD)		**-43**	1,504.80
Dark Chrome		**-19**	1,254.00
Brushed Dark Platinum		**-99**	1,504.90
Matte Black		**-33**	1,128.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
	Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

28 773 980 NEW

Rain shower with ceiling fixing 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 12 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 773 980** FF	FF	Euro
Chrome		**-00**	1,364.30
Platinum		**-08**	2,182.80
Brushed Platinum		**-06**	2,182.80
Champagne (22kt Gold)		**-47**	3,274.30
Brushed Champagne (22kt Gold)		**-46**	3,274.30
Brushed Durabrass (23kt Gold)		**-28**	3,274.30
Brushed Dark Brass (PVD)		**-39**	2,182.80
Brushed Bronze (PVD)		**-42**	2,182.80
Brushed Dark Bronze (PVD)		**-43**	2,455.70
Dark Chrome		**-19**	2,046.50
Brushed Dark Platinum		**-99**	2,455.60
Matte Black		**-33**	1,841.80

Product alternative
- Material rain shower: plastic

Standard article	**28 771 980** FF	FF	Euro
Chrome		**-00**	836.00
Brushed Dark Brass (PVD)		**-39**	1,337.60
Brushed Bronze (PVD)		**-42**	1,337.60
Brushed Dark Bronze (PVD)		**-43**	1,504.80
Dark Chrome		**-19**	1,254.00
Brushed Dark Platinum		**-99**	1,504.90
Matte Black		**-33**	1,128.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
	Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

28 041 980

Rain shower for surface-mounted ceiling installation 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 041 980** FF	FF	Euro
Chrome		**-00**	858.90
Platinum		**-08**	1,374.20
Brushed Platinum		**-06**	1,374.20
Champagne (22kt Gold)		**-47**	2,061.40
Brushed Champagne (22kt Gold)		**-46**	2,061.40
Brushed Durabrass (23kt Gold)		**-28**	2,061.40
Brushed Dark Brass (PVD)		**-39**	1,374.20
Brushed Bronze (PVD)		**-42**	1,374.20
Brushed Dark Bronze (PVD)		**-43**	1,546.00
Dark Chrome		**-19**	1,288.40
Brushed Dark Platinum		**-99**	1,546.00
Matte Black		**-33**	1,159.50

Required miscellaneous

Concealed ceiling installation box with ceiling fixing

	35 041 970 FF	FF	Euro
• concealed rough parts	Concealed rough parts	**90**	572.60
• min. recess depth 90 mm			
• max. recess depth 115 mm			
• 2x female thread 1/2“ outlet			

For details and miscellaneous, see page 735

28 042 980

Rain shower for surface-mounted ceiling installation with light 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Electric:
- Ceiling module power supply
- 350mA (CC)
- Spot lighting
- LED colour temperature approx. 3000 K
- Technology: LED, not dimmable
- Contains energy efficiency class bulbs
- Bulbs protected against splashing water
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Provided by customer: Light switch
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 042 980** FF	FF	Euro
Chrome		**-00**	1,290.50
Platinum		**-08**	2,064.80
Brushed Platinum		**-06**	2,064.80
Champagne (22kt Gold)		**-47**	3,097.20
Brushed Champagne (22kt Gold)		**-46**	3,097.20
Brushed Durabrass (23kt Gold)		**-28**	3,097.20
Brushed Dark Brass (PVD)		**-39**	2,064.80
Brushed Bronze (PVD)		**-42**	2,064.80
Brushed Dark Bronze (PVD)		**-43**	2,322.90
Dark Chrome		**-19**	1,935.80
Brushed Dark Platinum		**-99**	2,322.90
Matte Black		**-33**	1,742.20

Required miscellaneous

Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
• concealed rough parts	Concealed rough parts	**90**	860.20
• min. recess depth 90 mm			
• max. recess depth 115 mm			
• 2x female thread 1/2“ connections			
• Input 100-240V AC 50-60Hz			
• Output 350 mA SELV / Class 2			
• Provided by customer: Light switch			

For details and miscellaneous, see page 736

28 043 980

Rain shower for recessed ceiling installation 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 043 980** FF	FF	Euro
Chrome		**-00**	1,647.10
Platinum		**-08**	2,635.40
Brushed Platinum		**-06**	2,635.40
Champagne (22kt Gold)		**-47**	3,953.00
Brushed Champagne (22kt Gold)		**-46**	3,953.00
Brushed Durabrass (23kt Gold)		**-28**	3,953.00
Brushed Dark Brass (PVD)		**-39**	2,635.40
Brushed Bronze (PVD)		**-42**	2,635.40
Brushed Dark Bronze (PVD)		**-43**	2,964.80
Dark Chrome		**-19**	2,470.70
Brushed Dark Platinum		**-99**	2,964.80
Matte Black		**-33**	2,223.60

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation

	35 043 970 FF	FF	Euro
	Concealed rough parts	**90**	1,098.10

- concealed rough parts
- recess depth 137mm
- 2x female thread 1/2“ outlet
- flush-mounted RAL 9003 signal white light reflection box 310 x 250 mm

For details and miscellaneous, see page 734

28 044 980

Rain shower for recessed ceiling installation with light 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Electric:
- Ceiling module power supply
- 12V DC (CV)
- Spot lighting
- Ambient lighting
- LED coloured light RGBW
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Activation:
- Provided by customer: Zigbee gateway
- ZigBee Light Link RGBW controller

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Dornbracht recommends consulting a systems integrator.

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 044 980** FF	FF	Euro
Chrome		**-00**	2,472.80
Platinum		**-08**	3,956.50
Brushed Platinum		**-06**	3,956.50
Champagne (22kt Gold)		**-47**	5,934.70
Brushed Champagne (22kt Gold)		**-46**	5,934.70
Brushed Durabrass (23kt Gold)		**-28**	5,934.70
Brushed Dark Brass (PVD)		**-39**	3,956.50
Brushed Bronze (PVD)		**-42**	3,956.50
Brushed Dark Bronze (PVD)		**-43**	4,451.00
Dark Chrome		**-19**	3,709.20
Brushed Dark Platinum		**-99**	4,451.00
Matte Black		**-33**	3,338.30

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation with light

	35 044 970 FF	FF	Euro
	Concealed rough parts	**90**	1,648.60

- concealed rough parts
- flush-mounted installation box 360x 300 mm RAL 9003 signal white
- recess depth 137mm
- Input 100-240V AC 50-60Hz
- Output 12V DC SELV / Class 2
- ZigBee Light Link RGBW controller

For details and miscellaneous, see page 735

27 812 970 NEW

Hand shower set with integrated shower holder
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- 1/2“ connection
- rosette 60 x 60 mm

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 812 970** FF	FF	Euro
Chrome		**-00**	493.10
Platinum		**-08**	789.00
Brushed Platinum		**-06**	789.00
Champagne (22kt Gold)		**-47**	1,183.40
Brushed Champagne (22kt Gold)		**-46**	1,183.40
Brushed Durabrass (23kt Gold)		**-28**	1,183.40
Brushed Dark Brass (PVD)		**-39**	789.00
Brushed Bronze (PVD)		**-42**	789.00
Brushed Dark Bronze (PVD)		**-43**	887.60
Dark Chrome		**-19**	739.60
Brushed Dark Platinum		**-99**	887.60
Matte Black		**-33**	665.70

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 812 970** FF	FF	Euro
Chrome		**-000010**	493.10
Platinum		**-080010**	789.00
Brushed Platinum		**-060010**	789.00
Champagne (22kt Gold)		**-470010**	1,183.40
Brushed Champagne (22kt Gold)		**-460010**	1,183.40
Brushed Durabrass (23kt Gold)		**-280010**	1,183.40
Brushed Dark Brass (PVD)		**-390010**	789.00
Brushed Bronze (PVD)		**-420010**	789.00
Brushed Dark Bronze (PVD)		**-430010**	887.60
Dark Chrome		**-190010**	739.60
Brushed Dark Platinum		**-990010**	887.60
Matte Black		**-330010**	665.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
	Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

27 809 985

Hand shower set with individual rosettes with volume control
- with volume control
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits CL.1, SYMETRICS, CYO, IMO, MEM

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **27 809 985** FF	FF	Euro
Chrome	**-00**	976.60
Platinum	**-08**	1,562.40
Brushed Platinum	**-06**	1,562.60
Champagne (22kt Gold)	**-47**	2,343.80
Brushed Champagne (22kt Gold)	**-46**	2,343.80
Brushed Durabrass (23kt Gold)	**-28**	2,343.80
Brushed Dark Brass (PVD)	**-39**	1,562.50
Brushed Bronze (PVD)	**-42**	1,562.50
Brushed Dark Bronze (PVD)	**-43**	1,757.90
Dark Chrome	**-19**	1,465.00
Brushed Dark Platinum	**-99**	1,757.80

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article **27 809 985** FF	FF	Euro
Chrome	**-000010**	976.60
Platinum	**-080010**	1,562.40
Brushed Platinum	**-060010**	1,562.60
Champagne (22kt Gold)	**-470010**	2,343.80
Brushed Champagne (22kt Gold)	**-460010**	2,343.80
Brushed Durabrass (23kt Gold)	**-280010**	2,343.80
Brushed Dark Brass (PVD)	**-390010**	1,562.50
Brushed Bronze (PVD)	**-420010**	1,562.50
Brushed Dark Bronze (PVD)	**-430010**	1,326.60
Dark Chrome	**-190010**	1,465.00
Brushed Dark Platinum	**-990010**	1,757.80

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF		FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 811 980 NEW

Hand shower set with individual rosettes
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

technical data:
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 811 980** FF	FF	Euro
Chrome		**-00**	744.00
Platinum		**-08**	1,190.50
Brushed Platinum		**-06**	1,190.50
Champagne (22kt Gold)		**-47**	1,785.60
Brushed Champagne (22kt Gold)		**-46**	1,785.60
Brushed Durabrass (23kt Gold)		**-28**	1,785.60
Brushed Dark Brass (PVD)		**-39**	1,190.50
Brushed Bronze (PVD)		**-42**	1,190.50
Brushed Dark Bronze (PVD)		**-43**	1,339.20
Dark Chrome		**-19**	1,116.00
Brushed Dark Platinum		**-99**	1,339.30
Matte Black		**-33**	1,004.40

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 811 980** FF	FF	Euro
Chrome		**-000010**	744.00
Platinum		**-080010**	1,190.50
Brushed Platinum		**-060010**	1,190.50
Champagne (22kt Gold)		**-470010**	1,785.60
Brushed Champagne (22kt Gold)		**-460010**	1,785.60
Brushed Durabrass (23kt Gold)		**-280010**	1,785.60
Brushed Dark Brass (PVD)		**-390010**	1,190.50
Brushed Bronze (PVD)		**-420010**	1,190.50
Brushed Dark Bronze (PVD)		**-430010**	1,339.20
Dark Chrome		**-190010**	1,116.00
Brushed Dark Platinum		**-990010**	1,339.30
Matte Black		**-330010**	1,004.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 818 980

Hand shower set with cover plate
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- cover plate 240 x 60 mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 818 980** FF	FF	Euro
Chrome		**-00**	884.50
Platinum		**-08**	1,415.70
Brushed Platinum		**-06**	1,415.10
Champagne (22kt Gold)		**-47**	2,122.80
Brushed Champagne (22kt Gold)		**-46**	2,122.80
Brushed Durabrass (23kt Gold)		**-28**	2,122.80
Brushed Dark Brass (PVD)		**-39**	1,415.30
Brushed Bronze (PVD)		**-42**	1,415.30
Brushed Dark Bronze (PVD)		**-43**	1,592.10
Dark Chrome		**-19**	1,327.00
Brushed Dark Platinum		**-99**	1,592.20
Matte Black		**-33**	1,194.20

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 818 980** FF	FF	Euro
Chrome		**-000010**	884.50
Platinum		**-080010**	1,415.70
Brushed Platinum		**-060010**	1,415.10
Champagne (22kt Gold)		**-470010**	2,122.80
Brushed Champagne (22kt Gold)		**-460010**	2,122.80
Brushed Durabrass (23kt Gold)		**-280010**	2,122.80
Brushed Dark Brass (PVD)		**-390010**	1,415.30
Brushed Bronze (PVD)		**-420010**	1,415.30
Brushed Dark Bronze (PVD)		**-430010**	1,592.10
Dark Chrome		**-190010**	1,327.00
Brushed Dark Platinum		**-990010**	1,592.20
Matte Black		**-330010**	1,194.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 518 782

Body spray without volume control FlowReduce
- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- rain flow
- max. flow 5 l/min
- anti-scale system

Technical data:
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, MEM, CYO

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 518 782** FF	FF	Euro
Chrome		**-00**	397.30
Platinum		**-08**	635.90
Brushed Platinum		**-06**	635.90
Champagne (22kt Gold)		**-47**	953.50
Brushed Champagne (22kt Gold)		**-46**	953.50
Brushed Durabrass (23kt Gold)		**-28**	953.50
Brushed Dark Brass (PVD)		**-39**	635.70
Brushed Bronze (PVD)		**-42**	635.70
Brushed Dark Bronze (PVD)		**-43**	715.10
Dark Chrome		**-19**	596.00
Brushed Dark Platinum		**-99**	715.40
Matte Black		**-33**	536.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 515 979

WATER POINTS Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 120 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 515 979** FF	FF	Euro
Chrome		**-00**	577.30
Platinum		**-08**	923.20
Brushed Platinum		**-06**	923.20
Champagne (22kt Gold)		**-47**	1,385.50
Brushed Champagne (22kt Gold)		**-46**	1,385.50
Brushed Durabrass (23kt Gold)		**-28**	1,385.50
Brushed Dark Brass (PVD)		**-39**	923.70
Brushed Bronze (PVD)		**-42**	923.60
Brushed Dark Bronze (PVD)		**-43**	1,039.10
Dark Chrome		**-19**	866.00
Brushed Dark Platinum		**-99**	1,039.00
Matte Black		**-33**	779.10

Required miscellaneous

WATER POINTS Adapter plate

	12 305 970 FF	FF	Euro
• adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.	Accesories	**90**	37.90

For details and miscellaneous, see page 742

Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm	Concealed rough parts	**90**	234.20

For details and miscellaneous, see page 733

36 517 979

WATER BAR Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 517 979** FF	FF	Euro
Chrome		**-00**	891.50
Platinum		**-08**	1,426.60
Brushed Platinum		**-06**	1,426.60
Champagne (22kt Gold)		**-47**	2,139.60
Brushed Champagne (22kt Gold)		**-46**	2,139.60
Brushed Durabrass (23kt Gold)		**-28**	2,139.60
Brushed Dark Brass (PVD)		**-39**	1,426.40
Brushed Bronze (PVD)		**-42**	1,426.40
Brushed Dark Bronze (PVD)		**-43**	1,604.70
Dark Chrome		**-19**	1,337.20
Brushed Dark Platinum		**-99**	1,604.30
Matte Black		**-33**	1,227.20

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

36 514 979

WATER CURVE Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- Function from: 5.7 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 60 mm
- 1/2“ connection

Notes:
- This product reduces water consumption by % (compared to requirements of EPAct ,92)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 514 979** FF	FF	Euro
Chrome		**-00**	1,160.00
Platinum		**-08**	1,856.10
Brushed Platinum		**-06**	1,856.10
Champagne (22kt Gold)		**-47**	2,784.00
Brushed Champagne (22kt Gold)		**-46**	2,784.00
Brushed Durabrass (23kt Gold)		**-28**	2,784.00
Brushed Dark Brass (PVD)		**-39**	1,856.10
Brushed Bronze (PVD)		**-42**	1,856.20
Brushed Dark Bronze (PVD)		**-43**	2,088.00
Dark Chrome		**-19**	1,740.00
Brushed Dark Platinum		**-99**	2,088.10
Matte Black		**-33**	1,565.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 513 979

WATER FAN vertical Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 513 979** FF	FF	Euro
Chrome		**-00**	865.40
Platinum		**-08**	1,385.20
Brushed Platinum		**-06**	1,385.20
Champagne (22kt Gold)		**-47**	2,077.00
Brushed Champagne (22kt Gold)		**-46**	2,077.00
Brushed Durabrass (23kt Gold)		**-28**	2,077.00
Brushed Dark Brass (PVD)		**-39**	1,384.60
Brushed Bronze (PVD)		**-42**	1,384.60
Brushed Dark Bronze (PVD)		**-43**	1,557.70
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60
Matte Black		**-33**	1,191.50

Product alternative
- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**36 512 979** FF	FF	Euro
Chrome		**-00**	865.40
Platinum		**-08**	1,385.20
Brushed Platinum		**-06**	1,385.20
Champagne (22kt Gold)		**-47**	2,077.00
Brushed Champagne (22kt Gold)		**-46**	2,077.00
Brushed Durabrass (23kt Gold)		**-28**	2,077.00
Brushed Dark Brass (PVD)		**-39**	1,384.60
Brushed Bronze (PVD)		**-42**	1,384.60
Brushed Dark Bronze (PVD)		**-43**	1,557.70
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60
Matte Black		**-33**	1,191.50

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

13 415 979

WATER SHEET Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **150mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	13 415 979 FF	FF	Euro
Chrome		-00	1,194.80
Platinum		-08	1,911.60
Brushed Platinum		-06	1,911.60
Champagne (22kt Gold)		-47	2,867.50
Brushed Champagne (22kt Gold)		-46	2,867.50
Brushed Durabrass (23kt Gold)		-28	2,867.50
Brushed Dark Brass (PVD)		-39	1,911.70
Brushed Bronze (PVD)		-42	1,911.70
Brushed Dark Bronze (PVD)		-43	2,150.60
Dark Chrome		-19	1,792.40
Brushed Dark Platinum		-99	2,150.60
Matte Black		-33	1,612.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

13 420 979



WATER FALL Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **120mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	13 420 979 FF	FF	Euro
Chrome		-00	1,706.90
Platinum		-08	2,731.60
Brushed Platinum		-06	2,731.60
Champagne (22kt Gold)		-47	4,096.60
Brushed Champagne (22kt Gold)		-46	4,096.60
Brushed Durabrass (23kt Gold)		-28	4,096.60
Brushed Dark Brass (PVD)		-39	2,731.20
Brushed Bronze (PVD)		-42	2,731.20
Brushed Dark Bronze (PVD)		-43	3,072.40
Dark Chrome		-19	2,560.50
Matte Black		-33	2,304.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

13 425 979

WATER FALL Cascade spout with individual jets for wall mounting
- PEARLSTREAM
- Max. flow rate 9.5 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- plate 240 mm x 60 mm
- **22mm projection**
- connection 1/2“, for shortening
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	13 425 979 FF	FF	Euro
Chrome		-00	1,268.40
Platinum		-08	2,029.40
Brushed Platinum		-06	2,029.40
Champagne (22kt Gold)		-47	3,044.20
Brushed Champagne (22kt Gold)		-46	3,044.20
Brushed Durabrass (23kt Gold)		-28	3,044.20
Brushed Dark Brass (PVD)		-39	2,029.40
Brushed Bronze (PVD)		-42	2,029.40
Brushed Dark Bronze (PVD)		-43	2,283.10
Dark Chrome		-19	1,902.40
Brushed Dark Platinum		-99	2,282.80
Matte Black		-33	1,712.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

27 838 979

Affusion pipe with cover plate
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- inherently safe from back flow
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection
- 3/8“ shower outlet
- plug-link mounting

Notes:
- Fits IMO, MEM, CL.1, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 838 979** FF	FF	Euro
Chrome		**-00**	1,038.50
Platinum		**-08**	1,661.60
Brushed Platinum		**-06**	1,661.60
Champagne (22kt Gold)		**-47**	2,492.40
Brushed Champagne (22kt Gold)		**-46**	2,492.40
Brushed Durabrass (23kt Gold)		**-28**	2,492.40
Brushed Dark Brass (PVD)		**-39**	1,661.60
Brushed Bronze (PVD)		**-42**	1,661.60
Brushed Dark Bronze (PVD)		**-43**	1,869.30
Dark Chrome		**-19**	1,557.80
Brushed Dark Platinum		**-99**	1,869.30
Matte Black		**-33**	1,402.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 821 979 +
28 285 979

WATER TUBE Kneipp wall elbow
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2“ wall elbow
- hose nozzle with sleeve M33
- inherently safe from back flow

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **27 821 979** FF max. flow 15 l/min FF	Euro	1x **28 285 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	719.60	**-00**	110.10	**829.70**
Platinum	**-08**	1,151.30	**-08**	176.10	**1,327.40**
Brushed Platinum	**-06**	1,151.30	**-06**	176.20	**1,327.50**
Champagne (22kt Gold)	**-47**	1,727.00	**-47**	264.20	**1,991.20**
Brushed Champagne (22kt Gold)	**-46**	1,727.00	**-46**	264.20	**1,991.20**
Brushed Durabrass (23kt Gold)	**-28**	1,727.00	**-28**	264.20	**1,991.20**
Brushed Dark Brass (PVD)	**-39**	1,151.20	**-39**	176.20	**1,327.40**
Brushed Bronze (PVD)	**-42**	1,151.20	**-42**	176.20	**1,327.40**
Brushed Dark Bronze (PVD)	**-43**	1,295.30	**-43**	198.20	**1,493.50**
Dark Chrome	**-19**	1,079.40	**-19**	165.20	**1,244.60**
Brushed Dark Platinum	**-99**	1,295.40	**-99**	198.10	**1,493.50**
Matte Black	**-33**	971.40	**-33**	148.60	**1,120.00**

Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

	28 286 979 FF	FF	Euro
• hose nozzle with sleeve M33 • with holding ring	Chrome	**-00**	110.10
	Platinum	**-08**	176.10
	Brushed Platinum	**-06**	176.20
	Champagne (22kt Gold)	**-47**	264.20
	Brushed Champagne (22kt Gold)	**-46**	264.20
	Brushed Durabrass (23kt Gold)	**-28**	264.20
	Brushed Dark Brass (PVD)	**-39**	176.20
	Brushed Bronze (PVD)	**-42**	176.20
	Brushed Dark Bronze (PVD)	**-43**	198.20
	Dark Chrome	**-19**	165.20
	Brushed Dark Platinum	**-99**	198.10
	Matte Black	**-33**	148.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 490 970

Wall elbow with integrated shower holder
- 3/8“ shower outlet
- rosette 60 x 60 mm
- 1/2“ connection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 490 970** FF	FF	Euro
Chrome		**-00**	250.20
Platinum		**-08**	400.80
Brushed Platinum		**-06**	400.80
Champagne (22kt Gold)		**-47**	600.50
Brushed Champagne (22kt Gold)		**-46**	600.50
Brushed Durabrass (23kt Gold)		**-28**	600.50
Brushed Dark Brass (PVD)		**-39**	400.40
Brushed Bronze (PVD)		**-42**	400.40
Brushed Dark Bronze (PVD)		**-43**	450.40
Dark Chrome		**-19**	375.60
Brushed Dark Platinum		**-99**	450.10
Matte Black		**-33**	337.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 450 980

Wall elbow
- 3/8“ shower outlet
- rosette 60 x 60 mm
- 1/2“ connection

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 450 980** FF	FF	Euro
Chrome		**-00**	173.40
Platinum		**-08**	277.60
Brushed Platinum		**-06**	277.60
Champagne (22kt Gold)		**-47**	416.20
Brushed Champagne (22kt Gold)		**-46**	416.20
Brushed Durabrass (23kt Gold)		**-28**	416.20
Brushed Dark Brass (PVD)		**-39**	277.40
Brushed Bronze (PVD)		**-42**	277.40
Brushed Dark Bronze (PVD)		**-43**	312.10
Dark Chrome		**-19**	260.30
Brushed Dark Platinum		**-99**	312.30
Matte Black		**-33**	234.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 050 980

Wall bracket
- rosette 60 x 60 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 050 980** FF	FF	Euro
Chrome		**-00**	225.10
Platinum		**-08**	360.60
Brushed Platinum		**-06**	360.60
Champagne (22kt Gold)		**-47**	540.20
Brushed Champagne (22kt Gold)		**-46**	540.20
Brushed Durabrass (23kt Gold)		**-28**	540.20
Brushed Dark Brass (PVD)		**-39**	360.30
Brushed Bronze (PVD)		**-42**	360.30
Brushed Dark Bronze (PVD)		**-43**	405.20
Dark Chrome		**-19**	337.80
Brushed Dark Platinum		**-99**	405.20
Matte Black		**-33**	304.00

28 060 970

Wall bracket swivel
- pivotable 75°

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 060 970** FF	FF	Euro
Chrome		**-00**	207.70
Platinum		**-08**	332.40
Brushed Platinum		**-06**	332.40
Champagne (22kt Gold)		**-47**	498.50
Brushed Champagne (22kt Gold)		**-46**	498.50
Brushed Durabrass (23kt Gold)		**-28**	498.50
Brushed Dark Brass (PVD)		**-39**	332.20
Brushed Bronze (PVD)		**-42**	332.10
Brushed Dark Bronze (PVD)		**-43**	373.90
Dark Chrome		**-19**	311.40
Brushed Dark Platinum		**-99**	373.90
Matte Black		**-33**	280.60

12 540 970 NEW

Slide unit
- for pipe diameter 18 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 540 970** FF	FF	Euro
Chrome		**-00**	143.90
Platinum		**-08**	230.20
Brushed Platinum		**-06**	230.20
Champagne (22kt Gold)		**-47**	345.40
Brushed Champagne (22kt Gold)		**-46**	345.40
Durabrass (23kt Gold)		**-09**	345.40
Brushed Durabrass (23kt Gold)		**-28**	345.40
Brushed Dark Brass (PVD)		**-39**	230.20
Brushed Bronze (PVD)		**-42**	230.20
Brushed Dark Bronze (PVD)		**-43**	259.00
Dark Chrome		**-19**	215.80
Brushed Dark Platinum		**-99**	258.90
Matte Black		**-33**	194.30

12 550 970 NEW

Slide unit
- Pipe diameter 20 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 550 970** FF	FF	Euro
Chrome		**-00**	143.90
Platinum		**-08**	230.20
Brushed Platinum		**-06**	230.20
Champagne (22kt Gold)		**-47**	345.40
Brushed Champagne (22kt Gold)		**-46**	345.40
Durabrass (23kt Gold)		**-09**	345.40
Brushed Durabrass (23kt Gold)		**-28**	345.40
Brushed Dark Brass (PVD)		**-39**	230.20
Brushed Bronze (PVD)		**-42**	230.20
Brushed Dark Bronze (PVD)		**-43**	259.00
Dark Chrome		**-19**	215.80
Brushed Dark Platinum		**-99**	258.90
Matte Black		**-33**	194.30

34 444 979 **NEW**

Shower thermostat for wall mounting
- with volume control
- with FlowReduce function
- slide-on rosettes Ø 70 mm
- 3/8“ shower outlet
- 1/2“ connection
- gauge 150 mm - 13 mm

Notes:
- inherently safe from back flow

Fits MEM, IMO, META, TARA, VAIA, LULU, LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**34 444 979** FF	FF	Euro
Chrome		**-00**	736.60
Platinum		**-08**	1,178.50
Brushed Platinum		**-06**	1,178.50
Champagne (22kt Gold)		**-47**	1,767.80
Brushed Champagne (22kt Gold)		**-46**	1,767.80
Brushed Durabrass (23kt Gold)		**-28**	1,767.80
Brushed Dark Brass (PVD)		**-39**	1,178.50
Brushed Bronze (PVD)		**-42**	1,178.50
Brushed Dark Bronze (PVD)		**-43**	1,325.90
Dark Chrome		**-19**	1,104.90
Brushed Dark Platinum		**-99**	1,325.80
Matte Black		**-33**	994.40

36 060 670

Concealed single-lever mixer with cover plate
- cover plate 80 x 80 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 060 670** FF	FF	Euro
Chrome		**-00**	493.20
Platinum		**-08**	796.40
Brushed Platinum		**-06**	796.40
Champagne (22kt Gold)		**-47**	1,183.70
Brushed Champagne (22kt Gold)		**-46**	1,183.70
Brushed Durabrass (23kt Gold)		**-28**	1,183.70
Brushed Dark Brass (PVD)		**-39**	789.10
Brushed Bronze (PVD)		**-42**	789.10
Brushed Dark Bronze (PVD)		**-43**	887.80
Dark Chrome		**-19**	739.90
Brushed Dark Platinum		**-99**	887.90
Matte Black		**-33**	665.90

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 046 970

Concealed single-lever mixer with cover plate with integrated shower connection
- cover plate 80 x 80 mm

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 046 970** FF	FF	Euro
Chrome		**-00**	602.50
Platinum		**-08**	964.00
Brushed Platinum		**-06**	964.00
Champagne (22kt Gold)		**-47**	1,446.00
Brushed Champagne (22kt Gold)		**-46**	1,446.00
Brushed Durabrass (23kt Gold)		**-28**	1,446.00
Brushed Dark Brass (PVD)		**-39**	964.00
Brushed Bronze (PVD)		**-42**	964.00
Brushed Dark Bronze (PVD)		**-43**	1,084.50
Dark Chrome		**-19**	903.80
Brushed Dark Platinum		**-99**	1,084.70
Matte Black		**-33**	813.40

Required miscellaneous

Concealed wall mounting

	35 050 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	336.80

For details and miscellaneous, see page 728

36 120 670

Concealed single-lever mixer with diverter
- automatic diverter
- cover plate 150 x 90 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 120 670** FF	FF	Euro
Chrome		**-00**	632.80
Platinum		**-08**	1,012.40
Brushed Platinum		**-06**	1,012.40
Champagne (22kt Gold)		**-47**	1,518.70
Brushed Champagne (22kt Gold)		**-46**	1,518.70
Brushed Durabrass (23kt Gold)		**-28**	1,518.70
Brushed Dark Brass (PVD)		**-39**	1,012.50
Brushed Bronze (PVD)		**-42**	1,012.50
Brushed Dark Bronze (PVD)		**-43**	1,139.00
Dark Chrome		**-19**	949.00
Brushed Dark Platinum		**-99**	1,138.80
Matte Black		**-33**	854.30

Required miscellaneous

Concealed single-lever mixer

	35 020 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	248.70

For details and miscellaneous, see page 729

Required miscellaneous

Concealed single-lever mixer with backflow preventor

	35 021 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	355.40

For details and miscellaneous, see page 729

36 425 670

Concealed thermostat with one function volume control
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 425 670** FF	FF	Euro
Chrome		**-00**	793.80
Platinum		**-08**	1,281.60
Brushed Platinum		**-06**	1,281.60
Champagne (22kt Gold)		**-47**	1,905.10
Brushed Champagne (22kt Gold)		**-46**	1,905.10
Brushed Durabrass (23kt Gold)		**-28**	1,905.10
Brushed Dark Brass (PVD)		**-39**	1,270.10
Brushed Bronze (PVD)		**-42**	1,270.10
Brushed Dark Bronze (PVD)		**-43**	1,428.80
Dark Chrome		**-19**	1,190.80
Brushed Dark Platinum		**-99**	1,428.90
Matte Black		**-33**	1,081.80

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	457.60

For details and miscellaneous, see page 729

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	480.60

For details and miscellaneous, see page 729

36 426 670

Concealed thermostat with two function volume control
- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 426 670** FF	FF	Euro
Chrome		**-00**	941.20
Platinum		**-08**	1,520.00
Brushed Platinum		**-06**	1,520.00
Champagne (22kt Gold)		**-47**	2,258.90
Brushed Champagne (22kt Gold)		**-46**	2,258.90
Brushed Durabrass (23kt Gold)		**-28**	2,258.90
Brushed Dark Brass (PVD)		**-39**	1,506.00
Brushed Bronze (PVD)		**-42**	1,506.00
Brushed Dark Bronze (PVD)		**-43**	1,694.20
Dark Chrome		**-19**	1,411.90
Brushed Dark Platinum		**-99**	1,694.10
Matte Black		**-33**	1,282.70

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	457.60

For details and miscellaneous, see page 729

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	480.60

For details and miscellaneous, see page 729

36 427 670

Concealed thermostat with three function volume control
- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 427 670** FF	FF	Euro
Chrome		**-00**	998.00
Platinum		**-08**	1,564.20
Brushed Platinum		**-06**	1,611.20
Champagne (22kt Gold)		**-47**	2,395.20
Brushed Champagne (22kt Gold)		**-46**	2,395.20
Brushed Durabrass (23kt Gold)		**-28**	2,395.20
Brushed Dark Brass (PVD)		**-39**	1,596.80
Brushed Bronze (PVD)		**-42**	1,596.80
Brushed Dark Bronze (PVD)		**-43**	1,796.40
Dark Chrome		**-19**	1,496.90
Brushed Dark Platinum		**-99**	1,796.20
Matte Black		**-33**	1,359.60

Required miscellaneous

Concealed thermostat

	35 427 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	479.40

For details and miscellaneous, see page 730

Required miscellaneous

Concealed thermostat with built-in isolators

	35 428 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	503.00

For details and miscellaneous, see page 730

36 503 780 +
36 607 782

xTOOL Thermostat module with 1 valve
- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Fits MEM, CL.1, CYO

36 501 985-FF can also be used as an alternative.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 780** FF Basic Product FF	Euro	1x **36 607 782** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,355.90	**-00**	288.20	**1,644.10**
Platinum	**-08**	2,169.80	**-08**	461.10	**2,630.90**
Brushed Platinum	**-06**	2,169.80	**-06**	461.10	**2,630.90**
Champagne (22kt Gold)	**-47**	3,254.20	**-47**	691.70	**3,945.90**
Brushed Champagne (22kt Gold)	**-46**	3,254.20	**-46**	691.70	**3,945.90**
Brushed Durabrass (23kt Gold)	**-28**	3,254.20	**-28**	691.70	**3,945.90**
Brushed Dark Brass (PVD)	**-39**	2,169.40	**-39**	461.20	**2,630.60**
Brushed Bronze (PVD)	**-42**	2,169.40	**-42**	461.20	**2,630.60**
Dark Chrome	**-19**	2,034.00	**-19**	432.30	**2,466.30**
Brushed Dark Platinum	**-99**	2,440.80	**-99**	518.60	**2,959.40**

Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

35 511 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts | FF **90** | Euro 743.70

For details and miscellaneous, see page 730

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 780 +
2x **36 607 782**

xTOOL Thermostat module with 2 valves
- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

36 503 985-FF can also be used as an alternative.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 780** FF Basic Product FF	Euro	2x **36 607 782** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,355.90	**-00**	288.20	**1,932.30**
Platinum	**-08**	2,169.80	**-08**	461.10	**3,092.00**
Brushed Platinum	**-06**	2,169.80	**-06**	461.10	**3,092.00**
Champagne (22kt Gold)	**-47**	3,254.20	**-47**	691.70	**4,637.60**
Brushed Champagne (22kt Gold)	**-46**	3,254.20	**-46**	691.70	**4,637.60**
Brushed Durabrass (23kt Gold)	**-28**	3,254.20	**-28**	691.70	**4,637.60**
Brushed Dark Brass (PVD)	**-39**	2,169.40	**-39**	461.20	**3,091.80**
Brushed Bronze (PVD)	**-42**	2,169.40	**-42**	461.20	**3,091.80**
Brushed Dark Bronze (PVD)	**-43**	2,440.60	**-43**	518.80	**3,478.20**
Dark Chrome	**-19**	2,034.00	**-19**	432.30	**2,898.60**
Brushed Dark Platinum	**-99**	2,440.80	**-99**	518.60	**3,478.00**

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts | FF **90** | Euro 1,239.70

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts | FF **90** | Euro 1,226.10

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 780 +
3x **36 607 782**

xTOOL Thermostat module with 3 valves
- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

36 503 985-FF can also be used as an alternative.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 780** FF Basic Product FF	Euro	3x **36 607 782** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,355.90	**-00**	288.20	**2,220.50**
Platinum	**-08**	2,169.80	**-08**	461.10	**3,553.10**
Brushed Platinum	**-06**	2,169.80	**-06**	461.10	**3,553.10**
Champagne (22kt Gold)	**-47**	3,254.20	**-47**	691.70	**5,329.30**
Brushed Champagne (22kt Gold)	**-46**	3,254.20	**-46**	691.70	**5,329.30**
Brushed Durabrass (23kt Gold)	**-28**	3,254.20	**-28**	691.70	**5,329.30**
Brushed Dark Brass (PVD)	**-39**	2,169.40	**-39**	461.20	**3,553.00**
Brushed Bronze (PVD)	**-42**	2,169.40	**-42**	461.20	**3,553.00**
Brushed Dark Bronze (PVD)	**-43**	2,440.60	**-43**	518.80	**3,997.00**
Dark Chrome	**-19**	2,034.00	**-19**	432.30	**3,330.90**
Brushed Dark Platinum	**-99**	2,440.80	**-99**	518.60	**3,996.60**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts | FF **90** | Euro 1,332.30

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts | FF **90** | Euro 1,443.30

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 780

xTOOL Concealed thermostat without volume control 3/4“
- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 503 780** FF	FF	Euro
Chrome		**-00**	1,355.90
Platinum		**-08**	2,169.80
Brushed Platinum		**-06**	2,169.80
Champagne (22kt Gold)		**-47**	3,254.20
Brushed Champagne (22kt Gold)		**-46**	3,254.20
Brushed Durabrass (23kt Gold)		**-28**	3,254.20
Brushed Dark Brass (PVD)		**-39**	2,169.40
Brushed Bronze (PVD)		**-42**	2,169.40
Brushed Dark Bronze (PVD)		**-43**	2,440.60
Dark Chrome		**-19**	2,034.00
Brushed Dark Platinum		**-99**	2,440.80
Matte Black		**-33**	1,829.80

Required miscellaneous

xTOOL Concealed thermostat module without volume control

35 503 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts | FF **90** | Euro 907.90

For details and miscellaneous, see page 730

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

36 503 985

xTOOL Concealed thermostat without volume control 3/4“
- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 503 985** FF	FF	Euro
Chrome		**-00**	1,385.50
Platinum		**-08**	2,217.00
Brushed Platinum		**-06**	2,217.00
Champagne (22kt Gold)		**-47**	3,325.20
Brushed Champagne (22kt Gold)		**-46**	3,325.20
Brushed Durabrass (23kt Gold)		**-28**	3,325.20
Brushed Dark Brass (PVD)		**-39**	2,216.90
Brushed Bronze (PVD)		**-42**	2,216.90
Brushed Dark Bronze (PVD)		**-43**	2,493.90
Dark Chrome		**-19**	2,078.60
Brushed Dark Platinum		**-99**	2,494.00
Matte Black		**-33**	1,870.30

Required miscellaneous

xTOOL Concealed thermostat module without volume control

	35 503 970 FF	FF	Euro
• min. recess depth 95 mm • max. recess depth 160 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	907.90

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

36 607 782

Wall valve clockwise closing 1/2“
- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits MEM

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 782** FF	FF	Euro
Chrome		**-00**	288.20
Platinum		**-08**	461.10
Brushed Platinum		**-06**	461.10
Champagne (22kt Gold)		**-47**	691.70
Brushed Champagne (22kt Gold)		**-46**	691.70
Brushed Durabrass (23kt Gold)		**-28**	691.70
Brushed Dark Brass (PVD)		**-39**	461.20
Brushed Bronze (PVD)		**-42**	461.20
Brushed Dark Bronze (PVD)		**-43**	518.80
Dark Chrome		**-19**	432.30
Brushed Dark Platinum		**-99**	518.60

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 105 mm • max. recess depth 150 mm For details and miscellaneous, see page 732	Concealed rough parts	**90**	95.40

36 608 782

Wall valve clockwise closing 3/4“
- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits MEM

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 782** FF	FF	Euro
Chrome		**-00**	288.20
Platinum		**-08**	461.10
Brushed Platinum		**-06**	461.10
Champagne (22kt Gold)		**-47**	691.70
Brushed Champagne (22kt Gold)		**-46**	691.70
Brushed Durabrass (23kt Gold)		**-28**	691.70
Brushed Dark Brass (PVD)		**-39**	461.20
Brushed Bronze (PVD)		**-42**	461.20
Brushed Dark Bronze (PVD)		**-43**	518.80
Dark Chrome		**-19**	432.30
Brushed Dark Platinum		**-99**	518.60

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 105 mm • max. recess depth 150 mm For details and miscellaneous, see page 732	Concealed rough parts	**90**	125.20

36 604 782

Wall valve clockwise closing 1/2“
- With hammered effect texture
- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 604 782** FF	FF	Euro
Chrome		**-00**	374.70
Platinum		**-08**	599.60
Brushed Platinum		**-06**	599.60
Champagne (22kt Gold)		**-47**	899.30
Brushed Champagne (22kt Gold)		**-46**	899.30
Brushed Durabrass (23kt Gold)		**-28**	899.30
Brushed Dark Brass (PVD)		**-39**	599.60
Brushed Bronze (PVD)		**-42**	599.60
Brushed Dark Bronze (PVD)		**-43**	674.50
Dark Chrome		**-19**	562.00
Brushed Dark Platinum		**-99**	674.40

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 105 mm • max. recess depth 150 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

36 605 782

Wall valve clockwise closing 1/2“
- With linear texture
- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 605 782** FF	FF	Euro
Chrome		**-00**	374.70
Platinum		**-08**	599.60
Brushed Platinum		**-06**	599.60
Champagne (22kt Gold)		**-47**	899.30
Brushed Champagne (22kt Gold)		**-46**	899.30
Brushed Durabrass (23kt Gold)		**-28**	899.30
Brushed Dark Brass (PVD)		**-39**	599.60
Brushed Bronze (PVD)		**-42**	599.60
Brushed Dark Bronze (PVD)		**-43**	674.50
Dark Chrome		**-19**	562.00
Brushed Dark Platinum		**-99**	674.40

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 105 mm • max. recess depth 150 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

20 000 782

Deck valve clockwise closing cold
- hole diameter 32 mm
- rosette 60 x 60 mm
- with cold marking

Fits MEM

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 000 782** FF	FF	Euro
Chrome		**-00**	345.70
Platinum		**-08**	552.80
Brushed Platinum		**-06**	552.80
Champagne (22kt Gold)		**-47**	829.70
Brushed Champagne (22kt Gold)		**-46**	829.70
Brushed Durabrass (23kt Gold)		**-28**	829.70
Brushed Dark Brass (PVD)		**-39**	553.00
Brushed Bronze (PVD)		**-42**	553.00
Brushed Dark Bronze (PVD)		**-43**	622.30
Dark Chrome		**-19**	518.50
Brushed Dark Platinum		**-99**	622.10

Product alternative
- with hot marking

Standard article	**20 000 783** FF	FF	Euro
Chrome		**-00**	345.70
Platinum		**-08**	552.80
Brushed Platinum		**-06**	552.80
Champagne (22kt Gold)		**-47**	829.70
Brushed Champagne (22kt Gold)		**-46**	829.70
Brushed Durabrass (23kt Gold)		**-28**	829.70
Brushed Dark Brass (PVD)		**-39**	553.00
Brushed Bronze (PVD)		**-42**	553.00
Brushed Dark Bronze (PVD)		**-43**	622.30
Dark Chrome		**-19**	518.50
Brushed Dark Platinum		**-99**	622.10

20 004 782

Deck valve clockwise closing cold
- With hammered effect texture
- hole diameter 32 mm
- rosette 60 x 60 mm
- with cold marking

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 004 782** FF	FF	Euro
Chrome		**-00**	449.30
Platinum		**-08**	718.70
Brushed Platinum		**-06**	718.70
Champagne (22kt Gold)		**-47**	1,078.30
Brushed Champagne (22kt Gold)		**-46**	1,078.30
Brushed Durabrass (23kt Gold)		**-28**	1,078.30
Brushed Dark Brass (PVD)		**-39**	718.70
Brushed Bronze (PVD)		**-42**	718.70
Brushed Dark Bronze (PVD)		**-43**	808.70
Dark Chrome		**-19**	674.00
Brushed Dark Platinum		**-99**	808.70

20 004 783

Deck valve anti-clockwise closing hot
- With hammered effect texture
- hole diameter 32 mm
- rosette 60 x 60 mm
- with hot marking

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 004 783** FF	FF	Euro
Chrome		**-00**	449.30
Platinum		**-08**	718.70
Brushed Platinum		**-06**	718.70
Champagne (22kt Gold)		**-47**	1,078.30
Brushed Champagne (22kt Gold)		**-46**	1,078.30
Brushed Durabrass (23kt Gold)		**-28**	1,078.30
Brushed Dark Brass (PVD)		**-39**	718.70
Brushed Bronze (PVD)		**-42**	718.70
Brushed Dark Bronze (PVD)		**-43**	808.70
Dark Chrome		**-19**	674.00
Brushed Dark Platinum		**-99**	808.70

20 005 782

Deck valve clockwise closing cold
- With linear texture
- hole diameter 32 mm
- rosette 60 x 60 mm
- with cold marking

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 005 782** FF	FF	Euro
Chrome		**-00**	449.30
Platinum		**-08**	718.70
Brushed Platinum		**-06**	718.70
Champagne (22kt Gold)		**-47**	1,078.30
Brushed Champagne (22kt Gold)		**-46**	1,078.30
Brushed Durabrass (23kt Gold)		**-28**	1,078.30
Brushed Dark Brass (PVD)		**-39**	718.70
Brushed Bronze (PVD)		**-42**	718.70
Brushed Dark Bronze (PVD)		**-43**	808.70
Dark Chrome		**-19**	674.00
Brushed Dark Platinum		**-99**	808.70

20 005 783

Deck valve anti-clockwise closing hot
- With linear texture
- hole diameter 32 mm
- rosette 60 x 60 mm
- with hot marking

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 005 783** FF	FF	Euro
Chrome		**-00**	449.30
Platinum		**-08**	718.70
Brushed Platinum		**-06**	718.70
Champagne (22kt Gold)		**-47**	1,078.30
Brushed Champagne (22kt Gold)		**-46**	1,078.30
Brushed Durabrass (23kt Gold)		**-28**	1,078.30
Brushed Dark Brass (PVD)		**-39**	718.70
Brushed Bronze (PVD)		**-42**	718.70
Brushed Dark Bronze (PVD)		**-43**	808.70
Dark Chrome		**-19**	674.00
Brushed Dark Platinum		**-99**	808.70

36 200 782

Concealed two-way diverter
- rotary diverter
- rosette 60 x 60 mm

Fits MEM

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 200 782** FF	FF	Euro
Chrome		**-00**	672.70
Platinum		**-08**	1,076.40
Brushed Platinum		**-06**	1,076.40
Champagne (22kt Gold)		**-47**	1,614.50
Brushed Champagne (22kt Gold)		**-46**	1,614.50
Brushed Durabrass (23kt Gold)		**-28**	1,614.50
Brushed Dark Brass (PVD)		**-39**	1,076.40
Brushed Bronze (PVD)		**-42**	1,076.40
Brushed Dark Bronze (PVD)		**-43**	1,210.90
Dark Chrome		**-19**	1,009.10
Brushed Dark Platinum		**-99**	1,210.90

Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 115 mm • max. recess depth 160 mm	Concealed rough parts	**90**	310.70

For details and miscellaneous, see page 732

36 210 782

Concealed three-way diverter
- rotary diverter
- rosette 60 x 60 mm

Fits MEM

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 210 782** FF	FF	Euro
Chrome		**-00**	672.70
Platinum		**-08**	1,076.40
Brushed Platinum		**-06**	1,076.40
Champagne (22kt Gold)		**-47**	1,614.50
Brushed Champagne (22kt Gold)		**-46**	1,614.50
Brushed Durabrass (23kt Gold)		**-28**	1,614.50
Brushed Dark Brass (PVD)		**-39**	1,076.40
Brushed Bronze (PVD)		**-42**	1,076.40
Brushed Dark Bronze (PVD)		**-43**	1,210.90
Dark Chrome		**-19**	1,009.10
Brushed Dark Platinum		**-99**	1,210.90

Required miscellaneous

Concealed three-way diverter

	35 203 970 FF	FF	Euro
• min. recess depth 115 mm • max. recess depth 160 mm	Concealed rough parts	**90**	378.40

For details and miscellaneous, see page 732

25 863 782

Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set
- **267mm projection**
- spout: cascade
- max. flow 25.1 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- total height 1139 - 1209 mm
- stand pipe height 598 - 668 mm
- height up to aerator 968 – 1038 mm
- push-on rosette 131 x 131 mm
- metal shower hose 1250mm with integrated anti-twist protection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 863 782** FF	FF	Euro
Chrome		**-00**	5,101.70
Platinum		**-08**	8,162.70
Brushed Platinum		**-06**	8,162.70
Champagne (22kt Gold)		**-47**	12,244.10
Brushed Champagne (22kt Gold)		**-46**	12,244.10
Brushed Durabrass (23kt Gold)		**-28**	12,244.10
Brushed Dark Brass (PVD)		**-39**	8,162.80
Brushed Bronze (PVD)		**-42**	8,162.80
Brushed Dark Bronze (PVD)		**-43**	9,183.10
Dark Chrome		**-19**	7,652.70
Brushed Dark Platinum		**-99**	9,183.10

Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 150 mm	Concealed rough parts	**90**	882.10

For details and miscellaneous, see page 732

13 672 780

Bath spout without diverter for free-standing assembly
- **280mm projection**
- cascade
- total height 830 - 900 mm
- height up to aerator 665 – 735 mm
- push-on rosette 130 x 130 mm
- max. flow 47.8 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 672 780** FF	FF	Euro
Chrome		**-00**	2,565.60
Platinum		**-08**	4,105.00
Brushed Platinum		**-06**	4,105.00
Champagne (22kt Gold)		**-47**	6,157.40
Brushed Champagne (22kt Gold)		**-46**	6,157.40
Brushed Durabrass (23kt Gold)		**-28**	6,157.40
Brushed Dark Brass (PVD)		**-39**	4,104.90
Brushed Bronze (PVD)		**-42**	4,104.90
Brushed Dark Bronze (PVD)		**-43**	4,618.10
Dark Chrome		**-19**	3,848.30

Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 150 mm	Concealed rough parts	**90**	882.10

For details and miscellaneous, see page 732

27 412 782

Three-hole single-lever bath mixer for bath rim or tile edge installation

- **220mm projection**
- spout: rectangular normal flow
- max. flow 20.4 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 300 mm
- height up to aerator 170 mm
- hole diameter spout 32 mm
- single-lever mixer hole diameter 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for mixer 60 x 60mm
- rosette for spout 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- metal shower hose 2250mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 412 782** FF	FF	Euro
Chrome		**-00**	2,895.50
Platinum		**-08**	4,633.10
Brushed Platinum		**-06**	4,633.10
Champagne (22kt Gold)		**-47**	6,949.20
Brushed Champagne (22kt Gold)		**-46**	6,949.20
Brushed Durabrass (23kt Gold)		**-28**	6,949.20
Brushed Dark Brass (PVD)		**-39**	4,632.80
Brushed Bronze (PVD)		**-42**	4,632.80
Brushed Dark Bronze (PVD)		**-43**	5,211.90
Dark Chrome		**-19**	4,343.20
Brushed Dark Platinum		**-99**	5,211.90

Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	1,883.80

Recommended miscellaneous

Decorative caps for Perfecto

• 1 pair	**12 801 970** FF	FF	Euro
	Chrome	**-00**	58.30
	Platinum	**-08**	93.50
	Brushed Platinum	**-06**	93.50
	Champagne (22kt Gold)	**-47**	139.90
	Brushed Champagne (22kt Gold)	**-46**	139.90
	Brushed Durabrass (23kt Gold)	**-28**	139.90
	Brushed Dark Brass (PVD)	**-39**	93.20
	Brushed Bronze (PVD)	**-42**	93.20
	Brushed Dark Bronze (PVD)	**-43**	104.90
	Dark Chrome	**-19**	87.60
	Brushed Dark Platinum	**-99**	104.80

27 532 782

Bath shower set for bath rim or tile edge installation

- **220mm projection**
- spout: rectangular normal flow
- max. flow 27.3 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 300 mm
- height up to aerator 170 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- rosette for deck valve 60 x 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options

- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 532 782** FF	FF	Euro
Chrome		**-00**	2,748.40
Platinum		**-08**	4,397.40
Brushed Platinum		**-06**	4,397.40
Champagne (22kt Gold)		**-47**	6,596.20
Brushed Champagne (22kt Gold)		**-46**	6,596.20
Brushed Durabrass (23kt Gold)		**-28**	6,596.20
Brushed Dark Brass (PVD)		**-39**	4,397.50
Brushed Bronze (PVD)		**-42**	4,397.50
Brushed Dark Bronze (PVD)		**-43**	4,947.10
Dark Chrome		**-19**	4,122.60
Brushed Dark Platinum		**-99**	4,947.20

Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	1,883.80

Recommended miscellaneous

Decorative caps for Perfecto

• 1 pair	**12 801 970** FF	FF	Euro
	Chrome	**-00**	58.30
	Platinum	**-08**	93.50
	Brushed Platinum	**-06**	93.50
	Champagne (22kt Gold)	**-47**	139.90
	Brushed Champagne (22kt Gold)	**-46**	139.90
	Brushed Durabrass (23kt Gold)	**-28**	139.90
	Brushed Dark Brass (PVD)	**-39**	93.20
	Brushed Bronze (PVD)	**-42**	93.20
	Dark Chrome	**-19**	87.60
	Brushed Dark Platinum	**-99**	104.80

13 630 740

Bath cascade spout without diverter for deck mounting
- **235mm projection**
- cascade
- height of mixer 100 mm
- height up to aerator 80 mm
- hole diameter 32 mm
- 1/2“ connection
- max. flow 26.5 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 630 740** FF	FF	Euro
Chrome		**-00**	2,388.10
Platinum		**-08**	3,821.00
Brushed Platinum		**-06**	3,821.20
Champagne (22kt Gold)		**-47**	5,731.40
Brushed Champagne (22kt Gold)		**-46**	5,731.40
Brushed Durabrass (23kt Gold)		**-28**	5,731.40
Brushed Dark Brass (PVD)		**-39**	3,821.10
Brushed Bronze (PVD)		**-42**	3,821.10
Brushed Dark Bronze (PVD)		**-43**	4,298.60
Dark Chrome		**-19**	3,582.20
Brushed Dark Platinum		**-99**	4,298.50

13 801 782

Bath spout for wall mounting
- **220mm projection**
- rectangular, air-enriched flow
- rosette 60 x 60 mm
- hole diameter 37 mm
- 1/2“ connection
- max. flow 38.5 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 801 782** FF	FF	Euro
Chrome		**-00**	767.60
Platinum		**-08**	1,228.50
Brushed Platinum		**-06**	1,228.50
Champagne (22kt Gold)		**-47**	1,842.20
Brushed Champagne (22kt Gold)		**-46**	1,842.20
Brushed Durabrass (23kt Gold)		**-28**	1,842.20
Brushed Dark Brass (PVD)		**-39**	1,228.10
Brushed Bronze (PVD)		**-42**	1,228.10
Brushed Dark Bronze (PVD)		**-43**	1,381.70
Dark Chrome		**-19**	1,151.30
Brushed Dark Platinum		**-99**	1,381.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 430 740



Bath cascade spout for wall mounting
- **200mm projection**
- cascade
- plate 180 mm x 60 mm
- hole diameter 40 mm
- 1/2“ connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 430 740** FF	FF	Euro
Chrome		**-00**	1,779.60
Platinum		**-08**	2,847.20
Brushed Platinum		**-06**	2,847.20
Champagne (22kt Gold)		**-47**	4,271.00
Brushed Champagne (22kt Gold)		**-46**	4,271.00
Brushed Durabrass (23kt Gold)		**-28**	4,271.00
Brushed Dark Brass (PVD)		**-39**	2,847.40
Brushed Bronze (PVD)		**-42**	2,847.40
Brushed Dark Bronze (PVD)		**-43**	3,203.30
Dark Chrome		**-19**	2,669.30
Brushed Dark Platinum		**-99**	3,203.20
Matte Black		**-33**	2,402.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 702 980

Hand shower set for bath rim or tile edge installation
- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 702 980** FF	FF	Euro
Chrome		**-00**	599.60
Platinum		**-08**	959.10
Brushed Platinum		**-06**	959.10
Champagne (22kt Gold)		**-47**	1,439.00
Brushed Champagne (22kt Gold)		**-46**	1,439.00
Brushed Durabrass (23kt Gold)		**-28**	1,439.00
Brushed Dark Brass (PVD)		**-39**	959.30
Brushed Bronze (PVD)		**-42**	959.30
Brushed Dark Bronze (PVD)		**-43**	1,079.30
Dark Chrome		**-19**	899.20
Brushed Dark Platinum		**-99**	1,079.10
Matte Black		**-33**	809.00

29 300 670

Single-lever bath mixer for bath rim or tile edge installation
- rosette 60 x 60 mm
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**29 300 670** FF	FF	Euro
Chrome		**-00**	709.80
Platinum		**-08**	1,135.60
Brushed Platinum		**-06**	1,135.60
Champagne (22kt Gold)		**-47**	1,703.50
Brushed Champagne (22kt Gold)		**-46**	1,703.50
Brushed Durabrass (23kt Gold)		**-28**	1,703.50
Brushed Dark Brass (PVD)		**-39**	1,135.70
Brushed Bronze (PVD)		**-42**	1,135.70
Brushed Dark Bronze (PVD)		**-43**	1,277.60
Dark Chrome		**-19**	1,064.50
Brushed Dark Platinum		**-99**	1,277.40
Matte Black		**-33**	958.20

29 140 670

Two-way diverter for bath rim or tile edge installation
- automatic bath/shower diverter
- hole diameter 32 mm
- rosette 60 x 60 mm
- 1/2“ connection
- max. flow 64.9 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**29 140 670** FF	FF	Euro
Chrome		**-00**	915.60
Platinum		**-08**	1,465.00
Brushed Platinum		**-06**	1,465.00
Champagne (22kt Gold)		**-47**	2,197.40
Brushed Champagne (22kt Gold)		**-46**	2,197.40
Brushed Durabrass (23kt Gold)		**-28**	2,197.40
Brushed Dark Brass (PVD)		**-39**	1,465.00
Brushed Bronze (PVD)		**-42**	1,465.00
Brushed Dark Bronze (PVD)		**-43**	1,648.10
Dark Chrome		**-19**	1,373.30
Brushed Dark Platinum		**-99**	1,648.10
Matte Black		**-33**	1,236.10

36 243 970

Pop-up waste and overflow
- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 243 970** FF	FF	Euro
Chrome		**-00**	232.10
Platinum		**-08**	371.60
Brushed Platinum		**-06**	371.60
Champagne (22kt Gold)		**-47**	557.00
Brushed Champagne (22kt Gold)		**-46**	557.00
Durabrass (23kt Gold)		**-09**	557.00
Brushed Durabrass (23kt Gold)		**-28**	557.00
Brushed Dark Brass (PVD)		**-39**	371.40
Brushed Bronze (PVD)		**-42**	371.30
Brushed Dark Bronze (PVD)		**-43**	417.80
Dark Chrome		**-19**	348.30
Brushed Dark Platinum		**-99**	417.70
Matte Black		**-33**	313.60

Required miscellaneous

Pop-up waste and overflow

	35 227 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	188.20

36 247 970

Bath spout with pop-up waste and overflow
- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 247 970** FF	FF	Euro
Chrome		**-00**	351.10
Platinum		**-08**	561.90
Brushed Platinum		**-06**	561.90
Champagne (22kt Gold)		**-47**	842.60
Brushed Champagne (22kt Gold)		**-46**	842.60
Durabrass (23kt Gold)		**-09**	842.60
Brushed Durabrass (23kt Gold)		**-28**	842.60
Brushed Dark Brass (PVD)		**-39**	561.90
Brushed Bronze (PVD)		**-42**	561.90
Brushed Dark Bronze (PVD)		**-43**	632.00
Dark Chrome		**-19**	526.80
Brushed Dark Platinum		**-99**	631.90
Matte Black		**-33**	473.90

Required miscellaneous

Vacuum breaker

	36 150 970 FF	FF	Euro
Chrome		**-00**	96.30
Platinum		**-08**	154.00
Brushed Platinum		**-06**	154.00
Champagne (22kt Gold)		**-47**	231.10
Brushed Champagne (22kt Gold)		**-46**	231.10
Durabrass (23kt Gold)		**-09**	231.10
Brushed Durabrass (23kt Gold)		**-28**	231.10
Brushed Dark Brass (PVD)		**-39**	154.00
Brushed Bronze (PVD)		**-42**	154.10
Brushed Dark Bronze (PVD)		**-43**	173.10
Dark Chrome		**-19**	144.40
Brushed Dark Platinum		**-99**	173.10
Matte Black		**-33**	130.10

Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	518.30

83 030 780

Bath grip
- gauge 185 mm
- width 300mm
- height 35 mm
- 65mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 030 780 FF	FF	Euro
Chrome		-00	442.90
Platinum		-08	708.20
Brushed Platinum		-06	708.20
Champagne (22kt Gold)		-47	1,063.00
Brushed Champagne (22kt Gold)		-46	1,063.00
Brushed Durabrass (23kt Gold)		-28	1,063.00
Brushed Dark Brass (PVD)		-39	708.60
Brushed Bronze (PVD)		-42	708.60
Brushed Dark Bronze (PVD)		-43	797.20
Dark Chrome		-19	664.30
Brushed Dark Platinum		-99	797.10

83 060 780

Towel bar
- gauge 400 mm
- width 600mm
- height 35 mm
- 80mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 060 780 FF	FF	Euro
Chrome		-00	578.80
Platinum		-08	926.10
Brushed Platinum		-06	926.10
Champagne (22kt Gold)		-47	1,389.10
Brushed Champagne (22kt Gold)		-46	1,389.10
Brushed Durabrass (23kt Gold)		-28	1,389.10
Brushed Dark Brass (PVD)		-39	926.10
Brushed Bronze (PVD)		-42	926.10
Brushed Dark Bronze (PVD)		-43	1,041.80
Dark Chrome		-19	868.20
Brushed Dark Platinum		-99	1,041.80

83 070 780

Towel bar
- gauge 320 mm
- width 450mm
- height 35 mm
- 80mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 070 780 FF	FF	Euro
Chrome		-00	531.20
Platinum		-08	850.00
Brushed Platinum		-06	850.00
Champagne (22kt Gold)		-47	1,274.90
Brushed Champagne (22kt Gold)		-46	1,274.90
Brushed Durabrass (23kt Gold)		-28	1,274.90
Brushed Dark Brass (PVD)		-39	850.00
Brushed Bronze (PVD)		-42	850.00
Brushed Dark Bronze (PVD)		-43	956.20
Dark Chrome		-19	796.70
Brushed Dark Platinum		-99	956.10

83 210 780

Towel bar in two parts non-swivel
- width 90mm
- height 35 mm
- 420mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 210 780 FF	FF	Euro
Chrome		-00	449.40
Platinum		-08	719.30
Brushed Platinum		-06	719.30
Champagne (22kt Gold)		-47	1,078.60
Brushed Champagne (22kt Gold)		-46	1,078.60
Brushed Durabrass (23kt Gold)		-28	1,078.60
Brushed Dark Brass (PVD)		-39	718.90
Brushed Bronze (PVD)		-42	718.90
Brushed Dark Bronze (PVD)		-43	808.90
Dark Chrome		-19	674.20
Brushed Dark Platinum		-99	808.80

83 200 780

Towel ring angular
- width 190mm
- height 35 mm
- 105mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 200 780 FF	FF	Euro
Chrome		-00	408.60
Platinum		-08	653.80
Brushed Platinum		-06	653.80
Champagne (22kt Gold)		-47	980.60
Brushed Champagne (22kt Gold)		-46	980.60
Brushed Durabrass (23kt Gold)		-28	980.60
Brushed Dark Brass (PVD)		-39	653.80
Brushed Bronze (PVD)		-42	653.80
Brushed Dark Bronze (PVD)		-43	735.50
Dark Chrome		-19	612.90
Brushed Dark Platinum		-99	735.50

83 251 780

Hooks
- width 19mm
- height 44 mm
- 35mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 251 780** FF	FF	Euro
Chrome		**-00**	120.40
Platinum		**-08**	192.70
Brushed Platinum		**-06**	192.70
Champagne (22kt Gold)		**-47**	289.00
Brushed Champagne (22kt Gold)		**-46**	289.00
Brushed Durabrass (23kt Gold)		**-28**	289.00
Brushed Dark Brass (PVD)		**-39**	192.70
Brushed Bronze (PVD)		**-42**	192.70
Brushed Dark Bronze (PVD)		**-43**	216.70
Dark Chrome		**-19**	180.70
Brushed Dark Platinum		**-99**	216.90

83 251 220

Hooks
- 55mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 251 220** FF	FF	Euro
Chrome		**-00**	47.10
Platinum		**-08**	75.20
Brushed Platinum		**-06**	75.20
Champagne (22kt Gold)		**-47**	113.00
Brushed Champagne (22kt Gold)		**-46**	113.00
Durabrass (23kt Gold)		**-09**	113.00
Brushed Durabrass (23kt Gold)		**-28**	113.00
Brushed Dark Brass (PVD)		**-39**	75.50
Brushed Bronze (PVD)		**-42**	75.40
Brushed Dark Bronze (PVD)		**-43**	84.80
Dark Chrome		**-19**	70.70
Brushed Dark Platinum		**-99**	84.60
Matte Black		**-33**	63.70

83 251 979

Hooks
- rosette Ø 40 mm
- 50mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 251 979** FF	FF	Euro
Chrome		**-00**	77.10
Brushed Platinum		**-06**	123.50
Champagne (22kt Gold)		**-47**	185.00
Brushed Champagne (22kt Gold)		**-46**	185.00
Brushed Durabrass (23kt Gold)		**-28**	185.00
Brushed Dark Brass (PVD)		**-39**	123.40
Brushed Bronze (PVD)		**-42**	123.30
Brushed Dark Bronze (PVD)		**-43**	138.80
Dark Chrome		**-19**	115.70
Brushed Dark Platinum		**-99**	138.60
Matte Black		**-33**	104.20

83 256 979

Hooks in two parts
- width 80mm
- rosette Ø 40 mm
- 55mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 256 979** FF	FF	Euro
Chrome		**-00**	143.00
Brushed Platinum		**-06**	229.30
Champagne (22kt Gold)		**-47**	343.20
Brushed Champagne (22kt Gold)		**-46**	343.20
Brushed Durabrass (23kt Gold)		**-28**	343.20
Brushed Dark Brass (PVD)		**-39**	228.70
Brushed Bronze (PVD)		**-42**	228.70
Brushed Dark Bronze (PVD)		**-43**	257.40
Dark Chrome		**-19**	214.40
Brushed Dark Platinum		**-99**	257.60
Matte Black		**-33**	193.10

83 401 979

Tumbler holder wall model
- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 401 979** FF	FF	Euro
Chrome		**-00**	292.80
Platinum		**-08**	468.60
Brushed Platinum		**-06**	468.60
Champagne (22kt Gold)		**-47**	702.70
Brushed Champagne (22kt Gold)		**-46**	702.70
Durabrass (23kt Gold)		**-09**	702.70
Brushed Durabrass (23kt Gold)		**-28**	702.70
Brushed Dark Brass (PVD)		**-39**	468.60
Brushed Bronze (PVD)		**-42**	468.60
Brushed Dark Bronze (PVD)		**-43**	527.00
Dark Chrome		**-19**	439.40
Brushed Dark Platinum		**-99**	527.10
Matte Black		**-33**	395.30

Recommended miscellaneous

Crystal tumbler

	08 90 00 008 FF	FF	Euro
	Glass	**82**	109.00

83 410 979

Soap dish wall model
- width 120mm
- height 20 mm
- 145mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 410 979** FF	FF	Euro
Chrome		**-00**	303.80
Platinum		**-08**	486.00
Brushed Platinum		**-06**	486.00
Champagne (22kt Gold)		**-47**	729.10
Brushed Champagne (22kt Gold)		**-46**	729.10
Durabrass (23kt Gold)		**-09**	729.10
Brushed Durabrass (23kt Gold)		**-28**	729.10
Brushed Dark Brass (PVD)		**-39**	486.00
Brushed Bronze (PVD)		**-42**	486.00
Brushed Dark Bronze (PVD)		**-43**	546.80
Dark Chrome		**-19**	455.80
Brushed Dark Platinum		**-99**	546.90
Matte Black		**-33**	410.10

83 410 780



Soap dish wall model
- width 120mm
- height 45 mm
- 120mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 410 780** FF	FF	Euro
Chrome		**-00**	459.20
Platinum		**-08**	734.70
Brushed Platinum		**-06**	734.70
Champagne (22kt Gold)		**-47**	1,102.10
Brushed Champagne (22kt Gold)		**-46**	1,102.10
Brushed Durabrass (23kt Gold)		**-28**	1,102.10
Brushed Dark Brass (PVD)		**-39**	734.70
Brushed Bronze (PVD)		**-42**	734.70
Brushed Dark Bronze (PVD)		**-43**	826.60
Dark Chrome		**-19**	688.80
Brushed Dark Platinum		**-99**	826.60

83 435 970

Dispenser wall model
- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 435 970** FF	FF	Euro
Chrome		**-00**	480.50
Platinum		**-08**	768.70
Brushed Platinum		**-06**	768.70
Champagne (22kt Gold)		**-47**	1,153.20
Brushed Champagne (22kt Gold)		**-46**	1,153.20
Brushed Durabrass (23kt Gold)		**-28**	1,153.20
Brushed Dark Brass (PVD)		**-39**	768.80
Brushed Bronze (PVD)		**-42**	768.80
Brushed Dark Bronze (PVD)		**-43**	864.90
Dark Chrome		**-19**	720.80
Brushed Dark Platinum		**-99**	865.00
Matte Black		**-33**	648.80

84 435 970

Dispenser free-standing model
- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 59mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**84 435 970** FF	FF	Euro
Chrome		**-00**	442.70
Platinum		**-08**	707.70
Brushed Platinum		**-06**	707.70
Champagne (22kt Gold)		**-47**	1,062.50
Brushed Champagne (22kt Gold)		**-46**	1,062.50
Brushed Durabrass (23kt Gold)		**-28**	1,062.50
Brushed Dark Brass (PVD)		**-39**	708.20
Brushed Bronze (PVD)		**-42**	708.20
Brushed Dark Bronze (PVD)		**-43**	796.90
Dark Chrome		**-19**	664.10
Brushed Dark Platinum		**-99**	796.80
Matte Black		**-33**	597.60

83 290 970



Shower basket for wall mounting
- width 200mm
- height 70 mm
- 115mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 290 970** FF	FF	Euro
Chrome		**-00**	232.70
Platinum		**-08**	372.30
Brushed Platinum		**-06**	372.30
Champagne (22kt Gold)		**-47**	558.50
Brushed Champagne (22kt Gold)		**-46**	558.50
Durabrass (23kt Gold)		**-09**	558.50
Brushed Durabrass (23kt Gold)		**-28**	558.50
Brushed Dark Brass (PVD)		**-39**	372.20
Brushed Bronze (PVD)		**-42**	372.10
Brushed Dark Bronze (PVD)		**-43**	418.90
Dark Chrome		**-19**	349.00
Brushed Dark Platinum		**-99**	418.80
Matte Black		**-33**	314.20

83 500 780

Tissue holder without cover
- width 140mm
- height 35 mm
- 85mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 500 780** FF	FF	Euro
Chrome		**-00**	323.10
Platinum		**-08**	516.70
Brushed Platinum		**-06**	516.70
Champagne (22kt Gold)		**-47**	775.40
Brushed Champagne (22kt Gold)		**-46**	775.40
Brushed Durabrass (23kt Gold)		**-28**	775.40
Brushed Dark Brass (PVD)		**-39**	516.80
Brushed Bronze (PVD)		**-42**	516.80
Brushed Dark Bronze (PVD)		**-43**	581.60
Dark Chrome		**-19**	484.50
Brushed Dark Platinum		**-99**	581.30

83 590 780

Reserve tissue holder
- width 132mm
- height 35 mm
- 116mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 590 780** FF	FF	Euro
Chrome		**-00**	323.10
Platinum		**-08**	516.70
Brushed Platinum		**-06**	516.70
Champagne (22kt Gold)		**-47**	775.40
Brushed Champagne (22kt Gold)		**-46**	775.40
Brushed Durabrass (23kt Gold)		**-28**	775.40
Brushed Dark Brass (PVD)		**-39**	516.80
Brushed Bronze (PVD)		**-42**	516.80
Brushed Dark Bronze (PVD)		**-43**	581.60
Dark Chrome		**-19**	484.50
Brushed Dark Platinum		**-99**	581.30

83 900 780

Toilet brush set wall model
- crystal glass brush holder, matte
- brush, matte black
- width 118mm
- height 415 mm
- 118mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 900 780** FF	FF	Euro
Chrome		**-00**	499.50
Platinum		**-08**	799.20
Brushed Platinum		**-06**	799.20
Champagne (22kt Gold)		**-47**	1,198.80
Brushed Champagne (22kt Gold)		**-46**	1,198.80
Brushed Durabrass (23kt Gold)		**-28**	1,198.80
Brushed Dark Brass (PVD)		**-39**	799.20
Brushed Bronze (PVD)		**-42**	799.20
Brushed Dark Bronze (PVD)		**-43**	899.10
Dark Chrome		**-19**	749.10
Brushed Dark Platinum		**-99**	899.00

83 910 979

Toilet brush set wall model
- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 910 979** FF	FF	Euro
Chrome		**-00**	545.20
Platinum		**-08**	872.40
Brushed Platinum		**-06**	872.40
Champagne (22kt Gold)		**-47**	1,308.50
Brushed Champagne (22kt Gold)		**-46**	1,308.50
Brushed Durabrass (23kt Gold)		**-28**	1,308.50
Brushed Dark Brass (PVD)		**-39**	872.30
Brushed Bronze (PVD)		**-42**	872.20
Brushed Dark Bronze (PVD)		**-43**	981.40
Dark Chrome		**-19**	817.80
Brushed Dark Platinum		**-99**	981.30
Matte Black		**-33**	735.90

84 910 979

Toilet brush set free-standing model
- brush, matte black
- width 100mm
- height 456 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**84 910 979** FF	FF	Euro
Chrome		**-00**	493.20
Platinum		**-08**	789.10
Brushed Platinum		**-06**	789.10
Champagne (22kt Gold)		**-47**	1,183.70
Brushed Champagne (22kt Gold)		**-46**	1,183.70
Brushed Durabrass (23kt Gold)		**-28**	1,183.70
Brushed Dark Brass (PVD)		**-39**	789.10
Brushed Bronze (PVD)		**-42**	789.20
Brushed Dark Bronze (PVD)		**-43**	887.80
Dark Chrome		**-19**	739.90
Brushed Dark Platinum		**-99**	887.70
Matte Black		**-33**	665.90

12 660 979

Cover plate for the concealed WC cistern made by TeCe
- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:
- TECEprofil dry wall construction, article numbers:
- 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers:
- 9370300, 9375300, 9371300

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 660 979** FF	FF	Euro
Chrome		**-00**	894.90
Platinum		**-08**	1,432.20
Brushed Platinum		**-06**	1,432.20
Champagne (22kt Gold)		**-47**	2,147.80
Brushed Champagne (22kt Gold)		**-46**	2,147.80
Brushed Durabrass (23kt Gold)		**-28**	2,147.80
Brushed Dark Brass (PVD)		**-39**	1,431.90
Brushed Bronze (PVD)		**-42**	1,432.00
Brushed Dark Bronze (PVD)		**-43**	1,610.80
Dark Chrome		**-19**	1,342.30
Brushed Dark Platinum		**-99**	1,611.00
Matte Black		**-33**	1,208.10

12 665 980

Flush plate for concealed WC cisterns made by Geberit angular
- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Not compatible with GEBERIT Duo Fresh module

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 665 980** FF	FF	Euro
Chrome		**-00**	509.60
Platinum		**-08**	815.30
Brushed Platinum		**-06**	815.30
Champagne (22kt Gold)		**-47**	1,223.00
Brushed Champagne (22kt Gold)		**-46**	1,223.00
Durabrass (23kt Gold)		**-09**	1,223.00
Brushed Durabrass (23kt Gold)		**-28**	1,223.00
Brushed Dark Brass (PVD)		**-39**	815.30
Brushed Bronze (PVD)		**-42**	815.30
Brushed Dark Bronze (PVD)		**-43**	917.30
Dark Chrome		**-19**	764.40
Brushed Dark Platinum		**-99**	917.30
Matte Black		**-33**	688.00

83 150 979

Lighted mirror round
- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 979** FF	FF	Euro
Matte White		**-10**	1,855.40
Matte Black		**-33**	1,855.40

83 151 979

Lighted mirror round
- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 979** FF	FF	Euro
Matte White		**-10**	2,168.30
Matte Black		**-33**	2,168.30

83 150 980

Lighted mirror angular
- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 980** FF	FF	Euro
Matte White		**-10**	1,734.60
Matte Black		**-33**	1,734.60

83 151 980

Lighted mirror angular
- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 980** FF	FF	Euro
Matte White		**-10**	2,048.60
Matte Black		**-33**	2,048.60

36 390 980

Electronic control elements for towel warmer
- rosette 80 x 80 mm
- Control element for towel warmer: 833XX980-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	36 390 980 FF	FF	Euro
Chrome		-00	525.00
Brushed Champagne (22kt Gold)		-46	1,260.00
Dark Chrome		-19	787.50
Brushed Dark Platinum		-99	945.00
Matte Black		-33	708.80

83 304 980

Towel warmer, 4-fold, projection left, without control element
- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	83 304 980 FF	FF	Euro
Chrome		-00	2,772.00
Brushed Champagne (22kt Gold)		-46	6,652.80
Dark Chrome		-19	4,158.00
Brushed Dark Platinum		-99	4,989.60
Matte Black		-33	3,742.20

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	90	772.50

For details and miscellaneous, see page 739

83 306 980

Towel warmer, 6-fold, projection left, without control element
- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

This appliance is a stationary electric space heater and, in order to comply with the mandatory ecodesign requirements of Commission Regulation (EU) 2024/1103, must be equipped with at least one control with control function TW(f2).

Standard article	83 306 980 FF	FF	Euro
Chrome		-00	4,158.00
Brushed Champagne (22kt Gold)		-46	9,979.20
Dark Chrome		-19	6,237.00
Brushed Dark Platinum		-99	7,484.40
Matte Black		-33	5,613.30

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	90	1,030.00

For details and miscellaneous, see page 739

83 314 980

Towel warmer, 4-fold, projection right, without control element
- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	83 314 980 FF	FF	Euro
Chrome		-00	2,772.00
Brushed Champagne (22kt Gold)		-46	6,652.80
Dark Chrome		-19	4,158.00
Brushed Dark Platinum		-99	4,989.60
Matte Black		-33	3,742.20

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	90	772.50

For details and miscellaneous, see page 739

83 316 980

Towel warmer, 6-fold, projection right, without control element
- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 316 980** FF	FF	Euro
Chrome		**-00**	4,158.00
Brushed Champagne (22kt Gold)		**-46**	9,979.20
Dark Chrome		**-19**	6,237.00
Brushed Dark Platinum		**-99**	7,484.40
Matte Black		**-33**	5,613.30

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,030.00

For details and miscellaneous, see page 739

83 304 980 + 36 390 980

Towel warmer, 4-fold, projection left, with control element
- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 304 980** FF		1x **36 390 980** FF		**Total price:**
	FF	Euro	FF	Euro	Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Champagne (22kt Gold)	**-46**	6,652.80	**-46**	1,260.00	**7,912.80**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**
Matte Black	**-33**	3,742.20	**-33**	708.80	**4,451.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

	35 312 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	875.50

For details and miscellaneous, see page 739

83 306 980 + 36 390 980

Towel warmer, 6-fold, projection left, with control element
- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 306 980** FF		1x **36 390 980** FF		**Total price:**
	FF	Euro	FF	Euro	Euro
Chrome	**-00**	4,158.00	**-00**	525.00	**4,683.00**
Brushed Champagne (22kt Gold)	**-46**	9,979.20	**-46**	1,260.00	**11,239.20**
Dark Chrome	**-19**	6,237.00	**-19**	787.50	**7,024.50**
Brushed Dark Platinum	**-99**	7,484.40	**-99**	945.00	**8,429.40**
Matte Black	**-33**	5,613.30	**-33**	708.80	**6,322.10**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,133.00

For details and miscellaneous, see page 739

83 314 980 + 36 390 980

Towel warmer, 4-fold, projection right, with control element
- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 314 980** FF		1x **36 390 980** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Champagne (22kt Gold)	**-46**	6,652.80	**-46**	1,260.00	**7,912.80**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**
Matte Black	**-33**	3,742.20	**-33**	708.80	**4,451.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

	35 312 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	875.50

For details and miscellaneous, see page 739

83 316 980 + 36 390 980

Towel warmer, 6-fold, projection right, with control element
- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x **83 316 980** FF		1x **36 390 980** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	4,158.00	**-00**	525.00	**4,683.00**
Brushed Champagne (22kt Gold)	**-46**	9,979.20	**-46**	1,260.00	**11,239.20**
Dark Chrome	**-19**	6,237.00	**-19**	787.50	**7,024.50**
Brushed Dark Platinum	**-99**	7,484.40	**-99**	945.00	**8,429.40**
Matte Black	**-33**	5,613.30	**-33**	708.80	**6,322.10**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,133.00

For details and miscellaneous, see page 739

META

Sieger Design

Basin
from page 397

Bidet
from page 366

Shower
from page 409

Thermostats, mixers, diverters and valves
from page 396

Bath
from page 412

Accessories
from page 459

Basin fittings

Single-lever basin mixers

105mm projection

33 525 660

125mm projection

33 501 660
33 526 660*

135mm projection

33 502 660
33 522 660*

125mm projection

33 504 660
33 529 660*

125mm projection

33 505 660
33 530 660*

123mm projection

33 510 661
33 525 661*

Single-lever basin mixers

165mm projection

33 560 661
33 565 661*

167mm projection

33 500 661
33 505 661*

Free-standing basin mixers

196mm projection

22 584 660

202mm projection

22 584 661

with a raised pillar base

165mm projection

33 539 660

135mm projection

33 537 660

with a raised pillar base

201mm projection

33 534 661

Three-hole basin mixers

168mm projection

20 713 661

Pillar taps

123mm projection

17 500 662

Wall-mounted single-lever basin mixers

190mm projection

36 860 660
36 862 660*

125mm projection

36 867 660

250mm projection

36 861 660
36 863 660*

Touchfree

125mm projection

44 515 660

165mm projection

44 521 660

166mm projection

13 716 882 +
42 765 970

190mm projection

13 800 882 +
42 765 970

Showers

Shower sets

26 412 979 +
28 018 979

26 412 625 +
28 018 979

26 411 625

Shower pipes with shower thermostat

34 464 979 +
28 025 979
34 466 979*

34 465 979 +
28 018 979
34 469 979*

Head showers with one spray type

28 504 979

Head showers with one spray type

28 611 970

28 613 970

Head showers with multiple jet types

28 508 979

28 505 979

Rain showers with wall connection

28 647 970
28 645 970*

28 646 970
28 644 970*

Rain showers with wall connection

28 677 970
28 675 970*

28 676 970
28 674 970*

28 659 970

Rain showers with ceiling connection

28 666 970
28 664 970*

28 667 970
28 665 970*

28 686 970
28 684 970*

Rain showers with ceiling connection

28 687 970
28 685 970*

28 699 970

Rain showers for ceiling connection

28 031 970

28 032 970

Rain showers for ceiling installation

28 033 970

28 034 970

Hand shower sets with integrated shower holder

27 812 660

27 813 660

Hand shower sets

27 815 625

27 816 625

Side showers

28 518 979

Massage modules

WATER POINTS

36 515 979

Massage modules

WATER BAR

36 517 979

WATER CURVE

36 514 979

WATER FAN

36 513 979
36 512 979*

Waterfalls

WATER SHEET

13 415 979

WATER FALL

13 420 979

WATER FALL

13 425 979

Kneipp modules

WATER TUBE

27 823 979 +
28 285 979

Bath fittings

Single-lever mixers

36 120 660

29 300 660

Free-standing bath fittings

281mm projection

25 863 661

Wall-mounted mixers for wall mounting

202mm projection

33 200 660

202mm projection

33 233 660

Bath thermostats

210mm projection

34 234 979

Bath spouts

282mm projection

13 672 661

200mm projection

13 801 660

Bath shower sets

221mm projection

27 632 661

Hand shower sets

230mm projection

27 702 660

Diverters

29 140 660

Miscellaneous

26mm projection

36 243 970

integrated bath filling

26mm projection

36 247 970

33 525 660

Single-lever basin mixer without pop-up waste
- **105mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 138 mm
- height up to aerator 57 mm
- hole diameter 35 mm
- rosette Ø 50 mm optional
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8“ cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 525 660** FF	FF	Euro
Chrome		**-00**	360.80
Brushed Chrome		**-93**	469.10
Platinum		**-08**	577.30
Brushed Platinum		**-06**	577.20
Light Gold (PVD)		**-26**	541.30
Brushed Light Gold (PVD)		**-27**	541.30
Brushed Gold (PVD)		**-37**	541.20
Brushed Dark Brass (PVD)		**-39**	577.30
Brushed Bronze (PVD)		**-42**	577.30
Brushed Dark Bronze (PVD)		**-43**	649.40
Dark Chrome		**-19**	541.20
Brushed Dark Platinum		**-99**	649.40
Matte Black		**-33**	487.00
Red		**-29**	487.10
Orange		**-30**	487.10
Dark Green		**-31**	487.10

33 501 660

Single-lever basin mixer with pop-up waste
- **125mm projection**
- 1 1/4“ pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 133 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8“ cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 501 660** FF	FF	Euro
Chrome		**-00**	438.40
Brushed Chrome		**-93**	569.80
Brushed Platinum		**-06**	701.50
Light Gold (PVD)		**-26**	657.60
Brushed Light Gold (PVD)		**-27**	657.60
Brushed Gold (PVD)		**-37**	657.60
Brushed Dark Brass (PVD)		**-39**	701.40
Brushed Bronze (PVD)		**-42**	701.40
Brushed Dark Bronze (PVD)		**-43**	789.10
Dark Chrome		**-19**	657.60
Brushed Dark Platinum		**-99**	789.00
Matte Black		**-33**	591.50

Product alternative
- **without pop-up waste**

Standard article	**33 526 660** FF	FF	Euro
Chrome		**-00**	407.70
Brushed Chrome		**-93**	530.00
Brushed Platinum		**-06**	652.40
Light Gold (PVD)		**-26**	611.60
Brushed Light Gold (PVD)		**-27**	611.60
Brushed Gold (PVD)		**-37**	611.60
Brushed Dark Brass (PVD)		**-39**	652.40
Brushed Bronze (PVD)		**-42**	652.40
Brushed Dark Bronze (PVD)		**-43**	733.90
Dark Chrome		**-19**	611.70
Brushed Dark Platinum		**-99**	734.00
Matte Black		**-33**	550.20

33 502 660

Single-lever basin mixer with pop-up waste
- **135mm projection**
- 1 1/4“ pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 158 mm
- height up to aerator 77 mm
- hole diameter 35 mm
- 2 x pressure hose with 3/8“ cap nut
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 502 660** FF	FF	Euro
Chrome		**-00**	479.00
Brushed Chrome		**-93**	622.80
Brushed Platinum		**-06**	766.30
Light Gold (PVD)		**-26**	718.60
Brushed Light Gold (PVD)		**-27**	718.60
Brushed Gold (PVD)		**-37**	718.50
Brushed Dark Brass (PVD)		**-39**	766.40
Brushed Bronze (PVD)		**-42**	766.50
Brushed Dark Bronze (PVD)		**-43**	862.20
Dark Chrome		**-19**	718.60
Brushed Dark Platinum		**-99**	862.30
Matte Black		**-33**	646.20

Product alternative
- **without pop-up waste**

Standard article	**33 522 660** FF	FF	Euro
Chrome		**-00**	445.50
Brushed Chrome		**-93**	579.20
Brushed Platinum		**-06**	712.60
Light Gold (PVD)		**-26**	668.30
Brushed Light Gold (PVD)		**-27**	668.30
Brushed Gold (PVD)		**-37**	668.30
Brushed Dark Brass (PVD)		**-39**	712.80
Brushed Bronze (PVD)		**-42**	712.80
Brushed Dark Bronze (PVD)		**-43**	801.90
Dark Chrome		**-19**	668.30
Brushed Dark Platinum		**-99**	802.00
Matte Black		**-33**	601.20

33 504 660

Single-lever basin mixer with pop-up waste
- **125mm projection**
- With linear texture
- fixed spout
- circular, air-enriched flow
- height of mixer 135 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 504 660** FF	FF	Euro
Chrome		**-00**	704.60
Brushed Chrome		**-93**	916.00
Brushed Platinum		**-06**	1,127.40
Light Gold (PVD)		**-26**	1,056.90
Brushed Light Gold (PVD)		**-27**	1,056.90
Brushed Gold (PVD)		**-37**	1,056.90
Brushed Dark Brass (PVD)		**-39**	1,127.40
Brushed Bronze (PVD)		**-42**	1,127.40
Brushed Dark Bronze (PVD)		**-43**	1,268.30
Dark Chrome		**-19**	1,056.90
Brushed Dark Platinum		**-99**	1,268.30
Matte Black		**-33**	951.20

Product alternative
- **without pop-up waste**

Standard article	**33 529 660** FF	FF	Euro
Chrome		**-00**	655.50
Brushed Chrome		**-93**	852.20
Brushed Platinum		**-06**	1,048.80
Light Gold (PVD)		**-26**	983.30
Brushed Light Gold (PVD)		**-27**	983.30
Brushed Gold (PVD)		**-37**	983.30
Brushed Dark Brass (PVD)		**-39**	1,048.80
Brushed Bronze (PVD)		**-42**	1,048.80
Brushed Dark Bronze (PVD)		**-43**	1,179.90
Dark Chrome		**-19**	983.30
Brushed Dark Platinum		**-99**	1,179.90
Matte Black		**-33**	884.90

33 505 660

Single-lever basin mixer with pop-up waste
- **125mm projection**
- With faceted texture
- fixed spout
- circular, air-enriched flow
- height of mixer 135 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 505 660** FF	FF	Euro
Chrome		**-00**	704.60
Brushed Chrome		**-93**	916.00
Brushed Platinum		**-06**	1,127.40
Light Gold (PVD)		**-26**	1,056.90
Brushed Light Gold (PVD)		**-27**	1,056.90
Brushed Gold (PVD)		**-37**	1,056.90
Brushed Dark Brass (PVD)		**-39**	1,127.40
Brushed Bronze (PVD)		**-42**	1,127.40
Brushed Dark Bronze (PVD)		**-43**	1,268.30
Dark Chrome		**-19**	1,056.90
Brushed Dark Platinum		**-99**	1,268.30

Product alternative
- **without pop-up waste**

Standard article	**33 530 660** FF	FF	Euro
Chrome		**-00**	655.50
Brushed Chrome		**-93**	852.20
Brushed Platinum		**-06**	1,048.80
Light Gold (PVD)		**-26**	983.30
Brushed Light Gold (PVD)		**-27**	983.30
Brushed Gold (PVD)		**-37**	983.30
Brushed Dark Brass (PVD)		**-39**	1,048.80
Brushed Bronze (PVD)		**-42**	1,048.80
Brushed Dark Bronze (PVD)		**-43**	1,179.90
Dark Chrome		**-19**	983.30
Brushed Dark Platinum		**-99**	1,179.90

22 584 660

Single-lever basin mixer with stand pipe without pop-up waste
- **196mm projection**
- fixed spout
- circular, air-enriched flow
- total height 1033 - 1103 mm
- height up to aerator 951 – 1021 mm
- rosette Ø 135 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 584 660** FF	FF	Euro
Chrome		**-00**	1,803.80
Brushed Chrome		**-93**	2,345.00
Brushed Platinum		**-06**	2,885.90
Light Gold (PVD)		**-26**	2,705.60
Brushed Light Gold (PVD)		**-27**	2,705.60
Brushed Gold (PVD)		**-37**	2,705.70
Brushed Dark Brass (PVD)		**-39**	2,886.00
Brushed Bronze (PVD)		**-42**	2,886.00
Brushed Dark Bronze (PVD)		**-43**	3,246.80
Dark Chrome		**-19**	2,705.50
Brushed Dark Platinum		**-99**	3,246.80
Matte Black		**-33**	2,435.10

Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 150 mm	Concealed rough parts	**90**	882.10

For details and miscellaneous, see page 732

22 584 661

Single-lever basin mixer with stand pipe without pop-up waste
- **202mm projection**
- circular, air-enriched flow
- total height 1197 - 1267 mm
- height up to water outlet point 1098 mm
- rosette Ø 135 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- pivoting spout

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 584 661** FF	FF	Euro
Chrome		**-00**	1,925.40
Brushed Chrome		**-93**	2,502.90
Brushed Platinum		**-06**	3,080.50
Light Gold (PVD)		**-26**	2,888.00
Brushed Light Gold (PVD)		**-27**	2,888.00
Brushed Gold (PVD)		**-37**	2,888.10
Brushed Dark Brass (PVD)		**-39**	3,080.60
Brushed Bronze (PVD)		**-42**	3,080.50
Brushed Dark Bronze (PVD)		**-43**	3,465.70
Dark Chrome		**-19**	2,887.90
Brushed Dark Platinum		**-99**	3,465.60
Matte Black		**-33**	2,599.20

Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 150 mm	Concealed rough parts	**90**	882.10

For details and miscellaneous, see page 732

33 510 661

Single-lever basin mixer with pop-up waste
- **123mm projection**
- 1 1/4“ pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 272 mm
- height up to aerator 202 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8“ cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 510 661** FF	FF	Euro
Chrome		**-00**	667.70
Brushed Chrome		**-93**	867.90
Brushed Platinum		**-06**	1,068.40
Light Gold (PVD)		**-26**	1,001.50
Brushed Light Gold (PVD)		**-27**	1,001.50
Brushed Gold (PVD)		**-37**	1,001.60
Brushed Dark Brass (PVD)		**-39**	1,068.30
Brushed Bronze (PVD)		**-42**	1,068.20
Brushed Dark Bronze (PVD)		**-43**	1,201.90
Dark Chrome		**-19**	1,001.50
Brushed Dark Platinum		**-99**	1,201.70
Matte Black		**-33**	901.30

Product alternative
- **without pop-up waste**

Standard article	**33 525 661** FF	FF	Euro
Chrome		**-00**	613.00
Brushed Chrome		**-93**	797.00
Brushed Platinum		**-06**	980.80
Light Gold (PVD)		**-26**	919.60
Brushed Light Gold (PVD)		**-27**	919.60
Brushed Gold (PVD)		**-37**	919.50
Brushed Dark Brass (PVD)		**-39**	980.80
Brushed Bronze (PVD)		**-42**	980.80
Brushed Dark Bronze (PVD)		**-43**	1,103.40
Dark Chrome		**-19**	919.60
Brushed Dark Platinum		**-99**	1,103.40
Matte Black		**-33**	827.60

33 560 661

Single-lever basin mixer with pop-up waste
- 180° spout
- **165mm projection**
- 1 1/4“ pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 310 mm
- height up to aerator 199 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8“ cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

for use on bowl sink.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 560 661** FF	FF	Euro
Chrome		**-00**	705.80
Brushed Chrome		**-93**	917.50
Brushed Platinum		**-06**	1,129.40
Light Gold (PVD)		**-26**	1,058.70
Brushed Light Gold (PVD)		**-27**	1,058.70
Brushed Gold (PVD)		**-37**	1,058.70
Brushed Dark Brass (PVD)		**-39**	1,129.30
Brushed Bronze (PVD)		**-42**	1,129.30
Brushed Dark Bronze (PVD)		**-43**	1,270.40
Dark Chrome		**-19**	1,058.80
Brushed Dark Platinum		**-99**	1,270.40
Matte Black		**-33**	952.90

Product alternative
- **without pop-up waste**

Standard article	**33 565 661** FF	FF	Euro
Chrome		**-00**	651.30
Brushed Chrome		**-93**	846.60
Brushed Platinum		**-06**	1,041.80
Light Gold (PVD)		**-26**	976.90
Brushed Light Gold (PVD)		**-27**	976.90
Brushed Gold (PVD)		**-37**	977.00
Brushed Dark Brass (PVD)		**-39**	1,042.10
Brushed Bronze (PVD)		**-42**	1,042.10
Brushed Dark Bronze (PVD)		**-43**	1,172.30
Dark Chrome		**-19**	976.90
Brushed Dark Platinum		**-99**	1,172.30
Matte Black		**-33**	879.30

33 500 661

Single-lever basin mixer with pop-up waste
- **167mm projection**
- 1 1/4“ pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 310 mm
- height up to aerator 225 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8“ cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 500 661** FF	FF	Euro
Chrome		**-00**	705.80
Brushed Chrome		**-93**	917.50
Brushed Platinum		**-06**	1,129.40
Light Gold (PVD)		**-26**	1,058.70
Brushed Light Gold (PVD)		**-27**	1,058.70
Brushed Gold (PVD)		**-37**	1,058.70
Brushed Dark Brass (PVD)		**-39**	1,129.30
Brushed Bronze (PVD)		**-42**	1,129.30
Brushed Dark Bronze (PVD)		**-43**	1,270.40
Dark Chrome		**-19**	1,058.80
Brushed Dark Platinum		**-99**	1,270.40
Matte Black		**-33**	952.90

Product alternative
- **without pop-up waste**

Standard article	**33 505 661** FF	FF	Euro
Chrome		**-00**	651.30
Brushed Chrome		**-93**	846.60
Brushed Platinum		**-06**	1,041.80
Light Gold (PVD)		**-26**	976.90
Brushed Light Gold (PVD)		**-27**	976.90
Brushed Gold (PVD)		**-37**	977.00
Brushed Dark Brass (PVD)		**-39**	1,042.10
Brushed Bronze (PVD)		**-42**	1,042.10
Brushed Dark Bronze (PVD)		**-43**	1,172.30
Dark Chrome		**-19**	976.90
Brushed Dark Platinum		**-99**	1,172.30
Matte Black		**-33**	879.30

33 539 660

Single-lever basin mixer with raised base without pop-up waste
- **165mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 300 mm
- height up to aerator 219 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8“ cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

for use on bowl sink.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 539 660** FF	FF	Euro
Chrome		**-00**	630.50
Brushed Chrome		**-93**	819.60
Brushed Platinum		**-06**	1,008.90
Light Gold (PVD)		**-26**	945.80
Brushed Light Gold (PVD)		**-27**	945.80
Brushed Gold (PVD)		**-37**	945.80
Brushed Dark Brass (PVD)		**-39**	1,008.80
Brushed Bronze (PVD)		**-42**	1,008.70
Brushed Dark Bronze (PVD)		**-43**	1,134.90
Dark Chrome		**-19**	945.90
Brushed Dark Platinum		**-99**	1,134.90
Matte Black		**-33**	850.90

33 537 660

Single-lever basin mixer with raised base without pop-up waste
- **135mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 300 mm
- height up to aerator 219 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8“ cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

for use on bowl sink.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 537 660** FF	FF	Euro
Chrome		**-00**	598.00
Brushed Chrome		**-93**	777.30
Brushed Platinum		**-06**	956.90
Light Gold (PVD)		**-26**	897.00
Brushed Light Gold (PVD)		**-27**	897.00
Brushed Gold (PVD)		**-37**	897.00
Brushed Dark Brass (PVD)		**-39**	956.80
Brushed Bronze (PVD)		**-42**	956.80
Brushed Dark Bronze (PVD)		**-43**	1,076.40
Dark Chrome		**-19**	896.80
Brushed Dark Platinum		**-99**	1,076.30
Matte Black		**-33**	807.00

33 534 661

Single-lever basin mixer with raised base without pop-up waste
- **201mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 397 mm
- height up to aerator 299 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8“ cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

for use on bowl sink.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 534 661** FF	FF	Euro
Chrome		**-00**	915.90
Brushed Chrome		**-93**	1,190.70
Brushed Platinum		**-06**	1,465.50
Light Gold (PVD)		**-26**	1,373.90
Brushed Light Gold (PVD)		**-27**	1,373.90
Brushed Gold (PVD)		**-37**	1,373.90
Brushed Dark Brass (PVD)		**-39**	1,465.50
Brushed Bronze (PVD)		**-42**	1,465.50
Brushed Dark Bronze (PVD)		**-43**	1,648.60
Dark Chrome		**-19**	1,373.90
Brushed Dark Platinum		**-99**	1,648.70
Matte Black		**-33**	1,236.70

20 713 661

Three-hole basin mixer with pop-up waste
- **168mm projection**
- 1 1/4“ pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 60 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 713 661** FF	FF	Euro
Chrome		**-00**	1,043.10
Brushed Chrome		**-93**	1,356.00
Brushed Platinum		**-06**	1,669.10
Light Gold (PVD)		**-26**	1,564.60
Brushed Light Gold (PVD)		**-27**	1,564.60
Brushed Gold (PVD)		**-37**	1,564.70
Brushed Dark Brass (PVD)		**-39**	1,668.90
Brushed Bronze (PVD)		**-42**	1,668.90
Brushed Dark Bronze (PVD)		**-43**	1,877.60
Dark Chrome		**-19**	1,564.60
Brushed Dark Platinum		**-99**	1,877.50
Matte Black		**-33**	1,408.20

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

17 500 662

Pillar tap cold water
- **123mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 232 mm
- height up to aerator 159 mm
- hole diameter 35 mm
- 1/2“ connection
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**17 500 662** FF	FF	Euro
Chrome		**-00**	497.70
Brushed Chrome		**-93**	647.00
Brushed Platinum		**-06**	796.40
Light Gold (PVD)		**-26**	746.60
Brushed Light Gold (PVD)		**-27**	746.60
Brushed Gold (PVD)		**-37**	746.60
Brushed Dark Brass (PVD)		**-39**	796.30
Brushed Bronze (PVD)		**-42**	796.30
Brushed Dark Bronze (PVD)		**-43**	895.90
Dark Chrome		**-19**	746.60
Brushed Dark Platinum		**-99**	895.90
Matte Black		**-33**	671.90

36 860 660

Wall-mounted single-lever basin mixer without pop-up waste
- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 55mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 860 660** FF	FF	Euro
Chrome		**-00**	597.90
Brushed Chrome		**-93**	777.20
Brushed Platinum		**-06**	956.90
Light Gold (PVD)		**-26**	896.70
Brushed Light Gold (PVD)		**-27**	896.70
Brushed Gold (PVD)		**-37**	896.90
Brushed Dark Brass (PVD)		**-39**	956.60
Brushed Bronze (PVD)		**-42**	956.60
Brushed Dark Bronze (PVD)		**-43**	1,076.20
Dark Chrome		**-19**	896.70
Brushed Dark Platinum		**-99**	1,076.10
Matte Black		**-33**	807.20

Product alternative
- 90° spout

Standard article	**36 862 660** FF	FF	Euro
Chrome		**-00**	597.90
Brushed Chrome		**-93**	777.20
Brushed Platinum		**-06**	956.90
Light Gold (PVD)		**-26**	896.70
Brushed Light Gold (PVD)		**-27**	896.70
Brushed Gold (PVD)		**-37**	896.90
Brushed Dark Brass (PVD)		**-39**	956.60
Brushed Bronze (PVD)		**-42**	956.60
Brushed Dark Bronze (PVD)		**-43**	1,076.20
Dark Chrome		**-19**	896.70
Brushed Dark Platinum		**-99**	1,076.10
Matte Black		**-33**	807.20

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 867 660

Wall-mounted single-lever basin mixer without pop-up waste
- **125mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for single-lever mixer Ø 78mm
- rosette for spout Ø 60mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 867 660** FF	FF	Euro
Chrome		**-00**	567.60
Brushed Chrome		**-93**	737.90
Brushed Platinum		**-06**	908.30
Light Gold (PVD)		**-26**	851.40
Brushed Light Gold (PVD)		**-27**	851.40
Brushed Gold (PVD)		**-37**	851.40
Brushed Dark Brass (PVD)		**-39**	908.30
Brushed Bronze (PVD)		**-42**	908.30
Brushed Dark Bronze (PVD)		**-43**	1,021.70
Dark Chrome		**-19**	884.20
Brushed Dark Platinum		**-99**	1,021.80
Matte Black		**-33**	766.30

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 861 660

Wall-mounted single-lever basin mixer without pop-up waste
- **250mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 60mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 861 660** FF	FF	Euro
Chrome		**-00**	635.60
Brushed Chrome		**-93**	826.10
Brushed Platinum		**-06**	1,016.40
Light Gold (PVD)		**-26**	953.30
Brushed Light Gold (PVD)		**-27**	953.30
Brushed Gold (PVD)		**-37**	953.40
Brushed Dark Brass (PVD)		**-39**	1,016.90
Brushed Bronze (PVD)		**-42**	1,016.80
Brushed Dark Bronze (PVD)		**-43**	1,144.10
Dark Chrome		**-19**	953.30
Brushed Dark Platinum		**-99**	1,144.00
Matte Black		**-33**	857.70

Product alternative
- 90° spout

Standard article	**36 863 660** FF	FF	Euro
Chrome		**-00**	635.60
Brushed Chrome		**-93**	826.10
Brushed Platinum		**-06**	1,016.40
Light Gold (PVD)		**-26**	953.30
Brushed Light Gold (PVD)		**-27**	953.30
Brushed Gold (PVD)		**-37**	953.40
Brushed Dark Brass (PVD)		**-39**	1,016.90
Brushed Bronze (PVD)		**-42**	1,016.80
Brushed Dark Bronze (PVD)		**-43**	1,144.10
Dark Chrome		**-19**	953.30
Brushed Dark Platinum		**-99**	1,144.00
Matte Black		**-33**	857.70

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

44 515 660 **NEW**

Touchfree Washstand fitting with electronic opening and closing function without pop-up waste
- Infrared sensor technology
- **125mm projection**
- height of mixer 140 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Direct temperature control at faucet
- Battery-powered (batteries not included)
- 1x CR-P2 battery required
- lead-free
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**44 515 660** FF	FF	Euro
Chrome		**-00**	980.40
Brushed Chrome		**-93**	1,274.50
Platinum		**-08**	1,568.80
Brushed Platinum		**-06**	1,568.80
Light Gold (PVD)		**-26**	1,470.60
Brushed Light Gold (PVD)		**-27**	1,470.60
Brushed Gold (PVD)		**-37**	1,470.60
Brushed Dark Brass (PVD)		**-39**	1,568.60
Brushed Bronze (PVD)		**-42**	1,568.60
Brushed Dark Bronze (PVD)		**-43**	1,764.70
Dark Chrome		**-19**	1,470.70
Brushed Dark Platinum		**-99**	1,764.90
Matte Black		**-33**	1,323.70

44 521 660 NEW

Touchfree Washstand fitting with electronic opening and closing function without pop-up waste

- **165mm projection**
- Infrared sensor technology
- height of mixer 310 mm
- height up to aerator 199 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**44 521 660** FF	FF	Euro
Chrome		**-00**	781.50
Brushed Chrome		**-93**	1,015.90
Platinum		**-08**	1,250.30
Brushed Platinum		**-06**	1,250.30
Light Gold (PVD)		**-26**	1,172.20
Brushed Light Gold (PVD)		**-27**	1,172.20
Brushed Gold (PVD)		**-37**	1,172.30
Brushed Dark Brass (PVD)		**-39**	1,250.40
Brushed Bronze (PVD)		**-42**	1,250.30
Brushed Dark Bronze (PVD)		**-43**	1,406.70
Dark Chrome		**-19**	1,172.20
Brushed Dark Platinum		**-99**	1,406.50
Matte Black		**-33**	1,054.90

13 716 882 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **166mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2“ connection
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 716 882** FF max. flow 7 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	611.20	**90**	721.90	**1,333.10**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	329.40

13 800 882 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter 40 mm
- rosette Ø 60 mm
- 1/2“ connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 800 882** FF max. flow 7 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	516.20	**90**	721.90	**1,238.10**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

35 741 970 FF

- min. recess depth 90 mm
- max. recess depth 125 mm

Concealed rough parts | FF **90** | Euro 329.40

For details and miscellaneous, see page 733

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts | FF **90** | Euro 128.90

For details and miscellaneous, see page 732

Miscellaneous

22 901 979

Angle valve
- rosette Ø 55 mm
- hose covering 200mm, for shortening

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 901 979** FF	Euro
Chrome	**-00**	198.00
Brushed Chrome	**-93**	257.50
Platinum	**-08**	316.80
Brushed Platinum	**-06**	316.80
Light Gold (PVD)	**-26**	297.00
Brushed Light Gold (PVD)	**-27**	297.00
Brushed Gold (PVD)	**-37**	297.00
Brushed Dark Brass (PVD)	**-39**	316.80
Brushed Bronze (PVD)	**-42**	316.80
Brushed Dark Bronze (PVD)	**-43**	356.40
Dark Chrome	**-19**	296.90
Brushed Dark Platinum	**-99**	356.30
Matte Black	**-33**	267.30

10 060 970

Siphon for basin
- rosette Ø 70 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 060 970** FF	Euro
Chrome	**-00**	355.50
Brushed Chrome	**-93**	462.20
Platinum	**-08**	569.00
Brushed Platinum	**-06**	569.00
Light Gold (PVD)	**-26**	533.40
Brushed Light Gold (PVD)	**-27**	533.40
Brushed Gold (PVD)	**-37**	533.30
Brushed Dark Brass (PVD)	**-39**	568.80
Brushed Bronze (PVD)	**-42**	568.90
Brushed Dark Bronze (PVD)	**-43**	639.90
Dark Chrome	**-19**	533.30
Brushed Dark Platinum	**-99**	640.00
Matte Black	**-33**	480.10

33 600 660

Single-lever bidet mixer with pop-up waste
- **125mm projection**
- **european pop-up waste**
- ball-joint pivotable through 15° (in any direction)
- circular, air-enriched flow
- height of mixer 133 mm
- height up to aerator 55 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2x European pressure hose for bidet fitting
- max. flow 5.7 l/min

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 600 660** FF	FF	Euro
Chrome		**-00**	695.90
Brushed Chrome		**-93**	904.80
Brushed Platinum		**-06**	1,113.30
Light Gold (PVD)		**-26**	1,044.00
Brushed Light Gold (PVD)		**-27**	1,044.00
Brushed Gold (PVD)		**-37**	1,043.90
Brushed Dark Brass (PVD)		**-39**	1,113.50
Brushed Bronze (PVD)		**-42**	1,113.50
Brushed Dark Bronze (PVD)		**-43**	1,252.60
Dark Chrome		**-19**	1,043.90
Brushed Dark Platinum		**-99**	1,252.40
Matte Black		**-33**	939.40

27 701 970

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 970** FF	FF	Euro
Chrome		**-00**	339.30
Brushed Chrome		**-93**	441.00
Platinum		**-08**	542.60
Brushed Platinum		**-06**	542.60
Light Gold (PVD)		**-26**	508.80
Brushed Light Gold (PVD)		**-27**	508.80
Brushed Gold (PVD)		**-37**	509.00
Brushed Dark Brass (PVD)		**-39**	542.90
Brushed Bronze (PVD)		**-42**	542.70
Brushed Dark Bronze (PVD)		**-43**	610.70
Dark Chrome		**-19**	508.80
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

26 412 979 + 28 018 979

NEW

Shower set
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow.
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 853 mm
- Pipe diameter 18 mm

Notes:
- Fits CL.1, IMO, MEM, SERIES-VARIOUS, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **26 412 979** FF		1x **28 018 979** FF max. flow 15 l/min		Total price:
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	441.30	**-00**	142.60	**583.90**
Brushed Chrome	**-93**	573.70	**-93**	185.30	**759.00**
Platinum	**-08**	706.10	**-08**	228.00	**934.10**
Brushed Platinum	**-06**	706.10	**-06**	228.00	**934.10**
Light Gold (PVD)	**-26**	662.00	**-26**	213.80	**875.80**
Brushed Light Gold (PVD)	**-27**	662.00	**-27**	213.80	**875.80**
Brushed Gold (PVD)	**-37**	662.00	**-37**	213.90	**875.90**
Brushed Dark Brass (PVD)	**-39**	706.10	**-39**	228.10	**934.20**
Brushed Bronze (PVD)	**-42**	706.10	**-42**	228.00	**934.10**
Brushed Dark Bronze (PVD)	**-43**	794.30	**-43**	256.70	**1,051.00**
Dark Chrome	**-19**	662.00	**-19**	213.80	**875.80**
Brushed Dark Platinum	**-99**	794.30	**-99**	256.50	**1,050.80**
Matte Black	**-33**	595.80	**-33**	192.40	**788.20**

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

	35 085 970 FF	FF	Euro
	Concealed rough parts	**90**	128.90

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see page 113

	28 450 980 FF	FF	Euro
	Chrome	**-00**	173.40
	Brushed Chrome	**-93**	225.50
	Platinum	**-08**	277.60
	Brushed Platinum	**-06**	277.60
	Light Gold (PVD)	**-26**	260.10
	Brushed Gold (PVD)	**-37**	260.10
	Dark Chrome	**-19**	260.30
	Brushed Dark Platinum	**-99**	312.30
	Matte Black	**-33**	234.20

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

	28 015 979 FF max. flow 15 l/min		**28 017 979** FF max. flow 15 l/min		**28 012 979** FF max. flow 15 l/min		**28 016 979** FF max. flow 15 l/min		**28 029 979** FF max. flow 15 l/min	
Alternative hand shower	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Light Gold (PVD)	**-26**	198.90	**-26**	286.40	**-26**	371.80	**-26**	308.50	**-26**	374.00
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	371.80	**-27**	308.50	**-27**	374.00
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	371.90	**-37**	308.40	**-37**	374.00
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

26 412 625 + 28 018 979

NEW

Shower set
- spray head Ø 120mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8“
- slide bar

Technical data:
- gauge 800 mm
- rosette Ø 55 mm
- Pipe diameter 18 mm

Notes:
- Fits META, TARA, SERIES-VARIOUS

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 625** FF FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	735.90	**-00**	142.60	**878.50**
Brushed Chrome	**-93**	956.80	**-93**	185.30	**1,142.10**
Platinum	**-08**	1,177.50	**-08**	228.00	**1,405.50**
Brushed Platinum	**-06**	1,177.50	**-06**	228.00	**1,405.50**
Light Gold (PVD)	**-26**	1,104.00	**-26**	213.80	**1,317.80**
Brushed Light Gold (PVD)	**-27**	1,104.00	**-27**	213.80	**1,317.80**
Brushed Gold (PVD)	**-37**	1,103.90	**-37**	213.90	**1,317.80**
Brushed Dark Brass (PVD)	**-39**	1,177.50	**-39**	228.10	**1,405.60**
Brushed Bronze (PVD)	**-42**	1,177.50	**-42**	228.00	**1,405.50**
Brushed Dark Bronze (PVD)	**-43**	1,324.60	**-43**	256.70	**1,581.30**
Dark Chrome	**-19**	1,104.00	**-19**	213.80	**1,317.80**
Brushed Dark Platinum	**-99**	1,324.70	**-99**	256.50	**1,581.20**
Matte Black	**-33**	993.50	**-33**	192.40	**1,185.90**

Recommended miscellaneous

Wall elbow

28 450 625 FF	FF	Euro
Chrome	**-00**	121.50
Brushed Chrome	**-93**	157.90
Platinum	**-08**	194.50
Brushed Platinum	**-06**	194.50
Light Gold (PVD)	**-26**	182.30
Brushed Light Gold (PVD)	**-27**	182.30
Brushed Gold (PVD)	**-37**	182.30
Brushed Dark Brass (PVD)	**-39**	194.40
Brushed Bronze (PVD)	**-42**	194.40
Brushed Dark Bronze (PVD)	**-43**	218.70
Dark Chrome	**-19**	182.30
Brushed Dark Platinum	**-99**	218.70
Matte Black	**-33**	163.70

For details and miscellaneous, see main items

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Light Gold (PVD)	**-26**	198.90	**-26**	286.40	**-26**	371.80	**-26**	308.50	**-26**	374.00
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	371.80	**-27**	308.50	**-27**	374.00
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	371.90	**-37**	308.40	**-37**	374.00
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

26 411 625 **NEW**



Shower set
- spray head Ø 120mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- shower hose connector 3/8“
- Plastic hose, 1750 mm, with integrated anti-twist protection
- slide bar

Technical data:
- gauge 800 mm
- rosette Ø 55 mm
- Pipe diameter 18 mm

Notes:
- Fits META, SERIES-VARIOUS

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**26 411 625** FF	FF	Euro
Chrome		**-00**	494.80
Brushed Chrome		**-93**	643.20
Light Gold (PVD)		**-26**	742.10
Brushed Light Gold (PVD)		**-27**	742.10
Brushed Gold (PVD)		**-37**	742.20
Brushed Bronze (PVD)		**-42**	791.60
Brushed Dark Bronze (PVD)		**-43**	890.60
Dark Chrome		**-19**	742.10
Brushed Dark Platinum		**-99**	890.60
Matte Black		**-33**	667.90

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

	28 450 625 FF	FF	Euro
Chrome		**-00**	121.50
Brushed Chrome		**-93**	157.90
Light Gold (PVD)		**-26**	182.30
Brushed Light Gold (PVD)		**-27**	182.30
Brushed Gold (PVD)		**-37**	182.30
Brushed Bronze (PVD)		**-42**	194.40
Brushed Dark Bronze (PVD)		**-43**	218.70
Dark Chrome		**-19**	182.30
Brushed Dark Platinum		**-99**	218.70
Matte Black		**-33**	163.70

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

	35 085 970 FF	FF	Euro
Concealed rough parts		**90**	128.90

34 464 979 + 28 025 979

NEW

Shower pipe with shower thermostat with hand shower set FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, LULU
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 464 979** FF max. flow 5 l/min FF	Euro	1x **28 025 979** FF max. flow 5 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	2,726.20	**-000010**	132.60	**2,858.80**
Brushed Chrome	**-93**	3,544.10	**-930010**	172.40	**3,716.50**
Platinum	**-08**	4,361.90	**-080010**	212.10	**4,574.00**
Brushed Platinum	**-06**	4,361.90	**-060010**	212.10	**4,574.00**
Light Gold (PVD)	**-26**	4,089.30	**-260010**	198.90	**4,288.20**
Brushed Light Gold (PVD)	**-27**	4,089.30	**-270010**	198.90	**4,288.20**
Brushed Gold (PVD)	**-37**	4,089.30	**-370010**	198.90	**4,288.20**
Brushed Dark Brass (PVD)	**-39**	4,361.90	**-390010**	212.20	**4,574.10**
Brushed Bronze (PVD)	**-42**	4,361.90	**-420010**	212.10	**4,574.00**
Brushed Dark Bronze (PVD)	**-43**	4,907.20	**-430010**	238.70	**5,145.90**
Dark Chrome	**-19**	4,089.30	**-190010**	198.90	**4,288.20**
Brushed Dark Platinum	**-99**	4,907.20	**-990010**	238.70	**5,145.90**
Matte Black	**-33**	3,680.40	**-330010**	179.00	**3,859.40**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 466 979** FF	FF	Euro
Chrome	**-00**	2,058.10
Brushed Chrome	**-93**	2,675.50
Light Gold (PVD)	**-26**	3,087.20
Brushed Light Gold (PVD)	**-27**	3,087.20
Brushed Gold (PVD)	**-37**	3,087.20
Brushed Bronze (PVD)	**-42**	3,293.00
Dark Chrome	**-19**	3,087.20
Brushed Dark Platinum	**-99**	3,704.60
Matte Black	**-33**	2,778.40

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 671.

1 jet
Ø 130 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

4 jets
Ø 120 mm

1 jet

Alternative hand shower	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	247.90	**-00**	249.30
Brushed Chrome	**-93**	248.20	**-93**	185.30	**-93**	267.20	**-93**	322.10	**-93**	324.10
Platinum	**-08**	305.70	**-08**	228.00	**-08**	329.30	**-08**	396.60	**-08**	398.90
Brushed Platinum	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	396.60	**-06**	398.90
Light Gold (PVD)	**-26**	286.40	**-26**	213.80	**-26**	308.50	**-26**	371.80	**-26**	374.00
Brushed Light Gold (PVD)	**-27**	286.40	**-27**	213.80	**-27**	308.50	**-27**	371.80	**-27**	374.00
Brushed Gold (PVD)	**-37**	286.50	**-37**	213.90	**-37**	308.40	**-37**	371.90	**-37**	374.00
Brushed Dark Brass (PVD)	**-39**	305.70	**-39**	228.10	**-39**	329.00	**-39**	396.60	**-39**	398.90
Brushed Bronze (PVD)	**-42**	305.60	**-42**	228.00	**-42**	329.00	**-42**	396.60	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	343.80	**-43**	256.70	**-43**	370.10	**-43**	446.20	**-43**	448.70
Dark Chrome	**-19**	286.40	**-19**	213.80	**-19**	308.50	**-19**	371.80	**-19**	374.00
Brushed Dark Platinum	**-99**	343.70	**-99**	256.50	**-99**	370.20	**-99**	446.30	**-99**	448.70
Matte Black	**-33**	258.00	**-33**	192.40	**-33**	277.60	**-33**	334.60	**-33**	336.50

34 465 979 + 28 018 979 **NEW**

Shower pipe with shower thermostat with hand shower set 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1146mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 465 979** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	2,871.60	**-00**	142.60	**3,014.20**
Brushed Chrome	**-93**	3,733.20	**-93**	185.30	**3,918.50**
Platinum	**-08**	4,594.60	**-08**	228.00	**4,822.60**
Brushed Platinum	**-06**	4,594.60	**-06**	228.00	**4,822.60**
Light Gold (PVD)	**-26**	4,307.50	**-26**	213.80	**4,521.30**
Brushed Light Gold (PVD)	**-27**	4,307.50	**-27**	213.80	**4,521.30**
Brushed Gold (PVD)	**-37**	4,307.40	**-37**	213.90	**4,521.30**
Brushed Dark Brass (PVD)	**-39**	4,594.60	**-39**	228.10	**4,822.70**
Brushed Bronze (PVD)	**-42**	4,594.60	**-42**	228.00	**4,822.60**
Brushed Dark Bronze (PVD)	**-43**	5,168.90	**-43**	256.70	**5,425.60**
Dark Chrome	**-19**	4,307.50	**-19**	213.80	**4,521.30**
Brushed Dark Platinum	**-99**	5,168.90	**-99**	256.50	**5,425.40**
Matte Black	**-33**	3,876.70	**-33**	192.40	**4,069.10**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 469 979** FF	FF	Euro
Chrome	**-00**	2,327.10
Brushed Chrome	**-93**	3,025.30
Light Gold (PVD)	**-26**	3,490.70
Brushed Light Gold (PVD)	**-27**	3,490.70
Brushed Gold (PVD)	**-37**	3,490.70
Brushed Bronze (PVD)	**-42**	3,723.40
Dark Chrome	**-19**	3,490.70
Brushed Dark Platinum	**-99**	4,188.80
Matte Black	**-33**	3,141.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Light Gold (PVD)	**-26**	198.90	**-26**	286.40	**-26**	371.80	**-26**	308.50	**-26**	374.00
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	371.80	**-27**	308.50	**-27**	374.00
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	371.90	**-37**	308.40	**-37**	374.00
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

28 504 979

Shower head
- spray head Ø 100mm
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system

Technical data:
- 180-210mm projection
- ball-joint pivotable through 30°
- rosettes Ø 55 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 504 979** FF	FF	Euro
Chrome		**-00**	621.20
Brushed Chrome		**-93**	807.50
Platinum		**-08**	994.10
Brushed Platinum		**-06**	994.20
Light Gold (PVD)		**-26**	931.80
Brushed Light Gold (PVD)		**-27**	931.80
Brushed Gold (PVD)		**-37**	931.80
Brushed Dark Brass (PVD)		**-39**	993.90
Brushed Bronze (PVD)		**-42**	993.90
Brushed Dark Bronze (PVD)		**-43**	1,118.20
Dark Chrome		**-19**	932.00
Brushed Dark Platinum		**-99**	1,118.40
Matte Black		**-33**	838.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 508 979

Shower head
- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:
- 200-mm projection
- ball-joint pivotable through 30°
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 508 979** FF	FF	Euro
Chrome		**-00**	694.90
Brushed Chrome		**-93**	903.40
Platinum		**-08**	1,111.40
Brushed Platinum		**-06**	1,111.40
Light Gold (PVD)		**-26**	1,042.30
Brushed Light Gold (PVD)		**-27**	1,042.30
Brushed Gold (PVD)		**-37**	1,042.40
Brushed Dark Brass (PVD)		**-39**	1,111.70
Brushed Bronze (PVD)		**-42**	1,111.70
Brushed Dark Bronze (PVD)		**-43**	1,250.80
Dark Chrome		**-19**	1,042.20
Brushed Dark Platinum		**-99**	1,250.60
Matte Black		**-33**	938.00

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 508 979** FF	FF	Euro
Chrome		**-000010**	694.90
Brushed Chrome		**-930010**	903.40
Platinum		**-080010**	1,111.40
Brushed Platinum		**-060010**	1,111.40
Light Gold (PVD)		**-260010**	1,042.30
Brushed Light Gold (PVD)		**-270010**	1,042.30
Brushed Gold (PVD)		**-370010**	1,042.40
Brushed Dark Brass (PVD)		**-390010**	1,111.70
Brushed Bronze (PVD)		**-420010**	1,111.70
Brushed Dark Bronze (PVD)		**-430010**	1,250.80
Dark Chrome		**-190010**	1,042.20
Brushed Dark Platinum		**-990010**	1,250.60
Matte Black		**-330010**	938.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 505 979

Shower head
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 7.6 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- 155-mm projection
- ball-joint pivotable through 18° (in any direction)
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 505 979** FF	FF	Euro
Chrome		**-00**	387.10
Brushed Chrome		**-93**	503.40
Platinum		**-08**	619.50
Brushed Platinum		**-06**	619.50
Light Gold (PVD)		**-26**	580.80
Brushed Light Gold (PVD)		**-27**	580.80
Brushed Gold (PVD)		**-37**	580.70
Brushed Dark Brass (PVD)		**-39**	619.50
Brushed Bronze (PVD)		**-42**	619.50
Brushed Dark Bronze (PVD)		**-43**	696.80
Dark Chrome		**-19**	580.80
Brushed Dark Platinum		**-99**	697.00
Matte Black		**-33**	522.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 611 970 NEW

Shower head with ceiling fixing
- INTENSE RAIN, flow rate max. 8 l/min
- Function from: 6 l/min
- with anti-scale system

Technical data:
- Adjustable spray angle ±7°
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META

Standard article	**28 611 970** FF	FF	Euro
Chrome		**-00**	365.20
Brushed Chrome		**-93**	474.70
Light Gold (PVD)		**-26**	547.80
Brushed Light Gold (PVD)		**-27**	547.80
Brushed Gold (PVD)		**-37**	547.80
Brushed Dark Brass (PVD)		**-39**	584.30
Brushed Bronze (PVD)		**-42**	584.30
Brushed Dark Bronze (PVD)		**-43**	657.40
Dark Chrome		**-19**	547.80
Brushed Dark Platinum		**-99**	657.30
Matte Black		**-33**	493.00

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 611 970** FF	FF	Euro
Chrome		**-000010**	365.20
Brushed Chrome		**-930010**	474.70
Light Gold (PVD)		**-260010**	547.80
Brushed Light Gold (PVD)		**-270010**	547.80
Brushed Gold (PVD)		**-370010**	547.80
Brushed Dark Brass (PVD)		**-390010**	584.30
Brushed Bronze (PVD)		**-420010**	584.30
Brushed Dark Bronze (PVD)		**-430010**	657.30
Dark Chrome		**-190010**	547.80
Brushed Dark Platinum		**-990010**	657.30
Matte Black		**-330010**	493.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 613 970 **NEW**

Shower head
- INTENSE RAIN, flow rate max. 8 l/min
- Function from: 6 l/min
- with anti-scale system

Technical data:
- 156-mm projection
- ball-joint pivotable through 30°
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, TARA

Standard article	**28 613 970** FF	FF	Euro
Chrome		**-00**	434.40
Brushed Chrome		**-93**	564.70
Light Gold (PVD)		**-26**	651.60
Brushed Light Gold (PVD)		**-27**	651.60
Brushed Gold (PVD)		**-37**	651.60
Brushed Dark Brass (PVD)		**-39**	695.00
Brushed Bronze (PVD)		**-42**	695.00
Brushed Dark Bronze (PVD)		**-43**	781.90
Dark Chrome		**-19**	651.60
Brushed Dark Platinum		**-99**	781.90
Matte Black		**-33**	586.40

Product alternative
- FlowReduce
- Max. flow rate 5.7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 613 970** FF	FF	Euro
Chrome		**-000010**	434.40
Brushed Chrome		**-930010**	564.70
Light Gold (PVD)		**-260010**	651.60
Brushed Light Gold (PVD)		**-270010**	651.60
Brushed Gold (PVD)		**-370010**	651.60
Brushed Dark Brass (PVD)		**-390010**	695.00
Brushed Bronze (PVD)		**-420010**	695.00
Brushed Dark Bronze (PVD)		**-430010**	781.90
Dark Chrome		**-190010**	651.60
Brushed Dark Platinum		**-990010**	781.90
Matte Black		**-330010**	586.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 647 970 NEW

Rain shower with wall fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 647 970** FF	FF	Euro
Chrome		**-00**	1,012.30
Brushed Chrome		**-93**	1,316.00
Platinum		**-08**	1,619.70
Brushed Platinum		**-06**	1,619.70
Light Gold (PVD)		**-26**	1,518.50
Brushed Light Gold (PVD)		**-27**	1,518.50
Brushed Gold (PVD)		**-37**	1,518.50
Brushed Dark Brass (PVD)		**-39**	1,619.70
Brushed Bronze (PVD)		**-42**	1,619.70
Brushed Dark Bronze (PVD)		**-43**	1,822.10
Dark Chrome		**-19**	1,518.50
Brushed Dark Platinum		**-99**	1,822.20
Matte Black		**-33**	1,366.60

Product alternative
- Material rain shower: plastic

Standard article	**28 645 970** FF	FF	Euro
Chrome		**-00**	618.60
Brushed Chrome		**-93**	804.10
Light Gold (PVD)		**-26**	927.90
Brushed Light Gold (PVD)		**-27**	927.90
Brushed Gold (PVD)		**-37**	927.90
Brushed Bronze (PVD)		**-42**	989.70
Brushed Dark Bronze (PVD)		**-43**	1,113.50
Dark Chrome		**-19**	927.90
Brushed Dark Platinum		**-99**	1,113.40
Matte Black		**-33**	835.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 646 970 **NEW**

Rain shower with wall fixing FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 646 970** FF	FF	Euro
Chrome		**-00**	1,012.30
Brushed Chrome		**-93**	1,316.00
Platinum		**-08**	1,619.70
Brushed Platinum		**-06**	1,619.70
Light Gold (PVD)		**-26**	1,518.50
Brushed Light Gold (PVD)		**-27**	1,518.50
Brushed Gold (PVD)		**-37**	1,518.50
Brushed Dark Brass (PVD)		**-39**	1,619.70
Brushed Bronze (PVD)		**-42**	1,619.70
Brushed Dark Bronze (PVD)		**-43**	1,822.10
Dark Chrome		**-19**	1,518.50
Brushed Dark Platinum		**-99**	1,822.20
Matte Black		**-33**	1,366.60

Product alternative
- Material rain shower: plastic

Standard article	**28 644 970** FF	FF	Euro
Chrome		**-00**	628.80
Brushed Chrome		**-93**	817.50
Light Gold (PVD)		**-26**	943.30
Brushed Light Gold (PVD)		**-27**	943.30
Brushed Gold (PVD)		**-37**	943.20
Brushed Bronze (PVD)		**-42**	1,006.10
Brushed Dark Bronze (PVD)		**-43**	1,131.80
Dark Chrome		**-19**	943.30
Brushed Dark Platinum		**-99**	1,131.90
Matte Black		**-33**	848.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 677 970 NEW

Rain shower with wall fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 677 970** FF	FF	Euro
Chrome		**-00**	1,192.50
Brushed Chrome		**-93**	1,550.20
Platinum		**-08**	1,908.00
Brushed Platinum		**-06**	1,908.00
Light Gold (PVD)		**-26**	1,788.80
Brushed Light Gold (PVD)		**-27**	1,788.80
Brushed Gold (PVD)		**-37**	1,788.80
Brushed Dark Brass (PVD)		**-39**	1,908.00
Brushed Bronze (PVD)		**-42**	1,908.00
Brushed Dark Bronze (PVD)		**-43**	2,146.50
Dark Chrome		**-19**	1,788.80
Brushed Dark Platinum		**-99**	2,146.50
Matte Black		**-33**	1,609.90

Product alternative
- Material rain shower: plastic

Standard article	**28 675 970** FF	FF	Euro
Chrome		**-00**	792.40
Brushed Chrome		**-93**	1,030.20
Light Gold (PVD)		**-26**	1,188.70
Brushed Light Gold (PVD)		**-27**	1,188.70
Brushed Gold (PVD)		**-37**	1,188.60
Brushed Bronze (PVD)		**-42**	1,267.90
Brushed Dark Bronze (PVD)		**-43**	1,426.30
Dark Chrome		**-19**	1,188.70
Brushed Dark Platinum		**-99**	1,426.40
Matte Black		**-33**	1,069.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 676 970 NEW

Rain shower with wall fixing FlowReduce 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 676 970** FF	FF	Euro
Chrome		**-00**	1,192.50
Brushed Chrome		**-93**	1,550.20
Platinum		**-08**	1,908.00
Brushed Platinum		**-06**	1,908.00
Light Gold (PVD)		**-26**	1,788.80
Brushed Light Gold (PVD)		**-27**	1,788.80
Brushed Gold (PVD)		**-37**	1,788.80
Brushed Dark Brass (PVD)		**-39**	1,908.00
Brushed Bronze (PVD)		**-42**	1,908.00
Brushed Dark Bronze (PVD)		**-43**	2,146.50
Dark Chrome		**-19**	1,788.80
Brushed Dark Platinum		**-99**	2,146.50
Matte Black		**-33**	1,609.90

Product alternative
- Material rain shower: plastic

Standard article	**28 674 970** FF	FF	Euro
Chrome		**-00**	792.40
Brushed Chrome		**-93**	1,030.20
Light Gold (PVD)		**-26**	1,188.70
Brushed Light Gold (PVD)		**-27**	1,188.70
Brushed Gold (PVD)		**-37**	1,188.60
Brushed Bronze (PVD)		**-42**	1,267.90
Brushed Dark Bronze (PVD)		**-43**	1,426.30
Dark Chrome		**-19**	1,188.70
Brushed Dark Platinum		**-99**	1,426.40
Matte Black		**-33**	1,069.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 659 970

Rain shower with wall fixing 400 mm
- rain shower Ø 400 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 659 970** FF	FF	Euro
Chrome		**-00**	2,087.80
Brushed Chrome		**-93**	2,714.10
Platinum		**-08**	3,340.60
Brushed Platinum		**-06**	3,340.60
Light Gold (PVD)		**-26**	3,131.70
Brushed Light Gold (PVD)		**-27**	3,131.70
Brushed Gold (PVD)		**-37**	3,131.70
Brushed Dark Brass (PVD)		**-39**	3,340.60
Brushed Bronze (PVD)		**-42**	3,340.60
Brushed Dark Bronze (PVD)		**-43**	3,758.00
Dark Chrome		**-19**	3,131.80
Brushed Dark Platinum		**-99**	3,757.80
Matte Black		**-33**	2,818.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 666 970 NEW

Rain shower with ceiling fixing FlowReduce 220 mm

- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:

- rosette Ø 60 mm
- 1/2“ connection

Notes:

- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 666 970** FF	FF	Euro
Chrome		**-00**	860.30
Brushed Chrome		**-93**	1,118.40
Platinum		**-08**	1,376.40
Brushed Platinum		**-06**	1,376.40
Light Gold (PVD)		**-26**	1,290.50
Brushed Light Gold (PVD)		**-27**	1,290.50
Brushed Gold (PVD)		**-37**	1,290.50
Brushed Dark Brass (PVD)		**-39**	1,376.40
Brushed Bronze (PVD)		**-42**	1,376.40
Brushed Dark Bronze (PVD)		**-43**	1,548.50
Dark Chrome		**-19**	1,290.50
Brushed Dark Platinum		**-99**	1,548.40
Matte Black		**-33**	1,161.40

Product alternative

- Material rain shower: plastic

Standard article	**28 664 970** FF	FF	Euro
Chrome		**-00**	580.30
Brushed Chrome		**-93**	754.40
Light Gold (PVD)		**-26**	870.60
Brushed Light Gold (PVD)		**-27**	870.60
Brushed Gold (PVD)		**-37**	870.50
Brushed Bronze (PVD)		**-42**	928.50
Brushed Dark Bronze (PVD)		**-43**	1,044.50
Dark Chrome		**-19**	870.60
Brushed Dark Platinum		**-99**	1,044.60
Matte Black		**-33**	783.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 667 970 NEW

Rain shower with ceiling fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 667 970** FF	FF	Euro
Chrome		**-00**	860.30
Brushed Chrome		**-93**	1,118.40
Platinum		**-08**	1,376.40
Brushed Platinum		**-06**	1,376.40
Light Gold (PVD)		**-26**	1,290.50
Brushed Light Gold (PVD)		**-27**	1,290.50
Brushed Gold (PVD)		**-37**	1,290.50
Brushed Dark Brass (PVD)		**-39**	1,376.40
Brushed Bronze (PVD)		**-42**	1,376.40
Brushed Dark Bronze (PVD)		**-43**	1,548.50
Dark Chrome		**-19**	1,290.50
Brushed Dark Platinum		**-99**	1,548.40
Matte Black		**-33**	1,161.40

Product alternative
- Material rain shower: plastic

Standard article	**28 665 970** FF	FF	Euro
Chrome		**-00**	580.30
Brushed Chrome		**-93**	754.40
Light Gold (PVD)		**-26**	870.60
Brushed Light Gold (PVD)		**-27**	870.60
Brushed Gold (PVD)		**-37**	870.50
Brushed Bronze (PVD)		**-42**	928.50
Brushed Dark Bronze (PVD)		**-43**	1,044.50
Dark Chrome		**-19**	870.60
Brushed Dark Platinum		**-99**	1,044.60
Matte Black		**-33**	783.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 686 970 NEW

Rain shower with ceiling fixing FlowReduce 300 mm

- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:

- rosette Ø 60 mm
- 1/2“ connection

Notes:

- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 686 970** FF	FF	Euro
Chrome		**-00**	1,014.20
Brushed Chrome		**-93**	1,318.50
Platinum		**-08**	1,622.70
Brushed Platinum		**-06**	1,622.70
Light Gold (PVD)		**-26**	1,521.30
Brushed Light Gold (PVD)		**-27**	1,521.30
Brushed Gold (PVD)		**-37**	1,521.30
Brushed Dark Brass (PVD)		**-39**	1,622.70
Brushed Bronze (PVD)		**-42**	1,622.70
Brushed Dark Bronze (PVD)		**-43**	1,825.60
Dark Chrome		**-19**	1,521.30
Brushed Dark Platinum		**-99**	1,825.50
Matte Black		**-33**	1,369.20

Product alternative

- Material rain shower: plastic

Standard article	**28 684 970** FF	FF	Euro
Chrome		**-00**	729.40
Brushed Chrome		**-93**	948.30
Light Gold (PVD)		**-26**	1,094.20
Brushed Light Gold (PVD)		**-27**	1,094.20
Brushed Gold (PVD)		**-37**	1,094.10
Brushed Bronze (PVD)		**-42**	1,167.10
Brushed Dark Bronze (PVD)		**-43**	1,312.90
Dark Chrome		**-19**	1,094.20
Brushed Dark Platinum		**-99**	1,313.00
Matte Black		**-33**	984.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 687 970 NEW

Rain shower with ceiling fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 687 970** FF	FF	Euro
Chrome		**-00**	1,014.20
Brushed Chrome		**-93**	1,318.50
Platinum		**-08**	1,622.70
Brushed Platinum		**-06**	1,622.70
Light Gold (PVD)		**-26**	1,521.30
Brushed Light Gold (PVD)		**-27**	1,521.30
Brushed Gold (PVD)		**-37**	1,521.30
Brushed Dark Brass (PVD)		**-39**	1,622.70
Brushed Bronze (PVD)		**-42**	1,622.70
Brushed Dark Bronze (PVD)		**-43**	1,825.60
Dark Chrome		**-19**	1,521.30
Brushed Dark Platinum		**-99**	1,825.50
Matte Black		**-33**	1,369.20

Product alternative
- Material rain shower: plastic

Standard article	**28 685 970** FF	FF	Euro
Chrome		**-00**	729.40
Brushed Chrome		**-93**	948.30
Light Gold (PVD)		**-26**	1,094.20
Brushed Light Gold (PVD)		**-27**	1,094.20
Brushed Gold (PVD)		**-37**	1,094.10
Brushed Bronze (PVD)		**-42**	1,167.10
Brushed Dark Bronze (PVD)		**-43**	1,312.90
Dark Chrome		**-19**	1,094.20
Brushed Dark Platinum		**-99**	1,313.00
Matte Black		**-33**	984.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 699 970

Rain shower with ceiling fixing 400 mm
- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- with anti-scale system
- quick clearing

Technical data:
- rosette Ø 60 mm optional
- 1/2“ connection

Notes:
- Fits LISSÉ, META, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 699 970** FF	FF	Euro
Chrome		**-00**	1,867.10
Brushed Chrome		**-93**	2,427.20
Platinum		**-08**	2,987.30
Brushed Platinum		**-06**	2,987.30
Light Gold (PVD)		**-26**	2,800.70
Brushed Light Gold (PVD)		**-27**	2,800.70
Brushed Gold (PVD)		**-37**	2,800.70
Brushed Dark Brass (PVD)		**-39**	2,987.40
Brushed Bronze (PVD)		**-42**	2,987.40
Brushed Dark Bronze (PVD)		**-43**	3,360.80
Dark Chrome		**-19**	2,800.50
Brushed Dark Platinum		**-99**	3,360.50
Matte Black		**-33**	2,520.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 031 970

Rain shower for surface-mounted ceiling installation 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

technical data:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 031 970** FF	FF	Euro
Chrome		**-00**	858.90
Brushed Chrome		**-93**	1,116.60
Platinum		**-08**	1,374.20
Brushed Platinum		**-06**	1,374.20
Light Gold (PVD)		**-26**	1,288.40
Brushed Light Gold (PVD)		**-27**	1,288.40
Brushed Gold (PVD)		**-37**	1,288.40
Brushed Dark Brass (PVD)		**-39**	1,374.20
Brushed Bronze (PVD)		**-42**	1,374.20
Brushed Dark Bronze (PVD)		**-43**	1,546.00
Dark Chrome		**-19**	1,288.40
Brushed Dark Platinum		**-99**	1,546.00
Matte Black		**-33**	1,159.50

Required miscellaneous

Concealed ceiling installation box with ceiling fixing

	35 041 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2“ outlet	Concealed rough parts	**90**	572.60

For details and miscellaneous, see page 735

28 032 970

Rain shower for surface-mounted ceiling installation with light 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Electric:
- Ceiling module power supply
- 350mA (CC)
- Spot lighting
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Technology: LED, not dimmable
- Contains energy efficiency class bulbs
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Provided by customer: Light switch
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 032 970** FF	FF	Euro
Chrome		**-00**	1,290.50
Brushed Chrome		**-93**	1,677.70
Platinum		**-08**	2,064.80
Brushed Platinum		**-06**	2,064.80
Light Gold (PVD)		**-26**	1,935.80
Brushed Light Gold (PVD)		**-27**	1,935.80
Brushed Gold (PVD)		**-37**	1,935.80
Brushed Dark Brass (PVD)		**-39**	2,064.80
Brushed Bronze (PVD)		**-42**	2,064.80
Brushed Dark Bronze (PVD)		**-43**	2,322.90
Dark Chrome		**-19**	1,935.80
Brushed Dark Platinum		**-99**	2,322.90
Matte Black		**-33**	1,742.20

Required miscellaneous

Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2“ connections • Input 100-240V AC 50-60Hz • Output 350 mA SELV / Class 2 • Provided by customer: Light switch	Concealed rough parts	**90**	860.20

For details and miscellaneous, see page 736

28 033 970

Rain shower for recessed ceiling installation 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 033 970** FF	FF	Euro
Chrome		**-00**	1,647.10
Brushed Chrome		**-93**	2,141.20
Platinum		**-08**	2,635.40
Brushed Platinum		**-06**	2,635.40
Light Gold (PVD)		**-26**	2,470.70
Brushed Light Gold (PVD)		**-27**	2,470.70
Brushed Gold (PVD)		**-37**	2,470.70
Brushed Dark Brass (PVD)		**-39**	2,635.40
Brushed Bronze (PVD)		**-42**	2,635.40
Brushed Dark Bronze (PVD)		**-43**	2,964.80
Dark Chrome		**-19**	2,470.70
Brushed Dark Platinum		**-99**	2,964.80
Matte Black		**-33**	2,223.60

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation

	35 033 970 FF	FF	Euro
• concealed rough parts • recess depth 137mm • 2x female thread 1/2“ outlet • flush-mounted installation box Ø 360 mm RAL 9003 signal white	Concealed rough parts	**90**	1,098.10

For details and miscellaneous, see page 734

28 034 970

Rain shower for recessed ceiling installation with light 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

electrical:
- Ceiling module power supply
- 12V DC (CV)
- Ambient lighting
- Spot lighting
- LED coloured light RGBW
- **includes light bulbs with a Class G energy efficiency**
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Activation:
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- Bulbs protected against splashing water

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Dornbracht recommends consulting a systems integrator.

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 034 970** FF	FF	Euro
Chrome		**-00**	2,472.80
Brushed Chrome		**-93**	3,214.60
Platinum		**-08**	3,956.50
Brushed Platinum		**-06**	3,956.50
Light Gold (PVD)		**-26**	3,709.20
Brushed Light Gold (PVD)		**-27**	3,709.20
Brushed Gold (PVD)		**-37**	3,709.20
Brushed Dark Brass (PVD)		**-39**	3,956.50
Brushed Bronze (PVD)		**-42**	3,956.50
Brushed Dark Bronze (PVD)		**-43**	4,451.00
Dark Chrome		**-19**	3,709.20
Brushed Dark Platinum		**-99**	4,451.00
Matte Black		**-33**	3,338.30

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation with light

	35 034 970 FF	FF	Euro
• concealed rough parts • flush-mounted reflection box Ø 360 mm RAL 9003 signal white • recess depth 137mm • 2x female thread 1/2“ outlet • Input 100-240V AC 50-60Hz • Output 12V DC SELV / Class 2 • ZigBee Light Link RGBW controller	Concealed rough parts	**90**	1,648.60

For details and miscellaneous, see page 735

27 812 660

NEW

Hand shower set with integrated shower holder
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 812 660** FF	FF	Euro
Chrome		**-00**	478.10
Brushed Chrome		**-93**	621.50
Platinum		**-08**	764.90
Brushed Platinum		**-06**	764.90
Light Gold (PVD)		**-26**	717.20
Brushed Light Gold (PVD)		**-27**	717.20
Brushed Gold (PVD)		**-37**	717.20
Brushed Dark Brass (PVD)		**-39**	764.90
Brushed Bronze (PVD)		**-42**	764.90
Brushed Dark Bronze (PVD)		**-43**	860.60
Dark Chrome		**-19**	717.20
Brushed Dark Platinum		**-99**	860.50
Matte Black		**-33**	645.40

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 812 660** FF	FF	Euro
Chrome		**-000010**	478.10
Brushed Chrome		**-930010**	621.50
Platinum		**-080010**	764.90
Brushed Platinum		**-060010**	764.90
Light Gold (PVD)		**-260010**	717.20
Brushed Light Gold (PVD)		**-270010**	717.20
Brushed Gold (PVD)		**-370010**	717.20
Brushed Dark Brass (PVD)		**-390010**	764.90
Brushed Bronze (PVD)		**-420010**	764.90
Brushed Dark Bronze (PVD)		**-430010**	860.60
Dark Chrome		**-190010**	717.20
Brushed Dark Platinum		**-990010**	860.50
Matte Black		**-330010**	645.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 813 660 NEW

Hand shower set with integrated shower holder
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	27 813 660 FF	FF	Euro
Chrome		**-00**	463.20
Brushed Chrome		**-93**	602.10
Platinum		**-08**	741.10
Brushed Platinum		**-06**	741.10
Light Gold (PVD)		**-26**	694.80
Brushed Light Gold (PVD)		**-27**	694.80
Brushed Gold (PVD)		**-37**	694.80
Brushed Dark Brass (PVD)		**-39**	741.10
Brushed Bronze (PVD)		**-42**	741.10
Brushed Dark Bronze (PVD)		**-43**	833.70
Dark Chrome		**-19**	694.80
Brushed Dark Platinum		**-99**	833.70
Matte Black		**-33**	625.30

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 813 660 FF	FF	Euro
Chrome		**-000010**	463.20
Brushed Chrome		**-930010**	602.10
Platinum		**-080010**	741.10
Brushed Platinum		**-060010**	741.10
Light Gold (PVD)		**-260010**	694.80
Brushed Light Gold (PVD)		**-270010**	694.80
Brushed Gold (PVD)		**-370010**	694.80
Brushed Dark Brass (PVD)		**-390010**	741.10
Brushed Bronze (PVD)		**-420010**	741.10
Brushed Dark Bronze (PVD)		**-430010**	860.60
Dark Chrome		**-190010**	694.80
Brushed Dark Platinum		**-990010**	833.70
Matte Black		**-330010**	625.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 815 625

NEW

Hand shower set
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette Ø 55 mm
- 3/8“ shower outlet

Notes:
- Fits META, TARA, SERIES-VARIOUS

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 815 625** FF	FF	Euro
Chrome		**-00**	344.90
Brushed Chrome		**-93**	448.50
Brushed Platinum		**-06**	551.90
Light Gold (PVD)		**-26**	517.40
Brushed Light Gold (PVD)		**-27**	517.40
Brushed Gold (PVD)		**-37**	517.40
Brushed Dark Brass (PVD)		**-39**	551.90
Brushed Bronze (PVD)		**-42**	551.90
Brushed Dark Bronze (PVD)		**-43**	620.80
Dark Chrome		**-19**	517.40
Brushed Dark Platinum		**-99**	620.90
Matte Black		**-33**	465.70

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 815 625** FF	FF	Euro
Chrome		**-000010**	344.90
Brushed Chrome		**-930010**	448.50
Brushed Platinum		**-060010**	551.90
Light Gold (PVD)		**-260010**	517.40
Brushed Light Gold (PVD)		**-270010**	517.40
Brushed Gold (PVD)		**-370010**	517.40
Brushed Dark Brass (PVD)		**-390010**	551.90
Brushed Bronze (PVD)		**-420010**	551.90
Brushed Dark Bronze (PVD)		**-430010**	620.80
Dark Chrome		**-190010**	517.40
Brushed Dark Platinum		**-990010**	620.90
Matte Black		**-330010**	465.70

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

	28 450 625 FF	FF	Euro
Chrome		**-00**	121.50
Brushed Chrome		**-93**	157.90
Brushed Platinum		**-06**	194.50
Light Gold (PVD)		**-26**	182.30
Brushed Light Gold (PVD)		**-27**	182.30
Brushed Gold (PVD)		**-37**	182.30
Brushed Dark Brass (PVD)		**-39**	194.40
Brushed Bronze (PVD)		**-42**	194.40
Brushed Dark Bronze (PVD)		**-43**	218.70
Dark Chrome		**-19**	182.30
Brushed Dark Platinum		**-99**	218.70
Matte Black		**-33**	163.70

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

	35 085 970 FF	FF	Euro
Concealed rough parts		**90**	128.90

27 816 625

NEW

Hand shower set
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette Ø 55 mm
- 3/8“ shower outlet

Notes:
- Fits META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 816 625** FF	FF	Euro
Chrome		**-00**	355.50
Brushed Chrome		**-93**	462.20
Brushed Platinum		**-06**	568.90
Light Gold (PVD)		**-26**	533.30
Brushed Light Gold (PVD)		**-27**	533.30
Brushed Gold (PVD)		**-37**	533.30
Brushed Dark Brass (PVD)		**-39**	568.90
Brushed Bronze (PVD)		**-42**	568.90
Brushed Dark Bronze (PVD)		**-43**	639.90
Dark Chrome		**-19**	533.30
Brushed Dark Platinum		**-99**	640.00
Matte Black		**-33**	480.00

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 816 625** FF	FF	Euro
Chrome		**-000010**	355.50
Brushed Chrome		**-930010**	462.20
Brushed Platinum		**-060010**	568.90
Light Gold (PVD)		**-260010**	533.30
Brushed Light Gold (PVD)		**-270010**	533.30
Brushed Gold (PVD)		**-370010**	533.30
Brushed Dark Brass (PVD)		**-390010**	568.90
Brushed Bronze (PVD)		**-420010**	568.90
Brushed Dark Bronze (PVD)		**-430010**	639.90
Dark Chrome		**-190010**	533.30
Brushed Dark Platinum		**-990010**	640.00
Matte Black		**-330010**	480.00

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

28 450 625 FF	FF	Euro
Chrome	**-00**	121.50
Brushed Chrome	**-93**	157.90
Brushed Platinum	**-06**	194.50
Light Gold (PVD)	**-26**	182.30
Brushed Light Gold (PVD)	**-27**	182.30
Brushed Gold (PVD)	**-37**	182.30
Brushed Dark Brass (PVD)	**-39**	194.40
Brushed Bronze (PVD)	**-42**	194.40
Brushed Dark Bronze (PVD)	**-43**	218.70
Dark Chrome	**-19**	182.30
Brushed Dark Platinum	**-99**	218.70
Matte Black	**-33**	163.70

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

28 518 979

Body spray without volume control FlowReduce
- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 5 l/min (at 3 bar)
- with anti-scale system

Technical data:
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, COYA

Fits META, TARA, VAIA, LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 518 979** FF	FF	Euro
Chrome		**-00**	328.70
Brushed Chrome		**-93**	427.20
Platinum		**-08**	525.90
Brushed Platinum		**-06**	525.90
Light Gold (PVD)		**-26**	493.00
Brushed Light Gold (PVD)		**-27**	493.00
Brushed Gold (PVD)		**-37**	493.10
Brushed Dark Brass (PVD)		**-39**	525.80
Brushed Bronze (PVD)		**-42**	525.70
Brushed Dark Bronze (PVD)		**-43**	591.70
Dark Chrome		**-19**	493.00
Brushed Dark Platinum		**-99**	591.50
Matte Black		**-33**	443.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 515 979

WATER POINTS Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 120 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 515 979** FF	FF	Euro
Chrome		**-00**	577.30
Brushed Chrome		**-93**	750.40
Platinum		**-08**	923.20
Brushed Platinum		**-06**	923.20
Light Gold (PVD)		**-26**	865.90
Brushed Light Gold (PVD)		**-27**	865.90
Brushed Gold (PVD)		**-37**	866.00
Brushed Dark Brass (PVD)		**-39**	923.70
Brushed Bronze (PVD)		**-42**	923.60
Brushed Dark Bronze (PVD)		**-43**	1,039.10
Dark Chrome		**-19**	866.00
Brushed Dark Platinum		**-99**	1,039.00
Matte Black		**-33**	779.10

Required miscellaneous

WATER POINTS Adapter plate

	12 305 970 FF	FF	Euro
• adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.	Accesories	**90**	37.90

For details and miscellaneous, see page 742

Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm	Concealed rough parts	**90**	234.20

For details and miscellaneous, see page 733

36 517 979

WATER BAR Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 517 979** FF	FF	Euro
Chrome		**-00**	891.50
Brushed Chrome		**-93**	1,158.80
Platinum		**-08**	1,426.60
Brushed Platinum		**-06**	1,426.60
Light Gold (PVD)		**-26**	1,337.20
Brushed Light Gold (PVD)		**-27**	1,337.20
Brushed Gold (PVD)		**-37**	1,337.30
Brushed Dark Brass (PVD)		**-39**	1,426.40
Brushed Bronze (PVD)		**-42**	1,426.40
Brushed Dark Bronze (PVD)		**-43**	1,604.70
Dark Chrome		**-19**	1,337.20
Brushed Dark Platinum		**-99**	1,604.30
Matte Black		**-33**	1,227.20

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

36 514 979

WATER CURVE Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- Function from: 5.7 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 60 mm
- 1/2“ connection

Notes:
- This product reduces water consumption by % (compared to requirements of EPAct ,92)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 514 979** FF	FF	Euro
Chrome		**-00**	1,160.00
Brushed Chrome		**-93**	1,508.00
Platinum		**-08**	1,856.10
Brushed Platinum		**-06**	1,856.10
Light Gold (PVD)		**-26**	1,740.10
Brushed Light Gold (PVD)		**-27**	1,740.10
Brushed Gold (PVD)		**-37**	1,740.00
Brushed Dark Brass (PVD)		**-39**	1,856.10
Brushed Bronze (PVD)		**-42**	1,856.20
Brushed Dark Bronze (PVD)		**-43**	2,088.00
Dark Chrome		**-19**	1,740.00
Brushed Dark Platinum		**-99**	2,088.10
Matte Black		**-33**	1,565.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 513 979

WATER FAN vertical Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 513 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Chrome		**-93**	1,125.10
Platinum		**-08**	1,385.20
Brushed Platinum		**-06**	1,385.20
Light Gold (PVD)		**-26**	1,298.10
Brushed Light Gold (PVD)		**-27**	1,298.10
Brushed Gold (PVD)		**-37**	1,298.10
Brushed Dark Brass (PVD)		**-39**	1,384.60
Brushed Bronze (PVD)		**-42**	1,384.60
Brushed Dark Bronze (PVD)		**-43**	1,557.70
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60
Matte Black		**-33**	1,191.50

Product alternative
- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**36 512 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Chrome		**-93**	1,125.10
Platinum		**-08**	1,385.20
Brushed Platinum		**-06**	1,385.20
Light Gold (PVD)		**-26**	1,298.10
Brushed Light Gold (PVD)		**-27**	1,298.10
Brushed Gold (PVD)		**-37**	1,298.10
Brushed Dark Brass (PVD)		**-39**	1,384.60
Brushed Bronze (PVD)		**-42**	1,384.60
Brushed Dark Bronze (PVD)		**-43**	1,557.70
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60
Matte Black		**-33**	1,191.50

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

13 415 979

WATER SHEET Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **150mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 415 979** FF	FF	Euro
Chrome		**-00**	1,194.80
Brushed Chrome		**-93**	1,553.30
Platinum		**-08**	1,911.60
Brushed Platinum		**-06**	1,911.60
Light Gold (PVD)		**-26**	1,792.20
Brushed Light Gold (PVD)		**-27**	1,792.20
Brushed Gold (PVD)			1,792.20
Brushed Dark Brass (PVD)		**-39**	1,911.70
Brushed Bronze (PVD)		**-42**	1,911.70
Brushed Dark Bronze (PVD)		**-43**	2,150.60
Dark Chrome		**-19**	1,792.40
Brushed Dark Platinum		**-99**	2,150.60
Matte Black		**-33**	1,612.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 420 979



WATER FALL Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **120mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 420 979** FF	FF	Euro
Chrome		**-00**	1,706.90
Brushed Chrome		**-93**	2,219.10
Platinum		**-08**	2,731.60
Brushed Platinum		**-06**	2,731.60
Light Gold (PVD)		**-26**	2,560.40
Brushed Light Gold (PVD)		**-27**	2,560.40
Brushed Gold (PVD)		**-37**	2,560.40
Brushed Dark Brass (PVD)		**-39**	2,731.20
Brushed Bronze (PVD)		**-42**	2,731.20
Brushed Dark Bronze (PVD)		**-43**	3,072.40
Dark Chrome		**-19**	2,560.50
Matte Black		**-33**	2,304.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 425 979

WATER FALL Cascade spout with individual jets for wall mounting
- PEARLSTREAM
- Max. flow rate 9.5 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- plate 240 mm x 60 mm
- **22mm projection**
- connection 1/2“, for shortening
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 425 979** FF	FF	Euro
Chrome		**-00**	1,268.40
Brushed Chrome		**-93**	1,648.80
Platinum		**-08**	2,029.40
Brushed Platinum		**-06**	2,029.40
Light Gold (PVD)		**-26**	1,902.60
Brushed Light Gold (PVD)		**-27**	1,902.60
Brushed Gold (PVD)		**-37**	1,902.60
Brushed Dark Brass (PVD)		**-39**	2,029.40
Brushed Bronze (PVD)		**-42**	2,029.40
Brushed Dark Bronze (PVD)		**-43**	2,283.10
Dark Chrome		**-19**	1,902.40
Brushed Dark Platinum		**-99**	2,282.80
Matte Black		**-33**	1,712.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 823 979 +
28 285 979

WATER TUBE Kneipp wall elbow with hose holder with individual rosettes
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: l/min
- with volume control
- inherently safe from back flow
- holder for Kneipp hose
- hose nozzle with sleeve M33

Technical data:
- rosette Ø 60 mm
- 1/2“ wall elbow

Notes:
- Fits LISSÉ, LULU, MADISON, META, TARA, VAIA, COYA

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **27 823 979** FF max. flow 15 l/min FF	Euro	1x **28 285 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	619.00	**-00**	110.10	**729.10**
Brushed Chrome	**-93**	804.60	**-93**	143.10	**947.70**
Platinum	**-08**	990.40	**-08**	176.10	**1,166.50**
Brushed Platinum	**-06**	990.40	**-06**	176.20	**1,166.60**
Light Gold (PVD)	**-26**	928.50	**-26**	165.20	**1,093.70**
Brushed Light Gold (PVD)	**-27**	928.50	**-27**	165.20	**1,093.70**
Brushed Gold (PVD)	**-37**	928.50	**-37**	165.20	**1,093.70**
Brushed Dark Brass (PVD)	**-39**	990.40	**-39**	176.20	**1,166.60**
Brushed Bronze (PVD)	**-42**	990.50	**-42**	176.20	**1,166.70**
Brushed Dark Bronze (PVD)	**-43**	1,114.20	**-43**	198.20	**1,312.40**
Dark Chrome	**-19**	928.20	**-19**	165.20	**1,093.40**
Brushed Dark Platinum	**-99**	1,114.10	**-99**	198.10	**1,312.20**
Matte Black	**-33**	835.50	**-33**	148.60	**984.10**

Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

28 286 979 FF	FF	Euro
Chrome	**-00**	110.10
Brushed Chrome	**-93**	143.10
Platinum	**-08**	176.10
Brushed Platinum	**-06**	176.20
Light Gold (PVD)	**-26**	165.20
Brushed Light Gold (PVD)	**-27**	165.20
Brushed Gold (PVD)	**-37**	165.20
Brushed Dark Brass (PVD)	**-39**	176.20
Brushed Bronze (PVD)	**-42**	176.20
Brushed Dark Bronze (PVD)	**-43**	198.20
Dark Chrome	**-19**	165.20
Brushed Dark Platinum	**-99**	198.10
Matte Black	**-33**	148.60

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 490 660

Wall elbow with integrated shower holder
- 3/8“ shower outlet
- rosette Ø 60 mm
- 1/2“ connection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 490 660** FF	FF	Euro
Chrome		**-00**	236.30
Brushed Chrome		**-93**	307.00
Platinum		**-08**	377.60
Brushed Platinum		**-06**	377.60
Light Gold (PVD)		**-26**	354.30
Brushed Light Gold (PVD)		**-27**	354.30
Brushed Gold (PVD)		**-37**	354.50
Brushed Dark Brass (PVD)		**-39**	377.90
Brushed Bronze (PVD)		**-42**	378.00
Brushed Dark Bronze (PVD)		**-43**	425.30
Dark Chrome		**-19**	354.20
Brushed Dark Platinum		**-99**	424.50
Matte Black		**-33**	318.90

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 450 625

Wall elbow
- 3/8“ shower outlet
- rosette Ø 55 mm
- 1/2“ connection

Intrinsic protection against back flow.

Fits META, TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 450 625** FF	FF	Euro
Chrome		**-00**	121.50
Brushed Chrome		**-93**	157.90
Platinum		**-08**	194.50
Brushed Platinum		**-06**	194.50
Light Gold (PVD)		**-26**	182.30
Brushed Light Gold (PVD)		**-27**	182.30
Brushed Gold (PVD)		**-37**	182.30
Brushed Dark Brass (PVD)		**-39**	194.40
Brushed Bronze (PVD)		**-42**	194.40
Brushed Dark Bronze (PVD)		**-43**	218.70
Dark Chrome		**-19**	182.30
Brushed Dark Platinum		**-99**	218.70
Matte Black		**-33**	163.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 050 625

Wall bracket
- rosette Ø 55 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 050 625** FF	FF	Euro
Chrome		**-00**	169.70
Brushed Chrome		**-93**	220.50
Brushed Platinum		**-06**	271.50
Light Gold (PVD)		**-26**	254.50
Brushed Light Gold (PVD)		**-27**	254.50
Brushed Gold (PVD)		**-37**	254.60
Brushed Dark Brass (PVD)		**-39**	271.40
Brushed Bronze (PVD)		**-42**	271.40
Brushed Dark Bronze (PVD)		**-43**	305.50
Dark Chrome		**-19**	254.40
Brushed Dark Platinum		**-99**	305.20
Matte Black		**-33**	229.20

28 060 970

Wall bracket swivel
- pivotable 75°

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 060 970** FF	FF	Euro
Chrome		**-00**	207.70
Brushed Chrome		**-93**	270.00
Platinum		**-08**	332.40
Brushed Platinum		**-06**	332.40
Light Gold (PVD)		**-26**	311.30
Brushed Light Gold (PVD)		**-27**	311.30
Brushed Gold (PVD)		**-37**	311.60
Brushed Dark Brass (PVD)		**-39**	332.20
Brushed Bronze (PVD)		**-42**	332.10
Brushed Dark Bronze (PVD)		**-43**	373.90
Dark Chrome		**-19**	311.40
Brushed Dark Platinum		**-99**	373.90
Matte Black		**-33**	280.60

12 540 970 NEW

Slide unit
- for pipe diameter 18 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 540 970** FF	FF	Euro
Chrome		**-00**	143.90
Brushed Chrome		**-93**	187.00
Platinum		**-08**	230.20
Brushed Platinum		**-06**	230.20
Light Gold (PVD)		**-26**	215.80
Brushed Light Gold (PVD)		**-27**	215.80
Brushed Gold (PVD)		**-37**	215.90
Brushed Dark Brass (PVD)		**-39**	230.20
Brushed Bronze (PVD)		**-42**	230.20
Brushed Dark Bronze (PVD)		**-43**	259.00
Dark Chrome		**-19**	215.80
Brushed Dark Platinum		**-99**	258.90
Matte Black		**-33**	194.30

12 550 970 **NEW** **Slide unit**

- Pipe diameter 20 mm

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 550 970** FF	FF	Euro
Chrome		**-00**	143.90
Brushed Chrome		**-93**	187.00
Platinum		**-08**	230.20
Brushed Platinum		**-06**	230.20
Light Gold (PVD)		**-26**	215.80
Brushed Light Gold (PVD)		**-27**	215.80
Brushed Gold (PVD)		**-37**	215.90
Brushed Dark Brass (PVD)		**-39**	230.20
Brushed Bronze (PVD)		**-42**	230.20
Brushed Dark Bronze (PVD)		**-43**	259.00
Dark Chrome		**-19**	215.80
Brushed Dark Platinum		**-99**	258.90
Matte Black		**-33**	194.30

33 300 660

Single-lever shower mixer for wall mounting
- 3/8“ shower outlet
- slide-on rosettes Ø 60 mm
- 1/2“ connection
- gauge 150 mm - 15 mm

Fits META

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 300 660** FF	FF	Euro
Chrome		**-00**	666.20
Brushed Chrome		**-93**	866.10
Brushed Platinum		**-06**	1,065.90
Light Gold (PVD)		**-26**	999.30
Brushed Light Gold (PVD)		**-27**	999.30
Brushed Gold (PVD)		**-37**	999.30
Brushed Dark Brass (PVD)		**-39**	1,065.90
Brushed Bronze (PVD)		**-42**	1,065.90
Brushed Dark Bronze (PVD)		**-43**	1,199.20
Dark Chrome		**-19**	999.30
Brushed Dark Platinum		**-99**	1,199.20
Matte Black		**-33**	899.40

34 444 979 **NEW**

Shower thermostat for wall mounting
- with volume control
- with FlowReduce function
- slide-on rosettes Ø 70 mm
- 3/8“ shower outlet
- 1/2“ connection
- gauge 150 mm - 13 mm

Notes:
- inherently safe from back flow

Fits MEM, IMO, META, TARA, VAIA, LULU, LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**34 444 979** FF	FF	Euro
Chrome		**-00**	736.60
Brushed Chrome		**-93**	957.60
Platinum		**-08**	1,178.50
Brushed Platinum		**-06**	1,178.50
Light Gold (PVD)		**-26**	1,104.90
Brushed Light Gold (PVD)		**-27**	1,104.90
Brushed Gold (PVD)		**-37**	1,104.90
Brushed Dark Brass (PVD)		**-39**	1,178.50
Brushed Bronze (PVD)		**-42**	1,178.50
Brushed Dark Bronze (PVD)		**-43**	1,325.90
Dark Chrome		**-19**	1,104.90
Brushed Dark Platinum		**-99**	1,325.80
Matte Black		**-33**	994.40

36 060 660

Concealed single-lever mixer with cover plate
- cover plate Ø 78 mm

Fits META, TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 060 660** FF	FF	Euro
Chrome		**-00**	389.20
Brushed Chrome		**-93**	505.90
Platinum		**-08**	622.50
Brushed Platinum		**-06**	622.50
Light Gold (PVD)		**-26**	583.80
Brushed Light Gold (PVD)		**-27**	583.80
Brushed Gold (PVD)		**-37**	583.80
Brushed Dark Brass (PVD)		**-39**	622.80
Brushed Bronze (PVD)		**-42**	622.80
Brushed Dark Bronze (PVD)		**-43**	700.60
Dark Chrome		**-19**	583.90
Brushed Dark Platinum		**-99**	701.10
Matte Black		**-33**	525.60

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 046 660

Concealed single-lever mixer with cover plate with integrated shower connection
- cover plate Ø 80 mm

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 046 660** FF	FF	Euro
Chrome		**-00**	490.70
Brushed Chrome		**-93**	637.90
Platinum		**-08**	785.10
Brushed Platinum		**-06**	785.10
Light Gold (PVD)		**-26**	735.90
Brushed Light Gold (PVD)		**-27**	735.90
Brushed Gold (PVD)		**-37**	736.10
Brushed Dark Brass (PVD)		**-39**	785.10
Brushed Bronze (PVD)		**-42**	785.10
Brushed Dark Bronze (PVD)		**-43**	883.30
Dark Chrome		**-19**	735.90
Brushed Dark Platinum		**-99**	883.20
Matte Black		**-33**	662.40

Required miscellaneous

Concealed wall mounting

	35 050 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	336.80

For details and miscellaneous, see page 728

36 120 660

Concealed single-lever mixer with diverter
- automatic diverter
- cover plate Ø 150 mm

Fits META, TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 120 660** FF	FF	Euro
Chrome		**-00**	587.30
Brushed Chrome		**-93**	763.50
Platinum		**-08**	939.60
Brushed Platinum		**-06**	939.30
Light Gold (PVD)		**-26**	881.00
Brushed Light Gold (PVD)		**-27**	881.00
Brushed Gold (PVD)		**-37**	881.00
Brushed Dark Brass (PVD)		**-39**	939.60
Brushed Bronze (PVD)		**-42**	939.60
Brushed Dark Bronze (PVD)		**-43**	1,057.10
Dark Chrome		**-19**	881.10
Brushed Dark Platinum		**-99**	1,057.10
Matte Black		**-33**	793.30

Required miscellaneous

Concealed single-lever mixer

	35 020 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	248.70

For details and miscellaneous, see page 729

Required miscellaneous

Concealed single-lever mixer with backflow preventor

	35 021 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	355.40

For details and miscellaneous, see page 729

36 425 970

Concealed thermostat with one function volume control
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits META, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 425 970** FF	FF	Euro
Chrome		**-00**	707.60
Brushed Chrome		**-93**	920.00
Platinum		**-08**	1,132.30
Brushed Platinum		**-06**	1,132.30
Light Gold (PVD)		**-26**	1,061.40
Brushed Light Gold (PVD)		**-27**	1,061.40
Brushed Gold (PVD)		**-37**	1,061.40
Brushed Dark Brass (PVD)		**-39**	1,132.20
Brushed Bronze (PVD)		**-42**	1,132.20
Brushed Dark Bronze (PVD)		**-43**	1,273.70
Dark Chrome		**-19**	1,061.60
Brushed Dark Platinum		**-99**	1,274.20
Matte Black		**-33**	955.60

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	457.60

For details and miscellaneous, see page 729

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	480.60

For details and miscellaneous, see page 729

36 426 970

Concealed thermostat with two function volume control
- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits META, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 426 970** FF	FF	Euro
Chrome		**-00**	840.90
Brushed Chrome		**-93**	1,093.30
Platinum		**-08**	1,345.40
Brushed Platinum		**-06**	1,345.40
Light Gold (PVD)		**-26**	1,261.60
Brushed Light Gold (PVD)		**-27**	1,261.60
Brushed Gold (PVD)		**-37**	1,261.40
Brushed Dark Brass (PVD)		**-39**	1,345.60
Brushed Bronze (PVD)		**-42**	1,345.60
Brushed Dark Bronze (PVD)		**-43**	1,513.60
Dark Chrome		**-19**	1,261.70
Brushed Dark Platinum		**-99**	1,514.20
Matte Black		**-33**	1,135.20

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	457.60

For details and miscellaneous, see page 729

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	480.60

For details and miscellaneous, see page 729

36 427 970

Concealed thermostat with three function volume control
- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits META, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 427 970** FF	FF	Euro
Chrome		**-00**	877.50
Brushed Chrome		**-93**	1,140.80
Platinum		**-08**	1,404.10
Brushed Platinum		**-06**	1,404.10
Light Gold (PVD)		**-26**	1,316.40
Brushed Light Gold (PVD)		**-27**	1,316.40
Brushed Gold (PVD)		**-37**	1,316.30
Brushed Dark Brass (PVD)		**-39**	1,404.00
Brushed Bronze (PVD)		**-42**	1,404.10
Brushed Dark Bronze (PVD)		**-43**	1,579.50
Dark Chrome		**-19**	1,316.50
Brushed Dark Platinum		**-99**	1,579.60
Matte Black		**-33**	1,185.30

Required miscellaneous

Concealed thermostat

	35 427 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	479.40

Required miscellaneous

Concealed thermostat with built-in isolators

	35 428 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	503.00

36 503 979 +
36 607 660

Thermostat module with 1 valve
- cover plate Ø 124 mm
- rosette Ø 60 mm
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 979** FF		1x **36 607 660** FF		**Total price:**
	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,193.10	**-00**	302.50	**1,495.60**
Brushed Chrome	**-93**	1,551.10	**-93**	393.20	**1,944.30**
Brushed Platinum	**-06**	1,909.00	**-06**	483.90	**2,392.90**
Light Gold (PVD)	**-26**	1,789.60	**-26**	453.70	**2,243.30**
Brushed Light Gold (PVD)	**-27**	1,789.60	**-27**	453.70	**2,243.30**
Brushed Gold (PVD)	**-37**	1,789.70	**-37**	453.80	**2,243.50**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	483.90	**2,392.90**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	483.90	**2,393.00**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	544.50	**2,692.10**
Dark Chrome	**-19**	1,789.60	**-19**	453.70	**2,243.30**
Brushed Dark Platinum	**-99**	2,147.60	**-99**	544.50	**2,692.10**
Matte Black	**-33**	1,611.00	**-33**	408.30	**2,019.30**

Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

	35 511 970 FF	FF	Euro
• min. recess depth 95 mm • max. recess depth 160 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	743.70

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	118.70

36 503 979 +
36 607 740

xTOOL Thermostat module with 1 valve
- cover plate Ø 124 mm
- handle Ø 60mm
- without rosette
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Fits META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **36 503 979** FF		1x **36 607 740** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,193.10	**-00**	302.50	**1,495.60**
Brushed Chrome	**-93**	1,551.10	**-93**	393.20	**1,944.30**
Brushed Platinum	**-06**	1,909.00	**-06**	483.90	**2,392.90**
Light Gold (PVD)	**-26**	1,789.60	**-26**	453.70	**2,243.30**
Brushed Light Gold (PVD)	**-27**	1,789.60	**-27**	453.70	**2,243.30**
Brushed Gold (PVD)	**-37**	1,789.70	**-37**	453.80	**2,243.50**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	483.90	**2,392.90**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	483.90	**2,393.00**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	544.50	**2,692.10**
Dark Chrome	**-19**	1,789.60	**-19**	453.90	**2,243.50**
Brushed Dark Platinum	**-99**	2,147.60	**-99**	544.60	**2,692.20**
Matte Black	**-33**	1,611.00	**-33**	408.20	**2,019.20**

Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

35 511 970 FF

		FF	Euro
• min. recess depth 95 mm • max. recess depth 160 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	743.70

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

		FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

		FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	118.70

36 503 979 +
36 607 661

xTOOL Thermostat module with 1 valve
- cover plate Ø 123 mm
- rosette Ø 60 mm
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 979** FF FF	Euro	1x **36 607 661** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,193.10	**-00**	238.80	**1,431.90**
Brushed Chrome	**-93**	1,551.10	**-93**	310.50	**1,861.60**
Brushed Platinum	**-06**	1,909.00	**-06**	382.20	**2,291.20**
Light Gold (PVD)	**-26**	1,789.60	**-26**	358.30	**2,147.90**
Brushed Light Gold (PVD)	**-27**	1,789.60	**-27**	358.30	**2,147.90**
Brushed Gold (PVD)	**-37**	1,789.70	**-37**	358.20	**2,147.90**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	382.10	**2,291.10**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	382.10	**2,291.20**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	429.80	**2,577.40**
Dark Chrome	**-19**	1,789.60	**-19**	358.40	**2,148.00**
Brushed Dark Platinum	**-99**	2,147.60	**-99**	429.90	**2,577.50**
Matte Black	**-33**	1,611.00	**-33**	322.50	**1,933.50**

Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

35 511 970 FF

	FF	Euro
Concealed rough parts	**90**	743.70

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 730

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

	FF	Euro
Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

	FF	Euro
Concealed rough parts	**90**	118.70

For details and miscellaneous, see page 743

36 503 979 +
2x **36 607 660**

Thermostat module with 2 valves
- cover plate Ø 124 mm
- rosette Ø 60 mm
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 979** FF FF	Euro	2x **36 607 660** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,193.10	**-00**	302.50	**1,798.10**
Brushed Chrome	**-93**	1,551.10	**-93**	393.20	**2,337.50**
Brushed Platinum	**-06**	1,909.00	**-06**	483.90	**2,876.80**
Light Gold (PVD)	**-26**	1,789.60	**-26**	453.70	**2,697.00**
Brushed Light Gold (PVD)	**-27**	1,789.60	**-27**	453.70	**2,697.00**
Brushed Gold (PVD)	**-37**	1,789.70	**-37**	453.80	**2,697.30**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	483.90	**2,876.80**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	483.90	**2,876.90**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	544.50	**3,236.60**
Dark Chrome	**-19**	1,789.60	**-19**	453.70	**2,697.00**
Brushed Dark Platinum	**-99**	2,147.60	**-99**	544.50	**3,236.60**
Matte Black	**-33**	1,611.00	**-33**	408.30	**2,427.60**

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts | FF **90** | Euro 1,239.70

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF

- min. recess depth mm
- max. recess depth mm

Concealed rough parts | FF **90** | Euro 1,226.10

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 979 +
2x **36 607 740**

xTOOL Thermostat module with 2 valves
- cover plate Ø 124 mm
- handle Ø 60mm
- without rosette
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Fits META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 979** FF FF	Euro	2x **36 607 740** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,193.10	**-00**	302.50	**1,798.10**
Brushed Chrome	**-93**	1,551.10	**-93**	393.20	**2,337.50**
Brushed Platinum	**-06**	1,909.00	**-06**	483.90	**2,876.80**
Light Gold (PVD)	**-26**	1,789.60	**-26**	453.70	**2,697.00**
Brushed Light Gold (PVD)	**-27**	1,789.60	**-27**	453.70	**2,697.00**
Brushed Gold (PVD)	**-37**	1,789.70	**-37**	453.80	**2,697.30**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	483.90	**2,876.80**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	483.90	**2,876.90**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	544.50	**3,236.60**
Dark Chrome	**-19**	1,789.60	**-19**	453.90	**2,697.40**
Brushed Dark Platinum	**-99**	2,147.60	**-99**	544.60	**3,236.80**
Matte Black	**-33**	1,611.00	**-33**	408.20	**2,427.40**

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF

	FF	Euro
Concealed rough parts	**90**	1,239.70

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF

	FF	Euro
Concealed rough parts	**90**	1,226.10

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

	FF	Euro
Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

	FF	Euro
Concealed rough parts	**90**	118.70

For details and miscellaneous, see page 743

36 503 979 +
2x **36 607 661**

xTOOL Thermostat module with 2 valves
- cover plate Ø 123 mm
- rosette Ø 60 mm
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 979** FF FF	Euro	2x **36 607 661** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,193.10	**-00**	238.80	**1,670.70**
Brushed Chrome	**-93**	1,551.10	**-93**	310.50	**2,172.10**
Brushed Platinum	**-06**	1,909.00	**-06**	382.20	**2,673.40**
Light Gold (PVD)	**-26**	1,789.60	**-26**	358.30	**2,506.20**
Brushed Light Gold (PVD)	**-27**	1,789.60	**-27**	358.30	**2,506.20**
Brushed Gold (PVD)	**-37**	1,789.70	**-37**	358.20	**2,506.10**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	382.10	**2,673.20**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	382.10	**2,673.30**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	429.80	**3,007.20**
Dark Chrome	**-19**	1,789.60	**-19**	358.40	**2,506.40**
Brushed Dark Platinum	**-99**	2,147.60	**-99**	429.90	**3,007.40**
Matte Black	**-33**	1,611.00	**-33**	322.50	**2,256.00**

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 731

FF	Euro
Concealed rough parts **90**	1,239.70

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 731

FF	Euro
Concealed rough parts **90**	1,226.10

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

For details and miscellaneous, see page 743

FF	Euro
Concealed rough parts **90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

For details and miscellaneous, see page 743

FF	Euro
Concealed rough parts **90**	118.70

36 503 979 +
3x **36 607 660**

Thermostat module with 3 valves
- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 979** FF FF	Euro	3x **36 607 660** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,193.10	**-00**	302.50	**2,100.60**
Brushed Chrome	**-93**	1,551.10	**-93**	393.20	**2,730.70**
Brushed Platinum	**-06**	1,909.00	**-06**	483.90	**3,360.70**
Light Gold (PVD)	**-26**	1,789.60	**-26**	453.70	**3,150.70**
Brushed Light Gold (PVD)	**-27**	1,789.60	**-27**	453.70	**3,150.70**
Brushed Gold (PVD)	**-37**	1,789.70	**-37**	453.80	**3,151.10**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	483.90	**3,360.70**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	483.90	**3,360.80**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	544.50	**3,781.10**
Dark Chrome	**-19**	1,789.60	**-19**	453.70	**3,150.70**
Brushed Dark Platinum	**-99**	2,147.60	**-99**	544.50	**3,781.10**
Matte Black	**-33**	1,611.00	**-33**	408.30	**2,835.90**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 731

	FF	Euro
Concealed rough parts	**90**	1,332.30

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 731

	FF	Euro
Concealed rough parts	**90**	1,443.30

Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 743

	FF	Euro
Concealed rough parts	**90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

For details and miscellaneous, see page 743

	FF	Euro
Concealed rough parts	**90**	118.70

36 503 979 +
3x **36 607 740**



xTOOL Thermostat module with 3 valves
- cover plate Ø 124 mm
- handle Ø 60mm
- without rosette
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Fits META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **36 503 979** FF		3x **36 607 740** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,193.10	**-00**	302.50	**2,100.60**
Brushed Chrome	**-93**	1,551.10	**-93**	393.20	**2,730.70**
Brushed Platinum	**-06**	1,909.00	**-06**	483.90	**3,360.70**
Light Gold (PVD)	**-26**	1,789.60	**-26**	453.70	**3,150.70**
Brushed Light Gold (PVD)	**-27**	1,789.60	**-27**	453.70	**3,150.70**
Brushed Gold (PVD)	**-37**	1,789.70	**-37**	453.80	**3,151.10**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	483.90	**3,360.70**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	483.90	**3,360.80**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	544.50	**3,781.10**
Dark Chrome	**-19**	1,789.60	**-19**	453.90	**3,151.30**
Brushed Dark Platinum	**-99**	2,147.60	**-99**	544.60	**3,781.40**
Matte Black	**-33**	1,611.00	**-33**	408.20	**2,835.60**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

	FF	Euro
Concealed rough parts	**90**	1,332.30

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

	FF	Euro
Concealed rough parts	**90**	1,443.30

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

	FF	Euro
Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

	FF	Euro
Concealed rough parts	**90**	118.70

For details and miscellaneous, see page 743

36 503 979 +
3x **36 607 661**

xTOOL Thermostat module with 3 valves
- cover plate Ø 123 mm
- rosette Ø 60 mm
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 979** FF FF	Euro	3x **36 607 661** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,193.10	**-00**	238.80	**1,909.50**
Brushed Chrome	**-93**	1,551.10	**-93**	310.50	**2,482.60**
Brushed Platinum	**-06**	1,909.00	**-06**	382.20	**3,055.60**
Light Gold (PVD)	**-26**	1,789.60	**-26**	358.30	**2,864.50**
Brushed Light Gold (PVD)	**-27**	1,789.60	**-27**	358.30	**2,864.50**
Brushed Gold (PVD)	**-37**	1,789.70	**-37**	358.20	**2,864.30**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	382.10	**3,055.30**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	382.10	**3,055.40**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	429.80	**3,437.00**
Dark Chrome	**-19**	1,789.60	**-19**	358.40	**2,864.80**
Brushed Dark Platinum	**-99**	2,147.60	**-99**	429.90	**3,437.30**
Matte Black	**-33**	1,611.00	**-33**	322.50	**2,578.50**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

	FF	Euro
Concealed rough parts	**90**	1,332.30

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

	FF	Euro
Concealed rough parts	**90**	1,443.30

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

	FF	Euro
Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

	FF	Euro
Concealed rough parts	**90**	118.70

For details and miscellaneous, see page 743

36 503 979

xTOOL Concealed thermostat without volume control 3/4“
- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 503 979** FF	FF	Euro
Chrome		**-00**	1,193.10
Brushed Chrome		**-93**	1,551.10
Platinum		**-08**	1,909.00
Brushed Platinum		**-06**	1,909.00
Light Gold (PVD)		**-26**	1,789.60
Brushed Light Gold (PVD)		**-27**	1,789.60
Brushed Gold (PVD)		**-37**	1,789.70
Brushed Dark Brass (PVD)		**-39**	1,909.00
Brushed Bronze (PVD)		**-42**	1,909.10
Brushed Dark Bronze (PVD)		**-43**	2,147.60
Dark Chrome		**-19**	1,789.60
Brushed Dark Platinum		**-99**	2,147.60
Matte Black		**-33**	1,611.00

Required miscellaneous

xTOOL Concealed thermostat module without volume control

	35 503 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	907.90

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

36 607 660

Wall valve clockwise closing 1/2“
- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 660** FF	FF	Euro
Chrome		**-00**	302.50
Brushed Chrome		**-93**	393.20
Brushed Platinum		**-06**	483.90
Light Gold (PVD)		**-26**	453.70
Brushed Light Gold (PVD)		**-27**	453.70
Brushed Gold (PVD)		**-37**	453.80
Brushed Dark Brass (PVD)		**-39**	483.90
Brushed Bronze (PVD)		**-42**	483.90
Brushed Dark Bronze (PVD)		**-43**	544.50
Dark Chrome		**-19**	453.70
Brushed Dark Platinum		**-99**	544.50
Matte Black		**-33**	408.30

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 145 mm For details and miscellaneous, see page 732	Concealed rough parts	**90**	95.40

36 608 660

Wall valve clockwise closing 3/4“
- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 660** FF	FF	Euro
Chrome		**-00**	302.50
Brushed Chrome		**-93**	393.20
Brushed Platinum		**-06**	483.90
Light Gold (PVD)		**-26**	453.70
Brushed Light Gold (PVD)		**-27**	453.70
Brushed Gold (PVD)		**-37**	453.80
Brushed Dark Brass (PVD)		**-39**	483.90
Brushed Bronze (PVD)		**-42**	483.90
Brushed Dark Bronze (PVD)		**-43**	544.50
Dark Chrome		**-19**	453.70
Brushed Dark Platinum		**-99**	544.50
Matte Black		**-33**	408.30

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 145 mm	Concealed rough parts	**90**	125.20

For details and miscellaneous, see page 732

36 607 740

Wall valve clockwise closing 1/2“
- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 740** FF	FF	Euro
Chrome		**-00**	302.50
Brushed Chrome		**-93**	393.20
Brushed Platinum		**-06**	483.90
Light Gold (PVD)		**-26**	453.70
Brushed Light Gold (PVD)		**-27**	453.70
Brushed Gold (PVD)		**-37**	453.80
Brushed Dark Brass (PVD)		**-39**	483.90
Brushed Bronze (PVD)		**-42**	483.90
Brushed Dark Bronze (PVD)		**-43**	544.50
Dark Chrome		**-19**	453.90
Brushed Dark Platinum		**-99**	544.60
Matte Black		**-33**	408.20

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

36 607 661

Wall valve clockwise closing 1/2“
- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 661** FF	FF	Euro
Chrome		**-00**	238.80
Brushed Chrome		**-93**	310.50
Brushed Platinum		**-06**	382.20
Light Gold (PVD)		**-26**	358.30
Brushed Light Gold (PVD)		**-27**	358.30
Brushed Gold (PVD)		**-37**	358.20
Brushed Dark Brass (PVD)		**-39**	382.10
Brushed Bronze (PVD)		**-42**	382.10
Brushed Dark Bronze (PVD)		**-43**	429.80
Dark Chrome		**-19**	358.40
Brushed Dark Platinum		**-99**	429.90
Matte Black		**-33**	322.50

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

36 608 740

Wall valve clockwise closing 3/4“
- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 740** FF	FF	Euro
Chrome		**-00**	302.50
Brushed Chrome		**-93**	393.20
Brushed Platinum		**-06**	483.90
Light Gold (PVD)		**-26**	453.70
Brushed Light Gold (PVD)		**-27**	453.70
Brushed Gold (PVD)		**-37**	453.80
Brushed Dark Brass (PVD)		**-39**	483.90
Brushed Bronze (PVD)		**-42**	483.90
Brushed Dark Bronze (PVD)		**-43**	544.50
Dark Chrome		**-19**	453.90
Brushed Dark Platinum		**-99**	544.60
Matte Black		**-33**	408.20

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	125.20

For details and miscellaneous, see page 732

36 608 661

Wall valve clockwise closing 3/4“
- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 661** FF	FF	Euro
Chrome		**-00**	238.80
Brushed Chrome		**-93**	310.50
Brushed Platinum		**-06**	382.20
Light Gold (PVD)		**-26**	358.30
Brushed Light Gold (PVD)		**-27**	358.30
Brushed Gold (PVD)		**-37**	358.20
Brushed Dark Brass (PVD)		**-39**	382.10
Brushed Bronze (PVD)		**-42**	382.10
Brushed Dark Bronze (PVD)		**-43**	429.80
Dark Chrome		**-19**	358.40
Brushed Dark Platinum		**-99**	429.90
Matte Black		**-33**	322.50

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	125.20

For details and miscellaneous, see page 732

36 200 740

Concealed two-way diverter
- rotary diverter
- without rosette
- handle Ø 60mm

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 200 740** FF	FF	Euro
Chrome		**-00**	358.90
Brushed Platinum		**-06**	574.20
Light Gold (PVD)		**-26**	538.30
Brushed Light Gold (PVD)		**-27**	538.30
Brushed Gold (PVD)		**-37**	538.40
Brushed Dark Brass (PVD)		**-39**	574.10
Brushed Bronze (PVD)		**-42**	574.10
Brushed Dark Bronze (PVD)		**-43**	646.00
Dark Chrome		**-19**	538.40
Brushed Dark Platinum		**-99**	646.00
Matte Black		**-33**	484.50

Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	310.70

For details and miscellaneous, see page 732

36 210 740

Concealed three-way diverter
- rotary diverter
- without rosette
- handle Ø 60mm

Fits CL.1, META, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 210 740** FF	FF	Euro
Chrome		**-00**	358.90
Brushed Platinum		**-06**	574.20
Light Gold (PVD)		**-26**	538.30
Brushed Light Gold (PVD)		**-27**	538.30
Brushed Gold (PVD)		**-37**	538.40
Brushed Dark Brass (PVD)		**-39**	574.10
Brushed Bronze (PVD)		**-42**	574.10
Brushed Dark Bronze (PVD)		**-43**	646.00
Dark Chrome		**-19**	538.40
Brushed Dark Platinum		**-99**	646.00
Matte Black		**-33**	484.50

Required miscellaneous

Concealed three-way diverter

	35 203 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	378.40

For details and miscellaneous, see page 732

25 863 661

Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set
- spout: circular, air-enriched flow
- max. flow 19.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- pivotable spout 360°
- **281mm projection**
- wall bracket
- automatic bath/shower diverter
- total height 1031 - 1101 mm
- stand pipe height 565 - 635 mm
- height up to aerator 899 – 969 mm
- slide-on rosettes Ø 135 mm
- metal shower hose 1250mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 863 661** FF	FF	Euro
Chrome		**-00**	3,482.10
Brushed Chrome		**-93**	4,526.90
Brushed Platinum		**-06**	5,571.60
Light Gold (PVD)		**-26**	5,223.20
Brushed Light Gold (PVD)		**-27**	5,223.20
Brushed Gold (PVD)		**-37**	5,223.20
Brushed Dark Brass (PVD)		**-39**	5,571.30
Brushed Bronze (PVD)		**-42**	5,571.40
Brushed Dark Bronze (PVD)		**-43**	6,267.80
Dark Chrome		**-19**	5,223.20
Brushed Dark Platinum		**-99**	6,268.00
Matte Black		**-33**	4,701.90

Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 150 mm	Concealed rough parts	**90**	882.10

For details and miscellaneous, see page 732

33 200 660

Single-lever bath mixer for wall mounting without shower set
- **202mm projection**
- circular normal flow
- automatic bath/shower diverter
- 3/8“ shower outlet
- slide-on rosettes Ø 60 mm
- 1/2“ connection
- gauge 150 mm - 15 mm
- max. flow 14 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 200 660** FF	FF	Euro
Chrome		**-00**	709.70
Brushed Chrome		**-93**	922.50
Brushed Platinum		**-06**	1,135.40
Light Gold (PVD)		**-26**	1,064.50
Brushed Light Gold (PVD)		**-27**	1,064.50
Brushed Gold (PVD)		**-37**	1,064.60
Brushed Dark Brass (PVD)		**-39**	1,135.50
Brushed Bronze (PVD)		**-42**	1,135.50
Brushed Dark Bronze (PVD)		**-43**	1,277.50
Dark Chrome		**-19**	1,064.50
Brushed Dark Platinum		**-99**	1,277.30
Matte Black		**-33**	958.00

33 233 660

Single-lever bath mixer for wall mounting with hand shower set
- spout: circular, air-enriched flow
- max. flow 14 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- **202mm projection**
- slide-on rosettes Ø 60 mm
- gauge 150 mm - 15 mm
- 1/2“ connection
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 57mm

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 233 660** FF	FF	Euro
Chrome		**-00**	1,050.50
Brushed Chrome		**-93**	1,365.80
Brushed Platinum		**-06**	1,681.20
Light Gold (PVD)		**-26**	1,575.90
Brushed Light Gold (PVD)		**-27**	1,575.90
Brushed Gold (PVD)		**-37**	1,575.80
Brushed Dark Brass (PVD)		**-39**	1,680.80
Brushed Bronze (PVD)		**-42**	1,680.90
Brushed Dark Bronze (PVD)		**-43**	1,890.90
Dark Chrome		**-19**	1,575.90
Brushed Dark Platinum		**-99**	1,891.20
Matte Black		**-33**	1,419.00

34 234 979

Bath thermostat for wall mounting with hand shower set

- spout: circular, air-enriched flow
- max. flow 16.9 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 60 mm
- **210mm projection**
- 1/2“ connection
- gauge 150 mm - 15 mm
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 57mm

Intrinsic protection against back flow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**34 234 979** FF	FF	Euro
Chrome		**-00**	1,430.10
Brushed Chrome		**-93**	1,859.10
Brushed Platinum		**-06**	2,288.20
Light Gold (PVD)		**-26**	2,145.20
Brushed Light Gold (PVD)		**-27**	2,145.20
Brushed Gold (PVD)		**-37**	2,145.20
Brushed Dark Brass (PVD)		**-39**	2,288.20
Brushed Bronze (PVD)		**-42**	2,288.20
Brushed Dark Bronze (PVD)		**-43**	2,574.20
Dark Chrome		**-19**	2,145.40
Brushed Dark Platinum		**-99**	2,574.20
Matte Black		**-33**	1,930.70

13 672 661

Bath spout without diverter for free-standing assembly

- **282mm projection**
- circular normal flow
- total height 811 - 881 mm
- height up to aerator 671 – 741 mm
- slide-on rosettes Ø 135 mm
- max. flow 28.6 l/min at 3 bar flow pressure

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 672 661** FF	FF	Euro
Chrome		**-00**	1,712.40
Brushed Chrome		**-93**	2,226.30
Brushed Platinum		**-06**	2,740.00
Light Gold (PVD)		**-26**	2,568.80
Brushed Light Gold (PVD)		**-27**	2,568.80
Brushed Gold (PVD)		**-37**	2,568.60
Brushed Dark Brass (PVD)		**-39**	2,739.90
Brushed Bronze (PVD)		**-42**	2,740.00
Brushed Dark Bronze (PVD)		**-43**	3,082.30
Dark Chrome		**-19**	2,568.80
Brushed Dark Platinum		**-99**	3,082.50
Matte Black		**-33**	2,311.70

Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 150 mm	Concealed rough parts	**90**	882.10

For details and miscellaneous, see page 732

27 632 661

Bath shower set for bath rim or tile edge installation
- spout: circular, air-enriched flow
- max. flow 23.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- **221mm projection**
- height of mixer 319 mm
- height up to aerator 216 mm
- hole diameter spout 35 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 60mm
- rosette for single-lever mixer Ø 55mm
- rosette for complete hand shower set Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 632 661** FF	FF	Euro
Chrome		**-00**	1,778.60
Brushed Chrome		**-93**	2,312.20
Brushed Platinum		**-06**	2,845.80
Light Gold (PVD)		**-26**	2,668.10
Brushed Light Gold (PVD)		**-27**	2,668.10
Brushed Gold (PVD)		**-37**	2,667.90
Brushed Dark Brass (PVD)		**-39**	2,845.80
Brushed Bronze (PVD)		**-42**	2,845.80
Brushed Dark Bronze (PVD)		**-43**	3,201.50
Dark Chrome		**-19**	2,668.20
Brushed Dark Platinum		**-99**	3,201.60
Matte Black		**-33**	2,400.20

Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	1,883.80

Recommended miscellaneous

Decorative caps for Perfecto

	12 801 970 FF	FF	Euro
• 1 pair	Chrome	**-00**	58.30
	Brushed Chrome	**-93**	75.70
	Brushed Platinum	**-06**	93.50
	Light Gold (PVD)	**-26**	87.40
	Brushed Light Gold (PVD)	**-27**	87.40
	Brushed Gold (PVD)	**-37**	87.50
	Brushed Dark Brass (PVD)	**-39**	93.20
	Brushed Bronze (PVD)	**-42**	93.20
	Brushed Dark Bronze (PVD)	**-43**	104.90
	Dark Chrome	**-19**	87.60
	Brushed Dark Platinum	**-99**	104.80
	Matte Black	**-33**	79.10

13 801 660

Bath spout for wall mounting
- **200mm projection**
- circular normal flow
- rosette Ø 60 mm
- hole diameter 37 mm
- 1/2“ connection
- max. flow 24.6 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 801 660** FF	FF	Euro
Chrome		**-00**	542.60
Brushed Chrome		**-93**	705.50
Brushed Platinum		**-06**	868.00
Light Gold (PVD)		**-26**	814.10
Brushed Light Gold (PVD)		**-27**	814.10
Brushed Gold (PVD)		**-37**	813.90
Brushed Dark Brass (PVD)		**-39**	868.10
Brushed Bronze (PVD)		**-42**	868.10
Brushed Dark Bronze (PVD)		**-43**	976.70
Dark Chrome		**-19**	814.20
Brushed Dark Platinum		**-99**	976.70
Matte Black		**-33**	732.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm For details and miscellaneous, see page 732	Concealed rough parts	**90**	128.90

27 702 660

Hand shower set for bath rim or tile edge installation
- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 60 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 702 660** FF	FF	Euro
Chrome		**-00**	450.90
Brushed Chrome		**-93**	586.10
Brushed Platinum		**-06**	721.00
Light Gold (PVD)		**-26**	676.40
Brushed Light Gold (PVD)		**-27**	676.40
Brushed Gold (PVD)		**-37**	676.40
Brushed Dark Brass (PVD)		**-39**	721.40
Brushed Bronze (PVD)		**-42**	721.40
Brushed Dark Bronze (PVD)		**-43**	811.60
Dark Chrome		**-19**	676.30
Brushed Dark Platinum		**-99**	811.50
Matte Black		**-33**	608.70

29 300 660

Single-lever bath mixer for bath rim or tile edge installation
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**29 300 660** FF	FF	Euro
Chrome		**-00**	586.80
Brushed Chrome		**-93**	762.90
Brushed Platinum		**-06**	939.00
Light Gold (PVD)		**-26**	880.30
Brushed Light Gold (PVD)		**-27**	880.30
Brushed Gold (PVD)		**-37**	880.20
Brushed Dark Brass (PVD)		**-39**	938.90
Brushed Bronze (PVD)		**-42**	938.90
Brushed Dark Bronze (PVD)		**-43**	1,056.20
Dark Chrome		**-19**	880.30
Brushed Dark Platinum		**-99**	1,056.40
Matte Black		**-33**	792.40

29 140 660

Two-way diverter for bath rim or tile edge installation
- automatic bath/shower diverter
- hole diameter 32 mm
- rosette Ø 60 mm
- 1/2“ connection
- max. flow 64.9 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**29 140 660** FF	FF	Euro
Chrome		**-00**	677.60
Brushed Chrome		**-93**	880.80
Brushed Platinum		**-06**	1,084.40
Light Gold (PVD)		**-26**	1,016.30
Brushed Light Gold (PVD)		**-27**	1,016.30
Brushed Gold (PVD)		**-37**	1,016.40
Brushed Dark Brass (PVD)		**-39**	1,084.10
Brushed Bronze (PVD)		**-42**	1,084.10
Brushed Dark Bronze (PVD)		**-43**	1,219.70
Dark Chrome		**-19**	1,016.30
Brushed Dark Platinum		**-99**	1,219.60
Matte Black		**-33**	914.90

36 243 970

Pop-up waste and overflow
- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 243 970** FF	FF	Euro
Chrome		**-00**	232.10
Brushed Chrome		**-93**	301.80
Platinum		**-08**	371.60
Brushed Platinum		**-06**	371.60
Light Gold (PVD)		**-26**	348.20
Brushed Light Gold (PVD)		**-27**	348.20
Brushed Gold (PVD)		**-37**	348.20
Brushed Dark Brass (PVD)		**-39**	371.40
Brushed Bronze (PVD)		**-42**	371.30
Brushed Dark Bronze (PVD)		**-43**	417.80
Dark Chrome		**-19**	348.30
Brushed Dark Platinum		**-99**	417.70
Matte Black		**-33**	313.60

Required miscellaneous

Pop-up waste and overflow

	35 227 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	188.20

36 247 970

Bath spout with pop-up waste and overflow
- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 247 970** FF	FF	Euro
Chrome		**-00**	351.10
Brushed Chrome		**-93**	456.50
Platinum		**-08**	561.90
Brushed Platinum		**-06**	561.90
Light Gold (PVD)		**-26**	526.80
Brushed Light Gold (PVD)		**-27**	526.80
Brushed Gold (PVD)		**-37**	526.70
Brushed Dark Brass (PVD)		**-39**	561.90
Brushed Bronze (PVD)		**-42**	561.90
Brushed Dark Bronze (PVD)		**-43**	632.00
Dark Chrome		**-19**	526.80
Brushed Dark Platinum		**-99**	631.90
Matte Black		**-33**	473.90

Required miscellaneous

Vacuum breaker

	36 150 970 FF	FF	Euro
Chrome		**-00**	96.30
Brushed Chrome		**-93**	125.30
Platinum		**-08**	154.00
Brushed Platinum		**-06**	154.00
Light Gold (PVD)		**-26**	144.50
Brushed Light Gold (PVD)		**-27**	144.50
Brushed Gold (PVD)		**-37**	144.50
Brushed Dark Brass (PVD)		**-39**	154.00
Brushed Bronze (PVD)		**-42**	154.10
Brushed Dark Bronze (PVD)		**-43**	173.10
Dark Chrome		**-19**	144.40
Brushed Dark Platinum		**-99**	173.10
Matte Black		**-33**	130.10

Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	518.30

83 020 979

Bath grip
- gauge 200 mm
- width 240mm
- height 40 mm
- rosette Ø 40 mm
- 75mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 020 979** FF	FF	Euro
Chrome		**-00**	303.80
Brushed Chrome		**-93**	395.00
Brushed Platinum		**-06**	486.00
Light Gold (PVD)		**-26**	455.70
Brushed Light Gold (PVD)		**-27**	455.70
Brushed Gold (PVD)		**-37**	455.70
Brushed Dark Brass (PVD)		**-39**	486.00
Brushed Bronze (PVD)		**-42**	486.00
Brushed Dark Bronze (PVD)		**-43**	546.80
Dark Chrome		**-19**	455.80
Brushed Dark Platinum		**-99**	546.80
Matte Black		**-33**	410.10

83 060 979

Towel bar
- gauge 600 mm
- width 640mm
- height 40 mm
- rosette Ø 40 mm
- 65mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 060 979** FF	FF	Euro
Chrome		**-00**	311.30
Brushed Chrome		**-93**	404.80
Brushed Platinum		**-06**	498.20
Light Gold (PVD)		**-26**	467.30
Brushed Light Gold (PVD)		**-27**	467.30
Brushed Gold (PVD)		**-37**	467.00
Brushed Dark Brass (PVD)		**-39**	498.20
Brushed Bronze (PVD)		**-42**	498.20
Brushed Dark Bronze (PVD)		**-43**	560.50
Dark Chrome		**-19**	467.30
Brushed Dark Platinum		**-99**	560.50
Matte Black		**-33**	420.50

83 080 979

Towel bar
- gauge 800 mm
- width 840mm
- height 40 mm
- rosette Ø 40 mm
- 65mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 080 979** FF	FF	Euro
Chrome		**-00**	324.20
Brushed Chrome		**-93**	421.50
Brushed Platinum		**-06**	518.60
Light Gold (PVD)		**-26**	486.40
Brushed Light Gold (PVD)		**-27**	486.40
Brushed Gold (PVD)		**-37**	486.30
Brushed Dark Brass (PVD)		**-39**	518.60
Brushed Bronze (PVD)		**-42**	518.70
Brushed Dark Bronze (PVD)		**-43**	583.60
Dark Chrome		**-19**	486.40
Brushed Dark Platinum		**-99**	583.60
Matte Black		**-33**	437.60

83 211 979

Towel bar 1-piece non-swivel
- rosette Ø 40 mm
- 490mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 211 979** FF	FF	Euro
Chrome		**-00**	178.10
Brushed Chrome		**-93**	231.60
Brushed Platinum		**-06**	285.30
Light Gold (PVD)		**-26**	267.20
Brushed Light Gold (PVD)		**-27**	267.20
Brushed Gold (PVD)		**-37**	267.20
Brushed Dark Brass (PVD)		**-39**	285.00
Brushed Bronze (PVD)		**-42**	285.10
Brushed Dark Bronze (PVD)		**-43**	320.60
Dark Chrome		**-19**	267.10
Brushed Dark Platinum		**-99**	320.70
Matte Black		**-33**	240.50

83 215 979

Towel bar 1-piece non-swivel
- rosette Ø 40 mm
- 360mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 215 979 FF	FF	Euro
Chrome		-00	163.40
Brushed Chrome		-93	212.40
Brushed Platinum		-06	261.80
Light Gold (PVD)		-26	245.10
Brushed Light Gold (PVD)		-27	245.10
Brushed Gold (PVD)		-37	245.10
Brushed Dark Brass (PVD)		-39	261.60
Brushed Bronze (PVD)		-42	261.50
Brushed Dark Bronze (PVD)		-43	294.10
Dark Chrome		-19	244.90
Brushed Dark Platinum		-99	294.10
Matte Black		-33	220.50

83 200 979

Towel ring round
- width 185mm
- rosette Ø 40 mm
- 55mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 200 979 FF	FF	Euro
Chrome		-00	185.30
Brushed Chrome		-93	241.00
Brushed Platinum		-06	296.90
Light Gold (PVD)		-26	277.90
Brushed Light Gold (PVD)		-27	277.90
Brushed Gold (PVD)		-37	278.00
Brushed Dark Brass (PVD)		-39	296.50
Brushed Bronze (PVD)		-42	296.50
Brushed Dark Bronze (PVD)		-43	333.50
Dark Chrome		-19	278.10
Brushed Dark Platinum		-99	333.60
Matte Black		-33	250.10

83 251 979

Hooks
- rosette Ø 40 mm
- 50mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 251 979 FF	FF	Euro
Chrome		-00	77.10
Brushed Chrome		-93	100.30
Brushed Platinum		-06	123.50
Light Gold (PVD)		-26	115.70
Brushed Light Gold (PVD)		-27	115.70
Brushed Gold (PVD)		-37	115.70
Brushed Dark Brass (PVD)		-39	123.40
Brushed Bronze (PVD)		-42	123.30
Brushed Dark Bronze (PVD)		-43	138.80
Dark Chrome		-19	115.70
Brushed Dark Platinum		-99	138.60
Matte Black		-33	104.20

83 256 979

Hooks in two parts
- width 80mm
- rosette Ø 40 mm
- 55mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 256 979 FF	FF	Euro
Chrome		-00	143.00
Brushed Chrome		-93	186.00
Brushed Platinum		-06	229.30
Light Gold (PVD)		-26	214.40
Brushed Light Gold (PVD)		-27	214.40
Brushed Gold (PVD)		-37	214.50
Brushed Dark Brass (PVD)		-39	228.70
Brushed Bronze (PVD)		-42	228.70
Brushed Dark Bronze (PVD)		-43	257.40
Dark Chrome		-19	214.40
Brushed Dark Platinum		-99	257.60
Matte Black		-33	193.10

83 401 979

Tumbler holder wall model
- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 401 979** FF	FF	Euro
Chrome		**-00**	292.80
Brushed Chrome		**-93**	380.80
Platinum		**-08**	468.60
Brushed Platinum		**-06**	468.60
Light Gold (PVD)		**-26**	439.40
Brushed Light Gold (PVD)		**-27**	439.40
Brushed Gold (PVD)		**-37**	439.20
Brushed Dark Brass (PVD)		**-39**	468.60
Brushed Bronze (PVD)		**-42**	468.60
Brushed Dark Bronze (PVD)		**-43**	527.00
Dark Chrome		**-19**	439.40
Brushed Dark Platinum		**-99**	527.10
Matte Black		**-33**	395.30

Recommended miscellaneous

Crystal tumbler

	08 90 00 008 FF	FF	Euro
	Glass	**82**	109.00

83 410 979

Soap dish wall model
- width 120mm
- height 20 mm
- 145mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 410 979** FF	FF	Euro
Chrome		**-00**	303.80
Brushed Chrome		**-93**	395.00
Platinum		**-08**	486.00
Brushed Platinum		**-06**	486.00
Light Gold (PVD)		**-26**	455.70
Brushed Light Gold (PVD)		**-27**	455.70
Brushed Gold (PVD)		**-37**	455.70
Brushed Dark Brass (PVD)		**-39**	486.00
Brushed Bronze (PVD)		**-42**	486.00
Brushed Dark Bronze (PVD)		**-43**	546.80
Dark Chrome		**-19**	455.80
Brushed Dark Platinum		**-99**	546.90
Matte Black		**-33**	410.10

83 482 970



Shelf wall model
- width 300mm
- height 26 mm
- 100mm projection
- **without grid element**

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 482 970** FF	FF	Euro
Chrome		**-00**	165.00
Brushed Chrome		**-93**	214.40
Platinum		**-08**	264.00
Brushed Platinum		**-06**	263.80
Light Gold (PVD)		**-26**	247.50
Brushed Light Gold (PVD)		**-27**	247.50
Brushed Gold (PVD)		**-37**	247.50
Brushed Dark Brass (PVD)		**-39**	263.90
Brushed Bronze (PVD)		**-42**	263.90
Brushed Dark Bronze (PVD)		**-43**	297.00
Dark Chrome		**-19**	247.40
Brushed Dark Platinum		**-99**	296.90
Matte Black		**-33**	222.80

Required miscellaneous

Grid element

	82 482 970 FF	FF	Euro
• plastic grid elements	Creamy White	**-51**	70.10
	Taupe	**-53**	70.10
	Matte Black	**-33**	70.10
	Light Grey	**-52**	70.10

83 435 970

Dispenser wall model
- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 435 970** FF	FF	Euro
Chrome		**-00**	480.50
Brushed Chrome		**-93**	624.60
Platinum		**-08**	768.70
Brushed Platinum		**-06**	768.70
Light Gold (PVD)		**-26**	720.80
Brushed Light Gold (PVD)		**-27**	720.80
Brushed Gold (PVD)		**-37**	720.80
Brushed Dark Brass (PVD)		**-39**	768.80
Brushed Bronze (PVD)		**-42**	768.80
Brushed Dark Bronze (PVD)		**-43**	864.90
Dark Chrome		**-19**	720.80
Brushed Dark Platinum		**-99**	865.00
Matte Black		**-33**	648.80

83 290 970



Shower basket for wall mounting
- width 200mm
- height 70 mm
- 115mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 290 970** FF	FF	Euro
Chrome		**-00**	232.70
Brushed Chrome		**-93**	302.50
Platinum		**-08**	372.30
Brushed Platinum		**-06**	372.30
Light Gold (PVD)		**-26**	349.00
Brushed Light Gold (PVD)		**-27**	349.00
Brushed Gold (PVD)		**-37**	349.10
Brushed Dark Brass (PVD)		**-39**	372.20
Brushed Bronze (PVD)		**-42**	372.10
Brushed Dark Bronze (PVD)		**-43**	418.90
Dark Chrome		**-19**	349.00
Brushed Dark Platinum		**-99**	418.80
Matte Black		**-33**	314.20

83 500 979

Tissue holder without cover
- width 150mm
- height 95 mm
- rosette Ø 40 mm
- 40mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 500 979** FF	FF	Euro
Chrome		**-00**	275.60
Brushed Chrome		**-93**	358.40
Brushed Platinum		**-06**	441.00
Light Gold (PVD)		**-26**	413.60
Brushed Light Gold (PVD)		**-27**	413.60
Brushed Gold (PVD)		**-37**	413.40
Brushed Dark Brass (PVD)		**-39**	441.00
Brushed Bronze (PVD)		**-42**	441.00
Brushed Dark Bronze (PVD)		**-43**	496.10
Dark Chrome		**-19**	413.60
Brushed Dark Platinum		**-99**	496.20
Matte Black		**-33**	372.10

83 510 979

Tissue holder with cover
- width 150mm
- height 95 mm
- rosette Ø 40 mm
- 40mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 510 979** FF	FF	Euro
Chrome		**-00**	353.90
Brushed Chrome		**-93**	460.00
Brushed Platinum		**-06**	565.80
Light Gold (PVD)		**-26**	530.80
Brushed Light Gold (PVD)		**-27**	530.80
Brushed Gold (PVD)		**-37**	530.90
Brushed Dark Brass (PVD)		**-39**	566.20
Brushed Bronze (PVD)		**-42**	566.30
Brushed Dark Bronze (PVD)		**-43**	637.00
Dark Chrome		**-19**	530.60
Brushed Dark Platinum		**-99**	636.90
Matte Black		**-33**	477.90

83 590 979

Reserve tissue holder
- rosette Ø 40 mm
- 105mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 590 979** FF	FF	Euro
Chrome		**-00**	181.20
Brushed Chrome		**-93**	235.60
Brushed Platinum		**-06**	290.10
Light Gold (PVD)		**-26**	271.80
Brushed Light Gold (PVD)		**-27**	271.80
Brushed Gold (PVD)		**-37**	271.80
Brushed Dark Brass (PVD)		**-39**	290.00
Brushed Bronze (PVD)		**-42**	290.00
Brushed Dark Bronze (PVD)		**-43**	326.20
Dark Chrome		**-19**	271.80
Brushed Dark Platinum		**-99**	326.10
Matte Black		**-33**	244.70

83 900 970

Toilet brush set wall model
- crystal glass
- brush, matte black
- width 126mm
- height 415 mm
- 120mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 900 970** FF	FF	Euro
Chrome		**-00**	416.00
Brushed Chrome		**-93**	541.00
Brushed Platinum		**-06**	665.70
Light Gold (PVD)		**-26**	624.10
Brushed Light Gold (PVD)		**-27**	624.10
Brushed Gold (PVD)		**-37**	624.00
Brushed Dark Brass (PVD)		**-39**	665.70
Brushed Bronze (PVD)		**-42**	665.80
Brushed Dark Bronze (PVD)		**-43**	748.80
Dark Chrome		**-19**	624.20
Brushed Dark Platinum		**-99**	749.00
Matte Black		**-33**	561.90

83 910 979

Toilet brush set wall model
- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 910 979** FF	FF	Euro
Chrome		**-00**	545.20
Brushed Chrome		**-93**	708.90
Platinum		**-08**	872.40
Brushed Platinum		**-06**	872.40
Light Gold (PVD)		**-26**	817.70
Brushed Light Gold (PVD)		**-27**	817.70
Brushed Gold (PVD)		**-37**	817.80
Brushed Dark Brass (PVD)		**-39**	872.30
Brushed Bronze (PVD)		**-42**	872.20
Brushed Dark Bronze (PVD)		**-43**	981.40
Dark Chrome		**-19**	817.80
Brushed Dark Platinum		**-99**	981.30
Matte Black		**-33**	735.90

84 910 979

Toilet brush set free-standing model
- brush, matte black
- width 100mm
- height 456 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**84 910 979** FF	FF	Euro
Chrome		**-00**	493.20
Brushed Chrome		**-93**	641.10
Platinum		**-08**	789.10
Brushed Platinum		**-06**	789.10
Light Gold (PVD)		**-26**	739.80
Brushed Light Gold (PVD)		**-27**	739.80
Brushed Gold (PVD)		**-37**	739.80
Brushed Dark Brass (PVD)		**-39**	789.10
Brushed Bronze (PVD)		**-42**	789.20
Brushed Dark Bronze (PVD)		**-43**	887.80
Dark Chrome		**-19**	739.90
Brushed Dark Platinum		**-99**	887.70
Matte Black		**-33**	665.90

12 660 979

Cover plate for the concealed WC cistern made by TeCe
- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:
- TECEprofil dry wall construction, article numbers:
- 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers:
- 9370300, 9375300, 9371300

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 660 979** FF	FF	Euro
Chrome		**-00**	894.90
Brushed Chrome		**-93**	1,163.50
Platinum		**-08**	1,432.20
Brushed Platinum		**-06**	1,432.20
Light Gold (PVD)		**-26**	1,342.40
Brushed Light Gold (PVD)		**-27**	1,342.40
Brushed Gold (PVD)		**-37**	1,342.40
Brushed Dark Brass (PVD)		**-39**	1,431.90
Brushed Bronze (PVD)		**-42**	1,432.00
Brushed Dark Bronze (PVD)		**-43**	1,610.80
Dark Chrome		**-19**	1,342.30
Brushed Dark Platinum		**-99**	1,611.00
Matte Black		**-33**	1,208.10

12 665 979

Flush plate for concealed WC cisterns made by Geberit round
- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Not compatible with GEBERIT Duo Fresh module

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 665 979** FF	FF	Euro
Chrome		**-00**	509.60
Brushed Chrome		**-93**	662.60
Platinum		**-08**	815.30
Brushed Platinum		**-06**	815.30
Light Gold (PVD)		**-26**	764.40
Brushed Light Gold (PVD)		**-27**	764.40
Brushed Gold (PVD)		**-37**	764.40
Brushed Dark Brass (PVD)		**-39**	815.30
Brushed Bronze (PVD)		**-42**	815.30
Brushed Dark Bronze (PVD)		**-43**	917.30
Dark Chrome		**-19**	764.40
Brushed Dark Platinum		**-99**	917.30
Matte Black		**-33**	688.00

83 150 979

Lighted mirror round
- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 979** FF	FF	Euro
Matte White		**-10**	1,855.40
Matte Black		**-33**	1,855.40

83 151 979

Lighted mirror round
- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 979** FF	FF	Euro
Matte White		**-10**	2,168.30
Matte Black		**-33**	2,168.30

83 150 980

Lighted mirror angular
- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 980** FF	FF	Euro
Matte White		**-10**	1,734.60
Matte Black		**-33**	1,734.60

83 151 980

Lighted mirror angular
- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 980** FF	FF	Euro
Matte White		**-10**	2,048.60
Matte Black		**-33**	2,048.60

36 390 979

Electronic control elements for towel warmer
- rosette Ø 80 mm
- Control element for towel warmer: 833XX979-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	**36 390 979** FF	FF	Euro
Chrome		**-00**	525.00
Brushed Chrome		**-93**	682.50
Dark Chrome		**-19**	787.50
Brushed Dark Platinum		**-99**	945.00
Matte Black		**-33**	708.80

83 304 979

Towel warmer, 4-fold, projection left, without control element
- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 304 979** FF	FF	Euro
Chrome		**-00**	1,848.00
Brushed Chrome		**-93**	2,402.40
Dark Chrome		**-19**	2,772.00
Brushed Dark Platinum		**-99**	3,326.40
Matte Black		**-33**	2,494.80

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	772.50

For details and miscellaneous, see page 739

83 306 979

Towel warmer, 6-fold, projection left, without control element
- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

This appliance is a stationary electric space heater and, in order to comply with the mandatory ecodesign requirements of Commission Regulation (EU) 2024/1103, must be equipped with at least one control with control function TW(f2).

Standard article	**83 306 979** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Chrome		**-93**	3,603.60
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60
Matte Black		**-33**	3,742.20

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,030.00

For details and miscellaneous, see page 739

83 314 979

Towel warmer, 4-fold, projection right, without control element
- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 314 979** FF	FF	Euro
Chrome		**-00**	1,848.00
Brushed Chrome		**-93**	2,402.40
Dark Chrome		**-19**	2,772.00
Brushed Dark Platinum		**-99**	3,326.40
Matte Black		**-33**	2,494.80

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	772.50

For details and miscellaneous, see page 739

83 316 979

Towel warmer, 6-fold, projection right, without control element
- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 316 979** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Chrome		**-93**	3,603.60
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60
Matte Black		**-33**	3,742.20

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,030.00

For details and miscellaneous, see page 739

83 304 979 + 36 390 979

Towel warmer, 4-fold, projection left, with control element
- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 304 979** FF FF	Euro	1x **36 390 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,848.00	**-00**	525.00	**2,373.00**
Brushed Chrome	**-93**	2,402.40	**-93**	682.50	**3,084.90**
Dark Chrome	**-19**	2,772.00	**-19**	787.50	**3,559.50**
Brushed Dark Platinum	**-99**	3,326.40	**-99**	945.00	**4,271.40**
Matte Black	**-33**	2,494.80	**-33**	708.80	**3,203.60**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

	35 312 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	875.50

For details and miscellaneous, see page 739

83 306 979 + 36 390 979

Towel warmer, 6-fold, projection left, with control element
- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 306 979** FF FF	Euro	1x **36 390 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Chrome	**-93**	3,603.60	**-93**	682.50	**4,286.10**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**
Matte Black	**-33**	3,742.20	**-33**	708.80	**4,451.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,133.00

For details and miscellaneous, see page 739

83 314 979 +
36 390 979

Towel warmer, 4-fold, projection right, with control element
- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 314 979** FF FF	Euro	1x **36 390 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,848.00	**-00**	525.00	**2,373.00**
Brushed Chrome	**-93**	2,402.40	**-93**	682.50	**3,084.90**
Dark Chrome	**-19**	2,772.00	**-19**	787.50	**3,559.50**
Brushed Dark Platinum	**-99**	3,326.40	**-99**	945.00	**4,271.40**
Matte Black	**-33**	2,494.80	**-33**	708.80	**3,203.60**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

	35 312 970 FF FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts **90**	875.50

For details and miscellaneous, see page 739

83 316 979 +
36 390 979

Towel warmer, 6-fold, projection right, with control element
- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 316 979** FF FF	Euro	1x **36 390 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Chrome	**-93**	3,603.60	**-93**	682.50	**4,286.10**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**
Matte Black	**-33**	3,742.20	**-33**	708.80	**4,451.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts **90**	1,133.00

For details and miscellaneous, see page 739

TARA

Sieger Design

Basin
from page 473

Bidet
from page 483

Shower
from page 442

Thermostats, mixers, diverters and valves
from page 470

Bath
from page 480

Accessories
from page 486

Basin fittings

Single-lever basin mixers

137mm projection

33 500 882

166mm projection

33 513 882

Free-standing basin mixers

201mm projection

22 585 892

Single-hole basin mixers

135mm projection

22 512 892

165mm projection

22 513 892

with a raised pillar base

200mm projection

22 533 892

Three-hole basin mixers

166mm projection

20 705 882

135mm projection

20 710 892

135mm projection

20 710 882

165mm projection

20 713 892

165mm projection

20 713 882

Wall-mounted basin mixers

160mm projection

36 707 892

Wall-mounted basin mixers

190mm projection

36 712 892

240mm projection

36 717 892

160mm projection

36 707 882

190mm projection

36 712 882

240mm projection

36 717 882

Single taps

140mm projection

30 010 892

Touchfree

165mm projection

44 521 660

166mm projection

13 716 882 +
42 765 970

190mm projection

13 800 882 +
42 765 970

Showers

Shower sets

26 412 892 +
28 018 979

26 412 979 +
28 018 979

26 412 625 +
28 018 979

Shower pipes with shower mixer

26 622 892 +
28 018 979

26 623 892 +
28 018 979

Shower pipes with shower thermostat

34 465 892 +
28 015 979
34 463 892*

Shower pipes with shower thermostat

34 464 979 +
28 025 979
34 466 979*

34 465 979 +
28 018 979
34 469 979*

Head showers with one spray type

28 504 979

Head showers with multiple jet types

28 613 970

28 508 979

28 505 979

Rain showers with wall connection

28 647 970
28 645 970*

28 646 970
28 644 970*

28 677 970
28 675 970*

28 676 970
28 674 970*

28 659 970

Rain showers with ceiling connection

28 666 970
28 664 970*

Rain showers with ceiling connection

28 667 970
28 665 970*

28 686 970
28 684 970*

28 687 970
28 685 970*

28 699 970

Rain showers for ceiling connection

28 031 970

28 032 970

Rain showers for ceiling installation

28 033 970

28 034 970

Hand shower sets with integrated shower holder

27 812 660

27 813 660

Hand shower sets

27 815 625

27 802 892

Hand shower sets

27 803 892

Side showers

28 518 979

Massage modules

WATER POINTS

36 515 979

WATER BAR

36 517 979

WATER CURVE

36 514 979

WATER FAN

36 513 979
36 512 979*

Waterfalls

WATER SHEET

13 415 979

WATER FALL

13 420 979

WATER FALL

13 425 979

Kneipp modules

WATER TUBE

27 823 979 +
28 285 979

Bath fittings

Single-lever mixers

36 120 660

Free-standing bath fittings

281mm projection

25 863 661

220mm projection

25 943 892

220mm projection

25 943 882

Wall-mounted mixers for wall mounting

240mm projection

25 133 892

240mm projection

25 133 882

Bath shower sets

220mm projection

27 512 892

220mm projection

27 512 882

Bath spouts

200mm projection

13 801 892

Hand shower sets

230mm projection

27 702 979

Diverters

29 140 979

29 140 892

Miscellaneous

26mm projection

36 243 970

integrated bath filling

26mm projection

36 247 970

33 500 882

Single-lever basin mixer with pop-up waste
- **137mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 295 mm
- height up to aerator 187 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 500 882** FF	FF	Euro
Chrome		**-00**	826.80
Brushed Chrome		**-93**	1,074.90
Platinum		**-08**	1,322.90
Brushed Platinum		**-06**	1,322.90
Champagne (22kt Gold)		**-47**	1,984.30
Brushed Champagne (22kt Gold)		**-46**	1,984.30
Brushed Durabrass (23kt Gold)		**-28**	1,984.30
Brushed Dark Brass (PVD)		**-39**	1,322.90
Brushed Bronze (PVD)		**-42**	1,322.90
Brushed Dark Bronze (PVD)		**-43**	1,488.20
Dark Chrome		**-19**	1,240.30
Brushed Dark Platinum		**-99**	1,488.30
Matte Black		**-33**	1,116.30

33 513 882

Single-lever basin mixer with pop-up waste
- **166mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 310 mm
- height up to aerator 188 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 513 882** FF	FF	Euro
Chrome		**-00**	868.00
Brushed Chrome		**-93**	1,128.50
Platinum		**-08**	1,388.80
Brushed Platinum		**-06**	1,388.80
Champagne (22kt Gold)		**-47**	2,083.20
Brushed Champagne (22kt Gold)		**-46**	2,083.20
Brushed Durabrass (23kt Gold)		**-28**	2,083.20
Brushed Dark Brass (PVD)		**-39**	1,388.80
Brushed Bronze (PVD)		**-42**	1,388.80
Brushed Dark Bronze (PVD)		**-43**	1,562.40
Dark Chrome		**-19**	1,302.00
Brushed Dark Platinum		**-99**	1,562.40
Matte Black		**-33**	1,171.80

22 585 892

Single-hole basin mixer with stand pipe without pop-up waste
- **201mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- total height 1095 - 1166 mm
- height up to aerator 1025 – 1095 mm
- rosette Ø 135 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 585 892** FF	FF	Euro
Chrome		**-00**	2,121.30
Brushed Chrome		**-93**	2,757.70
Platinum		**-08**	3,394.20
Brushed Platinum		**-06**	3,394.20
Champagne (22kt Gold)		**-47**	5,091.10
Brushed Champagne (22kt Gold)		**-46**	5,091.10
Brushed Durabrass (23kt Gold)		**-28**	5,091.10
Brushed Dark Brass (PVD)		**-39**	3,394.20
Brushed Bronze (PVD)		**-42**	3,394.00
Brushed Dark Bronze (PVD)		**-43**	3,818.30
Dark Chrome		**-19**	3,182.10
Brushed Dark Platinum		**-99**	3,818.40
Matte Black		**-33**	2,863.70

Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 150 mm	Concealed rough parts	**90**	882.10

For details and miscellaneous, see page 732

22 512 892

Single-hole basin mixer with pop-up waste
- **135mm projection**
- 1 1/4“ pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 275 mm
- height up to aerator 168 mm
- hole diameter 35 mm
- rosette Ø 59 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x US pressure hose, 3/8“
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 512 892** FF	FF	Euro
Chrome		**-00**	747.40
Brushed Chrome		**-93**	971.70
Platinum		**-08**	1,195.80
Brushed Platinum		**-06**	1,195.80
Champagne (22kt Gold)		**-47**	1,793.80
Brushed Champagne (22kt Gold)		**-46**	1,793.80
Brushed Durabrass (23kt Gold)		**-28**	1,793.80
Brushed Dark Brass (PVD)		**-39**	1,196.00
Brushed Bronze (PVD)		**-42**	1,195.80
Brushed Dark Bronze (PVD)		**-43**	1,345.30
Dark Chrome		**-19**	1,121.10
Brushed Dark Platinum		**-99**	1,345.40
Matte Black		**-33**	1,008.80

22 513 892

Single-hole basin mixer with pop-up waste
- **165mm projection**
- 1 1/4“ pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 295 mm
- height up to aerator 172 mm
- hole diameter 35 mm
- rosette Ø 59 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x US pressure hose, 3/8“
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 513 892** FF	FF	Euro
Chrome		**-00**	791.90
Brushed Chrome		**-93**	1,029.40
Platinum		**-08**	1,266.70
Brushed Platinum		**-06**	1,266.70
Champagne (22kt Gold)		**-47**	1,900.60
Brushed Champagne (22kt Gold)		**-46**	1,900.60
Brushed Durabrass (23kt Gold)		**-28**	1,900.60
Brushed Dark Brass (PVD)		**-39**	1,266.90
Brushed Bronze (PVD)		**-42**	1,266.90
Brushed Dark Bronze (PVD)		**-43**	1,425.40
Dark Chrome		**-19**	1,187.70
Brushed Dark Platinum		**-99**	1,425.20
Matte Black		**-33**	1,068.60

22 533 892

Single-hole basin mixer with raised base without pop-up waste
- **200mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 425 mm
- height up to aerator 280 mm
- hole diameter 35 mm
- rosette Ø 59 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x US pressure hose, 3/8“
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

for use on bowl sink.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 533 892** FF	FF	Euro
Chrome		**-00**	1,042.70
Brushed Chrome		**-93**	1,355.60
Platinum		**-08**	1,668.70
Brushed Platinum		**-06**	1,668.70
Champagne (22kt Gold)		**-47**	2,502.50
Brushed Champagne (22kt Gold)		**-46**	2,502.50
Brushed Durabrass (23kt Gold)		**-28**	2,502.50
Brushed Dark Brass (PVD)		**-39**	1,668.30
Brushed Bronze (PVD)		**-42**	1,668.20
Brushed Dark Bronze (PVD)		**-43**	1,876.90
Dark Chrome		**-19**	1,564.20
Brushed Dark Platinum		**-99**	1,877.00
Matte Black		**-33**	1,407.80

20 705 882

Three-hole basin mixer with pop-up waste
- **166mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 145 mm
- height up to aerator 65 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 705 882** FF	FF	Euro
Chrome		**-00**	1,440.00
Brushed Chrome		**-93**	1,871.90
Platinum		**-08**	2,304.00
Brushed Platinum		**-06**	2,304.00
Champagne (22kt Gold)		**-47**	3,456.00
Brushed Champagne (22kt Gold)		**-46**	3,456.00
Brushed Durabrass (23kt Gold)		**-28**	3,456.00
Brushed Dark Brass (PVD)		**-39**	2,304.00
Brushed Bronze (PVD)		**-42**	2,304.00
Brushed Dark Bronze (PVD)		**-43**	2,592.00
Dark Chrome		**-19**	2,160.00
Brushed Dark Platinum		**-99**	2,591.80
Matte Black		**-33**	1,943.90

20 710 892

Three-hole basin mixer with pop-up waste
- **135mm projection**
- 1 1/4“ pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 270 mm
- height up to aerator 161 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 710 892** FF	FF	Euro
Chrome		**-00**	1,255.50
Brushed Chrome		**-93**	1,632.10
Platinum		**-08**	2,008.80
Brushed Platinum		**-06**	2,008.80
Champagne (22kt Gold)		**-47**	3,013.20
Brushed Champagne (22kt Gold)		**-46**	3,013.20
Brushed Durabrass (23kt Gold)		**-28**	3,013.20
Brushed Dark Brass (PVD)		**-39**	2,008.80
Brushed Bronze (PVD)		**-42**	2,008.80
Brushed Dark Bronze (PVD)		**-43**	2,259.90
Dark Chrome		**-19**	1,883.20
Brushed Dark Platinum		**-99**	2,260.10
Matte Black		**-33**	1,694.90

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

20 710 882

Three-hole basin mixer with pop-up waste
- **135mm projection**
- 1 1/4“ pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 270 mm
- height up to aerator 161 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 710 882** FF	FF	Euro
Chrome		**-00**	1,381.10
Brushed Chrome		**-93**	1,795.50
Platinum		**-08**	2,209.80
Brushed Platinum		**-06**	2,209.80
Champagne (22kt Gold)		**-47**	3,314.60
Brushed Champagne (22kt Gold)		**-46**	3,314.60
Brushed Durabrass (23kt Gold)		**-28**	3,314.60
Brushed Dark Brass (PVD)		**-39**	2,209.70
Brushed Bronze (PVD)		**-42**	2,209.80
Brushed Dark Bronze (PVD)		**-43**	2,486.00
Dark Chrome		**-19**	2,071.90
Brushed Dark Platinum		**-99**	2,486.10
Matte Black		**-33**	1,864.40

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

20 713 892

Three-hole basin mixer with pop-up waste
- **165mm projection**
- 1 1/4“ pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 713 892** FF	FF	Euro
Chrome		**-00**	1,330.50
Brushed Chrome		**-93**	1,729.70
Platinum		**-08**	2,128.60
Brushed Platinum		**-06**	2,128.60
Champagne (22kt Gold)		**-47**	3,193.20
Brushed Champagne (22kt Gold)		**-46**	3,193.20
Brushed Durabrass (23kt Gold)		**-28**	3,193.20
Brushed Dark Brass (PVD)		**-39**	2,128.70
Brushed Bronze (PVD)		**-42**	2,128.90
Brushed Dark Bronze (PVD)		**-43**	2,394.90
Dark Chrome		**-19**	1,995.80
Brushed Dark Platinum		**-99**	2,394.90
Matte Black		**-33**	1,796.10

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

20 713 882

Three-hole basin mixer with pop-up waste
- **165mm projection**
- 1 1/4“ pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 713 882** FF	FF	Euro
Chrome		**-00**	1,440.00
Brushed Chrome		**-93**	1,871.90
Platinum		**-08**	2,304.30
Brushed Platinum		**-06**	2,304.30
Champagne (22kt Gold)		**-47**	3,456.00
Brushed Champagne (22kt Gold)		**-46**	3,456.00
Brushed Durabrass (23kt Gold)		**-28**	3,456.00
Brushed Dark Brass (PVD)		**-39**	2,304.00
Brushed Bronze (PVD)		**-42**	2,304.00
Brushed Dark Bronze (PVD)		**-43**	2,592.00
Dark Chrome		**-19**	2,160.00
Brushed Dark Platinum		**-99**	2,592.10
Matte Black		**-33**	1,944.40

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

36 707 892

Wall-mounted basin mixer without pop-up waste
- **160mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- rosettes Ø 55 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 707 892** FF	FF	Euro
Chrome		**-00**	1,003.50
Brushed Chrome		**-93**	1,304.60
Platinum		**-08**	1,605.60
Brushed Platinum		**-06**	1,605.60
Champagne (22kt Gold)		**-47**	2,408.40
Brushed Champagne (22kt Gold)		**-46**	2,408.40
Brushed Durabrass (23kt Gold)		**-28**	2,408.40
Brushed Dark Brass (PVD)		**-39**	1,605.60
Brushed Bronze (PVD)		**-42**	1,605.60
Brushed Dark Bronze (PVD)		**-43**	1,806.30
Dark Chrome		**-19**	1,505.30
Brushed Dark Platinum		**-99**	1,806.00
Matte Black		**-33**	1,354.60

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	161.90

For details and miscellaneous, see page 728

36 712 892

Wall-mounted basin mixer without pop-up waste
- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 712 892** FF	FF	Euro
Chrome		**-00**	1,048.30
Brushed Chrome		**-93**	1,362.80
Platinum		**-08**	1,676.90
Brushed Platinum		**-06**	1,676.90
Champagne (22kt Gold)		**-47**	2,515.90
Brushed Champagne (22kt Gold)		**-46**	2,515.90
Brushed Durabrass (23kt Gold)		**-28**	2,515.90
Brushed Dark Brass (PVD)		**-39**	1,677.30
Brushed Bronze (PVD)		**-42**	1,677.30
Brushed Dark Bronze (PVD)		**-43**	1,886.90
Dark Chrome		**-19**	1,572.50
Brushed Dark Platinum		**-99**	1,886.90
Matte Black		**-33**	1,414.80

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	161.90

For details and miscellaneous, see page 728

36 717 892

Wall-mounted basin mixer without pop-up waste
- **240mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 717 892** FF	FF	Euro
Chrome		**-00**	1,102.00
Brushed Chrome		**-93**	1,432.50
Platinum		**-08**	1,763.00
Brushed Platinum		**-06**	1,763.00
Champagne (22kt Gold)		**-47**	2,644.80
Brushed Champagne (22kt Gold)		**-46**	2,644.80
Brushed Durabrass (23kt Gold)		**-28**	2,644.80
Brushed Dark Brass (PVD)		**-39**	1,763.10
Brushed Bronze (PVD)		**-42**	1,763.10
Brushed Dark Bronze (PVD)		**-43**	1,983.60
Dark Chrome		**-19**	1,653.10
Brushed Dark Platinum		**-99**	1,983.50
Matte Black		**-33**	1,487.90

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	161.90

For details and miscellaneous, see page 728

36 707 882

Wall-mounted basin mixer without pop-up waste
- **160mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 707 882** FF	FF	Euro
Chrome		**-00**	1,087.70
Brushed Chrome		**-93**	1,413.90
Platinum		**-08**	1,740.80
Brushed Platinum		**-06**	1,740.80
Champagne (22kt Gold)		**-47**	2,610.50
Brushed Champagne (22kt Gold)		**-46**	2,610.50
Brushed Durabrass (23kt Gold)		**-28**	2,610.50
Brushed Dark Brass (PVD)		**-39**	1,740.30
Brushed Bronze (PVD)		**-42**	1,740.40
Brushed Dark Bronze (PVD)		**-43**	1,957.90
Dark Chrome		**-19**	1,631.70
Brushed Dark Platinum		**-99**	1,957.90
Matte Black		**-33**	1,468.60

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	161.90

For details and miscellaneous, see page 728

36 712 882

Wall-mounted basin mixer without pop-up waste
- **190mm projection**
- circular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 712 882** FF	FF	Euro
Chrome		**-00**	1,127.40
Brushed Chrome		**-93**	1,465.70
Platinum		**-08**	1,803.80
Brushed Platinum		**-06**	1,803.80
Champagne (22kt Gold)		**-47**	2,705.80
Brushed Champagne (22kt Gold)		**-46**	2,705.80
Brushed Durabrass (23kt Gold)		**-28**	2,705.80
Brushed Dark Brass (PVD)		**-39**	1,803.70
Brushed Bronze (PVD)		**-42**	1,803.80
Brushed Dark Bronze (PVD)		**-43**	2,029.30
Dark Chrome		**-19**	1,691.10
Brushed Dark Platinum		**-99**	2,029.50
Matte Black		**-33**	1,521.90

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	203.00

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	161.90

36 717 882

Wall-mounted basin mixer without pop-up waste
- **240mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 717 882** FF	FF	Euro
Chrome		**-00**	1,181.40
Brushed Chrome		**-93**	1,535.70
Platinum		**-08**	1,889.90
Brushed Platinum		**-06**	1,889.90
Champagne (22kt Gold)		**-47**	2,835.40
Brushed Champagne (22kt Gold)		**-46**	2,835.40
Brushed Durabrass (23kt Gold)		**-28**	2,835.40
Brushed Dark Brass (PVD)		**-39**	1,890.10
Brushed Bronze (PVD)		**-42**	1,890.10
Brushed Dark Bronze (PVD)		**-43**	2,126.50
Dark Chrome		**-19**	1,772.10
Brushed Dark Platinum		**-99**	2,126.40
Matte Black		**-33**	1,594.60

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	203.00

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	161.90

30 010 892

Wall-mounted valve cold water without pop-up waste
- **140mm projection**
- fixed spout
- circular, air-enriched flow
- adapter with male thread 3/4“
- hole diameter 32 mm
- rosette Ø 55 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**30 010 892** FF	FF	Euro
Chrome		**-00**	452.30
Brushed Chrome		**-93**	588.10
Platinum		**-08**	724.00
Brushed Platinum		**-06**	724.00
Champagne (22kt Gold)		**-47**	1,085.50
Brushed Champagne (22kt Gold)		**-46**	1,085.50
Brushed Durabrass (23kt Gold)		**-28**	1,085.50
Brushed Dark Brass (PVD)		**-39**	723.90
Brushed Bronze (PVD)		**-42**	723.90
Brushed Dark Bronze (PVD)		**-43**	814.10
Dark Chrome		**-19**	678.60
Brushed Dark Platinum		**-99**	814.60
Matte Black		**-33**	610.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

44 521 660 **NEW**

Touchfree Washstand fitting with electronic opening and closing function without pop-up waste
- **165mm projection**
- Infrared sensor technology
- height of mixer 310 mm
- height up to aerator 199 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**44 521 660** FF	FF	Euro
Chrome		**-00**	781.50
Brushed Chrome		**-93**	1,015.90
Platinum		**-08**	1,250.30
Brushed Platinum		**-06**	1,250.30
Champagne (22kt Gold)		**-47**	1,875.60
Brushed Champagne (22kt Gold)		**-46**	1,875.60
Brushed Durabrass (23kt Gold)		**-28**	1,875.60
Brushed Dark Brass (PVD)		**-39**	1,250.40
Brushed Bronze (PVD)		**-42**	1,250.30
Brushed Dark Bronze (PVD)		**-43**	1,406.70
Dark Chrome		**-19**	1,172.20
Brushed Dark Platinum		**-99**	1,406.50
Matte Black		**-33**	1,054.90

13 716 882 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **166mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2“ connection
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 716 882** FF max. flow 7 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	611.20	**90**	721.90	**1,333.10**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

35 740 970 FF

Concealed rough parts | FF **90** | Euro 329.40

For details and miscellaneous, see page 734

13 800 882 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter 40 mm
- rosette Ø 60 mm
- 1/2“ connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 800 882** FF max. flow 7 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	516.20	**90**	721.90	**1,238.10**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

35 741 970 FF

- min. recess depth 90 mm
- max. recess depth 125 mm

Concealed rough parts | FF **90** | Euro 329.40

For details and miscellaneous, see page 733

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts | FF **90** | Euro 128.90

For details and miscellaneous, see page 732

Miscellaneous

22 900 892

Angle valve
- rosette Ø 55 mm
- hose covering 200mm, for shortening

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 900 892** FF	FF	Euro
Chrome		**-00**	216.40
Platinum		**-08**	346.20
Brushed Platinum		**-06**	346.20
Champagne (22kt Gold)		**-47**	519.40
Brushed Champagne (22kt Gold)		**-46**	519.40
Brushed Durabrass (23kt Gold)		**-28**	519.40
Brushed Dark Brass (PVD)		**-39**	346.30
Brushed Bronze (PVD)		**-42**	346.30
Brushed Dark Bronze (PVD)		**-43**	389.50
Dark Chrome		**-19**	324.70
Brushed Dark Platinum		**-99**	389.70
Matte Black		**-33**	292.20

10 060 970

Siphon for basin
- rosette Ø 70 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 060 970** FF	FF	Euro
Chrome		**-00**	355.50
Brushed Chrome		**-93**	462.20
Platinum		**-08**	569.00
Brushed Platinum		**-06**	569.00
Champagne (22kt Gold)		**-47**	853.20
Brushed Champagne (22kt Gold)		**-46**	853.20
Durabrass (23kt Gold)		**-09**	853.20
Brushed Durabrass (23kt Gold)		**-28**	853.20
Brushed Dark Brass (PVD)		**-39**	568.80
Brushed Bronze (PVD)		**-42**	568.90
Brushed Dark Bronze (PVD)		**-43**	639.90
Dark Chrome		**-19**	533.30
Brushed Dark Platinum		**-99**	640.00
Matte Black		**-33**	480.10

11 171 882

Lever
- With linear texture
- for basin fittings
- two are required for three-hole fittings

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**11 171 882** FF	FF	Euro
Chrome		**-00**	80.90
Brushed Chrome		**-93**	105.10
Platinum		**-08**	129.40
Brushed Platinum		**-06**	129.40
Champagne (22kt Gold)		**-47**	194.20
Brushed Champagne (22kt Gold)		**-46**	194.20
Brushed Durabrass (23kt Gold)		**-28**	194.20
Brushed Dark Brass (PVD)		**-39**	129.50
Brushed Bronze (PVD)		**-42**	129.40
Brushed Dark Bronze (PVD)		**-43**	145.60
Dark Chrome		**-19**	121.30
Brushed Dark Platinum		**-99**	145.50
Matte Black		**-33**	109.20

24 510 892

Single-hole bidet mixer with pop-up waste
- **124mm projection**
- **european pop-up waste**
- ball-joint pivotable through 15° (in any direction)
- circular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 123 mm
- hole diameter 35 mm
- rosette Ø 59 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x European pressure hose for bidet fitting
- max. flow 7 l/min

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**24 510 892** FF	FF	Euro
Chrome		**-00**	933.50
Brushed Chrome		**-93**	1,213.60
Platinum		**-08**	1,493.60
Brushed Platinum		**-06**	1,493.60
Champagne (22kt Gold)		**-47**	2,240.40
Brushed Champagne (22kt Gold)		**-46**	2,240.40
Brushed Durabrass (23kt Gold)		**-28**	2,240.40
Brushed Dark Brass (PVD)		**-39**	1,493.50
Brushed Bronze (PVD)		**-42**	1,493.50
Brushed Dark Bronze (PVD)		**-43**	1,680.30
Dark Chrome		**-19**	1,400.20
Brushed Dark Platinum		**-99**	1,680.00
Matte Black		**-33**	1,260.40

27 701 970

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 970** FF	FF	Euro
Chrome		**-00**	339.30
Brushed Chrome		**-93**	441.00
Platinum		**-08**	542.60
Brushed Platinum		**-06**	542.60
Champagne (22kt Gold)		**-47**	814.30
Brushed Champagne (22kt Gold)		**-46**	814.30
Durabrass (23kt Gold)		**-09**	814.30
Brushed Durabrass (23kt Gold)		**-28**	814.30
Brushed Dark Brass (PVD)		**-39**	542.90
Brushed Bronze (PVD)		**-42**	542.70
Brushed Dark Bronze (PVD)		**-43**	610.70
Dark Chrome		**-19**	508.80
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 701 670

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 670** FF	FF	Euro
Chrome		**-00**	339.30
Brushed Chrome		**-93**	441.00
Platinum		**-08**	542.60
Brushed Platinum		**-06**	542.60
Champagne (22kt Gold)		**-47**	814.30
Brushed Champagne (22kt Gold)		**-46**	814.30
Brushed Durabrass (23kt Gold)		**-28**	814.30
Brushed Dark Brass (PVD)		**-39**	542.90
Brushed Bronze (PVD)		**-42**	542.70
Brushed Dark Bronze (PVD)		**-43**	610.70
Dark Chrome		**-19**	508.80
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

26 412 892 + 28 018 979

NEW

Shower set
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 800 mm
- rosette Ø 55 mm
- Pipe diameter 18 mm

Notes:
- Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 892** FF FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	736.90	**-00**	142.60	**879.50**
Brushed Chrome	**-93**	957.90	**-93**	185.30	**1,143.20**
Platinum	**-08**	1,179.00	**-08**	228.00	**1,407.00**
Brushed Platinum	**-06**	1,179.00	**-06**	228.00	**1,407.00**
Champagne (22kt Gold)	**-47**	1,768.60	**-47**	342.20	**2,110.80**
Brushed Champagne (22kt Gold)	**-46**	1,768.60	**-46**	342.20	**2,110.80**
Brushed Durabrass (23kt Gold)	**-28**	1,768.60	**-28**	342.20	**2,110.80**
Brushed Dark Brass (PVD)	**-39**	1,179.00	**-39**	228.10	**1,407.10**
Brushed Bronze (PVD)	**-42**	1,179.00	**-42**	228.00	**1,407.00**
Brushed Dark Bronze (PVD)	**-43**	1,326.40	**-43**	256.70	**1,583.10**
Dark Chrome	**-19**	1,105.30	**-19**	213.80	**1,319.10**
Brushed Dark Platinum	**-99**	1,326.40	**-99**	256.50	**1,582.90**
Matte Black	**-33**	994.80	**-33**	192.40	**1,187.20**

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

28 450 625 FF	FF	Euro
Chrome	**-00**	121.50
Brushed Chrome	**-93**	157.90
Platinum	**-08**	194.50
Brushed Platinum	**-06**	194.50
Champagne (22kt Gold)	**-47**	291.60
Brushed Champagne (22kt Gold)	**-46**	291.60
Brushed Durabrass (23kt Gold)	**-28**	291.60
Brushed Dark Brass (PVD)	**-39**	194.40
Brushed Bronze (PVD)	**-42**	194.40
Brushed Dark Bronze (PVD)	**-43**	218.70
Dark Chrome	**-19**	182.30
Brushed Dark Platinum	**-99**	218.70
Matte Black	**-33**	163.70

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

26 412 979 + 28 018 979

NEW

Shower set
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow.
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 853 mm
- Pipe diameter 18 mm

Notes:
- Fits CL.1, IMO, MEM, SERIES-VARIOUS, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 979** FF FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	441.30	**-00**	142.60	**583.90**
Brushed Chrome	**-93**	573.70	**-93**	185.30	**759.00**
Platinum	**-08**	706.10	**-08**	228.00	**934.10**
Brushed Platinum	**-06**	706.10	**-06**	228.00	**934.10**
Champagne (22kt Gold)	**-47**	1,059.10	**-47**	342.20	**1,401.30**
Brushed Champagne (22kt Gold)	**-46**	1,059.10	**-46**	342.20	**1,401.30**
Brushed Durabrass (23kt Gold)	**-28**	1,059.10	**-28**	342.20	**1,401.30**
Brushed Dark Brass (PVD)	**-39**	706.10	**-39**	228.10	**934.20**
Brushed Bronze (PVD)	**-42**	706.10	**-42**	228.00	**934.10**
Brushed Dark Bronze (PVD)	**-43**	794.30	**-43**	256.70	**1,051.00**
Dark Chrome	**-19**	662.00	**-19**	213.80	**875.80**
Brushed Dark Platinum	**-99**	794.30	**-99**	256.50	**1,050.80**
Matte Black	**-33**	595.80	**-33**	192.40	**788.20**

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

28 450 980 FF	FF	Euro
Chrome	**-00**	173.40
Brushed Chrome	**-93**	225.50
Platinum	**-08**	277.60
Brushed Platinum	**-06**	277.60
Champagne (22kt Gold)	**-47**	416.20
Brushed Champagne (22kt Gold)	**-46**	416.20
Brushed Durabrass (23kt Gold)	**-28**	416.20
Dark Chrome	**-19**	260.30
Brushed Dark Platinum	**-99**	312.30
Matte Black	**-33**	234.20

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

26 412 625 + 28 018 979

NEW

Shower set
- spray head Ø 120mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8“
- slide bar

Technical data:
- gauge 800 mm
- rosette Ø 55 mm
- Pipe diameter 18 mm

Notes:
- Fits META, TARA, SERIES-VARIOUS

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 625** FF FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	735.90	**-00**	142.60	**878.50**
Brushed Chrome	**-93**	956.80	**-93**	185.30	**1,142.10**
Platinum	**-08**	1,177.50	**-08**	228.00	**1,405.50**
Brushed Platinum	**-06**	1,177.50	**-06**	228.00	**1,405.50**
Champagne (22kt Gold)	**-47**	1,766.20	**-47**	342.20	**2,108.40**
Brushed Champagne (22kt Gold)	**-46**	1,766.20	**-46**	342.20	**2,108.40**
Brushed Durabrass (23kt Gold)	**-28**	1,766.20	**-28**	342.20	**2,108.40**
Brushed Dark Brass (PVD)	**-39**	1,177.50	**-39**	228.10	**1,405.60**
Brushed Bronze (PVD)	**-42**	1,177.50	**-42**	228.00	**1,405.50**
Brushed Dark Bronze (PVD)	**-43**	1,324.60	**-43**	256.70	**1,581.30**
Dark Chrome	**-19**	1,104.00	**-19**	213.80	**1,317.80**
Brushed Dark Platinum	**-99**	1,324.70	**-99**	256.50	**1,581.20**
Matte Black	**-33**	993.50	**-33**	192.40	**1,185.90**

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

28 450 625 FF	FF	Euro
Chrome	**-00**	121.50
Brushed Chrome	**-93**	157.90
Platinum	**-08**	194.50
Brushed Platinum	**-06**	194.50
Champagne (22kt Gold)	**-47**	291.60
Brushed Champagne (22kt Gold)	**-46**	291.60
Brushed Durabrass (23kt Gold)	**-28**	291.60
Brushed Dark Brass (PVD)	**-39**	194.40
Brushed Bronze (PVD)	**-42**	194.40
Brushed Dark Bronze (PVD)	**-43**	218.70
Dark Chrome	**-19**	182.30
Brushed Dark Platinum	**-99**	218.70
Matte Black	**-33**	163.70

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

1 jet

4 jets
Ø 120 mm

5 jets
Ø 130 mm

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	249.30	**-00**	247.90	**-00**	205.60
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	324.10	**-93**	322.10	**-93**	267.20
Platinum	**-08**	212.40	**-08**	305.70	**-08**	398.90	**-08**	396.60	**-08**	329.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	398.90	**-06**	396.60	**-06**	329.30
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	598.30	**-47**	595.00	**-47**	493.40
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	598.30	**-46**	595.00	**-46**	493.40
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	598.30	**-28**	595.00	**-28**	493.40
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	398.90	**-39**	396.60	**-39**	329.00
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	398.90	**-42**	396.60	**-42**	329.00
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	448.70	**-43**	446.20	**-43**	370.10
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	374.00	**-19**	371.80	**-19**	308.50
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	448.70	**-99**	446.30	**-99**	370.20
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	336.50	**-33**	334.60	**-33**	277.60

26 622 892 +
28 018 979

Showerpipe with shower mixer 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- three settings: normal flow, soft flow, massage flow
- 1/2“ connection
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter for fixed-riser shower/hand shower
- slide-on rosettes Ø 65 mm
- 1500 mm metal shower hose

Technical data:
- shower with fixed riser projection 420mm
- height of fittings up to rain shower (bottom edge) 850mm
- height of fittings up to top edge of elbow 1167mm
- rosette for wall mounting Ø 57mm
- rosette for shower holder Ø 55mm
- rosette for shower mixer Ø 65mm
- Pipe diameter 20 mm
- gauge 150 mm - 13 mm

Notes:
- Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 622 892** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,107.00	**-00**	142.60	**3,249.60**
Brushed Chrome	**-93**	4,039.00	**-93**	185.30	**4,224.30**
Platinum	**-08**	4,971.10	**-08**	228.00	**5,199.10**
Brushed Platinum	**-06**	4,971.10	**-06**	228.00	**5,199.10**
Champagne (22kt Gold)	**-47**	7,456.80	**-47**	342.20	**7,799.00**
Brushed Champagne (22kt Gold)	**-46**	7,456.80	**-46**	342.20	**7,799.00**
Brushed Durabrass (23kt Gold)	**-28**	7,456.80	**-28**	342.20	**7,799.00**
Brushed Dark Brass (PVD)	**-39**	4,971.10	**-39**	228.10	**5,199.20**
Brushed Bronze (PVD)	**-42**	4,971.10	**-42**	228.00	**5,199.10**
Brushed Dark Bronze (PVD)	**-43**	5,592.60	**-43**	256.70	**5,849.30**
Dark Chrome	**-19**	4,660.50	**-19**	213.80	**4,874.30**
Brushed Dark Platinum	**-99**	5,592.50	**-99**	256.50	**5,849.00**
Matte Black	**-33**	4,194.30	**-33**	192.40	**4,386.70**

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

26 623 892 +
28 018 979

Showerpipe with shower mixer 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- 1/2“ connection
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter for fixed-riser shower/hand shower
- 1500 mm metal shower hose

Technical data:
- **420mm projection**
- height of fittings up to rain shower (bottom edge) 1007mm
- height of fittings up to top edge of elbow 1167mm
- rosette for wall mounting Ø 57mm
- rosette for shower holder Ø 55mm
- rosette for shower mixer Ø 65mm
- Pipe diameter 20 mm
- gauge 150 mm - 13 mm

Notes:
- Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 623 892** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,036.40	**-00**	142.60	**3,179.00**
Brushed Chrome	**-93**	3,947.40	**-93**	185.30	**4,132.70**
Platinum	**-08**	4,858.20	**-08**	228.00	**5,086.20**
Brushed Platinum	**-06**	4,858.20	**-06**	228.00	**5,086.20**
Champagne (22kt Gold)	**-47**	7,287.40	**-47**	342.20	**7,629.60**
Brushed Champagne (22kt Gold)	**-46**	7,287.40	**-46**	342.20	**7,629.60**
Brushed Durabrass (23kt Gold)	**-28**	7,287.40	**-28**	342.20	**7,629.60**
Brushed Dark Brass (PVD)	**-39**	4,858.40	**-39**	228.10	**5,086.50**
Brushed Bronze (PVD)	**-42**	4,858.20	**-42**	228.00	**5,086.20**
Brushed Dark Bronze (PVD)	**-43**	5,465.50	**-43**	256.70	**5,722.20**
Dark Chrome	**-19**	4,554.60	**-19**	213.80	**4,768.40**
Brushed Dark Platinum	**-99**	5,465.50	**-99**	256.50	**5,722.00**
Matte Black	**-33**	4,099.10	**-33**	192.40	**4,291.50**

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

5 jets
Ø 130 mm

4 jets
Ø 120 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	205.60	**-00**	247.90	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	267.20	**-93**	322.10	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	329.30	**-08**	396.60	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	329.30	**-06**	396.60	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	493.40	**-47**	595.00	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	493.40	**-46**	595.00	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	493.40	**-28**	595.00	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	329.00	**-39**	396.60	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	329.00	**-42**	396.60	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	370.10	**-43**	446.20	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	308.50	**-19**	371.80	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	370.20	**-99**	446.30	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	277.60	**-33**	334.60	**-33**	336.50

34 465 892 + 28 015 979 **NEW**

Shower pipe with shower thermostat with hand shower set 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- slide-on rosettes Ø 70 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2“ connection
- slide bar

Technical data:
- shower with fixed riser projection 420mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm

Notes:
- Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 465 892** FF max. flow 14 l/min FF	Euro	1x **28 015 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,235.70	**-00**	132.60	**3,368.30**
Brushed Chrome	**-93**	4,206.40	**-93**	172.40	**4,378.80**
Platinum	**-08**	5,177.10	**-08**	212.40	**5,389.50**
Brushed Platinum	**-06**	5,177.10	**-06**	212.40	**5,389.50**
Champagne (22kt Gold)	**-47**	7,765.70	**-47**	318.20	**8,083.90**
Brushed Champagne (22kt Gold)	**-46**	7,765.70	**-46**	318.20	**8,083.90**
Brushed Durabrass (23kt Gold)	**-28**	7,765.70	**-28**	318.20	**8,083.90**
Brushed Dark Brass (PVD)	**-39**	5,177.10	**-39**	212.20	**5,389.30**
Brushed Bronze (PVD)	**-42**	5,177.10	**-42**	212.10	**5,389.20**
Brushed Dark Bronze (PVD)	**-43**	5,824.30	**-43**	238.70	**6,063.00**
Dark Chrome	**-19**	4,853.50	**-19**	198.90	**5,052.40**
Brushed Dark Platinum	**-99**	5,824.20	**-99**	238.60	**6,062.80**
Matte Black	**-33**	4,368.20	**-33**	178.80	**4,547.00**

Product alternative
- FlowReduce
- max. flow 5 l/min
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article **34 463 892** FF	FF	Euro
Chrome	**-00**	3,235.70
Brushed Chrome	**-93**	4,206.40
Platinum	**-08**	5,177.10
Brushed Platinum	**-06**	5,177.10
Champagne (22kt Gold)	**-47**	7,765.70
Brushed Champagne (22kt Gold)	**-46**	7,765.70
Brushed Durabrass (23kt Gold)	**-28**	7,765.70
Brushed Dark Brass (PVD)	**-39**	5,177.10
Brushed Bronze (PVD)	**-42**	5,177.10
Brushed Dark Bronze (PVD)	**-43**	5,824.30
Dark Chrome	**-19**	4,853.50
Brushed Dark Platinum	**-99**	5,824.20
Matte Black	**-33**	4,368.20

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 673.

5 jets
Ø 130 mm

5 jets
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

1 jet

Alternative hand shower	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	205.60	**-00**	142.60	**-00**	191.00	**-00**	247.90	**-00**	249.30
Brushed Chrome	**-93**	267.20	**-93**	185.30	**-93**	248.20	**-93**	322.10	**-93**	324.10
Platinum	**-08**	329.30	**-08**	228.00	**-08**	305.70	**-08**	396.60	**-08**	398.90
Brushed Platinum	**-06**	329.30	**-06**	228.00	**-06**	305.70	**-06**	396.60	**-06**	398.90
Champagne (22kt Gold)	**-47**	493.40	**-47**	342.20	**-47**	458.40	**-47**	595.00	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	493.40	**-46**	342.20	**-46**	458.40	**-46**	595.00	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	493.40	**-28**	342.20	**-28**	458.40	**-28**	595.00	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	329.00	**-39**	228.10	**-39**	305.70	**-39**	396.60	**-39**	398.90
Brushed Bronze (PVD)	**-42**	329.00	**-42**	228.00	**-42**	305.60	**-42**	396.60	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	370.10	**-43**	256.70	**-43**	343.80	**-43**	446.20	**-43**	448.70
Dark Chrome	**-19**	308.50	**-19**	213.80	**-19**	286.40	**-19**	371.80	**-19**	374.00
Brushed Dark Platinum	**-99**	370.20	**-99**	256.50	**-99**	343.70	**-99**	446.30	**-99**	448.70
Matte Black	**-33**	277.60	**-33**	192.40	**-33**	258.00	**-33**	334.60	**-33**	336.50

34 464 979 + 28 025 979

NEW

Shower pipe with shower thermostat with hand shower set FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, LULU
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 464 979** FF max. flow 5 l/min FF	Euro	1x **28 025 979** FF max. flow 5 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	2,726.20	**-000010**	132.60	**2,858.80**
Brushed Chrome	**-93**	3,544.10	**-930010**	172.40	**3,716.50**
Platinum	**-08**	4,361.90	**-080010**	212.10	**4,574.00**
Brushed Platinum	**-06**	4,361.90	**-060010**	212.10	**4,574.00**
Champagne (22kt Gold)	**-47**	6,542.90	**-470010**	318.20	**6,861.10**
Brushed Champagne (22kt Gold)	**-46**	6,542.90	**-460010**	318.20	**6,861.10**
Brushed Durabrass (23kt Gold)	**-28**	6,542.90	**-280010**	318.20	**6,861.10**
Brushed Dark Brass (PVD)	**-39**	4,361.90	**-390010**	212.20	**4,574.10**
Brushed Bronze (PVD)	**-42**	4,361.90	**-420010**	212.10	**4,574.00**
Brushed Dark Bronze (PVD)	**-43**	4,907.20	**-430010**	238.70	**5,145.90**
Dark Chrome	**-19**	4,089.30	**-190010**	198.90	**4,288.20**
Brushed Dark Platinum	**-99**	4,907.20	**-990010**	238.70	**5,145.90**
Matte Black	**-33**	3,680.40	**-330010**	179.00	**3,859.40**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 466 979** FF	FF	Euro
Chrome	**-00**	2,058.10
Brushed Chrome	**-93**	2,675.50
Brushed Bronze (PVD)	**-42**	3,293.00
Dark Chrome	**-19**	3,087.20
Brushed Dark Platinum	**-99**	3,704.60
Matte Black	**-33**	2,778.40

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 671.

1 jet
Ø 130 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

4 jets
Ø 120 mm

1 jet

Alternative hand shower	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	247.90	**-00**	249.30
Brushed Chrome	**-93**	248.20	**-93**	185.30	**-93**	267.20	**-93**	322.10	**-93**	324.10
Platinum	**-08**	305.70	**-08**	228.00	**-08**	329.30	**-08**	396.60	**-08**	398.90
Brushed Platinum	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	396.60	**-06**	398.90
Champagne (22kt Gold)	**-47**	458.40	**-47**	342.20	**-47**	493.40	**-47**	595.00	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	458.40	**-46**	342.20	**-46**	493.40	**-46**	595.00	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	458.40	**-28**	342.20	**-28**	493.40	**-28**	595.00	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	305.70	**-39**	228.10	**-39**	329.00	**-39**	396.60	**-39**	398.90
Brushed Bronze (PVD)	**-42**	305.60	**-42**	228.00	**-42**	329.00	**-42**	396.60	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	343.80	**-43**	256.70	**-43**	370.10	**-43**	446.20	**-43**	448.70
Dark Chrome	**-19**	286.40	**-19**	213.80	**-19**	308.50	**-19**	371.80	**-19**	374.00
Brushed Dark Platinum	**-99**	343.70	**-99**	256.50	**-99**	370.20	**-99**	446.30	**-99**	448.70
Matte Black	**-33**	258.00	**-33**	192.40	**-33**	277.60	**-33**	334.60	**-33**	336.50

34 465 979 + 28 018 979 **NEW**

Shower pipe with shower thermostat with hand shower set 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1146mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 465 979** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	2,871.60	**-00**	142.60	**3,014.20**
Brushed Chrome	**-93**	3,733.20	**-93**	185.30	**3,918.50**
Platinum	**-08**	4,594.60	**-08**	228.00	**4,822.60**
Brushed Platinum	**-06**	4,594.60	**-06**	228.00	**4,822.60**
Champagne (22kt Gold)	**-47**	6,891.80	**-47**	342.20	**7,234.00**
Brushed Champagne (22kt Gold)	**-46**	6,891.80	**-46**	342.20	**7,234.00**
Brushed Durabrass (23kt Gold)	**-28**	6,891.80	**-28**	342.20	**7,234.00**
Brushed Dark Brass (PVD)	**-39**	4,594.60	**-39**	228.10	**4,822.70**
Brushed Bronze (PVD)	**-42**	4,594.60	**-42**	228.00	**4,822.60**
Brushed Dark Bronze (PVD)	**-43**	5,168.90	**-43**	256.70	**5,425.60**
Dark Chrome	**-19**	4,307.50	**-19**	213.80	**4,521.30**
Brushed Dark Platinum	**-99**	5,168.90	**-99**	256.50	**5,425.40**
Matte Black	**-33**	3,876.70	**-33**	192.40	**4,069.10**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 469 979** FF	FF	Euro
Chrome	**-00**	2,327.10
Brushed Chrome	**-93**	3,025.30
Brushed Bronze (PVD)	**-42**	3,723.40
Dark Chrome	**-19**	3,490.70
Brushed Dark Platinum	**-99**	4,188.80
Matte Black	**-33**	3,141.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

28 504 979

Shower head
- spray head Ø 100mm
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system

Technical data:
- 180-210mm projection
- ball-joint pivotable through 30°
- rosettes Ø 55 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 504 979** FF	FF	Euro
Chrome		**-00**	621.20
Brushed Chrome		**-93**	807.50
Platinum		**-08**	994.10
Brushed Platinum		**-06**	994.20
Champagne (22kt Gold)		**-47**	1,490.90
Brushed Champagne (22kt Gold)		**-46**	1,490.90
Brushed Durabrass (23kt Gold)		**-28**	1,490.90
Brushed Dark Brass (PVD)		**-39**	993.90
Brushed Bronze (PVD)		**-42**	993.90
Brushed Dark Bronze (PVD)		**-43**	1,118.20
Dark Chrome		**-19**	932.00
Brushed Dark Platinum		**-99**	1,118.40
Matte Black		**-33**	838.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 508 979

Shower head
- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:
- 200-mm projection
- ball-joint pivotable through 30°
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 508 979** FF	FF	Euro
Chrome		**-00**	694.90
Brushed Chrome		**-93**	903.40
Platinum		**-08**	1,111.40
Brushed Platinum		**-06**	1,111.40
Champagne (22kt Gold)		**-47**	1,667.80
Brushed Champagne (22kt Gold)		**-46**	1,667.80
Brushed Durabrass (23kt Gold)		**-28**	1,667.80
Brushed Dark Brass (PVD)		**-39**	1,111.70
Brushed Bronze (PVD)		**-42**	1,111.70
Brushed Dark Bronze (PVD)		**-43**	1,250.80
Dark Chrome		**-19**	1,042.20
Brushed Dark Platinum		**-99**	1,250.60
Matte Black		**-33**	938.00

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 508 979** FF	FF	Euro
Chrome		**-000010**	694.90
Brushed Chrome		**-930010**	903.40
Platinum		**-080010**	1,111.40
Brushed Platinum		**-060010**	1,111.40
Champagne (22kt Gold)		**-470010**	1,667.80
Brushed Champagne (22kt Gold)		**-460010**	1,667.80
Brushed Durabrass (23kt Gold)		**-280010**	1,667.80
Brushed Dark Brass (PVD)		**-390010**	1,111.70
Brushed Bronze (PVD)		**-420010**	1,111.70
Brushed Dark Bronze (PVD)		**-430010**	1,250.80
Dark Chrome		**-190010**	1,042.20
Brushed Dark Platinum		**-990010**	1,250.60
Matte Black		**-330010**	938.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 505 979

Shower head
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 7.6 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- 155-mm projection
- ball-joint pivotable through 18° (in any direction)
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 505 979** FF	FF	Euro
Chrome		**-00**	387.10
Brushed Chrome		**-93**	503.40
Platinum		**-08**	619.50
Brushed Platinum		**-06**	619.50
Champagne (22kt Gold)		**-47**	929.00
Brushed Champagne (22kt Gold)		**-46**	929.00
Brushed Durabrass (23kt Gold)		**-28**	929.00
Brushed Dark Brass (PVD)		**-39**	619.50
Brushed Bronze (PVD)		**-42**	619.50
Brushed Dark Bronze (PVD)		**-43**	696.80
Dark Chrome		**-19**	580.80
Brushed Dark Platinum		**-99**	697.00
Matte Black		**-33**	522.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 613 970 **NEW**

Shower head
- INTENSE RAIN, flow rate max. 8 l/min
- Function from: 6 l/min
- with anti-scale system

Technical data:
- 156-mm projection
- ball-joint pivotable through 30°
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, TARA

Standard article	**28 613 970** FF	FF	Euro
Chrome		**-00**	434.40
Brushed Chrome		**-93**	564.70
Brushed Dark Brass (PVD)		**-39**	695.00
Brushed Bronze (PVD)		**-42**	695.00
Brushed Dark Bronze (PVD)		**-43**	781.90
Dark Chrome		**-19**	651.60
Brushed Dark Platinum		**-99**	781.90
Matte Black		**-33**	586.40

Product alternative
- FlowReduce
- Max. flow rate 5.7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 613 970** FF	FF	Euro
Chrome		**-000010**	434.40
Brushed Chrome		**-930010**	564.70
Brushed Dark Brass (PVD)		**-390010**	695.00
Brushed Bronze (PVD)		**-420010**	695.00
Brushed Dark Bronze (PVD)		**-430010**	781.90
Dark Chrome		**-190010**	651.60
Brushed Dark Platinum		**-990010**	781.90
Matte Black		**-330010**	586.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 647 970 NEW

Rain shower with wall fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 647 970** FF	FF	Euro
Chrome		**-00**	1,012.30
Brushed Chrome		**-93**	1,316.00
Platinum		**-08**	1,619.70
Brushed Platinum		**-06**	1,619.70
Champagne (22kt Gold)		**-47**	2,429.50
Brushed Champagne (22kt Gold)		**-46**	2,429.50
Brushed Durabrass (23kt Gold)		**-28**	2,429.50
Brushed Dark Brass (PVD)		**-39**	1,619.70
Brushed Bronze (PVD)		**-42**	1,619.70
Brushed Dark Bronze (PVD)		**-43**	1,822.10
Dark Chrome		**-19**	1,518.50
Brushed Dark Platinum		**-99**	1,822.20
Matte Black		**-33**	1,366.60

Product alternative
- Material rain shower: plastic

Standard article	**28 645 970** FF	FF	Euro
Chrome		**-00**	618.60
Brushed Chrome		**-93**	804.10
Brushed Bronze (PVD)		**-42**	989.70
Brushed Dark Bronze (PVD)		**-43**	1,113.50
Dark Chrome		**-19**	927.90
Brushed Dark Platinum		**-99**	1,113.40
Matte Black		**-33**	835.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 646 970 NEW

Rain shower with wall fixing FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 646 970** FF	FF	Euro
Chrome		**-00**	1,012.30
Brushed Chrome		**-93**	1,316.00
Platinum		**-08**	1,619.70
Brushed Platinum		**-06**	1,619.70
Champagne (22kt Gold)		**-47**	2,429.50
Brushed Champagne (22kt Gold)		**-46**	2,429.50
Brushed Durabrass (23kt Gold)		**-28**	2,429.50
Brushed Dark Brass (PVD)		**-39**	1,619.70
Brushed Bronze (PVD)		**-42**	1,619.70
Brushed Dark Bronze (PVD)		**-43**	1,822.10
Dark Chrome		**-19**	1,518.50
Brushed Dark Platinum		**-99**	1,822.20
Matte Black		**-33**	1,366.60

Product alternative
- Material rain shower: plastic

Standard article	**28 644 970** FF	FF	Euro
Chrome		**-00**	628.80
Brushed Chrome		**-93**	817.50
Brushed Bronze (PVD)		**-42**	1,006.10
Brushed Dark Bronze (PVD)		**-43**	1,131.80
Dark Chrome		**-19**	943.30
Brushed Dark Platinum		**-99**	1,131.90
Matte Black		**-33**	848.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 677 970 NEW

Rain shower with wall fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 677 970** FF	FF	Euro
Chrome		**-00**	1,192.50
Brushed Chrome		**-93**	1,550.20
Platinum		**-08**	1,908.00
Brushed Platinum		**-06**	1,908.00
Champagne (22kt Gold)		**-47**	2,862.00
Brushed Champagne (22kt Gold)		**-46**	2,862.00
Brushed Durabrass (23kt Gold)		**-28**	2,862.00
Brushed Dark Brass (PVD)		**-39**	1,908.00
Brushed Bronze (PVD)		**-42**	1,908.00
Brushed Dark Bronze (PVD)		**-43**	2,146.50
Dark Chrome		**-19**	1,788.80
Brushed Dark Platinum		**-99**	2,146.50
Matte Black		**-33**	1,609.90

Product alternative
- Material rain shower: plastic

Standard article	**28 675 970** FF	FF	Euro
Chrome		**-00**	792.40
Brushed Chrome		**-93**	1,030.20
Brushed Bronze (PVD)		**-42**	1,267.90
Brushed Dark Bronze (PVD)		**-43**	1,426.30
Dark Chrome		**-19**	1,188.70
Brushed Dark Platinum		**-99**	1,426.40
Matte Black		**-33**	1,069.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 676 970 NEW

Rain shower with wall fixing FlowReduce 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 676 970** FF	FF	Euro
Chrome		**-00**	1,192.50
Brushed Chrome		**-93**	1,550.20
Platinum		**-08**	1,908.00
Brushed Platinum		**-06**	1,908.00
Champagne (22kt Gold)		**-47**	2,862.00
Brushed Champagne (22kt Gold)		**-46**	2,862.00
Brushed Durabrass (23kt Gold)		**-28**	2,862.00
Brushed Dark Brass (PVD)		**-39**	1,908.00
Brushed Bronze (PVD)		**-42**	1,908.00
Brushed Dark Bronze (PVD)		**-43**	2,146.50
Dark Chrome		**-19**	1,788.80
Brushed Dark Platinum		**-99**	2,146.50
Matte Black		**-33**	1,609.90

Product alternative
- Material rain shower: plastic

Standard article	**28 674 970** FF	FF	Euro
Chrome		**-00**	792.40
Brushed Chrome		**-93**	1,030.20
Brushed Bronze (PVD)		**-42**	1,267.90
Brushed Dark Bronze (PVD)		**-43**	1,426.30
Dark Chrome		**-19**	1,188.70
Brushed Dark Platinum		**-99**	1,426.40
Matte Black		**-33**	1,069.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 659 970

Rain shower with wall fixing 400 mm
- rain shower Ø 400 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 659 970** FF	FF	Euro
Chrome		**-00**	2,087.80
Brushed Chrome		**-93**	2,714.10
Platinum		**-08**	3,340.60
Brushed Platinum		**-06**	3,340.60
Champagne (22kt Gold)		**-47**	5,010.70
Brushed Champagne (22kt Gold)		**-46**	5,010.70
Brushed Durabrass (23kt Gold)		**-28**	5,010.70
Brushed Dark Brass (PVD)		**-39**	3,340.60
Brushed Bronze (PVD)		**-42**	3,340.60
Brushed Dark Bronze (PVD)		**-43**	3,758.00
Dark Chrome		**-19**	3,131.80
Brushed Dark Platinum		**-99**	3,757.80
Matte Black		**-33**	2,818.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 666 970 NEW

Rain shower with ceiling fixing FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 666 970** FF	FF	Euro
Chrome		**-00**	860.30
Brushed Chrome		**-93**	1,118.40
Platinum		**-08**	1,376.40
Brushed Platinum		**-06**	1,376.40
Champagne (22kt Gold)		**-47**	2,064.70
Brushed Champagne (22kt Gold)		**-46**	2,064.70
Brushed Durabrass (23kt Gold)		**-28**	2,064.70
Brushed Dark Brass (PVD)		**-39**	1,376.40
Brushed Bronze (PVD)		**-42**	1,376.40
Brushed Dark Bronze (PVD)		**-43**	1,548.50
Dark Chrome		**-19**	1,290.50
Brushed Dark Platinum		**-99**	1,548.40
Matte Black		**-33**	1,161.40

Product alternative
- Material rain shower: plastic

Standard article	**28 664 970** FF	FF	Euro
Chrome		**-00**	580.30
Brushed Chrome		**-93**	754.40
Brushed Bronze (PVD)		**-42**	928.50
Brushed Dark Bronze (PVD)		**-43**	1,044.50
Dark Chrome		**-19**	870.60
Brushed Dark Platinum		**-99**	1,044.60
Matte Black		**-33**	783.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 667 970 NEW

Rain shower with ceiling fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 667 970** FF	FF	Euro
Chrome		**-00**	860.30
Brushed Chrome		**-93**	1,118.40
Platinum		**-08**	1,376.40
Brushed Platinum		**-06**	1,376.40
Champagne (22kt Gold)		**-47**	2,064.70
Brushed Champagne (22kt Gold)		**-46**	2,064.70
Brushed Durabrass (23kt Gold)		**-28**	2,064.70
Brushed Dark Brass (PVD)		**-39**	1,376.40
Brushed Bronze (PVD)		**-42**	1,376.40
Brushed Dark Bronze (PVD)		**-43**	1,548.50
Dark Chrome		**-19**	1,290.50
Brushed Dark Platinum		**-99**	1,548.40
Matte Black		**-33**	1,161.40

Product alternative
- Material rain shower: plastic

Standard article	**28 665 970** FF	FF	Euro
Chrome		**-00**	580.30
Brushed Chrome		**-93**	754.40
Brushed Bronze (PVD)		**-42**	928.50
Brushed Dark Bronze (PVD)		**-43**	1,044.50
Dark Chrome		**-19**	870.60
Brushed Dark Platinum		**-99**	1,044.60
Matte Black		**-33**	783.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 686 970 NEW

Rain shower with ceiling fixing FlowReduce 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 686 970** FF	FF	Euro
Chrome		**-00**	1,014.20
Brushed Chrome		**-93**	1,318.50
Platinum		**-08**	1,622.70
Brushed Platinum		**-06**	1,622.70
Champagne (22kt Gold)		**-47**	2,434.10
Brushed Champagne (22kt Gold)		**-46**	2,434.10
Brushed Durabrass (23kt Gold)		**-28**	2,434.10
Brushed Dark Brass (PVD)		**-39**	1,622.70
Brushed Bronze (PVD)		**-42**	1,622.70
Brushed Dark Bronze (PVD)		**-43**	1,825.60
Dark Chrome		**-19**	1,521.30
Brushed Dark Platinum		**-99**	1,825.50
Matte Black		**-33**	1,369.20

Product alternative
- Material rain shower: plastic

Standard article	**28 684 970** FF	FF	Euro
Chrome		**-00**	729.40
Brushed Chrome		**-93**	948.30
Brushed Bronze (PVD)		**-42**	1,167.10
Brushed Dark Bronze (PVD)		**-43**	1,312.90
Dark Chrome		**-19**	1,094.20
Brushed Dark Platinum		**-99**	1,313.00
Matte Black		**-33**	984.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 687 970 NEW

Rain shower with ceiling fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 687 970** FF	FF	Euro
Chrome		**-00**	1,014.20
Brushed Chrome		**-93**	1,318.50
Platinum		**-08**	1,622.70
Brushed Platinum		**-06**	1,622.70
Champagne (22kt Gold)		**-47**	2,434.10
Brushed Champagne (22kt Gold)		**-46**	2,434.10
Brushed Durabrass (23kt Gold)		**-28**	2,434.10
Brushed Dark Brass (PVD)		**-39**	1,622.70
Brushed Bronze (PVD)		**-42**	1,622.70
Brushed Dark Bronze (PVD)		**-43**	1,825.60
Dark Chrome		**-19**	1,521.30
Brushed Dark Platinum		**-99**	1,825.50
Matte Black		**-33**	1,369.20

Product alternative
- Material rain shower: plastic

Standard article	**28 685 970** FF	FF	Euro
Chrome		**-00**	729.40
Brushed Chrome		**-93**	948.30
Brushed Bronze (PVD)		**-42**	1,167.10
Brushed Dark Bronze (PVD)		**-43**	1,312.90
Dark Chrome		**-19**	1,094.20
Brushed Dark Platinum		**-99**	1,313.00
Matte Black		**-33**	984.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 699 970

Rain shower with ceiling fixing 400 mm
- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- with anti-scale system
- quick clearing

Technical data:
- rosette Ø 60 mm optional
- 1/2“ connection

Notes:
- Fits LISSÉ, META, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 699 970** FF	FF	Euro
Chrome		**-00**	1,867.10
Brushed Chrome		**-93**	2,427.20
Platinum		**-08**	2,987.30
Brushed Platinum		**-06**	2,987.30
Champagne (22kt Gold)		**-47**	4,481.00
Brushed Champagne (22kt Gold)		**-46**	4,481.00
Brushed Durabrass (23kt Gold)		**-28**	4,481.00
Brushed Dark Brass (PVD)		**-39**	2,987.40
Brushed Bronze (PVD)		**-42**	2,987.40
Brushed Dark Bronze (PVD)		**-43**	3,360.80
Dark Chrome		**-19**	2,800.50
Brushed Dark Platinum		**-99**	3,360.50
Matte Black		**-33**	2,520.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 031 970

Rain shower for surface-mounted ceiling installation 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

technical data:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 031 970** FF	FF	Euro
Chrome		**-00**	858.90
Brushed Chrome		**-93**	1,116.60
Platinum		**-08**	1,374.20
Brushed Platinum		**-06**	1,374.20
Champagne (22kt Gold)		**-47**	2,061.40
Brushed Champagne (22kt Gold)		**-46**	2,061.40
Brushed Durabrass (23kt Gold)		**-28**	2,061.40
Brushed Dark Brass (PVD)		**-39**	1,374.20
Brushed Bronze (PVD)		**-42**	1,374.20
Brushed Dark Bronze (PVD)		**-43**	1,546.00
Dark Chrome		**-19**	1,288.40
Brushed Dark Platinum		**-99**	1,546.00
Matte Black		**-33**	1,159.50

Required miscellaneous

Concealed ceiling installation box with ceiling fixing

	35 041 970 FF	FF	Euro
• concealed rough parts	Concealed rough parts	**90**	572.60
• min. recess depth 90 mm			
• max. recess depth 115 mm			
• 2x female thread 1/2“ outlet			

For details and miscellaneous, see page 735

28 032 970

Rain shower for surface-mounted ceiling installation with light 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Electric:
- Ceiling module power supply
- 350mA (CC)
- Spot lighting
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Technology: LED, not dimmable
- Contains energy efficiency class bulbs
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Provided by customer: Light switch
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 032 970** FF	FF	Euro
Chrome		**-00**	1,290.50
Brushed Chrome		**-93**	1,677.70
Platinum		**-08**	2,064.80
Brushed Platinum		**-06**	2,064.80
Champagne (22kt Gold)		**-47**	3,097.20
Brushed Champagne (22kt Gold)		**-46**	3,097.20
Brushed Durabrass (23kt Gold)		**-28**	3,097.20
Brushed Dark Brass (PVD)		**-39**	2,064.80
Brushed Bronze (PVD)		**-42**	2,064.80
Brushed Dark Bronze (PVD)		**-43**	2,322.90
Dark Chrome		**-19**	1,935.80
Brushed Dark Platinum		**-99**	2,322.90
Matte Black		**-33**	1,742.20

Required miscellaneous

Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
• concealed rough parts	Concealed rough parts	**90**	860.20
• min. recess depth 90 mm			
• max. recess depth 115 mm			
• 2x female thread 1/2“ connections			
• Input 100-240V AC 50-60Hz			
• Output 350 mA SELV / Class 2			
• Provided by customer: Light switch			

For details and miscellaneous, see page 736

28 033 970

Rain shower for recessed ceiling installation 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 033 970** FF	FF	Euro
Chrome		**-00**	1,647.10
Brushed Chrome		**-93**	2,141.20
Platinum		**-08**	2,635.40
Brushed Platinum		**-06**	2,635.40
Champagne (22kt Gold)		**-47**	3,953.00
Brushed Champagne (22kt Gold)		**-46**	3,953.00
Brushed Durabrass (23kt Gold)		**-28**	3,953.00
Brushed Dark Brass (PVD)		**-39**	2,635.40
Brushed Bronze (PVD)		**-42**	2,635.40
Brushed Dark Bronze (PVD)		**-43**	2,964.80
Dark Chrome		**-19**	2,470.70
Brushed Dark Platinum		**-99**	2,964.80
Matte Black		**-33**	2,223.60

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation

	35 033 970 FF	FF	Euro
• concealed rough parts • recess depth 137mm • 2x female thread 1/2“ outlet • flush-mounted installation box Ø 360 mm RAL 9003 signal white	Concealed rough parts	**90**	1,098.10

For details and miscellaneous, see page 734

28 034 970

Rain shower for recessed ceiling installation with light 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

electrical:
- Ceiling module power supply
- 12V DC (CV)
- Ambient lighting
- Spot lighting
- LED coloured light RGBW
- **includes light bulbs with a Class G energy efficiency**
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Activation:
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- Bulbs protected against splashing water

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Dornbracht recommends consulting a systems integrator.

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 034 970** FF	FF	Euro
Chrome		**-00**	2,472.80
Brushed Chrome		**-93**	3,214.60
Platinum		**-08**	3,956.50
Brushed Platinum		**-06**	3,956.50
Champagne (22kt Gold)		**-47**	5,934.70
Brushed Champagne (22kt Gold)		**-46**	5,934.70
Brushed Durabrass (23kt Gold)		**-28**	5,934.70
Brushed Dark Brass (PVD)		**-39**	3,956.50
Brushed Bronze (PVD)		**-42**	3,956.50
Brushed Dark Bronze (PVD)		**-43**	4,451.00
Dark Chrome		**-19**	3,709.20
Brushed Dark Platinum		**-99**	4,451.00
Matte Black		**-33**	3,338.30

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation with light

	35 034 970 FF	FF	Euro
• concealed rough parts • flush-mounted reflection box Ø 360 mm RAL 9003 signal white • recess depth 137mm • 2x female thread 1/2“ outlet • Input 100-240V AC 50-60Hz • Output 12V DC SELV / Class 2 • ZigBee Light Link RGBW controller	Concealed rough parts	**90**	1,648.60

For details and miscellaneous, see page 735

27 812 660

NEW

Hand shower set with integrated shower holder
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 812 660** FF	FF	Euro
Chrome		**-00**	478.10
Brushed Chrome		**-93**	621.50
Platinum		**-08**	764.90
Brushed Platinum		**-06**	764.90
Champagne (22kt Gold)		**-47**	1,147.40
Brushed Champagne (22kt Gold)		**-46**	1,147.40
Brushed Durabrass (23kt Gold)		**-28**	1,147.40
Brushed Dark Brass (PVD)		**-39**	764.90
Brushed Bronze (PVD)		**-42**	764.90
Brushed Dark Bronze (PVD)		**-43**	860.60
Dark Chrome		**-19**	717.20
Brushed Dark Platinum		**-99**	860.50
Matte Black		**-33**	645.40

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 812 660** FF	FF	Euro
Chrome		**-000010**	478.10
Brushed Chrome		**-930010**	621.50
Platinum		**-080010**	764.90
Brushed Platinum		**-060010**	764.90
Champagne (22kt Gold)		**-470010**	1,147.40
Brushed Champagne (22kt Gold)		**-460010**	1,147.40
Brushed Durabrass (23kt Gold)		**-280010**	1,147.40
Brushed Dark Brass (PVD)		**-390010**	764.90
Brushed Bronze (PVD)		**-420010**	764.90
Brushed Dark Bronze (PVD)		**-430010**	860.60
Dark Chrome		**-190010**	717.20
Brushed Dark Platinum		**-990010**	860.50
Matte Black		**-330010**	645.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 813 660 NEW

Hand shower set with integrated shower holder
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 813 660** FF	FF	Euro
Chrome		**-00**	463.20
Brushed Chrome		**-93**	602.10
Platinum		**-08**	741.10
Brushed Platinum		**-06**	741.10
Champagne (22kt Gold)		**-47**	1,111.70
Brushed Champagne (22kt Gold)		**-46**	1,111.70
Brushed Durabrass (23kt Gold)		**-28**	1,111.70
Brushed Dark Brass (PVD)		**-39**	741.10
Brushed Bronze (PVD)		**-42**	741.10
Brushed Dark Bronze (PVD)		**-43**	833.70
Dark Chrome		**-19**	694.80
Brushed Dark Platinum		**-99**	833.70
Matte Black		**-33**	625.30

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 813 660** FF	FF	Euro
Chrome		**-000010**	463.20
Brushed Chrome		**-930010**	602.10
Platinum		**-080010**	741.10
Brushed Platinum		**-060010**	741.10
Champagne (22kt Gold)		**-470010**	1,111.70
Brushed Champagne (22kt Gold)		**-460010**	1,111.70
Brushed Durabrass (23kt Gold)		**-280010**	1,111.70
Brushed Dark Brass (PVD)		**-390010**	741.10
Brushed Bronze (PVD)		**-420010**	741.10
Brushed Dark Bronze (PVD)		**-430010**	860.60
Dark Chrome		**-190010**	694.80
Brushed Dark Platinum		**-990010**	833.70
Matte Black		**-330010**	625.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 815 625

NEW

Hand shower set
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette Ø 55 mm
- 3/8“ shower outlet

Notes:
- Fits META, TARA, SERIES-VARIOUS

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 815 625** FF	FF	Euro
Chrome		**-00**	344.90
Brushed Chrome		**-93**	448.50
Brushed Platinum		**-06**	551.90
Champagne (22kt Gold)		**-47**	827.80
Brushed Champagne (22kt Gold)		**-46**	827.80
Brushed Durabrass (23kt Gold)		**-28**	827.80
Brushed Dark Brass (PVD)		**-39**	551.90
Brushed Bronze (PVD)		**-42**	551.90
Brushed Dark Bronze (PVD)		**-43**	620.80
Dark Chrome		**-19**	517.40
Brushed Dark Platinum		**-99**	620.90
Matte Black		**-33**	465.70

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 815 625** FF	FF	Euro
Chrome		**-000010**	344.90
Brushed Chrome		**-930010**	448.50
Brushed Platinum		**-060010**	551.90
Champagne (22kt Gold)		**-470010**	827.80
Brushed Champagne (22kt Gold)		**-460010**	827.80
Brushed Durabrass (23kt Gold)		**-280010**	827.80
Brushed Dark Brass (PVD)		**-390010**	551.90
Brushed Bronze (PVD)		**-420010**	551.90
Brushed Dark Bronze (PVD)		**-430010**	620.80
Dark Chrome		**-190010**	517.40
Brushed Dark Platinum		**-990010**	620.90
Matte Black		**-330010**	465.70

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

	28 450 625 FF	FF	Euro
Chrome		**-00**	121.50
Brushed Chrome		**-93**	157.90
Brushed Platinum		**-06**	194.50
Champagne (22kt Gold)		**-47**	291.60
Brushed Champagne (22kt Gold)		**-46**	291.60
Brushed Durabrass (23kt Gold)		**-28**	291.60
Brushed Dark Brass (PVD)		**-39**	194.40
Brushed Bronze (PVD)		**-42**	194.40
Brushed Dark Bronze (PVD)		**-43**	218.70
Dark Chrome		**-19**	182.30
Brushed Dark Platinum		**-99**	218.70
Matte Black		**-33**	163.70

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

	35 085 970 FF	FF	Euro
Concealed rough parts		**90**	128.90

27 802 892

Hand shower set with individual rosettes
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- 1/2“ wall elbow
- 1/2“ shower outlet

Notes:
- Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 802 892** FF	FF	Euro
Chrome		**-00**	641.80
Brushed Chrome		**-93**	834.20
Platinum		**-08**	1,027.20
Brushed Platinum		**-06**	1,027.20
Champagne (22kt Gold)		**-47**	1,540.30
Brushed Champagne (22kt Gold)		**-46**	1,540.30
Brushed Durabrass (23kt Gold)		**-28**	1,540.30
Brushed Dark Brass (PVD)		**-39**	1,026.80
Brushed Bronze (PVD)		**-42**	1,026.90
Brushed Dark Bronze (PVD)		**-43**	1,155.20
Dark Chrome		**-19**	962.70
Brushed Dark Platinum		**-99**	1,155.20
Matte Black		**-33**	866.70

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 802 892** FF	FF	Euro
Chrome		**-000010**	641.80
Brushed Chrome		**-930010**	834.20
Platinum		**-080010**	1,027.20
Brushed Platinum		**-060010**	1,027.20
Champagne (22kt Gold)		**-470010**	1,540.30
Brushed Champagne (22kt Gold)		**-460010**	1,540.30
Brushed Durabrass (23kt Gold)		**-280010**	1,540.30
Brushed Dark Brass (PVD)		**-390010**	1,026.80
Brushed Bronze (PVD)		**-420010**	1,026.90
Brushed Dark Bronze (PVD)		**-430010**	1,155.20
Dark Chrome		**-190010**	962.70
Brushed Dark Platinum		**-990010**	1,155.20
Matte Black		**-330010**	866.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 803 892

Hand shower set with individual rosettes
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- 1/2“ wall elbow
- 1/2“ shower outlet

Notes:
- Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 803 892** FF	FF	Euro
Chrome		**-00**	629.20
Brushed Chrome		**-93**	817.80
Platinum		**-08**	1,006.40
Brushed Platinum		**-06**	1,006.40
Champagne (22kt Gold)		**-47**	1,510.10
Brushed Champagne (22kt Gold)		**-46**	1,510.10
Brushed Durabrass (23kt Gold)		**-28**	1,510.10
Brushed Dark Brass (PVD)		**-39**	1,006.50
Brushed Bronze (PVD)		**-42**	1,006.60
Brushed Dark Bronze (PVD)		**-43**	1,132.60
Dark Chrome		**-19**	943.80
Brushed Dark Platinum		**-99**	1,132.60
Matte Black		**-33**	849.20

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 803 892** FF	FF	Euro
Chrome		**-000010**	629.20
Brushed Chrome		**-930010**	817.80
Platinum		**-080010**	1,006.40
Brushed Platinum		**-060010**	1,006.40
Champagne (22kt Gold)		**-470010**	1,510.10
Brushed Champagne (22kt Gold)		**-460010**	1,510.10
Brushed Durabrass (23kt Gold)		**-280010**	1,510.10
Brushed Dark Brass (PVD)		**-390010**	1,006.50
Brushed Bronze (PVD)		**-420010**	1,006.60
Brushed Dark Bronze (PVD)		**-430010**	1,132.60
Dark Chrome		**-190010**	943.80
Brushed Dark Platinum		**-990010**	1,132.60
Matte Black		**-330010**	849.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 518 979

Body spray without volume control FlowReduce
- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 5 l/min (at 3 bar)
- with anti-scale system

Technical data:
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, COYA

Fits META, TARA, VAIA, LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 518 979** FF	FF	Euro
Chrome		**-00**	328.70
Brushed Chrome		**-93**	427.20
Platinum		**-08**	525.90
Brushed Platinum		**-06**	525.90
Champagne (22kt Gold)		**-47**	788.90
Brushed Champagne (22kt Gold)		**-46**	788.90
Durabrass (23kt Gold)		**-09**	788.90
Brushed Durabrass (23kt Gold)		**-28**	788.90
Brushed Dark Brass (PVD)		**-39**	525.80
Brushed Bronze (PVD)		**-42**	525.70
Brushed Dark Bronze (PVD)		**-43**	591.70
Dark Chrome		**-19**	493.00
Brushed Dark Platinum		**-99**	591.50
Matte Black		**-33**	443.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 515 979

WATER POINTS Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 120 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 515 979** FF	FF	Euro
Chrome		**-00**	577.30
Brushed Chrome		**-93**	750.40
Platinum		**-08**	923.20
Brushed Platinum		**-06**	923.20
Champagne (22kt Gold)		**-47**	1,385.50
Brushed Champagne (22kt Gold)		**-46**	1,385.50
Brushed Durabrass (23kt Gold)		**-28**	1,385.50
Brushed Dark Brass (PVD)		**-39**	923.70
Brushed Bronze (PVD)		**-42**	923.60
Brushed Dark Bronze (PVD)		**-43**	1,039.10
Dark Chrome		**-19**	866.00
Brushed Dark Platinum		**-99**	1,039.00
Matte Black		**-33**	779.10

Required miscellaneous

WATER POINTS Adapter plate

	12 305 970 FF	FF	Euro
• adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.	Accesories	**90**	37.90

For details and miscellaneous, see page 742

Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm	Concealed rough parts	**90**	234.20

For details and miscellaneous, see page 733

36 517 979

WATER BAR Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 517 979** FF	FF	Euro
Chrome		**-00**	891.50
Brushed Chrome		**-93**	1,158.80
Platinum		**-08**	1,426.60
Brushed Platinum		**-06**	1,426.60
Champagne (22kt Gold)		**-47**	2,139.60
Brushed Champagne (22kt Gold)		**-46**	2,139.60
Brushed Durabrass (23kt Gold)		**-28**	2,139.60
Brushed Dark Brass (PVD)		**-39**	1,426.40
Brushed Bronze (PVD)		**-42**	1,426.40
Brushed Dark Bronze (PVD)		**-43**	1,604.70
Dark Chrome		**-19**	1,337.20
Brushed Dark Platinum		**-99**	1,604.30
Matte Black		**-33**	1,227.20

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

36 514 979

WATER CURVE Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- Function from: 5.7 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 60 mm
- 1/2“ connection

Notes:
- This product reduces water consumption by % (compared to requirements of EPAct ,92)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 514 979** FF	FF	Euro
Chrome		**-00**	1,160.00
Brushed Chrome		**-93**	1,508.00
Platinum		**-08**	1,856.10
Brushed Platinum		**-06**	1,856.10
Champagne (22kt Gold)		**-47**	2,784.00
Brushed Champagne (22kt Gold)		**-46**	2,784.00
Brushed Durabrass (23kt Gold)		**-28**	2,784.00
Brushed Dark Brass (PVD)		**-39**	1,856.10
Brushed Bronze (PVD)		**-42**	1,856.20
Brushed Dark Bronze (PVD)		**-43**	2,088.00
Dark Chrome		**-19**	1,740.00
Brushed Dark Platinum		**-99**	2,088.10
Matte Black		**-33**	1,565.80

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts | FF **90** | Euro 128.90

For details and miscellaneous, see page 732

36 513 979

WATER FAN vertical Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 513 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Chrome		**-93**	1,125.10
Platinum		**-08**	1,385.20
Brushed Platinum		**-06**	1,385.20
Champagne (22kt Gold)		**-47**	2,077.00
Brushed Champagne (22kt Gold)		**-46**	2,077.00
Brushed Durabrass (23kt Gold)		**-28**	2,077.00
Brushed Dark Brass (PVD)		**-39**	1,384.60
Brushed Bronze (PVD)		**-42**	1,384.60
Brushed Dark Bronze (PVD)		**-43**	1,557.70
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60
Matte Black		**-33**	1,191.50

Product alternative
- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**36 512 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Chrome		**-93**	1,125.10
Platinum		**-08**	1,385.20
Brushed Platinum		**-06**	1,385.20
Champagne (22kt Gold)		**-47**	2,077.00
Brushed Champagne (22kt Gold)		**-46**	2,077.00
Brushed Durabrass (23kt Gold)		**-28**	2,077.00
Brushed Dark Brass (PVD)		**-39**	1,384.60
Brushed Bronze (PVD)		**-42**	1,384.60
Brushed Dark Bronze (PVD)		**-43**	1,557.70
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60
Matte Black		**-33**	1,191.50

Required miscellaneous

Concealed wall installation box

35 206 970 FF

- min. recess depth 100 mm
- max. recess depth 173 mm

Concealed rough parts | FF **90** | Euro 316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

13 415 979

WATER SHEET Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **150mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 415 979** FF	FF	Euro
Chrome		**-00**	1,194.80
Brushed Chrome		**-93**	1,553.30
Platinum		**-08**	1,911.60
Brushed Platinum		**-06**	1,911.60
Champagne (22kt Gold)		**-47**	2,867.50
Brushed Champagne (22kt Gold)		**-46**	2,867.50
Brushed Durabrass (23kt Gold)		**-28**	2,867.50
Brushed Dark Brass (PVD)		**-39**	1,911.70
Brushed Bronze (PVD)		**-42**	1,911.70
Brushed Dark Bronze (PVD)		**-43**	2,150.60
Dark Chrome		**-19**	1,792.40
Brushed Dark Platinum		**-99**	2,150.60
Matte Black		**-33**	1,612.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 420 979



WATER FALL Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **120mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 420 979** FF	FF	Euro
Chrome		**-00**	1,706.90
Brushed Chrome		**-93**	2,219.10
Platinum		**-08**	2,731.60
Brushed Platinum		**-06**	2,731.60
Champagne (22kt Gold)		**-47**	4,096.60
Brushed Champagne (22kt Gold)		**-46**	4,096.60
Brushed Durabrass (23kt Gold)		**-28**	4,096.60
Brushed Dark Brass (PVD)		**-39**	2,731.20
Brushed Bronze (PVD)		**-42**	2,731.20
Brushed Dark Bronze (PVD)		**-43**	3,072.40
Dark Chrome		**-19**	2,560.50
Matte Black		**-33**	2,304.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 425 979

WATER FALL Cascade spout with individual jets for wall mounting
- PEARLSTREAM
- Max. flow rate 9.5 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- plate 240 mm x 60 mm
- **22mm projection**
- connection 1/2“, for shortening
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 425 979** FF	FF	Euro
Chrome		**-00**	1,268.40
Brushed Chrome		**-93**	1,648.80
Platinum		**-08**	2,029.40
Brushed Platinum		**-06**	2,029.40
Champagne (22kt Gold)		**-47**	3,044.20
Brushed Champagne (22kt Gold)		**-46**	3,044.20
Brushed Durabrass (23kt Gold)		**-28**	3,044.20
Brushed Dark Brass (PVD)		**-39**	2,029.40
Brushed Bronze (PVD)		**-42**	2,029.40
Brushed Dark Bronze (PVD)		**-43**	2,283.10
Dark Chrome		**-19**	1,902.40
Brushed Dark Platinum		**-99**	2,282.80
Matte Black		**-33**	1,712.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 823 979 +
28 285 979

WATER TUBE Kneipp wall elbow with hose holder with individual rosettes
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: l/min
- with volume control
- inherently safe from back flow
- holder for Kneipp hose
- hose nozzle with sleeve M33

Technical data:
- rosette Ø 60 mm
- 1/2“ wall elbow

Notes:
- Fits LISSÉ, LULU, MADISON, META, TARA, VAIA, COYA

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **27 823 979** FF max. flow 15 l/min FF	Euro	1x **28 285 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	619.00	**-00**	110.10	**729.10**
Brushed Chrome	**-93**	804.60	**-93**	143.10	**947.70**
Platinum	**-08**	990.40	**-08**	176.10	**1,166.50**
Brushed Platinum	**-06**	990.40	**-06**	176.20	**1,166.60**
Champagne (22kt Gold)	**-47**	1,485.60	**-47**	264.20	**1,749.80**
Brushed Champagne (22kt Gold)	**-46**	1,485.60	**-46**	264.20	**1,749.80**
Brushed Durabrass (23kt Gold)	**-28**	1,485.60	**-28**	264.20	**1,749.80**
Brushed Dark Brass (PVD)	**-39**	990.40	**-39**	176.20	**1,166.60**
Brushed Bronze (PVD)	**-42**	990.50	**-42**	176.20	**1,166.70**
Brushed Dark Bronze (PVD)	**-43**	1,114.20	**-43**	198.20	**1,312.40**
Dark Chrome	**-19**	928.20	**-19**	165.20	**1,093.40**
Brushed Dark Platinum	**-99**	1,114.10	**-99**	198.10	**1,312.20**
Matte Black	**-33**	835.50	**-33**	148.60	**984.10**

Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

28 286 979 FF	FF	Euro
Chrome	**-00**	110.10
Brushed Chrome	**-93**	143.10
Platinum	**-08**	176.10
Brushed Platinum	**-06**	176.20
Champagne (22kt Gold)	**-47**	264.20
Brushed Champagne (22kt Gold)	**-46**	264.20
Brushed Durabrass (23kt Gold)	**-28**	264.20
Brushed Dark Brass (PVD)	**-39**	176.20
Brushed Bronze (PVD)	**-42**	176.20
Brushed Dark Bronze (PVD)	**-43**	198.20
Dark Chrome	**-19**	165.20
Brushed Dark Platinum	**-99**	198.10
Matte Black	**-33**	148.60

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 490 660

Wall elbow with integrated shower holder
- 3/8“ shower outlet
- rosette Ø 60 mm
- 1/2“ connection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 490 660** FF	FF	Euro
Chrome		**-00**	236.30
Brushed Chrome		**-93**	307.00
Platinum		**-08**	377.60
Brushed Platinum		**-06**	377.60
Champagne (22kt Gold)		**-47**	567.10
Brushed Champagne (22kt Gold)		**-46**	567.10
Brushed Durabrass (23kt Gold)		**-28**	567.10
Brushed Dark Brass (PVD)		**-39**	377.90
Brushed Bronze (PVD)		**-42**	378.00
Brushed Dark Bronze (PVD)		**-43**	425.30
Dark Chrome		**-19**	354.20
Brushed Dark Platinum		**-99**	424.50
Matte Black		**-33**	318.90

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 450 625

Wall elbow
- 3/8“ shower outlet
- rosette Ø 55 mm
- 1/2“ connection

Intrinsic protection against back flow.

Fits META, TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 450 625** FF	FF	Euro
Chrome		**-00**	121.50
Brushed Chrome		**-93**	157.90
Platinum		**-08**	194.50
Brushed Platinum		**-06**	194.50
Champagne (22kt Gold)		**-47**	291.60
Brushed Champagne (22kt Gold)		**-46**	291.60
Brushed Durabrass (23kt Gold)		**-28**	291.60
Brushed Dark Brass (PVD)		**-39**	194.40
Brushed Bronze (PVD)		**-42**	194.40
Brushed Dark Bronze (PVD)		**-43**	218.70
Dark Chrome		**-19**	182.30
Brushed Dark Platinum		**-99**	218.70
Matte Black		**-33**	163.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 050 892

Wall bracket
- rosette Ø 55 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 050 892** FF	FF	Euro
Chrome		**-00**	194.70
Brushed Chrome		**-93**	253.20
Platinum		**-08**	311.60
Brushed Platinum		**-06**	311.60
Champagne (22kt Gold)		**-47**	467.30
Brushed Champagne (22kt Gold)		**-46**	467.30
Brushed Durabrass (23kt Gold)		**-28**	467.30
Brushed Dark Brass (PVD)		**-39**	311.40
Brushed Bronze (PVD)		**-42**	311.40
Brushed Dark Bronze (PVD)		**-43**	350.50
Dark Chrome		**-19**	292.00
Brushed Dark Platinum		**-99**	350.40
Matte Black		**-33**	262.80

28 050 625

Wall bracket
- rosette Ø 55 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 050 625** FF	FF	Euro
Chrome		**-00**	169.70
Brushed Chrome		**-93**	220.50
Brushed Platinum		**-06**	271.50
Champagne (22kt Gold)		**-47**	407.30
Brushed Champagne (22kt Gold)		**-46**	407.30
Brushed Durabrass (23kt Gold)		**-28**	407.30
Brushed Dark Brass (PVD)		**-39**	271.40
Brushed Bronze (PVD)		**-42**	271.40
Brushed Dark Bronze (PVD)		**-43**	305.50
Dark Chrome		**-19**	254.40
Brushed Dark Platinum		**-99**	305.20
Matte Black		**-33**	229.20

28 060 970

Wall bracket swivel
- pivotable 75°

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 060 970** FF	FF	Euro
Chrome		**-00**	207.70
Brushed Chrome		**-93**	270.00
Platinum		**-08**	332.40
Brushed Platinum		**-06**	332.40
Champagne (22kt Gold)		**-47**	498.50
Brushed Champagne (22kt Gold)		**-46**	498.50
Brushed Durabrass (23kt Gold)		**-28**	498.50
Brushed Dark Brass (PVD)		**-39**	332.20
Brushed Bronze (PVD)		**-42**	332.10
Brushed Dark Bronze (PVD)		**-43**	373.90
Dark Chrome		**-19**	311.40
Brushed Dark Platinum		**-99**	373.90
Matte Black		**-33**	280.60

12 540 970 **NEW**

Slide unit
- for pipe diameter 18 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 540 970** FF	FF	Euro
Chrome		**-00**	143.90
Brushed Chrome		**-93**	187.00
Platinum		**-08**	230.20
Brushed Platinum		**-06**	230.20
Champagne (22kt Gold)		**-47**	345.40
Brushed Champagne (22kt Gold)		**-46**	345.40
Durabrass (23kt Gold)		**-09**	345.40
Brushed Durabrass (23kt Gold)		**-28**	345.40
Brushed Dark Brass (PVD)		**-39**	230.20
Brushed Bronze (PVD)		**-42**	230.20
Brushed Dark Bronze (PVD)		**-43**	259.00
Dark Chrome		**-19**	215.80
Brushed Dark Platinum		**-99**	258.90
Matte Black		**-33**	194.30

12 550 970 **NEW**

Slide unit
- Pipe diameter 20 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 550 970** FF	FF	Euro
Chrome		**-00**	143.90
Brushed Chrome		**-93**	187.00
Platinum		**-08**	230.20
Brushed Platinum		**-06**	230.20
Champagne (22kt Gold)		**-47**	345.40
Brushed Champagne (22kt Gold)		**-46**	345.40
Durabrass (23kt Gold)		**-09**	345.40
Brushed Durabrass (23kt Gold)		**-28**	345.40
Brushed Dark Brass (PVD)		**-39**	230.20
Brushed Bronze (PVD)		**-42**	230.20
Brushed Dark Bronze (PVD)		**-43**	259.00
Dark Chrome		**-19**	215.80
Brushed Dark Platinum		**-99**	258.90
Matte Black		**-33**	194.30

34 445 979 + 11 432 892 **NEW**

Shower thermostat for wall installation
- with volume control
- with FlowReduce function
- slide-on rosettes Ø 70 mm
- 3/8“ shower outlet
- 1/2“ connection
- gauge 150 mm - 13 mm

Notes:
- inherently safe from back flow

Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 445 979** FF FF	Euro	1x **11 432 892** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	638.30	**-00**	130.90	**769.20**
Brushed Chrome	**-93**	829.80	**-93**	170.20	**1,000.00**
Platinum	**-08**	1,021.20	**-08**	209.50	**1,230.70**
Brushed Platinum	**-06**	1,021.20	**-06**	209.50	**1,230.70**
Champagne (22kt Gold)	**-47**	1,531.90	**-47**	314.20	**1,846.10**
Brushed Champagne (22kt Gold)	**-46**	1,531.90	**-46**	314.20	**1,846.10**
Brushed Durabrass (23kt Gold)	**-28**	1,531.90	**-28**	314.20	**1,846.10**
Brushed Bronze (PVD)	**-42**	1,021.20	**-42**	209.50	**1,230.70**
Brushed Dark Bronze (PVD)	**-43**	1,148.90	**-43**	235.60	**1,384.50**
Dark Chrome	**-19**	957.50	**-19**	196.50	**1,154.00**
Brushed Dark Platinum	**-99**	1,148.90	**-99**	235.70	**1,384.60**
Matte Black	**-33**	861.70	**-33**	176.70	**1,038.40**

---

34 444 979 **NEW**

Shower thermostat for wall mounting
- with volume control
- with FlowReduce function
- slide-on rosettes Ø 70 mm
- 3/8“ shower outlet
- 1/2“ connection
- gauge 150 mm - 13 mm

Notes:
- inherently safe from back flow

Fits MEM, IMO, META, TARA, VAIA, LULU, LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **34 444 979** FF	FF	Euro
Chrome	**-00**	736.60
Brushed Chrome	**-93**	957.60
Platinum	**-08**	1,178.50
Brushed Platinum	**-06**	1,178.50
Champagne (22kt Gold)	**-47**	1,767.80
Brushed Champagne (22kt Gold)	**-46**	1,767.80
Brushed Durabrass (23kt Gold)	**-28**	1,767.80
Brushed Dark Brass (PVD)	**-39**	1,178.50
Brushed Bronze (PVD)	**-42**	1,178.50
Brushed Dark Bronze (PVD)	**-43**	1,325.90
Dark Chrome	**-19**	1,104.90
Brushed Dark Platinum	**-99**	1,325.80
Matte Black	**-33**	994.40

---

36 060 660

Concealed single-lever mixer with cover plate
- cover plate Ø 78 mm

Fits META, TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **36 060 660** FF	FF	Euro
Chrome	**-00**	389.20
Brushed Chrome	**-93**	505.90
Platinum	**-08**	622.50
Brushed Platinum	**-06**	622.50
Champagne (22kt Gold)	**-47**	934.10
Brushed Champagne (22kt Gold)	**-46**	934.10
Brushed Durabrass (23kt Gold)	**-28**	934.10
Brushed Dark Brass (PVD)	**-39**	622.80
Brushed Bronze (PVD)	**-42**	622.80
Brushed Dark Bronze (PVD)	**-43**	700.60
Dark Chrome	**-19**	583.90
Brushed Dark Platinum	**-99**	701.10
Matte Black	**-33**	525.60

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 046 660

Concealed single-lever mixer with cover plate with integrated shower connection
- cover plate Ø 80 mm

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 046 660** FF	FF	Euro
Chrome		**-00**	490.70
Brushed Chrome		**-93**	637.90
Platinum		**-08**	785.10
Brushed Platinum		**-06**	785.10
Champagne (22kt Gold)		**-47**	1,177.70
Brushed Champagne (22kt Gold)		**-46**	1,177.70
Brushed Durabrass (23kt Gold)		**-28**	1,177.70
Brushed Dark Brass (PVD)		**-39**	785.10
Brushed Bronze (PVD)		**-42**	785.10
Brushed Dark Bronze (PVD)		**-43**	883.30
Dark Chrome		**-19**	735.90
Brushed Dark Platinum		**-99**	883.20
Matte Black		**-33**	662.40

Required miscellaneous

Concealed wall mounting

	35 050 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	336.80

For details and miscellaneous, see page 728

36 120 660

Concealed single-lever mixer with diverter
- automatic diverter
- cover plate Ø 150 mm

Fits META, TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 120 660** FF	FF	Euro
Chrome		**-00**	587.30
Brushed Chrome		**-93**	763.50
Platinum		**-08**	939.60
Brushed Platinum		**-06**	939.30
Champagne (22kt Gold)		**-47**	1,409.50
Brushed Champagne (22kt Gold)		**-46**	1,409.50
Brushed Durabrass (23kt Gold)		**-28**	1,409.50
Brushed Dark Brass (PVD)		**-39**	939.60
Brushed Bronze (PVD)		**-42**	939.60
Brushed Dark Bronze (PVD)		**-43**	1,057.10
Dark Chrome		**-19**	881.10
Brushed Dark Platinum		**-99**	1,057.10
Matte Black		**-33**	793.30

Required miscellaneous

Concealed single-lever mixer

	35 020 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	248.70

For details and miscellaneous, see page 729

Required miscellaneous

Concealed single-lever mixer with backflow preventor

	35 021 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm	Concealed rough parts	**90**	355.40

For details and miscellaneous, see page 729

36 425 892

Concealed thermostat with one function volume control
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 425 892** FF	FF	Euro
Chrome		**-00**	707.60
Brushed Chrome		**-93**	920.00
Platinum		**-08**	1,132.30
Brushed Platinum		**-06**	1,132.30
Champagne (22kt Gold)		**-47**	1,698.20
Brushed Champagne (22kt Gold)		**-46**	1,698.20
Brushed Durabrass (23kt Gold)		**-28**	1,698.20
Brushed Dark Brass (PVD)		**-39**	1,132.20
Brushed Bronze (PVD)		**-42**	1,132.20
Brushed Dark Bronze (PVD)		**-43**	1,273.70
Dark Chrome		**-19**	1,061.60
Brushed Dark Platinum		**-99**	1,273.90
Matte Black		**-33**	955.50

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	457.60

For details and miscellaneous, see page 729

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	480.60

For details and miscellaneous, see page 729

36 426 892

Concealed thermostat with two function volume control
- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 426 892** FF	FF	Euro
Chrome		**-00**	840.90
Brushed Chrome		**-93**	1,093.30
Platinum		**-08**	1,345.70
Brushed Platinum		**-06**	1,345.70
Champagne (22kt Gold)		**-47**	2,018.20
Brushed Champagne (22kt Gold)		**-46**	2,018.20
Brushed Durabrass (23kt Gold)		**-28**	2,018.20
Brushed Dark Brass (PVD)		**-39**	1,345.60
Brushed Bronze (PVD)		**-42**	1,345.60
Brushed Dark Bronze (PVD)		**-43**	1,513.60
Dark Chrome		**-19**	1,261.70
Brushed Dark Platinum		**-99**	1,513.90
Matte Black		**-33**	1,135.40

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	480.60

For details and miscellaneous, see page 729

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm	Concealed rough parts	**90**	457.60

For details and miscellaneous, see page 729

36 427 892

Concealed thermostat with three function volume control
- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 427 892** FF	FF	Euro
Chrome		**-00**	877.50
Brushed Chrome		**-93**	1,140.80
Platinum		**-08**	1,404.10
Brushed Platinum		**-06**	1,404.10
Champagne (22kt Gold)		**-47**	2,106.00
Brushed Champagne (22kt Gold)		**-46**	2,106.00
Brushed Durabrass (23kt Gold)		**-28**	2,106.00
Brushed Dark Brass (PVD)		**-39**	1,404.00
Brushed Bronze (PVD)		**-42**	1,404.10
Brushed Dark Bronze (PVD)		**-43**	1,579.50
Dark Chrome		**-19**	1,316.50
Brushed Dark Platinum		**-99**	1,579.60
Matte Black		**-33**	1,184.80

Required miscellaneous

Concealed thermostat

	35 427 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	479.40

Required miscellaneous

Concealed thermostat with built-in isolators

	35 428 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	503.00

36 503 892 +
36 607 892

xTOOL Thermostat module with 1 valve
- cover plate Ø 123 mm
- rosette Ø 60 mm
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 892** FF FF	Euro	1x **36 607 892** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,193.10	**-00**	209.00	**1,402.10**
Brushed Chrome	**-93**	1,551.10	**-93**	271.50	**1,822.60**
Platinum	**-08**	1,909.10	**-08**	334.80	**2,243.90**
Brushed Platinum	**-06**	1,909.10	**-06**	334.80	**2,243.90**
Champagne (22kt Gold)	**-47**	2,863.40	**-47**	501.60	**3,365.00**
Brushed Champagne (22kt Gold)	**-46**	2,863.40	**-46**	501.60	**3,365.00**
Brushed Durabrass (23kt Gold)	**-28**	2,863.40	**-28**	501.60	**3,365.00**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	334.30	**2,243.30**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	334.30	**2,243.40**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	376.20	**2,523.80**
Dark Chrome	**-19**	1,789.60	**-19**	313.40	**2,103.00**
Brushed Dark Platinum	**-99**	2,147.70	**-99**	376.20	**2,523.90**
Matte Black	**-33**	1,610.80	**-33**	282.30	**1,893.10**

Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

	35 511 970 FF	FF	Euro
• min. recess depth 95 mm • max. recess depth 160 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	743.70

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	118.70

36 503 892 +
2x **36 607 892**

xTOOL Thermostat module with 2 valves
- cover plate Ø 123 mm
- rosette Ø 55 mm
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 892** FF FF	Euro	2x **36 607 892** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,193.10	**-00**	209.00	**1,611.10**
Brushed Chrome	**-93**	1,551.10	**-93**	271.50	**2,094.10**
Platinum	**-08**	1,909.10	**-08**	334.80	**2,578.70**
Brushed Platinum	**-06**	1,909.10	**-06**	334.80	**2,578.70**
Champagne (22kt Gold)	**-47**	2,863.40	**-47**	501.60	**3,866.60**
Brushed Champagne (22kt Gold)	**-46**	2,863.40	**-46**	501.60	**3,866.60**
Brushed Durabrass (23kt Gold)	**-28**	2,863.40	**-28**	501.60	**3,866.60**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	334.30	**2,577.60**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	334.30	**2,577.70**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	376.20	**2,900.00**
Dark Chrome	**-19**	1,789.60	**-19**	313.40	**2,416.40**
Brushed Dark Platinum	**-99**	2,147.70	**-99**	376.20	**2,900.10**
Matte Black	**-33**	1,610.80	**-33**	282.30	**2,175.40**

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF

	FF	Euro
Concealed rough parts	**90**	1,239.70

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF

	FF	Euro
Concealed rough parts	**90**	1,226.10

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

	FF	Euro
Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

	FF	Euro
Concealed rough parts	**90**	118.70

For details and miscellaneous, see page 743

36 503 892 +
3x **36 607 892**

xTOOL Thermostat module with 3 valves
- cover plate Ø 123 mm
- rosette Ø 55 mm
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 892** FF FF	1x **36 503 892** FF Euro	3x **36 607 892** FF FF	3x **36 607 892** FF Euro	**Total price:** Euro
Chrome	**-00**	1,193.10	**-00**	209.00	**1,820.10**
Brushed Chrome	**-93**	1,551.10	**-93**	271.50	**2,365.60**
Platinum	**-08**	1,909.10	**-08**	334.80	**2,913.50**
Brushed Platinum	**-06**	1,909.10	**-06**	334.80	**2,913.50**
Champagne (22kt Gold)	**-47**	2,863.40	**-47**	501.60	**4,368.20**
Brushed Champagne (22kt Gold)	**-46**	2,863.40	**-46**	501.60	**4,368.20**
Brushed Durabrass (23kt Gold)	**-28**	2,863.40	**-28**	501.60	**4,368.20**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	334.30	**2,911.90**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	334.30	**2,912.00**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	376.20	**3,276.20**
Dark Chrome	**-19**	1,789.60	**-19**	313.40	**2,729.80**
Brushed Dark Platinum	**-99**	2,147.70	**-99**	376.20	**3,276.30**
Matte Black	**-33**	1,610.80	**-33**	282.30	**2,457.70**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

- min. recess depth 95 mm
- max. recess depth 160 mm

Concealed rough parts | FF **90** | Euro 1,332.30

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

- min. recess depth 95 mm
- max. recess depth 160 mm

Concealed rough parts | FF **90** | Euro 1,443.30

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 892

xTOOL Concealed thermostat without volume control 3/4“
- cover plate Ø 123 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 503 892** FF	FF	Euro
Chrome		**-00**	1,193.10
Brushed Chrome		**-93**	1,551.10
Platinum		**-08**	1,909.10
Brushed Platinum		**-06**	1,909.10
Champagne (22kt Gold)		**-47**	2,863.40
Brushed Champagne (22kt Gold)		**-46**	2,863.40
Brushed Durabrass (23kt Gold)		**-28**	2,863.40
Brushed Dark Brass (PVD)		**-39**	1,909.00
Brushed Bronze (PVD)		**-42**	1,909.10
Brushed Dark Bronze (PVD)		**-43**	2,147.60
Dark Chrome		**-19**	1,789.60
Brushed Dark Platinum		**-99**	2,147.70
Matte Black		**-33**	1,610.80

Required miscellaneous

xTOOL Concealed thermostat module without volume control

	35 503 970 FF	FF	Euro
• min. recess depth 95 mm • max. recess depth 160 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	907.90

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

36 607 892

Wall valve clockwise closing 1/2“
- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 892** FF	FF	Euro
Chrome		**-00**	209.00
Brushed Chrome		**-93**	271.50
Platinum		**-08**	334.80
Brushed Platinum		**-06**	334.80
Champagne (22kt Gold)		**-47**	501.60
Brushed Champagne (22kt Gold)		**-46**	501.60
Brushed Durabrass (23kt Gold)		**-28**	501.60
Brushed Dark Brass (PVD)		**-39**	334.30
Brushed Bronze (PVD)		**-42**	334.30
Brushed Dark Bronze (PVD)		**-43**	376.20
Dark Chrome		**-19**	313.40
Brushed Dark Platinum		**-99**	376.20
Matte Black		**-33**	282.30

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm For details and miscellaneous, see page 732	Concealed rough parts	**90**	95.40

36 607 882

Wall valve clockwise closing 1/2“
- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

Fits TARA

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 882** FF	FF	Euro
Chrome		**-00**	238.80
Brushed Chrome		**-93**	310.50
Platinum		**-08**	382.30
Brushed Platinum		**-06**	382.30
Champagne (22kt Gold)		**-47**	573.10
Brushed Champagne (22kt Gold)		**-46**	573.10
Brushed Durabrass (23kt Gold)		**-28**	573.10
Brushed Dark Brass (PVD)		**-39**	382.10
Brushed Bronze (PVD)		**-42**	382.10
Brushed Dark Bronze (PVD)		**-43**	429.80
Dark Chrome		**-19**	358.40
Brushed Dark Platinum		**-99**	430.00
Matte Black		**-33**	323.00

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

36 608 892

Wall valve clockwise closing 3/4“
- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 892** FF	FF	Euro
Chrome		**-00**	209.00
Brushed Chrome		**-93**	271.50
Platinum		**-08**	334.80
Brushed Platinum		**-06**	334.80
Champagne (22kt Gold)		**-47**	501.60
Brushed Champagne (22kt Gold)		**-46**	501.60
Brushed Durabrass (23kt Gold)		**-28**	501.60
Brushed Dark Brass (PVD)		**-39**	334.30
Brushed Bronze (PVD)		**-42**	334.30
Brushed Dark Bronze (PVD)		**-43**	376.20
Dark Chrome		**-19**	313.40
Brushed Dark Platinum		**-99**	376.20
Matte Black		**-33**	282.30

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	125.20

For details and miscellaneous, see page 732

36 608 882

Wall valve clockwise closing 3/4“
- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

Fits TARA

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 882** FF	FF	Euro
Chrome		**-00**	238.80
Brushed Chrome		**-93**	310.50
Platinum		**-08**	382.30
Brushed Platinum		**-06**	382.30
Champagne (22kt Gold)		**-47**	573.10
Brushed Champagne (22kt Gold)		**-46**	573.10
Brushed Durabrass (23kt Gold)		**-28**	573.10
Brushed Dark Brass (PVD)		**-39**	382.10
Brushed Bronze (PVD)		**-42**	382.10
Brushed Dark Bronze (PVD)		**-43**	429.80
Dark Chrome		**-19**	358.40
Brushed Dark Platinum		**-99**	430.00
Matte Black		**-33**	323.00

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	125.20

For details and miscellaneous, see page 732

20 000 892

Deck valve clockwise closing cold or hot
- hole diameter 32 mm
- rosette Ø 55 mm

Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	20 000 892 FF	FF	Euro
Chrome		-00	236.30
Brushed Chrome		-93	307.00
Platinum		-08	377.70
Brushed Platinum		-06	377.70
Champagne (22kt Gold)		-47	567.10
Brushed Champagne (22kt Gold)		-46	567.10
Brushed Durabrass (23kt Gold)		-28	567.10
Brushed Dark Brass (PVD)		-39	377.90
Brushed Bronze (PVD)		-42	378.00
Brushed Dark Bronze (PVD)		-43	425.30
Dark Chrome		-19	354.20
Brushed Dark Platinum		-99	424.70
Matte Black		-33	318.70

36 200 882

Concealed two-way diverter
- rotary diverter
- rosette 60 mm

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 200 882 FF	FF	Euro
Chrome		-00	574.60
Brushed Chrome		-93	747.00
Platinum		-08	919.70
Brushed Platinum		-06	919.70
Champagne (22kt Gold)		-47	1,379.00
Brushed Champagne (22kt Gold)		-46	1,379.00
Brushed Durabrass (23kt Gold)		-28	1,379.00
Brushed Dark Brass (PVD)		-39	919.40
Brushed Bronze (PVD)		-42	919.40
Brushed Dark Bronze (PVD)		-43	1,034.30
Dark Chrome		-19	862.10
Brushed Dark Platinum		-99	1,034.60
Matte Black		-33	775.80

Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	90	310.70

For details and miscellaneous, see page 732

36 200 892

Concealed two-way diverter
- rotary diverter
- rosette 60 mm

Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	36 200 892 FF	FF	Euro
Chrome		-00	497.30
Brushed Chrome		-93	646.40
Platinum		-08	795.80
Brushed Platinum		-06	795.80
Champagne (22kt Gold)		-47	1,193.50
Brushed Champagne (22kt Gold)		-46	1,193.50
Brushed Durabrass (23kt Gold)		-28	1,193.50
Brushed Dark Brass (PVD)		-39	795.70
Brushed Bronze (PVD)		-42	795.70
Brushed Dark Bronze (PVD)		-43	895.10
Dark Chrome		-19	745.90
Brushed Dark Platinum		-99	895.10
Matte Black		-33	671.50

Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	90	310.70

For details and miscellaneous, see page 732

36 210 882

Concealed three-way diverter
- rotary diverter
- rosette 60 mm

Fits TARA

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 210 882** FF	FF	Euro
Chrome		**-00**	574.60
Brushed Chrome		**-93**	747.00
Platinum		**-08**	919.70
Brushed Platinum		**-06**	919.70
Champagne (22kt Gold)		**-47**	1,379.00
Brushed Champagne (22kt Gold)		**-46**	1,379.00
Brushed Durabrass (23kt Gold)		**-28**	1,379.00
Brushed Dark Brass (PVD)		**-39**	919.40
Brushed Bronze (PVD)		**-42**	919.40
Brushed Dark Bronze (PVD)		**-43**	1,034.30
Dark Chrome		**-19**	862.10
Brushed Dark Platinum		**-99**	1,034.60
Matte Black		**-33**	775.80

Required miscellaneous

Concealed three-way diverter

	35 203 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	378.40

For details and miscellaneous, see page 732

25 863 661

Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set
- spout: circular, air-enriched flow
- max. flow 19.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- pivotable spout 360°
- **281mm projection**
- wall bracket
- automatic bath/shower diverter
- total height 1031 - 1101 mm
- stand pipe height 565 - 635 mm
- height up to aerator 899 – 969 mm
- slide-on rosettes Ø 135 mm
- metal shower hose 1250mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 863 661** FF	FF	Euro
Chrome		**-00**	3,482.10
Brushed Chrome		**-93**	4,526.90
Brushed Platinum		**-06**	5,571.60
Champagne (22kt Gold)		**-47**	8,357.00
Brushed Champagne (22kt Gold)		**-46**	8,357.00
Brushed Durabrass (23kt Gold)		**-28**	8,357.00
Brushed Dark Brass (PVD)		**-39**	5,571.30
Brushed Bronze (PVD)		**-42**	5,571.40
Brushed Dark Bronze (PVD)		**-43**	6,267.80
Dark Chrome		**-19**	5,223.20
Brushed Dark Platinum		**-99**	6,268.00
Matte Black		**-33**	4,701.90

Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 150 mm	Concealed rough parts	**90**	882.10

For details and miscellaneous, see page 732

25 943 892

Two-hole bath mixer for free-standing assembly with hand shower set
- **220mm projection**
- pivotable spout 180°
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- spout: circular, air-enriched flow
- hand shower with anti-scale system
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 765 mm
- slide-on rosettes Ø 90 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot
- max. flow 22 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 943 892** FF	FF	Euro
Chrome		**-00**	4,049.00
Brushed Chrome		**-93**	5,263.80
Platinum		**-08**	6,478.30
Brushed Platinum		**-06**	6,478.30
Champagne (22kt Gold)		**-47**	9,717.60
Brushed Champagne (22kt Gold)		**-46**	9,717.60
Brushed Durabrass (23kt Gold)		**-28**	9,717.60
Brushed Dark Brass (PVD)		**-39**	6,478.40
Brushed Bronze (PVD)		**-42**	6,478.50
Brushed Dark Bronze (PVD)		**-43**	7,288.20
Dark Chrome		**-19**	6,073.50
Brushed Dark Platinum		**-99**	7,287.90
Matte Black		**-33**	5,465.90

Required miscellaneous

Concealed floor mounting

	35 944 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 160 mm	Concealed rough parts	**90**	564.80

For details and miscellaneous, see page 732

25 943 882

Two-hole bath mixer for free-standing assembly with hand shower set
- **220mm projection**
- pivotable spout 180°
- spout: circular, air-enriched flow
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- hand shower with anti-scale system
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 765 mm
- slide-on rosettes Ø 90 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot
- max. flow 22 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 943 882** FF	FF	Euro
Chrome		**-00**	4,409.50
Brushed Chrome		**-93**	5,732.40
Platinum		**-08**	7,055.10
Brushed Platinum		**-06**	7,055.10
Champagne (22kt Gold)		**-47**	10,582.80
Brushed Champagne (22kt Gold)		**-46**	10,582.80
Brushed Durabrass (23kt Gold)		**-28**	10,582.80
Brushed Dark Brass (PVD)		**-39**	7,055.20
Brushed Bronze (PVD)		**-42**	7,055.30
Brushed Dark Bronze (PVD)		**-43**	7,937.10
Dark Chrome		**-19**	6,614.50
Brushed Dark Platinum		**-99**	7,937.40
Matte Black		**-33**	5,952.90

Required miscellaneous

Concealed floor mounting

	35 944 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 160 mm	Concealed rough parts	**90**	564.80

For details and miscellaneous, see page 732

25 133 892

Bath mixer for wall mounting with hand shower set

- spout: circular, air-enriched flow
- max. flow 22 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **240mm projection**
- rotary diverter for bath/shower
- slide-on rosettes Ø 65 mm
- rosette for shower holder Ø 50mm
- 1/2“ connection
- gauge 150 mm - 15 mm
- metal shower hose 1250mm with integrated anti-twist protection

Intrinsic protection against back flow.

Stand pipes combination possible on request (special production).

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 133 892** FF	FF	Euro
Chrome		**-00**	1,581.20
Brushed Chrome		**-93**	2,055.50
Platinum		**-08**	2,530.50
Brushed Platinum		**-06**	2,530.50
Champagne (22kt Gold)		**-47**	3,794.90
Brushed Champagne (22kt Gold)		**-46**	3,794.90
Brushed Durabrass (23kt Gold)		**-28**	3,794.90
Brushed Dark Brass (PVD)		**-39**	2,529.90
Brushed Bronze (PVD)		**-42**	2,529.90
Brushed Dark Bronze (PVD)		**-43**	2,846.20
Dark Chrome		**-19**	2,371.70
Brushed Dark Platinum		**-99**	2,846.30
Matte Black		**-33**	2,134.90

25 133 882

Bath mixer for wall mounting with hand shower set

- spout: circular, air-enriched flow
- max. flow 22 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **240mm projection**
- rotary diverter for bath/shower
- slide-on rosettes Ø 65 mm
- rosette for shower holder Ø 50mm
- 1/2“ connection
- gauge 150 mm - 15 mm
- metal shower hose 1250mm with integrated anti-twist protection

Intrinsic protection against back flow.

Stand pipes combination possible on request (special production).

Custom-made options

- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 133 882** FF	FF	Euro
Chrome		**-00**	1,730.30
Brushed Chrome		**-93**	2,249.40
Platinum		**-08**	2,768.00
Brushed Platinum		**-06**	2,768.00
Champagne (22kt Gold)		**-47**	4,152.70
Brushed Champagne (22kt Gold)		**-46**	4,152.70
Brushed Durabrass (23kt Gold)		**-28**	4,152.70
Brushed Dark Brass (PVD)		**-39**	2,768.40
Brushed Bronze (PVD)		**-42**	2,768.40
Brushed Dark Bronze (PVD)		**-43**	3,114.50
Dark Chrome		**-19**	2,595.50
Brushed Dark Platinum		**-99**	3,114.30
Matte Black		**-33**	2,335.20

27 512 892

Bath shower set for bath rim or tile edge installation
- spout: circular, air-enriched flow
- max. flow 23.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **220mm projection**
- automatic bath/shower diverter
- height of mixer 290 mm
- height up to aerator 135 mm
- hole diameter spout 32 mm
- hole diameter valve 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 55mm
- rosette for complete hand shower set Ø 50mm
- rosette for deck valve Ø 55mm
- metal shower hose 2250mm with integrated anti-twist protection

Also available with 260 mm or 300 mm projection on request (x-TRA SERVICE).

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 512 892** FF	FF	Euro
Chrome		**-00**	2,280.30
Brushed Chrome		**-93**	2,964.30
Platinum		**-08**	3,648.30
Brushed Platinum		**-06**	3,648.30
Champagne (22kt Gold)		**-47**	5,472.70
Brushed Champagne (22kt Gold)		**-46**	5,472.70
Brushed Durabrass (23kt Gold)		**-28**	5,472.70
Brushed Dark Brass (PVD)		**-39**	3,648.30
Brushed Bronze (PVD)		**-42**	3,648.40
Brushed Dark Bronze (PVD)		**-43**	4,104.50
Dark Chrome		**-19**	3,420.50
Brushed Dark Platinum		**-99**	4,104.50
Matte Black		**-33**	3,078.20

Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	1,883.80

Recommended miscellaneous

Decorative caps for Perfecto

- 1 pair

	12 801 970 FF	FF	Euro
	Chrome	**-00**	58.30
	Brushed Chrome	**-93**	75.70
	Platinum	**-08**	93.50
	Brushed Platinum	**-06**	93.50
	Champagne (22kt Gold)	**-47**	139.90
	Brushed Champagne (22kt Gold)	**-46**	139.90
	Brushed Durabrass (23kt Gold)	**-28**	139.90
	Brushed Dark Brass (PVD)	**-39**	93.20
	Brushed Bronze (PVD)	**-42**	93.20
	Brushed Dark Bronze (PVD)	**-43**	104.90
	Dark Chrome	**-19**	87.60
	Brushed Dark Platinum	**-99**	104.80
	Matte Black	**-33**	79.10

27 512 882

Bath shower set for bath rim or tile edge installation
- spout: circular, air-enriched flow
- max. flow 23.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **220mm projection**
- with anti-scale system
- automatic bath/shower diverter
- height of mixer 290 mm
- height up to aerator 135 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 55mm
- rosette for complete hand shower set Ø 50mm
- rosette for deck valve Ø 55mm
- metal shower hose 1750mm with integrated anti-twist protection

Available with 260 mm or 300 mm projection on request (x-TRA SERVICE).

Intrinsic protection against back flow.

Custom-made options
- Atelier Adapter: Design your own individual handle. See chapter Atelier.
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 512 882** FF	FF	Euro
Chrome		**-00**	2,444.00
Brushed Chrome		**-93**	3,177.20
Platinum		**-08**	3,910.50
Brushed Platinum		**-06**	3,910.50
Champagne (22kt Gold)		**-47**	5,865.60
Brushed Champagne (22kt Gold)		**-46**	5,865.60
Brushed Durabrass (23kt Gold)		**-28**	5,865.60
Brushed Dark Brass (PVD)		**-39**	3,910.40
Brushed Bronze (PVD)		**-42**	3,910.40
Brushed Dark Bronze (PVD)		**-43**	4,399.20
Dark Chrome		**-19**	3,666.10
Brushed Dark Platinum		**-99**	4,399.00
Matte Black		**-33**	3,299.50

Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	1,883.80

Recommended miscellaneous

Decorative caps for Perfecto

- 1 pair

	12 801 970 FF	FF	Euro
	Chrome	**-00**	58.30
	Platinum	**-08**	93.50
	Brushed Platinum	**-06**	93.50
	Champagne (22kt Gold)	**-47**	139.90
	Brushed Champagne (22kt Gold)	**-46**	139.90
	Brushed Durabrass (23kt Gold)	**-28**	139.90
	Brushed Dark Brass (PVD)	**-39**	93.20
	Brushed Bronze (PVD)	**-42**	93.20
	Dark Chrome	**-19**	87.60
	Brushed Dark Platinum	**-99**	104.80
	Matte Black	**-33**	79.10

13 801 892

Bath spout for wall mounting
- **200mm projection**
- circular normal flow
- rosette Ø 55 mm
- hole diameter 37 mm
- 1/2“ connection
- max. flow 29 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 801 892** FF	FF	Euro
Chrome		**-00**	656.30
Brushed Chrome		**-93**	853.20
Platinum		**-08**	1,050.00
Brushed Platinum		**-06**	1,050.00
Champagne (22kt Gold)		**-47**	1,575.10
Brushed Champagne (22kt Gold)		**-46**	1,575.10
Brushed Durabrass (23kt Gold)		**-28**	1,575.10
Brushed Dark Brass (PVD)		**-39**	1,050.00
Brushed Bronze (PVD)		**-42**	1,049.90
Brushed Dark Bronze (PVD)		**-43**	1,181.30
Dark Chrome		**-19**	984.30
Brushed Dark Platinum		**-99**	1,181.40
Matte Black		**-33**	885.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm For details and miscellaneous, see page 732	Concealed rough parts	**90**	128.90

27 702 979

Hand shower set for bath rim or tile edge installation
- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 50 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 702 979** FF	FF	Euro
Chrome		**-00**	609.70
Brushed Chrome		**-93**	792.60
Platinum		**-08**	975.50
Brushed Platinum		**-06**	975.50
Champagne (22kt Gold)		**-47**	1,463.30
Brushed Champagne (22kt Gold)		**-46**	1,463.30
Durabrass (23kt Gold)		**-09**	1,463.30
Brushed Durabrass (23kt Gold)		**-28**	1,463.30
Brushed Dark Brass (PVD)		**-39**	975.70
Brushed Bronze (PVD)		**-42**	975.60
Brushed Dark Bronze (PVD)		**-43**	1,097.50
Dark Chrome		**-19**	914.70
Brushed Dark Platinum		**-99**	1,097.60
Matte Black		**-33**	823.10

29 140 979

Two-way diverter for bath rim or tile edge installation
- automatic bath/shower diverter
- hole diameter 32 mm
- rosette Ø 50 mm
- 1/2“ connection
- max. flow 64.9 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**29 140 979** FF	FF	Euro
Chrome		**-00**	837.30
Brushed Chrome		**-93**	1,088.40
Platinum		**-08**	1,339.50
Brushed Platinum		**-06**	1,339.50
Champagne (22kt Gold)		**-47**	2,009.50
Brushed Champagne (22kt Gold)		**-46**	2,009.50
Brushed Durabrass (23kt Gold)		**-28**	2,009.50
Brushed Dark Brass (PVD)		**-39**	1,339.70
Brushed Bronze (PVD)		**-42**	1,339.70
Brushed Dark Bronze (PVD)		**-43**	1,507.10
Dark Chrome		**-19**	1,255.90
Brushed Dark Platinum		**-99**	1,507.00
Matte Black		**-33**	1,130.20

29 140 892

Two-way diverter for bath rim or tile edge installation
- automatic bath/shower diverter
- hole diameter 32 mm
- rosette Ø 55 mm
- 1/2“ connection
- max. flow 64.9 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**29 140 892** FF	FF	Euro
Chrome		**-00**	843.20
Brushed Chrome		**-93**	1,096.10
Platinum		**-08**	1,348.90
Brushed Platinum		**-06**	1,348.90
Champagne (22kt Gold)		**-47**	2,023.70
Brushed Champagne (22kt Gold)		**-46**	2,023.70
Brushed Durabrass (23kt Gold)		**-28**	2,023.70
Brushed Dark Brass (PVD)		**-39**	1,349.00
Brushed Bronze (PVD)		**-42**	1,349.00
Brushed Dark Bronze (PVD)		**-43**	1,517.80
Dark Chrome		**-19**	1,264.70
Brushed Dark Platinum		**-99**	1,517.50
Matte Black		**-33**	1,138.20

36 243 970

Pop-up waste and overflow
- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 243 970** FF	FF	Euro
Chrome		**-00**	232.10
Brushed Chrome		**-93**	301.80
Platinum		**-08**	371.60
Brushed Platinum		**-06**	371.60
Champagne (22kt Gold)		**-47**	557.00
Brushed Champagne (22kt Gold)		**-46**	557.00
Durabrass (23kt Gold)		**-09**	557.00
Brushed Durabrass (23kt Gold)		**-28**	557.00
Brushed Dark Brass (PVD)		**-39**	371.40
Brushed Bronze (PVD)		**-42**	371.30
Brushed Dark Bronze (PVD)		**-43**	417.80
Dark Chrome		**-19**	348.30
Brushed Dark Platinum		**-99**	417.70
Matte Black		**-33**	313.60

Required miscellaneous

Pop-up waste and overflow

	35 227 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	188.20

36 247 970

Bath spout with pop-up waste and overflow
- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 247 970** FF	FF	Euro
Chrome		**-00**	351.10
Brushed Chrome		**-93**	456.50
Platinum		**-08**	561.90
Brushed Platinum		**-06**	561.90
Champagne (22kt Gold)		**-47**	842.60
Brushed Champagne (22kt Gold)		**-46**	842.60
Durabrass (23kt Gold)		**-09**	842.60
Brushed Durabrass (23kt Gold)		**-28**	842.60
Brushed Dark Brass (PVD)		**-39**	561.90
Brushed Bronze (PVD)		**-42**	561.90
Brushed Dark Bronze (PVD)		**-43**	632.00
Dark Chrome		**-19**	526.80
Brushed Dark Platinum		**-99**	631.90
Matte Black		**-33**	473.90

Required miscellaneous

Vacuum breaker

	36 150 970 FF	FF	Euro
	Chrome	**-00**	96.30
	Brushed Chrome	**-93**	125.30
	Platinum	**-08**	154.00
	Brushed Platinum	**-06**	154.00
	Champagne (22kt Gold)	**-47**	231.10
	Brushed Champagne (22kt Gold)	**-46**	231.10
	Durabrass (23kt Gold)	**-09**	231.10
	Brushed Durabrass (23kt Gold)	**-28**	231.10
	Brushed Dark Brass (PVD)	**-39**	154.00
	Brushed Bronze (PVD)	**-42**	154.10
	Brushed Dark Bronze (PVD)	**-43**	173.10
	Dark Chrome	**-19**	144.40
	Brushed Dark Platinum	**-99**	173.10
	Matte Black	**-33**	130.10

Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	518.30

83 030 892

Bath grip
- gauge 300 mm
- width 355mm
- height 55 mm
- rosette Ø 55 mm
- 80mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 030 892 FF	FF	Euro
Chrome		-00	391.40
Brushed Chrome		-93	508.70
Platinum		-08	626.10
Brushed Platinum		-06	626.10
Champagne (22kt Gold)		-47	939.40
Brushed Champagne (22kt Gold)		-46	939.40
Brushed Durabrass (23kt Gold)		-28	939.40
Brushed Dark Brass (PVD)		-39	626.20
Brushed Bronze (PVD)		-42	626.30
Brushed Dark Bronze (PVD)		-43	704.50
Dark Chrome		-19	587.10
Brushed Dark Platinum		-99	704.40
Matte Black		-33	528.50

83 045 892

Towel bar
- gauge 450 mm
- width 505mm
- height 55 mm
- rosette Ø 55 mm
- 81mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 045 892 FF	FF	Euro
Chrome		-00	409.10
Brushed Chrome		-93	531.90
Platinum		-08	654.80
Brushed Platinum		-06	654.80
Champagne (22kt Gold)		-47	981.80
Brushed Champagne (22kt Gold)		-46	981.80
Brushed Durabrass (23kt Gold)		-28	981.80
Brushed Dark Brass (PVD)		-39	654.70
Brushed Bronze (PVD)		-42	654.70
Brushed Dark Bronze (PVD)		-43	736.40
Dark Chrome		-19	613.60
Brushed Dark Platinum		-99	736.20
Matte Black		-33	552.30

83 060 892

Towel bar
- gauge 600 mm
- width 655mm
- height 55 mm
- rosette Ø 55 mm
- 81mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 060 892 FF	FF	Euro
Chrome		-00	422.00
Brushed Chrome		-93	548.50
Platinum		-08	674.90
Brushed Platinum		-06	674.90
Champagne (22kt Gold)		-47	1,012.80
Brushed Champagne (22kt Gold)		-46	1,012.80
Brushed Durabrass (23kt Gold)		-28	1,012.80
Brushed Dark Brass (PVD)		-39	675.20
Brushed Bronze (PVD)		-42	675.00
Brushed Dark Bronze (PVD)		-43	759.60
Dark Chrome		-19	633.20
Brushed Dark Platinum		-99	759.70
Matte Black		-33	569.70

83 080 892

Towel bar
- gauge 800 mm
- width 855mm
- height 55 mm
- rosette Ø 55 mm
- 81mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 080 892 FF	FF	Euro
Chrome		-00	445.70
Brushed Chrome		-93	579.40
Platinum		-08	713.00
Brushed Platinum		-06	713.00
Champagne (22kt Gold)		-47	1,069.70
Brushed Champagne (22kt Gold)		-46	1,069.70
Brushed Durabrass (23kt Gold)		-28	1,069.70
Brushed Dark Brass (PVD)		-39	713.20
Brushed Bronze (PVD)		-42	713.10
Brushed Dark Bronze (PVD)		-43	802.30
Dark Chrome		-19	668.40
Brushed Dark Platinum		-99	802.30
Matte Black		-33	601.50

83 211 892

Towel bar 1-piece non-swivel
- rosette Ø 55 mm
- 445mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 211 892 FF	FF	Euro
Chrome		-00	254.60
Brushed Chrome		-93	331.00
Platinum		-08	407.60
Brushed Platinum		-06	407.60
Champagne (22kt Gold)		-47	611.00
Brushed Champagne (22kt Gold)		-46	611.00
Brushed Durabrass (23kt Gold)		-28	611.00
Brushed Dark Brass (PVD)		-39	407.30
Brushed Bronze (PVD)		-42	407.40
Brushed Dark Bronze (PVD)		-43	458.30
Dark Chrome		-19	381.90
Brushed Dark Platinum		-99	458.40
Matte Black		-33	343.80

83 200 892

Towel ring round
- width 185mm
- rosette Ø 55 mm
- 80mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 200 892 FF	FF	Euro
Chrome		-00	247.40
Brushed Chrome		-93	321.50
Platinum		-08	395.90
Brushed Platinum		-06	395.90
Champagne (22kt Gold)		-47	593.80
Brushed Champagne (22kt Gold)		-46	593.80
Brushed Durabrass (23kt Gold)		-28	593.80
Brushed Dark Brass (PVD)		-39	395.70
Brushed Bronze (PVD)		-42	395.70
Brushed Dark Bronze (PVD)		-43	445.30
Dark Chrome		-19	371.00
Brushed Dark Platinum		-99	445.10
Matte Black		-33	334.00

83 251 892

Hooks
- width 70mm
- rosette Ø 55 mm
- 64mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 251 892 FF	FF	Euro
Chrome		-00	100.50
Brushed Chrome		-93	130.60
Platinum		-08	160.90
Brushed Platinum		-06	160.90
Champagne (22kt Gold)		-47	241.20
Brushed Champagne (22kt Gold)		-46	241.20
Durabrass (23kt Gold)		-09	241.20
Brushed Durabrass (23kt Gold)		-28	241.20
Brushed Dark Brass (PVD)		-39	160.80
Brushed Bronze (PVD)		-42	160.90
Brushed Dark Bronze (PVD)		-43	180.90
Dark Chrome		-19	150.80
Brushed Dark Platinum		-99	180.90
Matte Black		-33	135.80

83 251 979

Hooks
- rosette Ø 40 mm
- 50mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 251 979 FF	FF	Euro
Chrome		-00	77.10
Brushed Chrome		-93	100.30
Brushed Platinum		-06	123.50
Champagne (22kt Gold)		-47	185.00
Brushed Champagne (22kt Gold)		-46	185.00
Brushed Durabrass (23kt Gold)		-28	185.00
Brushed Dark Brass (PVD)		-39	123.40
Brushed Bronze (PVD)		-42	123.30
Brushed Dark Bronze (PVD)		-43	138.80
Dark Chrome		-19	115.70
Brushed Dark Platinum		-99	138.60
Matte Black		-33	104.20

83 256 979

Hooks in two parts
- width 80mm
- rosette Ø 40 mm
- 55mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 256 979** FF	FF	Euro
Chrome		**-00**	143.00
Brushed Chrome		**-93**	186.00
Brushed Platinum		**-06**	229.30
Champagne (22kt Gold)		**-47**	343.20
Brushed Champagne (22kt Gold)		**-46**	343.20
Brushed Durabrass (23kt Gold)		**-28**	343.20
Brushed Dark Brass (PVD)		**-39**	228.70
Brushed Bronze (PVD)		**-42**	228.70
Brushed Dark Bronze (PVD)		**-43**	257.40
Dark Chrome		**-19**	214.40
Brushed Dark Platinum		**-99**	257.60
Matte Black		**-33**	193.10

83 401 979

Tumbler holder wall model
- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 401 979** FF	FF	Euro
Chrome		**-00**	292.80
Brushed Chrome		**-93**	380.80
Platinum		**-08**	468.60
Brushed Platinum		**-06**	468.60
Champagne (22kt Gold)		**-47**	702.70
Brushed Champagne (22kt Gold)		**-46**	702.70
Durabrass (23kt Gold)		**-09**	702.70
Brushed Durabrass (23kt Gold)		**-28**	702.70
Brushed Dark Brass (PVD)		**-39**	468.60
Brushed Bronze (PVD)		**-42**	468.60
Brushed Dark Bronze (PVD)		**-43**	527.00
Dark Chrome		**-19**	439.40
Brushed Dark Platinum		**-99**	527.10
Matte Black		**-33**	395.30

Recommended miscellaneous

Crystal tumbler

	08 90 00 008 FF	FF	Euro
	Glass	**82**	109.00

83 410 979

Soap dish wall model
- width 120mm
- height 20 mm
- 145mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 410 979** FF	FF	Euro
Chrome		**-00**	303.80
Brushed Chrome		**-93**	395.00
Platinum		**-08**	486.00
Brushed Platinum		**-06**	486.00
Champagne (22kt Gold)		**-47**	729.10
Brushed Champagne (22kt Gold)		**-46**	729.10
Durabrass (23kt Gold)		**-09**	729.10
Brushed Durabrass (23kt Gold)		**-28**	729.10
Brushed Dark Brass (PVD)		**-39**	486.00
Brushed Bronze (PVD)		**-42**	486.00
Brushed Dark Bronze (PVD)		**-43**	546.80
Dark Chrome		**-19**	455.80
Brushed Dark Platinum		**-99**	546.90
Matte Black		**-33**	410.10

83 482 970

Shelf wall model
- width 300mm
- height 26 mm
- 100mm projection
- **without grid element**

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 482 970** FF	FF	Euro
Chrome		**-00**	165.00
Brushed Chrome		**-93**	214.40
Platinum		**-08**	264.00
Brushed Platinum		**-06**	263.80
Champagne (22kt Gold)		**-47**	396.00
Brushed Champagne (22kt Gold)		**-46**	396.00
Brushed Durabrass (23kt Gold)		**-28**	396.00
Brushed Dark Brass (PVD)		**-39**	263.90
Brushed Bronze (PVD)		**-42**	263.90
Brushed Dark Bronze (PVD)		**-43**	297.00
Dark Chrome		**-19**	247.40
Brushed Dark Platinum		**-99**	296.90
Matte Black		**-33**	222.80

Required miscellaneous

Grid element

	82 482 970 FF	FF	Euro
• plastic grid elements	Creamy White	**-51**	70.10
	Taupe	**-53**	70.10
	Matte Black	**-33**	70.10
	Light Grey	**-52**	70.10

83 435 970

Dispenser wall model
- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 435 970** FF	FF	Euro
Chrome		**-00**	480.50
Brushed Chrome		**-93**	624.60
Platinum		**-08**	768.70
Brushed Platinum		**-06**	768.70
Champagne (22kt Gold)		**-47**	1,153.20
Brushed Champagne (22kt Gold)		**-46**	1,153.20
Brushed Durabrass (23kt Gold)		**-28**	1,153.20
Brushed Dark Brass (PVD)		**-39**	768.80
Brushed Bronze (PVD)		**-42**	768.80
Brushed Dark Bronze (PVD)		**-43**	864.90
Dark Chrome		**-19**	720.80
Brushed Dark Platinum		**-99**	865.00
Matte Black		**-33**	648.80

84 435 970

Dispenser free-standing model
- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 59mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**84 435 970** FF	FF	Euro
Chrome		**-00**	442.70
Brushed Chrome		**-93**	575.50
Platinum		**-08**	707.70
Brushed Platinum		**-06**	707.70
Champagne (22kt Gold)		**-47**	1,062.50
Brushed Champagne (22kt Gold)		**-46**	1,062.50
Brushed Durabrass (23kt Gold)		**-28**	1,062.50
Brushed Dark Brass (PVD)		**-39**	708.20
Brushed Bronze (PVD)		**-42**	708.20
Brushed Dark Bronze (PVD)		**-43**	796.90
Dark Chrome		**-19**	664.10
Brushed Dark Platinum		**-99**	796.80
Matte Black		**-33**	597.60

83 290 970



Shower basket for wall mounting
- width 200mm
- height 70 mm
- 115mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 290 970** FF	FF	Euro
Chrome		**-00**	232.70
Brushed Chrome		**-93**	302.50
Platinum		**-08**	372.30
Brushed Platinum		**-06**	372.30
Champagne (22kt Gold)		**-47**	558.50
Brushed Champagne (22kt Gold)		**-46**	558.50
Durabrass (23kt Gold)		**-09**	558.50
Brushed Durabrass (23kt Gold)		**-28**	558.50
Brushed Dark Brass (PVD)		**-39**	372.20
Brushed Bronze (PVD)		**-42**	372.10
Brushed Dark Bronze (PVD)		**-43**	418.90
Dark Chrome		**-19**	349.00
Brushed Dark Platinum		**-99**	418.80
Matte Black		**-33**	314.20

83 500 892

Tissue holder without cover
- width 152mm
- height 100 mm
- rosette Ø 55 mm
- 72mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 500 892** FF	FF	Euro
Chrome		**-00**	247.40
Brushed Chrome		**-93**	321.50
Platinum		**-08**	395.90
Brushed Platinum		**-06**	395.90
Champagne (22kt Gold)		**-47**	593.80
Brushed Champagne (22kt Gold)		**-46**	593.80
Brushed Durabrass (23kt Gold)		**-28**	593.80
Brushed Dark Brass (PVD)		**-39**	395.70
Brushed Bronze (PVD)		**-42**	395.70
Brushed Dark Bronze (PVD)		**-43**	445.30
Dark Chrome		**-19**	371.00
Brushed Dark Platinum		**-99**	445.10
Matte Black		**-33**	334.00

83 510 892

Tissue holder with cover
- width 152mm
- height 100 mm
- rosette Ø 55 mm
- 77mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 510 892** FF	FF	Euro
Chrome		**-00**	347.30
Brushed Chrome		**-93**	451.50
Platinum		**-08**	555.70
Brushed Platinum		**-06**	555.70
Champagne (22kt Gold)		**-47**	833.50
Brushed Champagne (22kt Gold)		**-46**	833.50
Brushed Durabrass (23kt Gold)		**-28**	833.50
Brushed Dark Brass (PVD)		**-39**	555.70
Brushed Bronze (PVD)		**-42**	555.70
Brushed Dark Bronze (PVD)		**-43**	625.10
Dark Chrome		**-19**	521.00
Brushed Dark Platinum		**-99**	625.10
Matte Black		**-33**	468.90

83 590 892

Reserve tissue holder
- width 55mm
- height 55 mm
- rosette Ø 55 mm
- 135mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 590 892** FF	FF	Euro
Chrome		**-00**	247.40
Brushed Chrome		**-93**	321.50
Platinum		**-08**	395.90
Brushed Platinum		**-06**	395.90
Champagne (22kt Gold)		**-47**	593.80
Brushed Champagne (22kt Gold)		**-46**	593.80
Brushed Durabrass (23kt Gold)		**-28**	593.80
Brushed Dark Brass (PVD)		**-39**	395.70
Brushed Bronze (PVD)		**-42**	395.70
Brushed Dark Bronze (PVD)		**-43**	445.30
Dark Chrome		**-19**	371.00
Brushed Dark Platinum		**-99**	445.10
Matte Black		**-33**	334.00

83 910 979

Toilet brush set wall model
- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 910 979** FF	FF	Euro
Chrome		**-00**	545.20
Brushed Chrome		**-93**	708.90
Platinum		**-08**	872.40
Brushed Platinum		**-06**	872.40
Champagne (22kt Gold)		**-47**	1,308.50
Brushed Champagne (22kt Gold)		**-46**	1,308.50
Brushed Durabrass (23kt Gold)		**-28**	1,308.50
Brushed Dark Brass (PVD)		**-39**	872.30
Brushed Bronze (PVD)		**-42**	872.20
Brushed Dark Bronze (PVD)		**-43**	981.40
Dark Chrome		**-19**	817.80
Brushed Dark Platinum		**-99**	981.30
Matte Black		**-33**	735.90

83 900 892

Toilet brush set wall model
- crystal glass brush holder, matte
- brush, matte black
- width 110mm
- height 415 mm
- 180mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 900 892** FF	FF	Euro
Chrome		**-00**	545.40
Brushed Chrome		**-93**	709.10
Platinum		**-08**	872.90
Brushed Platinum		**-06**	872.90
Champagne (22kt Gold)		**-47**	1,309.00
Brushed Champagne (22kt Gold)		**-46**	1,309.00
Brushed Durabrass (23kt Gold)		**-28**	1,309.00
Brushed Dark Brass (PVD)		**-39**	872.70
Brushed Bronze (PVD)		**-42**	872.60
Brushed Dark Bronze (PVD)		**-43**	981.70
Dark Chrome		**-19**	818.20
Brushed Dark Platinum		**-99**	981.80
Matte Black		**-33**	736.70

12 660 979

Cover plate for the concealed WC cistern made by TeCe
- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:
- TECEprofil dry wall construction, article numbers:
- 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers:
- 9370300, 9375300, 9371300

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 660 979** FF	FF	Euro
Chrome		**-00**	894.90
Brushed Chrome		**-93**	1,163.50
Platinum		**-08**	1,432.20
Brushed Platinum		**-06**	1,432.20
Champagne (22kt Gold)		**-47**	2,147.80
Brushed Champagne (22kt Gold)		**-46**	2,147.80
Brushed Durabrass (23kt Gold)		**-28**	2,147.80
Brushed Dark Brass (PVD)		**-39**	1,431.90
Brushed Bronze (PVD)		**-42**	1,432.00
Brushed Dark Bronze (PVD)		**-43**	1,610.80
Dark Chrome		**-19**	1,342.30
Brushed Dark Platinum		**-99**	1,611.00
Matte Black		**-33**	1,208.10

12 665 979

Flush plate for concealed WC cisterns made by Geberit round
- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Not compatible with GEBERIT Duo Fresh module

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 665 979** FF	FF	Euro
Chrome		**-00**	509.60
Brushed Chrome		**-93**	662.60
Platinum		**-08**	815.30
Brushed Platinum		**-06**	815.30
Champagne (22kt Gold)		**-47**	1,223.00
Brushed Champagne (22kt Gold)		**-46**	1,223.00
Durabrass (23kt Gold)		**-09**	1,223.00
Brushed Durabrass (23kt Gold)		**-28**	1,223.00
Brushed Dark Brass (PVD)		**-39**	815.30
Brushed Bronze (PVD)		**-42**	815.30
Brushed Dark Bronze (PVD)		**-43**	917.30
Dark Chrome		**-19**	764.40
Brushed Dark Platinum		**-99**	917.30
Matte Black		**-33**	688.00

83 150 979

Lighted mirror round
- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 979** FF	FF	Euro
Matte White		**-10**	1,855.40
Matte Black		**-33**	1,855.40

83 151 979

Lighted mirror round
- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 979** FF	FF	Euro
Matte White		**-10**	2,168.30
Matte Black		**-33**	2,168.30

83 150 980

Lighted mirror angular
- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 980** FF	FF	Euro
Matte White		**-10**	1,734.60
Matte Black		**-33**	1,734.60

83 151 980

Lighted mirror angular
- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 980** FF	FF	Euro
Matte White		**-10**	2,048.60
Matte Black		**-33**	2,048.60

VAIA

Sieger Design

Basin
from page 539

Bidet
from page 547

Shower
from page 506

Thermostats, mixers, diverters and valves
from page 571

Bath
from page 540

Accessories
from page 544

Basin fittings

Single-lever basin mixers

106mm projection

33 505 809
33 522 809*

167mm projection

33 500 809
33 521 809*

with a raised pillar base

201mm projection

33 534 809

Single-hole basin mixers

167mm projection

22 513 809

Three-hole basin mixers

165mm projection

20 705 809

165mm projection

20 705 819

Three-hole basin mixers

168mm projection

20 713 809

168mm projection

20 713 819

Wall-mounted single-lever basin mixers

190mm projection

36 860 809

125mm projection

36 867 809

Wall-mounted basin mixers

125mm projection

36 702 809

190mm projection

36 712 819

Wall-mounted basin mixers

190mm projection

36 712 809

Wall-mounted basin spouts

190mm projection

13 800 809

Touchfree

167mm projection

44 521 809

168mm projection

13 716 809 +
42 765 970

190mm projection

13 800 809 +
42 765 970

Showers

Shower sets

26 413 809 +
28 012 979

26 412 979 +
28 018 979

Shower pipes with shower thermostat

34 465 809 +
28 015 979
34 464 809*

34 464 979 +
28 025 979
34 466 979*

34 465 979 +
28 018 979
34 469 979*

Head showers with one spray type

28 504 979

Head showers with multiple jet types

28 508 979

28 505 979

Rain showers with wall connection

28 647 970
28 645 970*

28 646 970
28 644 970*

28 677 970
28 675 970*

28 676 970
28 674 970*

Rain showers with wall connection

28 659 970

Rain showers with ceiling connection

28 666 970
28 664 970*

28 667 970
28 665 970*

28 686 970
28 684 970*

28 687 970
28 685 970*

28 699 970

Rain showers for ceiling connection

28 031 970

28 032 970

Rain showers for ceiling installation

28 033 970

28 034 970

Hand shower sets with integrated shower holder

27 812 660

27 813 660

Hand shower sets

27 808 809

Side showers

28 518 979

Massage modules

WATER POINTS

36 515 979

WATER BAR

36 517 979

WATER CURVE

36 514 979

WATER FAN

36 513 979
36 512 979*

Waterfalls

WATER SHEET

13 415 979

WATER FALL

13 420 979

WATER FALL

13 425 979

Kneipp modules

WATER TUBE

27 823 979 +
28 285 979

Bath fittings

Single-lever mixers

36 120 809

Free-standing bath fittings

286mm projection

25 863 809

221mm projection

25 943 809

221mm projection

25 943 819

Bath shower sets

220mm projection

27 632 809

Five-hole bath mixers

220mm projection

27 522 809

Five-hole bath mixers

220mm projection

27 522 819

Bath spouts

200mm projection

13 801 809

Hand shower sets

202mm projection

27 702 809

Diverters

29 140 809

Miscellaneous

26mm projection

36 243 970

integrated bath filling

26mm projection

36 247 970

33 505 809

Single-lever basin mixer with pop-up waste
- **106mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 141 mm
- height up to aerator 56 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 505 809** FF	FF	Euro
Chrome		**-00**	517.10
Platinum		**-08**	827.40
Brushed Platinum		**-06**	827.40
Champagne (22kt Gold)		**-47**	1,241.00
Brushed Champagne (22kt Gold)		**-46**	1,241.00
Brushed Durabrass (23kt Gold)		**-28**	1,241.00
Brushed Dark Brass (PVD)		**-39**	827.50
Brushed Bronze (PVD)		**-42**	827.50
Brushed Dark Bronze (PVD)		**-43**	930.80
Dark Chrome		**-19**	775.70
Brushed Dark Platinum		**-99**	930.80

Product alternative
- **without pop-up waste**

Standard article	**33 522 809** FF	FF	Euro
Chrome		**-00**	472.90
Platinum		**-08**	756.60
Brushed Platinum		**-06**	756.60
Champagne (22kt Gold)		**-47**	1,135.00
Brushed Champagne (22kt Gold)		**-46**	1,135.00
Brushed Durabrass (23kt Gold)		**-28**	1,135.00
Brushed Dark Brass (PVD)		**-39**	756.70
Brushed Bronze (PVD)		**-42**	756.60
Brushed Dark Bronze (PVD)		**-43**	851.20
Dark Chrome		**-19**	709.50
Brushed Dark Platinum		**-99**	851.20

33 500 809

Single-lever basin mixer with pop-up waste
- **167mm projection**
- 1 1/4“ pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 306 mm
- height up to aerator 220 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8“ cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 500 809** FF	FF	Euro
Chrome		**-00**	955.00
Platinum		**-08**	1,528.10
Brushed Platinum		**-06**	1,527.60
Champagne (22kt Gold)		**-47**	2,292.00
Brushed Champagne (22kt Gold)		**-46**	2,292.00
Brushed Durabrass (23kt Gold)		**-28**	2,292.00
Brushed Dark Brass (PVD)		**-39**	1,528.00
Brushed Bronze (PVD)		**-42**	1,528.00
Brushed Dark Bronze (PVD)		**-43**	1,719.00
Dark Chrome		**-19**	1,432.60
Brushed Dark Platinum		**-99**	1,719.00

Product alternative
- **without pop-up waste**

Standard article	**33 521 809** FF	FF	Euro
Chrome		**-00**	881.10
Platinum		**-08**	1,409.50
Brushed Platinum		**-06**	1,409.30
Champagne (22kt Gold)		**-47**	2,114.60
Brushed Champagne (22kt Gold)		**-46**	2,114.60
Brushed Durabrass (23kt Gold)		**-28**	2,114.60
Brushed Dark Brass (PVD)		**-39**	1,409.70
Brushed Bronze (PVD)		**-42**	1,409.70
Brushed Dark Bronze (PVD)		**-43**	1,586.00
Dark Chrome		**-19**	1,321.50
Brushed Dark Platinum		**-99**	1,585.80

33 534 809

Single-lever basin mixer with raised base without pop-up waste
- **201mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 414 mm
- height up to aerator 316 mm
- hole diameter 35 mm
- 2 x pressure hose with 3/8“ cap nut
- max. flow 5.7 l/min
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- lead-free

for use on bowl sink.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 534 809** FF	FF	Euro
Chrome		**-00**	1,239.10
Platinum		**-08**	1,982.50
Brushed Platinum		**-06**	1,982.40
Champagne (22kt Gold)		**-47**	2,973.80
Brushed Champagne (22kt Gold)		**-46**	2,973.80
Brushed Durabrass (23kt Gold)		**-28**	2,973.80
Brushed Dark Brass (PVD)		**-39**	1,982.50
Brushed Bronze (PVD)		**-42**	1,982.40
Brushed Dark Bronze (PVD)		**-43**	2,230.40
Dark Chrome		**-19**	1,858.60
Brushed Dark Platinum		**-99**	2,230.30

22 513 809

Single-hole basin mixer with pop-up waste
- **167mm projection**
- 1 1/4“ pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 307 mm
- height up to aerator 221 mm
- hole diameter 35 mm
- rosette Ø 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x US pressure hose, 3/8“
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 513 809** FF	FF	Euro
Chrome		**-00**	1,017.50
Platinum		**-08**	1,628.00
Brushed Platinum		**-06**	1,628.00
Champagne (22kt Gold)		**-47**	2,442.00
Brushed Champagne (22kt Gold)		**-46**	2,442.00
Brushed Durabrass (23kt Gold)		**-28**	2,442.00
Brushed Dark Brass (PVD)		**-39**	1,628.00
Brushed Bronze (PVD)		**-42**	1,628.00
Brushed Dark Bronze (PVD)		**-43**	1,831.50
Dark Chrome		**-19**	1,526.30
Brushed Dark Platinum		**-99**	1,831.50

20 705 809

Three-hole basin mixer with pop-up waste
- **165mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 144 mm
- height up to aerator 90 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 705 809** FF	FF	Euro
Chrome		**-00**	1,463.60
Platinum		**-08**	2,341.70
Brushed Platinum		**-06**	2,341.70
Champagne (22kt Gold)		**-47**	3,512.60
Brushed Champagne (22kt Gold)		**-46**	3,512.60
Brushed Durabrass (23kt Gold)		**-28**	3,512.60
Brushed Dark Brass (PVD)		**-39**	2,341.80
Brushed Bronze (PVD)		**-42**	2,341.90
Brushed Dark Bronze (PVD)		**-43**	2,634.50
Dark Chrome		**-19**	2,195.40
Brushed Dark Platinum		**-99**	2,634.50

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

20 705 819

Three-hole basin mixer with pop-up waste
- **165mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 144 mm
- height up to aerator 90 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 705 819** FF	FF	Euro
Chrome		**-00**	1,463.60
Platinum		**-08**	2,341.70
Brushed Platinum		**-06**	2,341.70
Champagne (22kt Gold)		**-47**	3,512.60
Brushed Champagne (22kt Gold)		**-46**	3,512.60
Brushed Durabrass (23kt Gold)		**-28**	3,512.60
Brushed Dark Brass (PVD)		**-39**	2,341.80
Brushed Bronze (PVD)		**-42**	2,341.90
Brushed Dark Bronze (PVD)		**-43**	2,634.50
Dark Chrome		**-19**	2,195.40
Brushed Dark Platinum		**-99**	2,634.50

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

20 713 809

Three-hole basin mixer with pop-up waste
- **168mm projection**
- 1 1/4“ pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 713 809** FF	FF	Euro
Chrome		**-00**	1,463.60
Platinum		**-08**	2,341.70
Brushed Platinum		**-06**	2,341.60
Champagne (22kt Gold)		**-47**	3,512.60
Brushed Champagne (22kt Gold)		**-46**	3,512.60
Brushed Durabrass (23kt Gold)		**-28**	3,512.60
Brushed Dark Brass (PVD)		**-39**	2,341.80
Brushed Bronze (PVD)		**-42**	2,341.90
Brushed Dark Bronze (PVD)		**-43**	2,634.50
Dark Chrome		**-19**	2,195.40
Brushed Dark Platinum		**-99**	2,634.30

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

20 713 819

Three-hole basin mixer with pop-up waste
- **168mm projection**
- 1 1/4“ pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**20 713 819** FF	FF	Euro
Chrome		**-00**	1,463.60
Platinum		**-08**	2,341.70
Brushed Platinum		**-06**	2,341.60
Champagne (22kt Gold)		**-47**	3,512.60
Brushed Champagne (22kt Gold)		**-46**	3,512.60
Brushed Durabrass (23kt Gold)		**-28**	3,512.60
Brushed Dark Brass (PVD)		**-39**	2,341.80
Brushed Bronze (PVD)		**-42**	2,341.90
Brushed Dark Bronze (PVD)		**-43**	2,634.50
Dark Chrome		**-19**	2,195.40
Brushed Dark Platinum		**-99**	2,634.30

Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8“ x 1/2“ x 500mm high pressure hose	Accesories	**90**	95.20

36 860 809

Wall-mounted single-lever basin mixer without pop-up waste
- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for single-lever mixer Ø 78mm
- rosette for spout Ø 60mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 860 809** FF	FF	Euro
Chrome		**-00**	986.10
Platinum		**-08**	1,577.60
Brushed Platinum		**-06**	1,577.90
Champagne (22kt Gold)		**-47**	2,366.60
Brushed Champagne (22kt Gold)		**-46**	2,366.60
Brushed Durabrass (23kt Gold)		**-28**	2,366.60
Brushed Dark Brass (PVD)		**-39**	1,577.60
Brushed Bronze (PVD)		**-42**	1,577.60
Brushed Dark Bronze (PVD)		**-43**	1,775.00
Dark Chrome		**-19**	1,478.90
Brushed Dark Platinum		**-99**	1,774.80

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 867 809

Wall-mounted single-lever basin mixer without pop-up waste
- **125mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for single-lever mixer Ø 78mm
- rosette for spout Ø 60mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 867 809** FF	FF	Euro
Chrome		**-00**	919.10
Platinum		**-08**	1,470.50
Brushed Platinum		**-06**	1,470.50
Champagne (22kt Gold)		**-47**	2,205.80
Brushed Champagne (22kt Gold)		**-46**	2,205.80
Brushed Durabrass (23kt Gold)		**-28**	2,205.80
Brushed Dark Brass (PVD)		**-39**	1,470.50
Brushed Bronze (PVD)		**-42**	1,470.50
Brushed Dark Bronze (PVD)		**-43**	1,654.40
Dark Chrome		**-19**	1,378.70
Brushed Dark Platinum		**-99**	1,654.40

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm • mixer can be placed above, to the left or to the right of the spout.	Concealed rough parts	**90**	235.80

For details and miscellaneous, see page 728

36 702 809

Wall-mounted basin mixer without pop-up waste
- **125mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- rosettes Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 702 809** FF	FF	Euro
Chrome		**-00**	1,075.00
Platinum		**-08**	1,719.90
Brushed Platinum		**-06**	1,719.90
Champagne (22kt Gold)		**-47**	2,580.00
Brushed Champagne (22kt Gold)		**-46**	2,580.00
Brushed Durabrass (23kt Gold)		**-28**	2,580.00
Brushed Dark Brass (PVD)		**-39**	1,720.00
Brushed Bronze (PVD)		**-42**	1,720.00
Brushed Dark Bronze (PVD)		**-43**	1,935.00
Dark Chrome		**-19**	1,612.40
Brushed Dark Platinum		**-99**	1,934.90

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	203.00

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	161.90

36 712 819

Wall-mounted basin mixer without pop-up waste
- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- rosettes Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 712 819** FF	FF	Euro
Chrome		**-00**	1,122.20
Platinum		**-08**	1,795.90
Brushed Platinum		**-06**	1,795.50
Champagne (22kt Gold)		**-47**	2,693.30
Brushed Champagne (22kt Gold)		**-46**	2,693.30
Brushed Durabrass (23kt Gold)		**-28**	2,693.30
Brushed Dark Brass (PVD)		**-39**	1,795.60
Brushed Bronze (PVD)		**-42**	1,795.70
Brushed Dark Bronze (PVD)		**-43**	2,020.00
Dark Chrome		**-19**	1,683.50
Brushed Dark Platinum		**-99**	2,020.40

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	203.00

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm For details and miscellaneous, see page 728	Concealed rough parts	**90**	161.90

36 712 809

Wall-mounted basin mixer without pop-up waste
- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- rosettes Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 712 809** FF	FF	Euro
Chrome		**-00**	1,122.20
Platinum		**-08**	1,795.90
Brushed Platinum		**-06**	1,795.50
Champagne (22kt Gold)		**-47**	2,693.30
Brushed Champagne (22kt Gold)		**-46**	2,693.30
Brushed Durabrass (23kt Gold)		**-28**	2,693.30
Brushed Dark Brass (PVD)		**-39**	1,795.60
Brushed Bronze (PVD)		**-42**	1,795.70
Brushed Dark Bronze (PVD)		**-43**	2,020.00
Dark Chrome		**-19**	1,683.50
Brushed Dark Platinum		**-99**	2,020.40

Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	203.00

For details and miscellaneous, see page 728

Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 145 mm	Concealed rough parts	**90**	161.90

For details and miscellaneous, see page 728

13 800 809

Wall-mounted basin spout without pop-up waste
- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette Ø 60 mm
- 1/2“ connection
- plug-link mounting
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

For Touchfree control please order eSet Touchfree with temperature adjustment

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 800 809** FF	FF	Euro
Chrome		**-00**	822.50
Platinum		**-08**	1,316.10
Brushed Platinum		**-06**	1,316.20
Champagne (22kt Gold)		**-47**	1,974.00
Brushed Champagne (22kt Gold)		**-46**	1,974.00
Brushed Durabrass (23kt Gold)		**-28**	1,974.00
Brushed Dark Brass (PVD)		**-39**	1,316.00
Brushed Bronze (PVD)		**-42**	1,316.10
Brushed Dark Bronze (PVD)		**-43**	1,480.50
Dark Chrome		**-19**	1,234.00
Brushed Dark Platinum		**-99**	1,480.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

44 521 809 NEW

Touchfree Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- **167mm projection**
- height of mixer 306 mm
- height up to aerator 221 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**44 521 809** FF	FF	Euro
Chrome		**-00**	862.40
Platinum		**-08**	1,380.00
Brushed Platinum		**-06**	1,380.00
Champagne (22kt Gold)		**-47**	2,069.80
Brushed Champagne (22kt Gold)		**-46**	2,069.80
Brushed Durabrass (23kt Gold)		**-28**	2,069.80
Brushed Dark Brass (PVD)		**-39**	1,379.80
Brushed Bronze (PVD)		**-42**	1,379.90
Brushed Dark Bronze (PVD)		**-43**	1,552.30
Dark Chrome		**-19**	1,293.80
Brushed Dark Platinum		**-99**	1,552.40
Matte Black		**-33**	1,164.30

---

13 716 809 + 42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **168mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2“ connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 716 809** FF max. flow 5.7 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	952.70	**90**	721.90	**1,674.60**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	329.40

13 800 809 + 42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette Ø 60 mm
- 1/2“ connection
- plug-link mounting
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 800 809** FF max. flow 5.7 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	822.50	**90**	721.90	**1,544.40**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

35 741 970 FF

- min. recess depth 90 mm
- max. recess depth 125 mm

Concealed rough parts

FF	Euro
90	329.40

For details and miscellaneous, see page 733

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

FF	Euro
90	128.90

For details and miscellaneous, see page 732

Miscellaneous

22 901 979

Angle valve

- rosette Ø 55 mm
- hose covering 200mm, for shortening

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **22 901 979** FF	FF	Euro
Chrome	**-00**	198.00
Platinum	**-08**	316.80
Brushed Platinum	**-06**	316.80
Champagne (22kt Gold)	**-47**	475.20
Brushed Champagne (22kt Gold)	**-46**	475.20
Durabrass (23kt Gold)	**-09**	475.20
Brushed Durabrass (23kt Gold)	**-28**	475.20
Brushed Dark Brass (PVD)	**-39**	316.80
Brushed Bronze (PVD)	**-42**	316.80
Brushed Dark Bronze (PVD)	**-43**	356.40
Dark Chrome	**-19**	296.90
Brushed Dark Platinum	**-99**	356.30
Matte Black	**-33**	267.30

10 060 970

Siphon for basin

- rosette Ø 70 mm

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **10 060 970** FF	FF	Euro
Chrome	**-00**	355.50
Platinum	**-08**	569.00
Brushed Platinum	**-06**	569.00
Champagne (22kt Gold)	**-47**	853.20
Brushed Champagne (22kt Gold)	**-46**	853.20
Durabrass (23kt Gold)	**-09**	853.20
Brushed Durabrass (23kt Gold)	**-28**	853.20
Brushed Dark Brass (PVD)	**-39**	568.80
Brushed Bronze (PVD)	**-42**	568.90
Brushed Dark Bronze (PVD)	**-43**	639.90
Dark Chrome	**-19**	533.30
Brushed Dark Platinum	**-99**	640.00
Matte Black	**-33**	480.10

33 600 809

Single-lever bidet mixer with pop-up waste
- **104mm projection**
- **european pop-up waste**
- ball-joint pivotable through 15° (in any direction)
- circular, air-enriched flow
- height of mixer 218 mm
- height up to aerator 166 mm
- hole diameter 35 mm
- rosette Ø 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 600 809** FF	FF	Euro
Chrome		**-00**	1,187.20
Platinum		**-08**	1,899.60
Brushed Platinum		**-06**	1,899.60
Champagne (22kt Gold)		**-47**	2,849.30
Brushed Champagne (22kt Gold)		**-46**	2,849.30
Brushed Durabrass (23kt Gold)		**-28**	2,849.30
Brushed Dark Brass (PVD)		**-39**	1,899.70
Brushed Bronze (PVD)		**-42**	1,899.70
Brushed Dark Bronze (PVD)		**-43**	2,137.00
Dark Chrome		**-19**	1,781.00
Brushed Dark Platinum		**-99**	2,137.00

27 701 970

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 970** FF	FF	Euro
Chrome		**-00**	339.30
Platinum		**-08**	542.60
Brushed Platinum		**-06**	542.60
Champagne (22kt Gold)		**-47**	814.30
Brushed Champagne (22kt Gold)		**-46**	814.30
Durabrass (23kt Gold)		**-09**	814.30
Brushed Durabrass (23kt Gold)		**-28**	814.30
Brushed Dark Brass (PVD)		**-39**	542.90
Brushed Bronze (PVD)		**-42**	542.70
Brushed Dark Bronze (PVD)		**-43**	610.70
Dark Chrome		**-19**	508.80
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 701 670

Bidet spray
- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2“ shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 701 670** FF	FF	Euro
Chrome		**-00**	339.30
Platinum		**-08**	542.60
Brushed Platinum		**-06**	542.60
Champagne (22kt Gold)		**-47**	814.30
Brushed Champagne (22kt Gold)		**-46**	814.30
Brushed Durabrass (23kt Gold)		**-28**	814.30
Brushed Dark Brass (PVD)		**-39**	542.90
Brushed Bronze (PVD)		**-42**	542.70
Brushed Dark Bronze (PVD)		**-43**	610.70
Dark Chrome		**-19**	508.80
Brushed Dark Platinum		**-99**	610.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

26 413 809 +
28 012 979

Shower set
- spray head Ø 120mm
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- shower hose connector 3/8“
- metal shower hose 1700mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 800 mm
- rosettes Ø 60 mm
- Pipe diameter 18 mm

Notes:
- Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 413 809** FF FF	Euro	1x **28 012 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	736.90	**-00**	247.90	**984.80**
Platinum	**-08**	1,178.60	**-08**	396.60	**1,575.20**
Brushed Platinum	**-06**	1,178.80	**-06**	396.60	**1,575.40**
Champagne (22kt Gold)	**-47**	1,768.60	**-47**	595.00	**2,363.60**
Brushed Champagne (22kt Gold)	**-46**	1,768.60	**-46**	595.00	**2,363.60**
Brushed Durabrass (23kt Gold)	**-28**	1,768.60	**-28**	595.00	**2,363.60**
Brushed Dark Brass (PVD)	**-39**	1,179.00	**-39**	396.60	**1,575.60**
Brushed Bronze (PVD)	**-42**	1,179.00	**-42**	396.60	**1,575.60**
Brushed Dark Bronze (PVD)	**-43**	1,326.40	**-43**	446.20	**1,772.60**
Dark Chrome	**-19**	1,105.20	**-19**	371.80	**1,477.00**
Brushed Dark Platinum	**-99**	1,325.90	**-99**	446.30	**1,772.20**

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

28 450 809 FF	FF	Euro
Chrome	**-00**	141.00
Platinum	**-08**	225.40
Brushed Platinum	**-06**	225.00
Champagne (22kt Gold)	**-47**	338.40
Brushed Champagne (22kt Gold)	**-46**	338.40
Brushed Durabrass (23kt Gold)	**-28**	338.40
Brushed Dark Brass (PVD)	**-39**	225.60
Brushed Bronze (PVD)	**-42**	225.60
Brushed Dark Bronze (PVD)	**-43**	253.80
Dark Chrome	**-19**	211.40
Brushed Dark Platinum	**-99**	253.60

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 100 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	249.30
Platinum	**-08**	212.40	**-08**	305.70	**-08**	228.00	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	342.20	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	342.20	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	342.20	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	228.10	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	228.00	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	256.70	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	213.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	256.50	**-99**	370.20	**-99**	448.70

26 412 979 +
28 018 979

NEW

Shower set
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow.
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 853 mm
- Pipe diameter 18 mm

Notes:
- Fits CL.1, IMO, MEM, SERIES-VARIOUS, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 979** FF FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	441.30	**-00**	142.60	**583.90**
Platinum	**-08**	706.10	**-08**	228.00	**934.10**
Brushed Platinum	**-06**	706.10	**-06**	228.00	**934.10**
Champagne (22kt Gold)	**-47**	1,059.10	**-47**	342.20	**1,401.30**
Brushed Champagne (22kt Gold)	**-46**	1,059.10	**-46**	342.20	**1,401.30**
Brushed Durabrass (23kt Gold)	**-28**	1,059.10	**-28**	342.20	**1,401.30**
Brushed Dark Brass (PVD)	**-39**	706.10	**-39**	228.10	**934.20**
Brushed Bronze (PVD)	**-42**	706.10	**-42**	228.00	**934.10**
Brushed Dark Bronze (PVD)	**-43**	794.30	**-43**	256.70	**1,051.00**
Dark Chrome	**-19**	662.00	**-19**	213.80	**875.80**
Brushed Dark Platinum	**-99**	794.30	**-99**	256.50	**1,050.80**
Matte Black	**-33**	595.80	**-33**	192.40	**788.20**

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

	FF	Euro
Concealed rough parts	**90**	128.90

Recommended miscellaneous

Wall elbow

28 450 980 FF

For details and miscellaneous, see main items

	FF	Euro
Chrome	**-00**	173.40
Platinum	**-08**	277.60
Brushed Platinum	**-06**	277.60
Champagne (22kt Gold)	**-47**	416.20
Brushed Champagne (22kt Gold)	**-46**	416.20
Brushed Durabrass (23kt Gold)	**-28**	416.20
Dark Chrome	**-19**	260.30
Brushed Dark Platinum	**-99**	312.30
Matte Black	**-33**	234.20

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

34 465 809 + 28 015 979 **NEW**

Shower pipe with shower thermostat with hand shower set 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2“ connection
- slide bar

Technical data:
- shower with fixed riser projection 420mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm

Notes:
- Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 465 809** FF max. flow 14 l/min FF	Euro	1x **28 015 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,235.70	**-00**	132.60	**3,368.30**
Platinum	**-08**	5,177.10	**-08**	212.40	**5,389.50**
Brushed Platinum	**-06**	5,177.10	**-06**	212.40	**5,389.50**
Champagne (22kt Gold)	**-47**	7,765.70	**-47**	318.20	**8,083.90**
Brushed Champagne (22kt Gold)	**-46**	7,765.70	**-46**	318.20	**8,083.90**
Brushed Durabrass (23kt Gold)	**-28**	7,765.70	**-28**	318.20	**8,083.90**
Brushed Dark Brass (PVD)	**-39**	5,177.10	**-39**	212.20	**5,389.30**
Brushed Bronze (PVD)	**-42**	5,177.10	**-42**	212.10	**5,389.20**
Brushed Dark Bronze (PVD)	**-43**	5,824.30	**-43**	238.70	**6,063.00**
Dark Chrome	**-19**	4,853.50	**-19**	198.90	**5,052.40**
Brushed Dark Platinum	**-99**	5,824.20	**-99**	238.60	**6,062.80**

Product alternative
- FlowReduce
- max. flow 5 l/min
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article **34 464 809** FF	FF	Euro
Chrome	**-00**	3,235.70
Platinum	**-08**	5,177.10
Brushed Platinum	**-06**	5,177.10
Champagne (22kt Gold)	**-47**	7,765.70
Brushed Champagne (22kt Gold)	**-46**	7,765.70
Brushed Durabrass (23kt Gold)	**-28**	7,765.70
Brushed Dark Brass (PVD)	**-39**	5,177.10
Brushed Bronze (PVD)	**-42**	5,177.10
Brushed Dark Bronze (PVD)	**-43**	5,824.30
Dark Chrome	**-19**	4,853.50
Brushed Dark Platinum	**-99**	5,824.20

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 671.

1 jet
Ø 130 mm

5 jets
Ø 120 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	191.00	**-00**	247.90	**-00**	142.60	**-00**	205.60	**-00**	249.30
Platinum	**-08**	305.70	**-08**	396.60	**-08**	228.00	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	305.70	**-06**	396.60	**-06**	228.00	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	458.40	**-47**	595.00	**-47**	342.20	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	458.40	**-46**	595.00	**-46**	342.20	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	458.40	**-28**	595.00	**-28**	342.20	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	305.70	**-39**	396.60	**-39**	228.10	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	305.60	**-42**	396.60	**-42**	228.00	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	343.80	**-43**	446.20	**-43**	256.70	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	286.40	**-19**	371.80	**-19**	213.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	343.70	**-99**	446.30	**-99**	256.50	**-99**	370.20	**-99**	448.70

34 464 979 + 28 025 979

NEW

Shower pipe with shower thermostat with hand shower set FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, LULU
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 464 979** FF max. flow 5 l/min FF	Euro	1x **28 025 979** FF max. flow 5 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	2,726.20	**-000010**	132.60	**2,858.80**
Platinum	**-08**	4,361.90	**-080010**	212.10	**4,574.00**
Brushed Platinum	**-06**	4,361.90	**-060010**	212.10	**4,574.00**
Champagne (22kt Gold)	**-47**	6,542.90	**-470010**	318.20	**6,861.10**
Brushed Champagne (22kt Gold)	**-46**	6,542.90	**-460010**	318.20	**6,861.10**
Brushed Durabrass (23kt Gold)	**-28**	6,542.90	**-280010**	318.20	**6,861.10**
Brushed Dark Brass (PVD)	**-39**	4,361.90	**-390010**	212.20	**4,574.10**
Brushed Bronze (PVD)	**-42**	4,361.90	**-420010**	212.10	**4,574.00**
Brushed Dark Bronze (PVD)	**-43**	4,907.20	**-430010**	238.70	**5,145.90**
Dark Chrome	**-19**	4,089.30	**-190010**	198.90	**4,288.20**
Brushed Dark Platinum	**-99**	4,907.20	**-990010**	238.70	**5,145.90**
Matte Black	**-33**	3,680.40	**-330010**	179.00	**3,859.40**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 466 979** FF	FF	Euro
Chrome	**-00**	2,058.10
Brushed Bronze (PVD)	**-42**	3,293.00
Dark Chrome	**-19**	3,087.20
Brushed Dark Platinum	**-99**	3,704.60
Matte Black	**-33**	2,778.40

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 671.

1 jet
Ø 130 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

4 jets
Ø 120 mm

1 jet

Alternative hand shower	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	247.90	**-00**	249.30
Platinum	**-08**	305.70	**-08**	228.00	**-08**	329.30	**-08**	396.60	**-08**	398.90
Brushed Platinum	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	396.60	**-06**	398.90
Champagne (22kt Gold)	**-47**	458.40	**-47**	342.20	**-47**	493.40	**-47**	595.00	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	458.40	**-46**	342.20	**-46**	493.40	**-46**	595.00	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	458.40	**-28**	342.20	**-28**	493.40	**-28**	595.00	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	305.70	**-39**	228.10	**-39**	329.00	**-39**	396.60	**-39**	398.90
Brushed Bronze (PVD)	**-42**	305.60	**-42**	228.00	**-42**	329.00	**-42**	396.60	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	343.80	**-43**	256.70	**-43**	370.10	**-43**	446.20	**-43**	448.70
Dark Chrome	**-19**	286.40	**-19**	213.80	**-19**	308.50	**-19**	371.80	**-19**	374.00
Brushed Dark Platinum	**-99**	343.70	**-99**	256.50	**-99**	370.20	**-99**	446.30	**-99**	448.70
Matte Black	**-33**	258.00	**-33**	192.40	**-33**	277.60	**-33**	334.60	**-33**	336.50

34 465 979 + 28 018 979 **NEW**

Shower pipe with shower thermostat with hand shower set 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1146mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 465 979** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	2,871.60	**-00**	142.60	**3,014.20**
Platinum	**-08**	4,594.60	**-08**	228.00	**4,822.60**
Brushed Platinum	**-06**	4,594.60	**-06**	228.00	**4,822.60**
Champagne (22kt Gold)	**-47**	6,891.80	**-47**	342.20	**7,234.00**
Brushed Champagne (22kt Gold)	**-46**	6,891.80	**-46**	342.20	**7,234.00**
Brushed Durabrass (23kt Gold)	**-28**	6,891.80	**-28**	342.20	**7,234.00**
Brushed Dark Brass (PVD)	**-39**	4,594.60	**-39**	228.10	**4,822.70**
Brushed Bronze (PVD)	**-42**	4,594.60	**-42**	228.00	**4,822.60**
Brushed Dark Bronze (PVD)	**-43**	5,168.90	**-43**	256.70	**5,425.60**
Dark Chrome	**-19**	4,307.50	**-19**	213.80	**4,521.30**
Brushed Dark Platinum	**-99**	5,168.90	**-99**	256.50	**5,425.40**
Matte Black	**-33**	3,876.70	**-33**	192.40	**4,069.10**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 469 979** FF	FF	Euro
Chrome	**-00**	2,327.10
Brushed Bronze (PVD)	**-42**	3,723.40
Dark Chrome	**-19**	3,490.70
Brushed Dark Platinum	**-99**	4,188.80
Matte Black	**-33**	3,141.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

28 504 979

Shower head
- spray head Ø 100mm
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system

Technical data:
- 180-210mm projection
- ball-joint pivotable through 30°
- rosettes Ø 55 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 504 979** FF	FF	Euro
Chrome		**-00**	621.20
Platinum		**-08**	994.10
Brushed Platinum		**-06**	994.20
Champagne (22kt Gold)		**-47**	1,490.90
Brushed Champagne (22kt Gold)		**-46**	1,490.90
Brushed Durabrass (23kt Gold)		**-28**	1,490.90
Brushed Dark Brass (PVD)		**-39**	993.90
Brushed Bronze (PVD)		**-42**	993.90
Brushed Dark Bronze (PVD)		**-43**	1,118.20
Dark Chrome		**-19**	932.00
Brushed Dark Platinum		**-99**	1,118.40
Matte Black		**-33**	838.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 508 979

Shower head
- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:
- 200-mm projection
- ball-joint pivotable through 30°
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 508 979** FF	FF	Euro
Chrome		**-00**	694.90
Platinum		**-08**	1,111.40
Brushed Platinum		**-06**	1,111.40
Champagne (22kt Gold)		**-47**	1,667.80
Brushed Champagne (22kt Gold)		**-46**	1,667.80
Brushed Durabrass (23kt Gold)		**-28**	1,667.80
Brushed Dark Brass (PVD)		**-39**	1,111.70
Brushed Bronze (PVD)		**-42**	1,111.70
Brushed Dark Bronze (PVD)		**-43**	1,250.80
Dark Chrome		**-19**	1,042.20
Brushed Dark Platinum		**-99**	1,250.60
Matte Black		**-33**	938.00

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 508 979** FF	FF	Euro
Chrome		**-000010**	694.90
Platinum		**-080010**	1,111.40
Brushed Platinum		**-060010**	1,111.40
Champagne (22kt Gold)		**-470010**	1,667.80
Brushed Champagne (22kt Gold)		**-460010**	1,667.80
Brushed Durabrass (23kt Gold)		**-280010**	1,667.80
Brushed Dark Brass (PVD)		**-390010**	1,111.70
Brushed Bronze (PVD)		**-420010**	1,111.70
Brushed Dark Bronze (PVD)		**-430010**	1,250.80
Dark Chrome		**-190010**	1,042.20
Brushed Dark Platinum		**-990010**	1,250.60
Matte Black		**-330010**	938.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 505 979

Shower head
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 7.6 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- 155-mm projection
- ball-joint pivotable through 18° (in any direction)
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 505 979** FF	FF	Euro
Chrome		**-00**	387.10
Platinum		**-08**	619.50
Brushed Platinum		**-06**	619.50
Champagne (22kt Gold)		**-47**	929.00
Brushed Champagne (22kt Gold)		**-46**	929.00
Brushed Durabrass (23kt Gold)		**-28**	929.00
Brushed Dark Brass (PVD)		**-39**	619.50
Brushed Bronze (PVD)		**-42**	619.50
Brushed Dark Bronze (PVD)		**-43**	696.80
Dark Chrome		**-19**	580.80
Brushed Dark Platinum		**-99**	697.00
Matte Black		**-33**	522.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 647 970 NEW

Rain shower with wall fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 647 970** FF	FF	Euro
Chrome		**-00**	1,012.30
Platinum		**-08**	1,619.70
Brushed Platinum		**-06**	1,619.70
Champagne (22kt Gold)		**-47**	2,429.50
Brushed Champagne (22kt Gold)		**-46**	2,429.50
Brushed Durabrass (23kt Gold)		**-28**	2,429.50
Brushed Dark Brass (PVD)		**-39**	1,619.70
Brushed Bronze (PVD)		**-42**	1,619.70
Brushed Dark Bronze (PVD)		**-43**	1,822.10
Dark Chrome		**-19**	1,518.50
Brushed Dark Platinum		**-99**	1,822.20
Matte Black		**-33**	1,366.60

Product alternative
- Material rain shower: plastic

Standard article	**28 645 970** FF	FF	Euro
Chrome		**-00**	618.60
Brushed Bronze (PVD)		**-42**	989.70
Brushed Dark Bronze (PVD)		**-43**	1,113.50
Dark Chrome		**-19**	927.90
Brushed Dark Platinum		**-99**	1,113.40
Matte Black		**-33**	835.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 646 970 NEW

Rain shower with wall fixing FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 646 970** FF	FF	Euro
Chrome		**-00**	1,012.30
Platinum		**-08**	1,619.70
Brushed Platinum		**-06**	1,619.70
Champagne (22kt Gold)		**-47**	2,429.50
Brushed Champagne (22kt Gold)		**-46**	2,429.50
Brushed Durabrass (23kt Gold)		**-28**	2,429.50
Brushed Dark Brass (PVD)		**-39**	1,619.70
Brushed Bronze (PVD)		**-42**	1,619.70
Brushed Dark Bronze (PVD)		**-43**	1,822.10
Dark Chrome		**-19**	1,518.50
Brushed Dark Platinum		**-99**	1,822.20
Matte Black		**-33**	1,366.60

Product alternative
- Material rain shower: plastic

Standard article	**28 644 970** FF	FF	Euro
Chrome		**-00**	628.80
Brushed Bronze (PVD)		**-42**	1,006.10
Brushed Dark Bronze (PVD)		**-43**	1,131.80
Dark Chrome		**-19**	943.30
Brushed Dark Platinum		**-99**	1,131.90
Matte Black		**-33**	848.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 677 970 NEW

Rain shower with wall fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 677 970** FF	FF	Euro
Chrome		**-00**	1,192.50
Platinum		**-08**	1,908.00
Brushed Platinum		**-06**	1,908.00
Champagne (22kt Gold)		**-47**	2,862.00
Brushed Champagne (22kt Gold)		**-46**	2,862.00
Brushed Durabrass (23kt Gold)		**-28**	2,862.00
Brushed Dark Brass (PVD)		**-39**	1,908.00
Brushed Bronze (PVD)		**-42**	1,908.00
Brushed Dark Bronze (PVD)		**-43**	2,146.50
Dark Chrome		**-19**	1,788.80
Brushed Dark Platinum		**-99**	2,146.50
Matte Black		**-33**	1,609.90

Product alternative
- Material rain shower: plastic

Standard article	**28 675 970** FF	FF	Euro
Chrome		**-00**	792.40
Brushed Bronze (PVD)		**-42**	1,267.90
Brushed Dark Bronze (PVD)		**-43**	1,426.30
Dark Chrome		**-19**	1,188.70
Brushed Dark Platinum		**-99**	1,426.40
Matte Black		**-33**	1,069.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 676 970 NEW

Rain shower with wall fixing FlowReduce 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 676 970** FF	FF	Euro
Chrome		**-00**	1,192.50
Platinum		**-08**	1,908.00
Brushed Platinum		**-06**	1,908.00
Champagne (22kt Gold)		**-47**	2,862.00
Brushed Champagne (22kt Gold)		**-46**	2,862.00
Brushed Durabrass (23kt Gold)		**-28**	2,862.00
Brushed Dark Brass (PVD)		**-39**	1,908.00
Brushed Bronze (PVD)		**-42**	1,908.00
Brushed Dark Bronze (PVD)		**-43**	2,146.50
Dark Chrome		**-19**	1,788.80
Brushed Dark Platinum		**-99**	2,146.50
Matte Black		**-33**	1,609.90

Product alternative
- Material rain shower: plastic

Standard article	**28 674 970** FF	FF	Euro
Chrome		**-00**	792.40
Brushed Bronze (PVD)		**-42**	1,267.90
Brushed Dark Bronze (PVD)		**-43**	1,426.30
Dark Chrome		**-19**	1,188.70
Brushed Dark Platinum		**-99**	1,426.40
Matte Black		**-33**	1,069.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 659 970

Rain shower with wall fixing 400 mm
- rain shower Ø 400 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 659 970** FF	FF	Euro
Chrome		**-00**	2,087.80
Platinum		**-08**	3,340.60
Brushed Platinum		**-06**	3,340.60
Champagne (22kt Gold)		**-47**	5,010.70
Brushed Champagne (22kt Gold)		**-46**	5,010.70
Brushed Durabrass (23kt Gold)		**-28**	5,010.70
Brushed Dark Brass (PVD)		**-39**	3,340.60
Brushed Bronze (PVD)		**-42**	3,340.60
Brushed Dark Bronze (PVD)		**-43**	3,758.00
Dark Chrome		**-19**	3,131.80
Brushed Dark Platinum		**-99**	3,757.80
Matte Black		**-33**	2,818.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 666 970 NEW

Rain shower with ceiling fixing FlowReduce 220 mm

- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:

- rosette Ø 60 mm
- 1/2“ connection

Notes:

- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 666 970** FF	FF	Euro
Chrome		**-00**	860.30
Platinum		**-08**	1,376.40
Brushed Platinum		**-06**	1,376.40
Champagne (22kt Gold)		**-47**	2,064.70
Brushed Champagne (22kt Gold)		**-46**	2,064.70
Brushed Durabrass (23kt Gold)		**-28**	2,064.70
Brushed Dark Brass (PVD)		**-39**	1,376.40
Brushed Bronze (PVD)		**-42**	1,376.40
Brushed Dark Bronze (PVD)		**-43**	1,548.50
Dark Chrome		**-19**	1,290.50
Brushed Dark Platinum		**-99**	1,548.40
Matte Black		**-33**	1,161.40

Product alternative

- Material rain shower: plastic

Standard article	**28 664 970** FF	FF	Euro
Chrome		**-00**	580.30
Brushed Bronze (PVD)		**-42**	928.50
Brushed Dark Bronze (PVD)		**-43**	1,044.50
Dark Chrome		**-19**	870.60
Brushed Dark Platinum		**-99**	1,044.60
Matte Black		**-33**	783.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 667 970 NEW

Rain shower with ceiling fixing 220 mm

- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:

- rosette Ø 60 mm
- 1/2“ connection

Notes:

- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 667 970** FF	FF	Euro
Chrome		**-00**	860.30
Platinum		**-08**	1,376.40
Brushed Platinum		**-06**	1,376.40
Champagne (22kt Gold)		**-47**	2,064.70
Brushed Champagne (22kt Gold)		**-46**	2,064.70
Brushed Durabrass (23kt Gold)		**-28**	2,064.70
Brushed Dark Brass (PVD)		**-39**	1,376.40
Brushed Bronze (PVD)		**-42**	1,376.40
Brushed Dark Bronze (PVD)		**-43**	1,548.50
Dark Chrome		**-19**	1,290.50
Brushed Dark Platinum		**-99**	1,548.40
Matte Black		**-33**	1,161.40

Product alternative

- Material rain shower: plastic

Standard article	**28 665 970** FF	FF	Euro
Chrome		**-00**	580.30
Brushed Bronze (PVD)		**-42**	928.50
Brushed Dark Bronze (PVD)		**-43**	1,044.50
Dark Chrome		**-19**	870.60
Brushed Dark Platinum		**-99**	1,044.60
Matte Black		**-33**	783.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 686 970 NEW

Rain shower with ceiling fixing FlowReduce 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 686 970** FF	FF	Euro
Chrome		**-00**	1,014.20
Platinum		**-08**	1,622.70
Brushed Platinum		**-06**	1,622.70
Champagne (22kt Gold)		**-47**	2,434.10
Brushed Champagne (22kt Gold)		**-46**	2,434.10
Brushed Durabrass (23kt Gold)		**-28**	2,434.10
Brushed Dark Brass (PVD)		**-39**	1,622.70
Brushed Bronze (PVD)		**-42**	1,622.70
Brushed Dark Bronze (PVD)		**-43**	1,825.60
Dark Chrome		**-19**	1,521.30
Brushed Dark Platinum		**-99**	1,825.50
Matte Black		**-33**	1,369.20

Product alternative
- Material rain shower: plastic

Standard article	**28 684 970** FF	FF	Euro
Chrome		**-00**	729.40
Brushed Bronze (PVD)		**-42**	1,167.10
Brushed Dark Bronze (PVD)		**-43**	1,312.90
Dark Chrome		**-19**	1,094.20
Brushed Dark Platinum		**-99**	1,313.00
Matte Black		**-33**	984.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 687 970 NEW

Rain shower with ceiling fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 687 970** FF	FF	Euro
Chrome		**-00**	1,014.20
Platinum		**-08**	1,622.70
Brushed Platinum		**-06**	1,622.70
Champagne (22kt Gold)		**-47**	2,434.10
Brushed Champagne (22kt Gold)		**-46**	2,434.10
Brushed Durabrass (23kt Gold)		**-28**	2,434.10
Brushed Dark Brass (PVD)		**-39**	1,622.70
Brushed Bronze (PVD)		**-42**	1,622.70
Brushed Dark Bronze (PVD)		**-43**	1,825.60
Dark Chrome		**-19**	1,521.30
Brushed Dark Platinum		**-99**	1,825.50
Matte Black		**-33**	1,369.20

Product alternative
- Material rain shower: plastic

Standard article	**28 685 970** FF	FF	Euro
Chrome		**-00**	729.40
Brushed Bronze (PVD)		**-42**	1,167.10
Brushed Dark Bronze (PVD)		**-43**	1,312.90
Dark Chrome		**-19**	1,094.20
Brushed Dark Platinum		**-99**	1,313.00
Matte Black		**-33**	984.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 699 970

Rain shower with ceiling fixing 400 mm
- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- with anti-scale system
- quick clearing

Technical data:
- rosette Ø 60 mm optional
- 1/2“ connection

Notes:
- Fits LISSÉ, META, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 699 970** FF	FF	Euro
Chrome		**-00**	1,867.10
Platinum		**-08**	2,987.30
Brushed Platinum		**-06**	2,987.30
Champagne (22kt Gold)		**-47**	4,481.00
Brushed Champagne (22kt Gold)		**-46**	4,481.00
Brushed Durabrass (23kt Gold)		**-28**	4,481.00
Brushed Dark Brass (PVD)		**-39**	2,987.40
Brushed Bronze (PVD)		**-42**	2,987.40
Brushed Dark Bronze (PVD)		**-43**	3,360.80
Dark Chrome		**-19**	2,800.50
Brushed Dark Platinum		**-99**	3,360.50
Matte Black		**-33**	2,520.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 031 970

Rain shower for surface-mounted ceiling installation 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

technical data:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 031 970** FF	FF	Euro
Chrome		**-00**	858.90
Platinum		**-08**	1,374.20
Brushed Platinum		**-06**	1,374.20
Champagne (22kt Gold)		**-47**	2,061.40
Brushed Champagne (22kt Gold)		**-46**	2,061.40
Brushed Durabrass (23kt Gold)		**-28**	2,061.40
Brushed Dark Brass (PVD)		**-39**	1,374.20
Brushed Bronze (PVD)		**-42**	1,374.20
Brushed Dark Bronze (PVD)		**-43**	1,546.00
Dark Chrome		**-19**	1,288.40
Brushed Dark Platinum		**-99**	1,546.00
Matte Black		**-33**	1,159.50

Required miscellaneous

Concealed ceiling installation box with ceiling fixing

	35 041 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2“ outlet	Concealed rough parts	**90**	572.60

For details and miscellaneous, see page 735

28 032 970

Rain shower for surface-mounted ceiling installation with light 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Electric:
- Ceiling module power supply
- 350mA (CC)
- Spot lighting
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Technology: LED, not dimmable
- Contains energy efficiency class bulbs
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Provided by customer: Light switch
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 032 970** FF	FF	Euro
Chrome		**-00**	1,290.50
Platinum		**-08**	2,064.80
Brushed Platinum		**-06**	2,064.80
Champagne (22kt Gold)		**-47**	3,097.20
Brushed Champagne (22kt Gold)		**-46**	3,097.20
Brushed Durabrass (23kt Gold)		**-28**	3,097.20
Brushed Dark Brass (PVD)		**-39**	2,064.80
Brushed Bronze (PVD)		**-42**	2,064.80
Brushed Dark Bronze (PVD)		**-43**	2,322.90
Dark Chrome		**-19**	1,935.80
Brushed Dark Platinum		**-99**	2,322.90
Matte Black		**-33**	1,742.20

Required miscellaneous

Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2“ connections • Input 100-240V AC 50-60Hz • Output 350 mA SELV / Class 2 • Provided by customer: Light switch	Concealed rough parts	**90**	860.20

For details and miscellaneous, see page 736

28 033 970

Rain shower for recessed ceiling installation 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 033 970** FF	FF	Euro
Chrome		**-00**	1,647.10
Platinum		**-08**	2,635.40
Brushed Platinum		**-06**	2,635.40
Champagne (22kt Gold)		**-47**	3,953.00
Brushed Champagne (22kt Gold)		**-46**	3,953.00
Brushed Durabrass (23kt Gold)		**-28**	3,953.00
Brushed Dark Brass (PVD)		**-39**	2,635.40
Brushed Bronze (PVD)		**-42**	2,635.40
Brushed Dark Bronze (PVD)		**-43**	2,964.80
Dark Chrome		**-19**	2,470.70
Brushed Dark Platinum		**-99**	2,964.80
Matte Black		**-33**	2,223.60

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation

	35 033 970 FF	FF	Euro
• concealed rough parts • recess depth 137mm • 2x female thread 1/2“ outlet • flush-mounted installation box Ø 360 mm RAL 9003 signal white	Concealed rough parts	**90**	1,098.10

For details and miscellaneous, see page 734

28 034 970

Rain shower for recessed ceiling installation with light 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

electrical:
- Ceiling module power supply
- 12V DC (CV)
- Ambient lighting
- Spot lighting
- LED coloured light RGBW
- **includes light bulbs with a Class G energy efficiency**
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Activation:
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- Bulbs protected against splashing water

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Dornbracht recommends consulting a systems integrator.

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 034 970** FF	FF	Euro
Chrome		**-00**	2,472.80
Platinum		**-08**	3,956.50
Brushed Platinum		**-06**	3,956.50
Champagne (22kt Gold)		**-47**	5,934.70
Brushed Champagne (22kt Gold)		**-46**	5,934.70
Brushed Durabrass (23kt Gold)		**-28**	5,934.70
Brushed Dark Brass (PVD)		**-39**	3,956.50
Brushed Bronze (PVD)		**-42**	3,956.50
Brushed Dark Bronze (PVD)		**-43**	4,451.00
Dark Chrome		**-19**	3,709.20
Brushed Dark Platinum		**-99**	4,451.00
Matte Black		**-33**	3,338.30

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation with light

	35 034 970 FF	FF	Euro
	Concealed rough parts	**90**	1,648.60

- concealed rough parts
- flush-mounted reflection box Ø 360 mm RAL 9003 signal white
- recess depth 137mm
- 2x female thread 1/2“ outlet
- Input 100-240V AC 50-60Hz
- Output 12V DC SELV / Class 2
- ZigBee Light Link RGBW controller

For details and miscellaneous, see page 735

27 812 660 NEW

Hand shower set with integrated shower holder
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 812 660** FF	FF	Euro
Chrome		**-00**	478.10
Platinum		**-08**	764.90
Brushed Platinum		**-06**	764.90
Champagne (22kt Gold)		**-47**	1,147.40
Brushed Champagne (22kt Gold)		**-46**	1,147.40
Brushed Durabrass (23kt Gold)		**-28**	1,147.40
Brushed Dark Brass (PVD)		**-39**	764.90
Brushed Bronze (PVD)		**-42**	764.90
Brushed Dark Bronze (PVD)		**-43**	860.60
Dark Chrome		**-19**	717.20
Brushed Dark Platinum		**-99**	860.50
Matte Black		**-33**	645.40

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 812 660** FF	FF	Euro
Chrome		**-000010**	478.10
Platinum		**-080010**	764.90
Brushed Platinum		**-060010**	764.90
Champagne (22kt Gold)		**-470010**	1,147.40
Brushed Champagne (22kt Gold)		**-460010**	1,147.40
Brushed Durabrass (23kt Gold)		**-280010**	1,147.40
Brushed Dark Brass (PVD)		**-390010**	764.90
Brushed Bronze (PVD)		**-420010**	764.90
Brushed Dark Bronze (PVD)		**-430010**	860.60
Dark Chrome		**-190010**	717.20
Brushed Dark Platinum		**-990010**	860.50
Matte Black		**-330010**	645.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 813 660

NEW

Hand shower set with integrated shower holder
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 813 660** FF	FF	Euro
Chrome		**-00**	463.20
Platinum		**-08**	741.10
Brushed Platinum		**-06**	741.10
Champagne (22kt Gold)		**-47**	1,111.70
Brushed Champagne (22kt Gold)		**-46**	1,111.70
Brushed Durabrass (23kt Gold)		**-28**	1,111.70
Brushed Dark Brass (PVD)		**-39**	741.10
Brushed Bronze (PVD)		**-42**	741.10
Brushed Dark Bronze (PVD)		**-43**	833.70
Dark Chrome		**-19**	694.80
Brushed Dark Platinum		**-99**	833.70
Matte Black		**-33**	625.30

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 813 660** FF	FF	Euro
Chrome		**-000010**	463.20
Platinum		**-080010**	741.10
Brushed Platinum		**-060010**	741.10
Champagne (22kt Gold)		**-470010**	1,111.70
Brushed Champagne (22kt Gold)		**-460010**	1,111.70
Brushed Durabrass (23kt Gold)		**-280010**	1,111.70
Brushed Dark Brass (PVD)		**-390010**	741.10
Brushed Bronze (PVD)		**-420010**	741.10
Brushed Dark Bronze (PVD)		**-430010**	860.60
Dark Chrome		**-190010**	694.80
Brushed Dark Platinum		**-990010**	833.70
Matte Black		**-330010**	625.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 808 809

Hand shower set with individual rosettes
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow.
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 808 809** FF	FF	Euro
Chrome		**-00**	706.10
Platinum		**-08**	1,129.90
Brushed Platinum		**-06**	1,129.90
Champagne (22kt Gold)		**-47**	1,694.60
Brushed Champagne (22kt Gold)		**-46**	1,694.60
Brushed Durabrass (23kt Gold)		**-28**	1,694.60
Brushed Dark Brass (PVD)		**-39**	1,129.70
Brushed Bronze (PVD)		**-42**	1,129.80
Brushed Dark Bronze (PVD)		**-43**	1,271.00
Dark Chrome		**-19**	1,059.20
Brushed Dark Platinum		**-99**	1,271.10

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 808 809** FF	FF	Euro
Chrome		**-000010**	706.10
Platinum		**-080010**	1,129.90
Brushed Platinum		**-060010**	1,129.90
Champagne (22kt Gold)		**-470010**	1,694.60
Brushed Champagne (22kt Gold)		**-460010**	1,694.60
Brushed Durabrass (23kt Gold)		**-280010**	1,694.60
Brushed Dark Brass (PVD)		**-390010**	1,129.70
Brushed Bronze (PVD)		**-420010**	1,129.80
Brushed Dark Bronze (PVD)		**-430010**	1,271.00
Dark Chrome		**-190010**	1,059.20
Brushed Dark Platinum		**-990010**	1,271.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 518 979

Body spray without volume control FlowReduce
- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 5 l/min (at 3 bar)
- with anti-scale system

Technical data:
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, COYA

Fits META, TARA, VAIA, LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 518 979** FF	FF	Euro
Chrome		**-00**	328.70
Platinum		**-08**	525.90
Brushed Platinum		**-06**	525.90
Champagne (22kt Gold)		**-47**	788.90
Brushed Champagne (22kt Gold)		**-46**	788.90
Durabrass (23kt Gold)		**-09**	788.90
Brushed Durabrass (23kt Gold)		**-28**	788.90
Brushed Dark Brass (PVD)		**-39**	525.80
Brushed Bronze (PVD)		**-42**	525.70
Brushed Dark Bronze (PVD)		**-43**	591.70
Dark Chrome		**-19**	493.00
Brushed Dark Platinum		**-99**	591.50
Matte Black		**-33**	443.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 515 979

WATER POINTS Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 120 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 515 979** FF	FF	Euro
Chrome		**-00**	577.30
Platinum		**-08**	923.20
Brushed Platinum		**-06**	923.20
Champagne (22kt Gold)		**-47**	1,385.50
Brushed Champagne (22kt Gold)		**-46**	1,385.50
Brushed Durabrass (23kt Gold)		**-28**	1,385.50
Brushed Dark Brass (PVD)		**-39**	923.70
Brushed Bronze (PVD)		**-42**	923.60
Brushed Dark Bronze (PVD)		**-43**	1,039.10
Dark Chrome		**-19**	866.00
Brushed Dark Platinum		**-99**	1,039.00
Matte Black		**-33**	779.10

Required miscellaneous

WATER POINTS Adapter plate

	12 305 970 FF	FF	Euro
• adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.	Accesories	**90**	37.90

For details and miscellaneous, see page 742

Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm	Concealed rough parts	**90**	234.20

For details and miscellaneous, see page 733

36 517 979

WATER BAR Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 517 979** FF	FF	Euro
Chrome		**-00**	891.50
Platinum		**-08**	1,426.60
Brushed Platinum		**-06**	1,426.60
Champagne (22kt Gold)		**-47**	2,139.60
Brushed Champagne (22kt Gold)		**-46**	2,139.60
Brushed Durabrass (23kt Gold)		**-28**	2,139.60
Brushed Dark Brass (PVD)		**-39**	1,426.40
Brushed Bronze (PVD)		**-42**	1,426.40
Brushed Dark Bronze (PVD)		**-43**	1,604.70
Dark Chrome		**-19**	1,337.20
Brushed Dark Platinum		**-99**	1,604.30
Matte Black		**-33**	1,227.20

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

36 514 979

WATER CURVE Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- Function from: 5.7 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 60 mm
- 1/2“ connection

Notes:
- This product reduces water consumption by % (compared to requirements of EPAct ,92)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 514 979** FF	FF	Euro
Chrome		**-00**	1,160.00
Platinum		**-08**	1,856.10
Brushed Platinum		**-06**	1,856.10
Champagne (22kt Gold)		**-47**	2,784.00
Brushed Champagne (22kt Gold)		**-46**	2,784.00
Brushed Durabrass (23kt Gold)		**-28**	2,784.00
Brushed Dark Brass (PVD)		**-39**	1,856.10
Brushed Bronze (PVD)		**-42**	1,856.20
Brushed Dark Bronze (PVD)		**-43**	2,088.00
Dark Chrome		**-19**	1,740.00
Brushed Dark Platinum		**-99**	2,088.10
Matte Black		**-33**	1,565.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 513 979

WATER FAN vertical Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 513 979** FF	FF	Euro
Chrome		**-00**	865.40
Platinum		**-08**	1,385.20
Brushed Platinum		**-06**	1,385.20
Champagne (22kt Gold)		**-47**	2,077.00
Brushed Champagne (22kt Gold)		**-46**	2,077.00
Brushed Durabrass (23kt Gold)		**-28**	2,077.00
Brushed Dark Brass (PVD)		**-39**	1,384.60
Brushed Bronze (PVD)		**-42**	1,384.60
Brushed Dark Bronze (PVD)		**-43**	1,557.70
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60
Matte Black		**-33**	1,191.50

Product alternative
- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**36 512 979** FF	FF	Euro
Chrome		**-00**	865.40
Platinum		**-08**	1,385.20
Brushed Platinum		**-06**	1,385.20
Champagne (22kt Gold)		**-47**	2,077.00
Brushed Champagne (22kt Gold)		**-46**	2,077.00
Brushed Durabrass (23kt Gold)		**-28**	2,077.00
Brushed Dark Brass (PVD)		**-39**	1,384.60
Brushed Bronze (PVD)		**-42**	1,384.60
Brushed Dark Bronze (PVD)		**-43**	1,557.70
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60
Matte Black		**-33**	1,191.50

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

13 415 979

WATER SHEET Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **150mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 415 979** FF	FF	Euro
Chrome		**-00**	1,194.80
Platinum		**-08**	1,911.60
Brushed Platinum		**-06**	1,911.60
Champagne (22kt Gold)		**-47**	2,867.50
Brushed Champagne (22kt Gold)		**-46**	2,867.50
Brushed Durabrass (23kt Gold)		**-28**	2,867.50
Brushed Dark Brass (PVD)		**-39**	1,911.70
Brushed Bronze (PVD)		**-42**	1,911.70
Brushed Dark Bronze (PVD)		**-43**	2,150.60
Dark Chrome		**-19**	1,792.40
Brushed Dark Platinum		**-99**	2,150.60
Matte Black		**-33**	1,612.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 420 979



WATER FALL Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **120mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 420 979** FF	FF	Euro
Chrome		**-00**	1,706.90
Platinum		**-08**	2,731.60
Brushed Platinum		**-06**	2,731.60
Champagne (22kt Gold)		**-47**	4,096.60
Brushed Champagne (22kt Gold)		**-46**	4,096.60
Brushed Durabrass (23kt Gold)		**-28**	4,096.60
Brushed Dark Brass (PVD)		**-39**	2,731.20
Brushed Bronze (PVD)		**-42**	2,731.20
Brushed Dark Bronze (PVD)		**-43**	3,072.40
Dark Chrome		**-19**	2,560.50
Matte Black		**-33**	2,304.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 425 979

WATER FALL Cascade spout with individual jets for wall mounting
- PEARLSTREAM
- Max. flow rate 9.5 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- plate 240 mm x 60 mm
- **22mm projection**
- connection 1/2“, for shortening
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 425 979** FF	FF	Euro
Chrome		**-00**	1,268.40
Platinum		**-08**	2,029.40
Brushed Platinum		**-06**	2,029.40
Champagne (22kt Gold)		**-47**	3,044.20
Brushed Champagne (22kt Gold)		**-46**	3,044.20
Brushed Durabrass (23kt Gold)		**-28**	3,044.20
Brushed Dark Brass (PVD)		**-39**	2,029.40
Brushed Bronze (PVD)		**-42**	2,029.40
Brushed Dark Bronze (PVD)		**-43**	2,283.10
Dark Chrome		**-19**	1,902.40
Brushed Dark Platinum		**-99**	2,282.80
Matte Black		**-33**	1,712.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 823 979 + 28 285 979

WATER TUBE Kneipp wall elbow with hose holder with individual rosettes
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: l/min
- with volume control
- inherently safe from back flow
- holder for Kneipp hose
- hose nozzle with sleeve M33

Technical data:
- rosette Ø 60 mm
- 1/2“ wall elbow

Notes:
- Fits LISSÉ, LULU, MADISON, META, TARA, VAIA, COYA

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **27 823 979** FF max. flow 15 l/min FF	Euro	1x **28 285 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	619.00	**-00**	110.10	**729.10**
Platinum	**-08**	990.40	**-08**	176.10	**1,166.50**
Brushed Platinum	**-06**	990.40	**-06**	176.20	**1,166.60**
Champagne (22kt Gold)	**-47**	1,485.60	**-47**	264.20	**1,749.80**
Brushed Champagne (22kt Gold)	**-46**	1,485.60	**-46**	264.20	**1,749.80**
Brushed Durabrass (23kt Gold)	**-28**	1,485.60	**-28**	264.20	**1,749.80**
Brushed Dark Brass (PVD)	**-39**	990.40	**-39**	176.20	**1,166.60**
Brushed Bronze (PVD)	**-42**	990.50	**-42**	176.20	**1,166.70**
Brushed Dark Bronze (PVD)	**-43**	1,114.20	**-43**	198.20	**1,312.40**
Dark Chrome	**-19**	928.20	**-19**	165.20	**1,093.40**
Brushed Dark Platinum	**-99**	1,114.10	**-99**	198.10	**1,312.20**
Matte Black	**-33**	835.50	**-33**	148.60	**984.10**

Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

28 286 979 FF	FF	Euro
Chrome	**-00**	110.10
Platinum	**-08**	176.10
Brushed Platinum	**-06**	176.20
Champagne (22kt Gold)	**-47**	264.20
Brushed Champagne (22kt Gold)	**-46**	264.20
Brushed Durabrass (23kt Gold)	**-28**	264.20
Brushed Dark Brass (PVD)	**-39**	176.20
Brushed Bronze (PVD)	**-42**	176.20
Brushed Dark Bronze (PVD)	**-43**	198.20
Dark Chrome	**-19**	165.20
Brushed Dark Platinum	**-99**	198.10
Matte Black	**-33**	148.60

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 490 660

Wall elbow with integrated shower holder
- 3/8“ shower outlet
- rosette Ø 60 mm
- 1/2“ connection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 490 660** FF	FF	Euro
Chrome		**-00**	236.30
Platinum		**-08**	377.60
Brushed Platinum		**-06**	377.60
Champagne (22kt Gold)		**-47**	567.10
Brushed Champagne (22kt Gold)		**-46**	567.10
Brushed Durabrass (23kt Gold)		**-28**	567.10
Brushed Dark Brass (PVD)		**-39**	377.90
Brushed Bronze (PVD)		**-42**	378.00
Brushed Dark Bronze (PVD)		**-43**	425.30
Dark Chrome		**-19**	354.20
Brushed Dark Platinum		**-99**	424.50
Matte Black		**-33**	318.90

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 450 809

Wall elbow
- 3/8“ shower outlet
- rosette Ø 60 mm
- 1/2“ connection

Fits VAIA

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 450 809 FF	FF	Euro
Chrome		-00	141.00
Platinum		-08	225.40
Brushed Platinum		-06	225.00
Champagne (22kt Gold)		-47	338.40
Brushed Champagne (22kt Gold)		-46	338.40
Brushed Durabrass (23kt Gold)		-28	338.40
Brushed Dark Brass (PVD)		-39	225.60
Brushed Bronze (PVD)		-42	225.60
Brushed Dark Bronze (PVD)		-43	253.80
Dark Chrome		-19	211.40
Brushed Dark Platinum		-99	253.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 050 809

Wall bracket
- rosette Ø 60 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 050 809 FF	FF	Euro
Chrome		-00	214.00
Platinum		-08	342.40
Brushed Platinum		-06	343.10
Champagne (22kt Gold)		-47	513.60
Brushed Champagne (22kt Gold)		-46	513.60
Brushed Durabrass (23kt Gold)		-28	513.60
Brushed Dark Brass (PVD)		-39	342.40
Brushed Bronze (PVD)		-42	342.40
Brushed Dark Bronze (PVD)		-43	385.20
Dark Chrome		-19	321.00
Brushed Dark Platinum		-99	385.60

28 060 970

Wall bracket swivel
- pivotable 75°

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 060 970 FF	FF	Euro
Chrome		-00	207.70
Platinum		-08	332.40
Brushed Platinum		-06	332.40
Champagne (22kt Gold)		-47	498.50
Brushed Champagne (22kt Gold)		-46	498.50
Brushed Durabrass (23kt Gold)		-28	498.50
Brushed Dark Brass (PVD)		-39	332.20
Brushed Bronze (PVD)		-42	332.10
Brushed Dark Bronze (PVD)		-43	373.90
Dark Chrome		-19	311.40
Brushed Dark Platinum		-99	373.90
Matte Black		-33	280.60

12 540 970 NEW

Slide unit
- for pipe diameter 18 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	12 540 970 FF	FF	Euro
Chrome		-00	143.90
Platinum		-08	230.20
Brushed Platinum		-06	230.20
Champagne (22kt Gold)		-47	345.40
Brushed Champagne (22kt Gold)		-46	345.40
Durabrass (23kt Gold)		-09	345.40
Brushed Durabrass (23kt Gold)		-28	345.40
Brushed Dark Brass (PVD)		-39	230.20
Brushed Bronze (PVD)		-42	230.20
Brushed Dark Bronze (PVD)		-43	259.00
Dark Chrome		-19	215.80
Brushed Dark Platinum		-99	258.90
Matte Black		-33	194.30

12 550 970

NEW **Slide unit**
- Pipe diameter 20 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 550 970** FF	FF	Euro
Chrome		**-00**	143.90
Platinum		**-08**	230.20
Brushed Platinum		**-06**	230.20
Champagne (22kt Gold)		**-47**	345.40
Brushed Champagne (22kt Gold)		**-46**	345.40
Durabrass (23kt Gold)		**-09**	345.40
Brushed Durabrass (23kt Gold)		**-28**	345.40
Brushed Dark Brass (PVD)		**-39**	230.20
Brushed Bronze (PVD)		**-42**	230.20
Brushed Dark Bronze (PVD)		**-43**	259.00
Dark Chrome		**-19**	215.80
Brushed Dark Platinum		**-99**	258.90
Matte Black		**-33**	194.30

34 445 979 + 11 432 809 **NEW**

Shower thermostat for wall installation
- with volume control
- with FlowReduce function
- slide-on rosettes Ø 70 mm
- 3/8“ shower outlet
- 1/2“ connection
- gauge 150 mm - 13 mm

Notes:
- inherently safe from back flow

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 445 979** FF FF	Euro	1x **11 432 809** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	638.30	**-00**	130.90	**769.20**
Platinum	**-08**	1,021.20	**-08**	209.50	**1,230.70**
Brushed Platinum	**-06**	1,021.20	**-06**	209.50	**1,230.70**
Champagne (22kt Gold)	**-47**	1,531.90	**-47**	314.20	**1,846.10**
Brushed Champagne (22kt Gold)	**-46**	1,531.90	**-46**	314.20	**1,846.10**
Brushed Durabrass (23kt Gold)	**-28**	1,531.90	**-28**	314.20	**1,846.10**
Brushed Dark Brass (PVD)	**-39**	1,021.20	**-39**	209.50	**1,230.70**
Brushed Bronze (PVD)	**-42**	1,021.20	**-42**	209.50	**1,230.70**
Brushed Dark Bronze (PVD)	**-43**	1,148.90	**-43**	235.60	**1,384.50**
Dark Chrome	**-19**	957.50	**-19**	196.50	**1,154.00**
Brushed Dark Platinum	**-99**	1,148.90	**-99**	235.70	**1,384.60**

---

34 444 979 **NEW**

Shower thermostat for wall mounting
- with volume control
- with FlowReduce function
- slide-on rosettes Ø 70 mm
- 3/8“ shower outlet
- 1/2“ connection
- gauge 150 mm - 13 mm

Notes:
- inherently safe from back flow

Fits MEM, IMO, META, TARA, VAIA, LULU, LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**34 444 979** FF FF	Euro
Chrome	**-00**	736.60
Platinum	**-08**	1,178.50
Brushed Platinum	**-06**	1,178.50
Champagne (22kt Gold)	**-47**	1,767.80
Brushed Champagne (22kt Gold)	**-46**	1,767.80
Brushed Durabrass (23kt Gold)	**-28**	1,767.80
Brushed Dark Brass (PVD)	**-39**	1,178.50
Brushed Bronze (PVD)	**-42**	1,178.50
Brushed Dark Bronze (PVD)	**-43**	1,325.90
Dark Chrome	**-19**	1,104.90
Brushed Dark Platinum	**-99**	1,325.80
Matte Black	**-33**	994.40

---

36 060 809

Concealed single-lever mixer with cover plate
- cover plate 80 x 80 mm

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 060 809** FF FF	Euro
Chrome	**-00**	447.40
Platinum	**-08**	716.00
Brushed Platinum	**-06**	716.00
Champagne (22kt Gold)	**-47**	1,073.80
Brushed Champagne (22kt Gold)	**-46**	1,073.80
Brushed Durabrass (23kt Gold)	**-28**	1,073.80
Brushed Dark Brass (PVD)	**-39**	715.90
Brushed Bronze (PVD)	**-42**	716.00
Brushed Dark Bronze (PVD)	**-43**	805.30
Dark Chrome	**-19**	671.30
Brushed Dark Platinum	**-99**	805.50

Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF FF	Euro
• min. recess depth 75 mm • max. recess depth 95 mm	Concealed rough parts **90**	235.80

For details and miscellaneous, see page 728

36 120 809

Concealed single-lever mixer with diverter
- automatic diverter
- cover plate Ø 150 mm

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 120 809** FF	FF	Euro
Chrome		**-00**	601.90
Platinum		**-08**	963.30
Brushed Platinum		**-06**	962.60
Champagne (22kt Gold)		**-47**	1,444.60
Brushed Champagne (22kt Gold)		**-46**	1,444.60
Brushed Durabrass (23kt Gold)		**-28**	1,444.60
Brushed Dark Brass (PVD)		**-39**	963.00
Brushed Bronze (PVD)		**-42**	963.10
Brushed Dark Bronze (PVD)		**-43**	1,083.40
Dark Chrome		**-19**	902.80
Brushed Dark Platinum		**-99**	1,083.70

Required miscellaneous

Concealed single-lever mixer

	35 020 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	248.70

Required miscellaneous

Concealed single-lever mixer with backflow preventor

	35 021 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 105 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	355.40

36 425 809

Concealed thermostat with one function volume control
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 425 809** FF	FF	Euro
Chrome		**-00**	707.60
Platinum		**-08**	1,132.30
Brushed Platinum		**-06**	1,132.30
Champagne (22kt Gold)		**-47**	1,698.20
Brushed Champagne (22kt Gold)		**-46**	1,698.20
Brushed Durabrass (23kt Gold)		**-28**	1,698.20
Brushed Dark Brass (PVD)		**-39**	1,132.20
Brushed Bronze (PVD)		**-42**	1,132.20
Brushed Dark Bronze (PVD)		**-43**	1,273.70
Dark Chrome		**-19**	1,061.60
Brushed Dark Platinum		**-99**	1,273.90

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	457.60

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	480.60

36 426 809

Concealed thermostat with two function volume control
- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 426 809** FF	FF	Euro
Chrome		**-00**	840.90
Platinum		**-08**	1,345.70
Brushed Platinum		**-06**	1,345.70
Champagne (22kt Gold)		**-47**	2,018.20
Brushed Champagne (22kt Gold)		**-46**	2,018.20
Brushed Durabrass (23kt Gold)		**-28**	2,018.20
Brushed Dark Brass (PVD)		**-39**	1,345.60
Brushed Bronze (PVD)		**-42**	1,345.60
Brushed Dark Bronze (PVD)		**-43**	1,513.60
Dark Chrome		**-19**	1,261.70
Brushed Dark Platinum		**-99**	1,513.90

Required miscellaneous

Concealed thermostat

	35 425 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	457.60

Required miscellaneous

Concealed thermostat with built-in isolators

	35 426 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 729	Concealed rough parts	**90**	480.60

36 427 809

Concealed thermostat with three function volume control
- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 427 809** FF	FF	Euro
Chrome		**-00**	877.50
Platinum		**-08**	1,404.10
Brushed Platinum		**-06**	1,404.10
Champagne (22kt Gold)		**-47**	2,106.00
Brushed Champagne (22kt Gold)		**-46**	2,106.00
Brushed Durabrass (23kt Gold)		**-28**	2,106.00
Brushed Dark Brass (PVD)		**-39**	1,404.00
Brushed Bronze (PVD)		**-42**	1,404.10
Brushed Dark Bronze (PVD)		**-43**	1,579.50
Dark Chrome		**-19**	1,316.50
Brushed Dark Platinum		**-99**	1,579.60

Required miscellaneous

Concealed thermostat

	35 427 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	479.40

Required miscellaneous

Concealed thermostat with built-in isolators

	35 428 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 136 mm For details and miscellaneous, see page 730	Concealed rough parts	**90**	503.00

36 503 979 +
36 607 819

xTOOL Thermostat module with 1 valve
- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 979** FF FF	Euro	1x **36 607 819** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,193.10	**-00**	245.50	**1,438.60**
Platinum	**-08**	1,909.00	**-08**	392.70	**2,301.70**
Brushed Platinum	**-06**	1,909.00	**-06**	392.80	**2,301.80**
Champagne (22kt Gold)	**-47**	2,863.40	**-47**	589.20	**3,452.60**
Brushed Champagne (22kt Gold)	**-46**	2,863.40	**-46**	589.20	**3,452.60**
Brushed Durabrass (23kt Gold)	**-28**	2,863.40	**-28**	589.20	**3,452.60**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	392.80	**2,301.80**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	392.70	**2,301.80**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	441.90	**2,589.50**
Dark Chrome	**-19**	1,789.60	**-19**	368.10	**2,157.70**
Brushed Dark Platinum	**-99**	2,147.60	**-99**	441.70	**2,589.30**

Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

35 511 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 743.70

For details and miscellaneous, see page 730

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 809 +
36 607 809

xTOOL Thermostat module with 1 valve
- cover plate Ø 123 mm
- rosette Ø 60 mm
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 809** FF FF	Euro	1x **36 607 809** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,193.10	**-00**	245.50	**1,438.60**
Platinum	**-08**	1,909.10	**-08**	392.70	**2,301.80**
Brushed Platinum	**-06**	1,909.10	**-06**	392.80	**2,301.90**
Champagne (22kt Gold)	**-47**	2,863.40	**-47**	589.20	**3,452.60**
Brushed Champagne (22kt Gold)	**-46**	2,863.40	**-46**	589.20	**3,452.60**
Brushed Durabrass (23kt Gold)	**-28**	2,863.40	**-28**	589.20	**3,452.60**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	392.80	**2,301.80**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	392.70	**2,301.80**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	441.90	**2,589.50**
Dark Chrome	**-19**	1,789.60	**-19**	368.10	**2,157.70**
Brushed Dark Platinum	**-99**	2,147.70	**-99**	441.70	**2,589.40**

Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

35 511 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 743.70

For details and miscellaneous, see page 730

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 979 +
2x **36 607 819**

xTOOL Thermostat module with 2 valves
- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 979** FF FF	Euro	2x **36 607 819** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,193.10	**-00**	245.50	**1,684.10**
Platinum	**-08**	1,909.00	**-08**	392.70	**2,694.40**
Brushed Platinum	**-06**	1,909.00	**-06**	392.80	**2,694.60**
Champagne (22kt Gold)	**-47**	2,863.40	**-47**	589.20	**4,041.80**
Brushed Champagne (22kt Gold)	**-46**	2,863.40	**-46**	589.20	**4,041.80**
Brushed Durabrass (23kt Gold)	**-28**	2,863.40	**-28**	589.20	**4,041.80**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	392.80	**2,694.60**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	392.70	**2,694.50**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	441.90	**3,031.40**
Dark Chrome	**-19**	1,789.60	**-19**	368.10	**2,525.80**
Brushed Dark Platinum	**-99**	2,147.60	**-99**	441.70	**3,031.00**

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,239.70

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,226.10

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 809 +
2x **36 607 809**

xTOOL Thermostat module with 2 valves
- cover plate Ø 123 mm
- rosette Ø 60 mm
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 809** FF FF	Euro	2x **36 607 809** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,193.10	**-00**	245.50	**1,684.10**
Platinum	**-08**	1,909.10	**-08**	392.70	**2,694.50**
Brushed Platinum	**-06**	1,909.10	**-06**	392.80	**2,694.70**
Champagne (22kt Gold)	**-47**	2,863.40	**-47**	589.20	**4,041.80**
Brushed Champagne (22kt Gold)	**-46**	2,863.40	**-46**	589.20	**4,041.80**
Brushed Durabrass (23kt Gold)	**-28**	2,863.40	**-28**	589.20	**4,041.80**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	392.80	**2,694.60**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	392.70	**2,694.50**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	441.90	**3,031.40**
Dark Chrome	**-19**	1,789.60	**-19**	368.10	**2,525.80**
Brushed Dark Platinum	**-99**	2,147.70	**-99**	441.70	**3,031.10**

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF | FF | Euro

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | **90** | 1,239.70

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF | FF | Euro

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | **90** | 1,226.10

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF | Euro

Concealed rough parts | **90** | 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF | Euro

Concealed rough parts | **90** | 118.70

For details and miscellaneous, see page 743

36 503 979 +
3x **36 607 819**

xTOOL Thermostat module with 3 valves
- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 979** FF FF	Euro	3x **36 607 819** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,193.10	**-00**	245.50	**1,929.60**
Platinum	**-08**	1,909.00	**-08**	392.70	**3,087.10**
Brushed Platinum	**-06**	1,909.00	**-06**	392.80	**3,087.40**
Champagne (22kt Gold)	**-47**	2,863.40	**-47**	589.20	**4,631.00**
Brushed Champagne (22kt Gold)	**-46**	2,863.40	**-46**	589.20	**4,631.00**
Brushed Durabrass (23kt Gold)	**-28**	2,863.40	**-28**	589.20	**4,631.00**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	392.80	**3,087.40**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	392.70	**3,087.20**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	441.90	**3,473.30**
Dark Chrome	**-19**	1,789.60	**-19**	368.10	**2,893.90**
Brushed Dark Platinum	**-99**	2,147.60	**-99**	441.70	**3,472.70**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,332.30

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,443.30

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 503 809 +
3x **36 607 809**

xTOOL Thermostat module with 3 valves
- cover plate Ø 123 mm
- rosette Ø 60 mm
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **36 503 809** FF FF	Euro	3x **36 607 809** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,193.10	**-00**	245.50	**1,929.60**
Platinum	**-08**	1,909.10	**-08**	392.70	**3,087.20**
Brushed Platinum	**-06**	1,909.10	**-06**	392.80	**3,087.50**
Champagne (22kt Gold)	**-47**	2,863.40	**-47**	589.20	**4,631.00**
Brushed Champagne (22kt Gold)	**-46**	2,863.40	**-46**	589.20	**4,631.00**
Brushed Durabrass (23kt Gold)	**-28**	2,863.40	**-28**	589.20	**4,631.00**
Brushed Dark Brass (PVD)	**-39**	1,909.00	**-39**	392.80	**3,087.40**
Brushed Bronze (PVD)	**-42**	1,909.10	**-42**	392.70	**3,087.20**
Brushed Dark Bronze (PVD)	**-43**	2,147.60	**-43**	441.90	**3,473.30**
Dark Chrome	**-19**	1,789.60	**-19**	368.10	**2,893.90**
Brushed Dark Platinum	**-99**	2,147.70	**-99**	441.70	**3,472.80**

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,332.30

For details and miscellaneous, see page 731

Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF

- min. recess depth 85 mm
- max. recess depth 110 mm

Concealed rough parts | FF **90** | Euro 1,443.30

For details and miscellaneous, see page 731

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF

Concealed rough parts | FF **90** | Euro 117.80

For details and miscellaneous, see page 743

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF

Concealed rough parts | FF **90** | Euro 118.70

For details and miscellaneous, see page 743

36 607 809

Wall valve clockwise closing 1/2“
- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 809** FF	FF	Euro
Chrome		**-00**	245.50
Platinum		**-08**	392.70
Brushed Platinum		**-06**	392.80
Champagne (22kt Gold)		**-47**	589.20
Brushed Champagne (22kt Gold)		**-46**	589.20
Brushed Durabrass (23kt Gold)		**-28**	589.20
Brushed Dark Brass (PVD)		**-39**	392.80
Brushed Bronze (PVD)		**-42**	392.70
Brushed Dark Bronze (PVD)		**-43**	441.90
Dark Chrome		**-19**	368.10
Brushed Dark Platinum		**-99**	441.70

Required miscellaneous

Wall valve 1/2“

35 607 970 FF

- min. recess depth 75 mm
- max. recess depth 145 mm

Concealed rough parts | FF **90** | Euro 95.40

For details and miscellaneous, see page 732

36 607 819

Wall valve clockwise closing 1/2“
- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 607 819** FF	FF	Euro
Chrome		**-00**	245.50
Platinum		**-08**	392.70
Brushed Platinum		**-06**	392.80
Champagne (22kt Gold)		**-47**	589.20
Brushed Champagne (22kt Gold)		**-46**	589.20
Brushed Durabrass (23kt Gold)		**-28**	589.20
Brushed Dark Brass (PVD)		**-39**	392.80
Brushed Bronze (PVD)		**-42**	392.70
Brushed Dark Bronze (PVD)		**-43**	441.90
Dark Chrome		**-19**	368.10
Brushed Dark Platinum		**-99**	441.70

Required miscellaneous

Wall valve 1/2“

	35 607 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 145 mm	Concealed rough parts	**90**	95.40

For details and miscellaneous, see page 732

36 608 809

Wall valve clockwise closing 3/4“
- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 809** FF	FF	Euro
Chrome		**-00**	245.50
Platinum		**-08**	392.70
Brushed Platinum		**-06**	392.80
Champagne (22kt Gold)		**-47**	589.20
Brushed Champagne (22kt Gold)		**-46**	589.20
Brushed Durabrass (23kt Gold)		**-28**	589.20
Brushed Dark Brass (PVD)		**-39**	392.80
Brushed Bronze (PVD)		**-42**	392.70
Brushed Dark Bronze (PVD)		**-43**	441.90
Dark Chrome		**-19**	368.10
Brushed Dark Platinum		**-99**	441.70

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 145 mm	Concealed rough parts	**90**	125.20

For details and miscellaneous, see page 732

36 608 819

Wall valve clockwise closing 3/4“
- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 608 819** FF	FF	Euro
Chrome		**-00**	245.50
Platinum		**-08**	392.70
Brushed Platinum		**-06**	392.80
Champagne (22kt Gold)		**-47**	589.20
Brushed Champagne (22kt Gold)		**-46**	589.20
Brushed Durabrass (23kt Gold)		**-28**	589.20
Brushed Dark Brass (PVD)		**-39**	392.80
Brushed Bronze (PVD)		**-42**	392.70
Brushed Dark Bronze (PVD)		**-43**	441.90
Dark Chrome		**-19**	368.10
Brushed Dark Platinum		**-99**	441.70

Required miscellaneous

Wall valve 3/4“

	35 608 970 FF	FF	Euro
• min. recess depth 75 mm • max. recess depth 145 mm	Concealed rough parts	**90**	125.20

For details and miscellaneous, see page 732

36 200 809

Concealed two-way diverter
- rotary diverter
- rosette Ø 60 mm

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 200 809** FF	FF	Euro
Chrome		**-00**	521.30
Brushed Platinum		**-06**	833.70
Champagne (22kt Gold)		**-47**	1,251.10
Brushed Champagne (22kt Gold)		**-46**	1,251.10
Brushed Durabrass (23kt Gold)		**-28**	1,251.10
Brushed Dark Brass (PVD)		**-39**	834.00
Brushed Bronze (PVD)		**-42**	833.90
Brushed Dark Bronze (PVD)		**-43**	938.30
Dark Chrome		**-19**	781.80
Brushed Dark Platinum		**-99**	938.10

Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	310.70

For details and miscellaneous, see page 732

36 200 819

Concealed two-way diverter
- rotary diverter
- rosette Ø 60 mm

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 200 819** FF	FF	Euro
Chrome		**-00**	521.30
Brushed Platinum		**-06**	833.70
Champagne (22kt Gold)		**-47**	1,251.10
Brushed Champagne (22kt Gold)		**-46**	1,251.10
Brushed Durabrass (23kt Gold)		**-28**	1,251.10
Brushed Dark Brass (PVD)		**-39**	834.00
Brushed Bronze (PVD)		**-42**	833.90
Brushed Dark Bronze (PVD)		**-43**	938.30
Dark Chrome		**-19**	781.80
Brushed Dark Platinum		**-99**	938.10

Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	310.70

For details and miscellaneous, see page 732

36 210 809

Concealed three-way diverter
- rotary diverter
- rosette Ø 60 mm

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 210 809** FF	FF	Euro
Chrome		**-00**	521.30
Brushed Platinum		**-06**	833.70
Champagne (22kt Gold)		**-47**	1,251.10
Brushed Champagne (22kt Gold)		**-46**	1,251.10
Brushed Durabrass (23kt Gold)		**-28**	1,251.10
Brushed Dark Brass (PVD)		**-39**	834.00
Brushed Bronze (PVD)		**-42**	833.90
Brushed Dark Bronze (PVD)		**-43**	938.30
Dark Chrome		**-19**	781.80
Brushed Dark Platinum		**-99**	938.10

Required miscellaneous

Concealed three-way diverter

	35 203 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	378.40

For details and miscellaneous, see page 732

36 210 819

Concealed three-way diverter
- rotary diverter
- rosette Ø 60 mm

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 210 819** FF	FF	Euro
Chrome		**-00**	521.30
Brushed Platinum		**-06**	833.70
Champagne (22kt Gold)		**-47**	1,251.10
Brushed Champagne (22kt Gold)		**-46**	1,251.10
Brushed Durabrass (23kt Gold)		**-28**	1,251.10
Brushed Dark Brass (PVD)		**-39**	834.00
Brushed Bronze (PVD)		**-42**	833.90
Brushed Dark Bronze (PVD)		**-43**	938.30
Dark Chrome		**-19**	781.80
Brushed Dark Platinum		**-99**	938.10

Required miscellaneous

Concealed three-way diverter

	35 203 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 160 mm	Concealed rough parts	**90**	378.40

For details and miscellaneous, see page 732

25 863 809

Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set
- spout: circular, air-enriched flow
- max. flow 24.6 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- **286mm projection**
- pivotable spout 360°
- automatic bath/shower diverter
- total height 1057 - 1127 mm
- wall bracket
- stand pipe height 565 - 635 mm
- height up to aerator 925 – 995 mm
- slide-on rosettes Ø 135 mm
- metal shower hose 1250mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 863 809** FF	FF	Euro
Chrome		**-00**	5,108.50
Platinum		**-08**	8,173.50
Brushed Platinum		**-06**	8,173.80
Champagne (22kt Gold)		**-47**	12,260.40
Brushed Champagne (22kt Gold)		**-46**	12,260.40
Brushed Durabrass (23kt Gold)		**-28**	12,260.40
Brushed Dark Brass (PVD)		**-39**	8,173.50
Brushed Bronze (PVD)		**-42**	8,173.50
Brushed Dark Bronze (PVD)		**-43**	9,195.30
Dark Chrome		**-19**	7,662.90
Brushed Dark Platinum		**-99**	9,195.40

Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 150 mm	Concealed rough parts	**90**	882.10

For details and miscellaneous, see page 732

25 943 809



Two-hole bath mixer for free-standing assembly with hand shower set
- spout: circular, air-enriched flow
- max. flow 24.6 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- hand shower with anti-scale system
- **221mm projection**
- pivotable spout 360°
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 816 mm
- slide-on rosettes Ø 100 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 943 809** FF	FF	Euro
Chrome		**-00**	4,453.90
Platinum		**-08**	7,126.10
Brushed Platinum		**-06**	7,126.00
Champagne (22kt Gold)		**-47**	10,689.40
Brushed Champagne (22kt Gold)		**-46**	10,689.40
Brushed Durabrass (23kt Gold)		**-28**	10,689.40
Brushed Dark Brass (PVD)		**-39**	7,126.40
Brushed Bronze (PVD)		**-42**	7,126.20
Brushed Dark Bronze (PVD)		**-43**	8,017.00
Dark Chrome		**-19**	6,680.80
Brushed Dark Platinum		**-99**	8,017.20

Required miscellaneous

Concealed floor mounting

	35 944 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 160 mm	Concealed rough parts	**90**	564.80

For details and miscellaneous, see page 732

25 943 819



Two-hole bath mixer for free-standing assembly with hand shower set
- spout: circular, air-enriched flow
- max. flow 24.6 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- hand shower with anti-scale system
- **221mm projection**
- pivotable spout 360°
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 816 mm
- slide-on rosettes Ø 100 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**25 943 819** FF	FF	Euro
Chrome		**-00**	4,453.90
Platinum		**-08**	7,126.10
Brushed Platinum		**-06**	7,126.00
Champagne (22kt Gold)		**-47**	10,689.40
Brushed Champagne (22kt Gold)		**-46**	10,689.40
Brushed Durabrass (23kt Gold)		**-28**	10,689.40
Brushed Dark Brass (PVD)		**-39**	7,126.40
Brushed Bronze (PVD)		**-42**	7,126.20
Brushed Dark Bronze (PVD)		**-43**	8,017.00
Dark Chrome		**-19**	6,680.80
Brushed Dark Platinum		**-99**	8,017.20

Required miscellaneous

Concealed floor mounting

	35 944 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 160 mm	Concealed rough parts	**90**	564.80

For details and miscellaneous, see page 732

27 632 809

Bath shower set for bath rim or tile edge installation

- spout: circular, air-enriched flow
- max. flow 18.2 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- **220mm projection**
- height of mixer 347 mm
- height up to aerator 244 mm
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 60mm
- rosette for single-lever mixer Ø 55mm
- rosette for complete hand shower set Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 632 809** FF	FF	Euro
Chrome		**-00**	2,405.90
Platinum		**-08**	3,849.50
Brushed Platinum		**-06**	3,849.50
Champagne (22kt Gold)		**-47**	5,774.20
Brushed Champagne (22kt Gold)		**-46**	5,774.20
Brushed Durabrass (23kt Gold)		**-28**	5,774.20
Brushed Dark Brass (PVD)		**-39**	3,849.50
Brushed Bronze (PVD)		**-42**	3,849.50
Brushed Dark Bronze (PVD)		**-43**	4,330.60
Dark Chrome		**-19**	3,608.70
Brushed Dark Platinum		**-99**	4,330.90

Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	1,883.80

Recommended miscellaneous

Decorative caps for Perfecto

	12 801 970 FF	FF	Euro
• 1 pair	Chrome	**-00**	58.30
	Platinum	**-08**	93.50
	Brushed Platinum	**-06**	93.50
	Champagne (22kt Gold)	**-47**	139.90
	Brushed Champagne (22kt Gold)	**-46**	139.90
	Brushed Durabrass (23kt Gold)	**-28**	139.90
	Brushed Bronze (PVD)	**-42**	93.20
	Brushed Dark Platinum	**-99**	104.80

27 522 809

Five-hole bath mixer for deck mounting with diverter

- spout: circular, air-enriched flow
- max. flow 21.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **220mm projection**
- automatic bath/shower diverter
- height of mixer 347 mm
- height up to aerator 244 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 60mm
- rosette for spout Ø 60mm
- rosette for deck valve Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 522 809** FF	FF	Euro
Chrome		**-00**	3,420.30
Platinum		**-08**	5,472.40
Brushed Platinum		**-06**	5,472.50
Champagne (22kt Gold)		**-47**	8,208.70
Brushed Champagne (22kt Gold)		**-46**	8,208.70
Brushed Durabrass (23kt Gold)		**-28**	8,208.70
Brushed Dark Brass (PVD)		**-39**	5,472.40
Brushed Bronze (PVD)		**-42**	5,472.40
Brushed Dark Bronze (PVD)		**-43**	6,156.50
Dark Chrome		**-19**	5,130.30
Brushed Dark Platinum		**-99**	6,156.30

27 522 819

Five-hole bath mixer for deck mounting with diverter
- spout: circular, air-enriched flow
- max. flow 21.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- **220mm projection**
- height of mixer 347 mm
- height up to aerator 244 mm
- hole diameter spout 32 mm
- hole diameter valve 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 60mm
- rosette for complete hand shower set Ø 60mm
- rosette for deck valve Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 522 819** FF	FF	Euro
Chrome		**-00**	3,420.30
Platinum		**-08**	5,472.40
Brushed Platinum		**-06**	5,472.50
Champagne (22kt Gold)		**-47**	8,208.70
Brushed Champagne (22kt Gold)		**-46**	8,208.70
Brushed Durabrass (23kt Gold)		**-28**	8,208.70
Brushed Dark Brass (PVD)		**-39**	5,472.40
Brushed Bronze (PVD)		**-42**	5,472.40
Brushed Dark Bronze (PVD)		**-43**	6,156.50
Dark Chrome		**-19**	5,130.30
Brushed Dark Platinum		**-99**	6,156.30

13 801 809

Bath spout for wall mounting
- **200mm projection**
- circular normal flow
- hole diameter 37 mm
- rosette Ø 60 mm
- 1/2“ connection
- max. flow 21.5 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 801 809** FF	FF	Euro
Chrome		**-00**	702.90
Platinum		**-08**	1,124.70
Brushed Platinum		**-06**	1,124.60
Champagne (22kt Gold)		**-47**	1,687.00
Brushed Champagne (22kt Gold)		**-46**	1,687.00
Brushed Durabrass (23kt Gold)		**-28**	1,687.00
Brushed Dark Brass (PVD)		**-39**	1,124.60
Brushed Bronze (PVD)		**-42**	1,124.70
Brushed Dark Bronze (PVD)		**-43**	1,265.20
Dark Chrome		**-19**	1,054.30
Brushed Dark Platinum		**-99**	1,265.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 702 809

Hand shower set for bath rim or tile edge installation
- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 60 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 702 809** FF	FF	Euro
Chrome		**-00**	670.60
Platinum		**-08**	1,073.20
Brushed Platinum		**-06**	1,072.90
Champagne (22kt Gold)		**-47**	1,609.40
Brushed Champagne (22kt Gold)		**-46**	1,609.40
Brushed Durabrass (23kt Gold)		**-28**	1,609.40
Brushed Dark Brass (PVD)		**-39**	1,073.10
Brushed Bronze (PVD)		**-42**	1,073.00
Brushed Dark Bronze (PVD)		**-43**	1,207.10
Dark Chrome		**-19**	1,006.10
Brushed Dark Platinum		**-99**	1,207.30

29 140 809

Two-way diverter for bath rim or tile edge installation
- automatic bath/shower diverter
- hole diameter 30 mm
- rosette Ø 60 mm
- 1/2“ connection
- max. flow 64.9 l/min at 3 bar flow pressure

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**29 140 809** FF	FF	Euro
Chrome		**-00**	927.40
Platinum		**-08**	1,484.00
Brushed Platinum		**-06**	1,483.90
Champagne (22kt Gold)		**-47**	2,225.80
Brushed Champagne (22kt Gold)		**-46**	2,225.80
Brushed Durabrass (23kt Gold)		**-28**	2,225.80
Brushed Dark Brass (PVD)		**-39**	1,483.90
Brushed Bronze (PVD)		**-42**	1,483.90
Brushed Dark Bronze (PVD)		**-43**	1,669.30
Dark Chrome		**-19**	1,391.10
Brushed Dark Platinum		**-99**	1,669.40

36 243 970

Pop-up waste and overflow
- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 243 970** FF	FF	Euro
Chrome		**-00**	232.10
Platinum		**-08**	371.60
Brushed Platinum		**-06**	371.60
Champagne (22kt Gold)		**-47**	557.00
Brushed Champagne (22kt Gold)		**-46**	557.00
Durabrass (23kt Gold)		**-09**	557.00
Brushed Durabrass (23kt Gold)		**-28**	557.00
Brushed Dark Brass (PVD)		**-39**	371.40
Brushed Bronze (PVD)		**-42**	371.30
Brushed Dark Bronze (PVD)		**-43**	417.80
Dark Chrome		**-19**	348.30
Brushed Dark Platinum		**-99**	417.70
Matte Black		**-33**	313.60

Required miscellaneous

Pop-up waste and overflow

		35 227 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts		**90**	188.20

36 247 970

Bath spout with pop-up waste and overflow
- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 247 970** FF	FF	Euro
Chrome		**-00**	351.10
Platinum		**-08**	561.90
Brushed Platinum		**-06**	561.90
Champagne (22kt Gold)		**-47**	842.60
Brushed Champagne (22kt Gold)		**-46**	842.60
Durabrass (23kt Gold)		**-09**	842.60
Brushed Durabrass (23kt Gold)		**-28**	842.60
Brushed Dark Brass (PVD)		**-39**	561.90
Brushed Bronze (PVD)		**-42**	561.90
Brushed Dark Bronze (PVD)		**-43**	632.00
Dark Chrome		**-19**	526.80
Brushed Dark Platinum		**-99**	631.90
Matte Black		**-33**	473.90

Required miscellaneous

Vacuum breaker

	36 150 970 FF	FF	Euro
	Chrome	**-00**	96.30
	Platinum	**-08**	154.00
	Brushed Platinum	**-06**	154.00
	Champagne (22kt Gold)	**-47**	231.10
	Brushed Champagne (22kt Gold)	**-46**	231.10
	Durabrass (23kt Gold)	**-09**	231.10
	Brushed Durabrass (23kt Gold)	**-28**	231.10
	Brushed Dark Brass (PVD)	**-39**	154.00
	Brushed Bronze (PVD)	**-42**	154.10
	Brushed Dark Bronze (PVD)	**-43**	173.10
	Dark Chrome	**-19**	144.40
	Brushed Dark Platinum	**-99**	173.10
	Matte Black	**-33**	130.10

Required miscellaneous

Bath spout with pop-up waste and overflow

		35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts		**90**	518.30

83 030 809

Bath grip
- gauge 300 mm
- width 360mm
- height 60 mm
- rosette Ø 60 mm
- 98mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 030 809 FF	FF	Euro
Chrome		-00	391.40
Platinum		-08	626.10
Brushed Platinum		-06	626.10
Champagne (22kt Gold)		-47	939.40
Brushed Champagne (22kt Gold)		-46	939.40
Brushed Durabrass (23kt Gold)		-28	939.40
Brushed Dark Brass (PVD)		-39	626.20
Brushed Bronze (PVD)		-42	626.30
Brushed Dark Bronze (PVD)		-43	704.50
Dark Chrome		-19	587.10
Brushed Dark Platinum		-99	704.40

83 060 809

Towel bar
- gauge 600 mm
- width 660mm
- height 60 mm
- rosette Ø 60 mm
- 88mm projection

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 060 809 FF	FF	Euro
Chrome		-00	422.00
Platinum		-08	675.20
Brushed Platinum		-06	674.90
Champagne (22kt Gold)		-47	1,012.80
Brushed Champagne (22kt Gold)		-46	1,012.80
Brushed Durabrass (23kt Gold)		-28	1,012.80
Brushed Dark Brass (PVD)		-39	675.20
Brushed Bronze (PVD)		-42	675.00
Brushed Dark Bronze (PVD)		-43	759.60
Dark Chrome		-19	633.20
Brushed Dark Platinum		-99	759.70

83 070 809

Towel bar
- gauge 450 mm
- width 510mm
- height 60 mm
- 88mm projection

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 070 809 FF	FF	Euro
Chrome		-00	400.90
Platinum		-08	641.40
Brushed Platinum		-06	641.40
Champagne (22kt Gold)		-47	962.20
Brushed Champagne (22kt Gold)		-46	962.20
Brushed Durabrass (23kt Gold)		-28	962.20
Brushed Dark Brass (PVD)		-39	641.40
Brushed Bronze (PVD)		-42	641.30
Brushed Dark Bronze (PVD)		-43	721.60
Dark Chrome		-19	601.40
Brushed Dark Platinum		-99	721.50

83 211 809

Towel bar 1-piece non-swivel
- rosette Ø 60 mm
- 452mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 211 809 FF	FF	Euro
Chrome		-00	267.50
Platinum		-08	428.10
Brushed Platinum		-06	428.10
Champagne (22kt Gold)		-47	642.00
Brushed Champagne (22kt Gold)		-46	642.00
Brushed Durabrass (23kt Gold)		-28	642.00
Brushed Dark Brass (PVD)		-39	428.10
Brushed Bronze (PVD)		-42	428.10
Brushed Dark Bronze (PVD)		-43	481.50
Dark Chrome		-19	401.10
Brushed Dark Platinum		-99	481.50

83 251 809

Hooks
- 46mm projection
- rosette Ø 50 mm

Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 251 809 FF	FF	Euro
Chrome		-00	121.50
Platinum		-08	194.50
Brushed Platinum		-06	194.50
Champagne (22kt Gold)		-47	291.60
Brushed Champagne (22kt Gold)		-46	291.60
Brushed Durabrass (23kt Gold)		-28	291.60
Brushed Dark Brass (PVD)		-39	194.40
Brushed Bronze (PVD)		-42	194.40
Brushed Dark Bronze (PVD)		-43	218.70
Dark Chrome		-19	182.30
Brushed Dark Platinum		-99	218.70

83 401 979

Tumbler holder wall model
- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 401 979** FF	FF	Euro
Chrome		**-00**	292.80
Platinum		**-08**	468.60
Brushed Platinum		**-06**	468.60
Champagne (22kt Gold)		**-47**	702.70
Brushed Champagne (22kt Gold)		**-46**	702.70
Durabrass (23kt Gold)		**-09**	702.70
Brushed Durabrass (23kt Gold)		**-28**	702.70
Brushed Dark Brass (PVD)		**-39**	468.60
Brushed Bronze (PVD)		**-42**	468.60
Brushed Dark Bronze (PVD)		**-43**	527.00
Dark Chrome		**-19**	439.40
Brushed Dark Platinum		**-99**	527.10
Matte Black		**-33**	395.30

Recommended miscellaneous

Crystal tumbler

	08 90 00 008 FF	FF	Euro
	Glass	**82**	109.00

83 410 979

Soap dish wall model
- width 120mm
- height 20 mm
- 145mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 410 979** FF	FF	Euro
Chrome		**-00**	303.80
Platinum		**-08**	486.00
Brushed Platinum		**-06**	486.00
Champagne (22kt Gold)		**-47**	729.10
Brushed Champagne (22kt Gold)		**-46**	729.10
Durabrass (23kt Gold)		**-09**	729.10
Brushed Durabrass (23kt Gold)		**-28**	729.10
Brushed Dark Brass (PVD)		**-39**	486.00
Brushed Bronze (PVD)		**-42**	486.00
Brushed Dark Bronze (PVD)		**-43**	546.80
Dark Chrome		**-19**	455.80
Brushed Dark Platinum		**-99**	546.90
Matte Black		**-33**	410.10

83 435 970

Dispenser wall model
- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 435 970** FF	FF	Euro
Chrome		**-00**	480.50
Platinum		**-08**	768.70
Brushed Platinum		**-06**	768.70
Champagne (22kt Gold)		**-47**	1,153.20
Brushed Champagne (22kt Gold)		**-46**	1,153.20
Brushed Durabrass (23kt Gold)		**-28**	1,153.20
Brushed Dark Brass (PVD)		**-39**	768.80
Brushed Bronze (PVD)		**-42**	768.80
Brushed Dark Bronze (PVD)		**-43**	864.90
Dark Chrome		**-19**	720.80
Brushed Dark Platinum		**-99**	865.00
Matte Black		**-33**	648.80

83 290 970



Shower basket for wall mounting
- width 200mm
- height 70 mm
- 115mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 290 970** FF	FF	Euro
Chrome		**-00**	232.70
Platinum		**-08**	372.30
Brushed Platinum		**-06**	372.30
Champagne (22kt Gold)		**-47**	558.50
Brushed Champagne (22kt Gold)		**-46**	558.50
Durabrass (23kt Gold)		**-09**	558.50
Brushed Durabrass (23kt Gold)		**-28**	558.50
Brushed Dark Brass (PVD)		**-39**	372.20
Brushed Bronze (PVD)		**-42**	372.10
Brushed Dark Bronze (PVD)		**-43**	418.90
Dark Chrome		**-19**	349.00
Brushed Dark Platinum		**-99**	418.80
Matte Black		**-33**	314.20

83 500 809

Tissue holder without cover
- width 130mm
- height 108 mm
- rosette Ø 60 mm
- 63mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 500 809** FF	FF	Euro
Chrome		**-00**	323.10
Platinum		**-08**	516.70
Brushed Platinum		**-06**	516.70
Champagne (22kt Gold)		**-47**	775.40
Brushed Champagne (22kt Gold)		**-46**	775.40
Brushed Durabrass (23kt Gold)		**-28**	775.40
Brushed Dark Brass (PVD)		**-39**	516.80
Brushed Bronze (PVD)		**-42**	516.80
Brushed Dark Bronze (PVD)		**-43**	581.60
Dark Chrome		**-19**	484.50
Brushed Dark Platinum		**-99**	581.30

83 590 809

Reserve tissue holder
- width 60mm
- height 60 mm
- rosette Ø 60 mm
- 139mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 590 809** FF	FF	Euro
Chrome		**-00**	247.40
Platinum		**-08**	395.70
Brushed Platinum		**-06**	395.90
Champagne (22kt Gold)		**-47**	593.80
Brushed Champagne (22kt Gold)		**-46**	593.80
Brushed Durabrass (23kt Gold)		**-28**	593.80
Brushed Dark Brass (PVD)		**-39**	395.70
Brushed Bronze (PVD)		**-42**	395.70
Brushed Dark Bronze (PVD)		**-43**	445.30
Dark Chrome		**-19**	371.00
Brushed Dark Platinum		**-99**	445.00

83 900 809

Toilet brush set wall model
- crystal glass brush holder, matte
- brush, matte black
- width 110mm
- height 421 mm
- 158mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 900 809** FF	FF	Euro
Chrome		**-00**	545.40
Platinum		**-08**	872.90
Brushed Platinum		**-06**	872.90
Champagne (22kt Gold)		**-47**	1,309.00
Brushed Champagne (22kt Gold)		**-46**	1,309.00
Brushed Durabrass (23kt Gold)		**-28**	1,309.00
Brushed Dark Brass (PVD)		**-39**	872.70
Brushed Bronze (PVD)		**-42**	872.60
Brushed Dark Bronze (PVD)		**-43**	981.70
Dark Chrome		**-19**	818.20
Brushed Dark Platinum		**-99**	981.90

83 910 979

Toilet brush set wall model
- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 910 979** FF	FF	Euro
Chrome		**-00**	545.20
Platinum		**-08**	872.40
Brushed Platinum		**-06**	872.40
Champagne (22kt Gold)		**-47**	1,308.50
Brushed Champagne (22kt Gold)		**-46**	1,308.50
Brushed Durabrass (23kt Gold)		**-28**	1,308.50
Brushed Dark Brass (PVD)		**-39**	872.30
Brushed Bronze (PVD)		**-42**	872.20
Brushed Dark Bronze (PVD)		**-43**	981.40
Dark Chrome		**-19**	817.80
Brushed Dark Platinum		**-99**	981.30
Matte Black		**-33**	735.90

12 660 979

Cover plate for the concealed WC cistern made by TeCe
- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:
- TECEprofil dry wall construction, article numbers:
- 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers:
- 9370300, 9375300, 9371300

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 660 979** FF	FF	Euro
Chrome		**-00**	894.90
Platinum		**-08**	1,432.20
Brushed Platinum		**-06**	1,432.20
Champagne (22kt Gold)		**-47**	2,147.80
Brushed Champagne (22kt Gold)		**-46**	2,147.80
Brushed Durabrass (23kt Gold)		**-28**	2,147.80
Brushed Dark Brass (PVD)		**-39**	1,431.90
Brushed Bronze (PVD)		**-42**	1,432.00
Brushed Dark Bronze (PVD)		**-43**	1,610.80
Dark Chrome		**-19**	1,342.30
Brushed Dark Platinum		**-99**	1,611.00
Matte Black		**-33**	1,208.10

12 665 979

Flush plate for concealed WC cisterns made by Geberit round
- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Not compatible with GEBERIT Duo Fresh module

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 665 979** FF	FF	Euro
Chrome		**-00**	509.60
Platinum		**-08**	815.30
Brushed Platinum		**-06**	815.30
Champagne (22kt Gold)		**-47**	1,223.00
Brushed Champagne (22kt Gold)		**-46**	1,223.00
Durabrass (23kt Gold)		**-09**	1,223.00
Brushed Durabrass (23kt Gold)		**-28**	1,223.00
Brushed Dark Brass (PVD)		**-39**	815.30
Brushed Bronze (PVD)		**-42**	815.30
Brushed Dark Bronze (PVD)		**-43**	917.30
Dark Chrome		**-19**	764.40
Brushed Dark Platinum		**-99**	917.30
Matte Black		**-33**	688.00

83 150 979

Lighted mirror round
- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 979** FF	FF	Euro
Matte White		**-10**	1,855.40
Matte Black		**-33**	1,855.40

83 151 979

Lighted mirror round
- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 979** FF	FF	Euro
Matte White		**-10**	2,168.30
Matte Black		**-33**	2,168.30

83 150 980

Lighted mirror angular
- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 980** FF	FF	Euro
Matte White		**-10**	1,734.60
Matte Black		**-33**	1,734.60

83 151 980

Lighted mirror angular
- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 980** FF	FF	Euro
Matte White		**-10**	2,048.60
Matte Black		**-33**	2,048.60

Atelier Adapter

Products
from page 550

Expressive Accents – Customizing Handles

With Dornbracht Atelier, you can easily integrate your personal favorite material into our handles. Many handles in our design series can be customized.

Simply order the appropriate Atelier adapter and you will automatically receive the dimensional drawing for creating the design element from your chosen material.

For customization requests for other series, please contact us.

Atelier Adapter

Atelier XV +
2x **Atelier XV**

NEW **Three-hole basin mixer COYA**

Combination of:
- 1x Three-hole basin mixer
- 2x Design Element Adapter
- 165mm projection

Only suitable for basins with an overflow.

This article only contains the adapters for the design elements, not the design elements themselves.

Please always order all numbers of the combinations.

Please note the information on www.dornbracht.com/atelier-adapter

Atelier combination	1x **Atelier XV** FF FF	Euro	1x **Atelier XV** FF 1x **Atelier XV** FF FF	Euro	**Total price:** Euro
Chrome	**-019562**	1,498.30	**-019607** **-019616**	154.30 154.30	**1,806.90**
Brushed Platinum	**-019563**	2,383.30	**-019608** **-019617**	246.90 246.90	**2,877.10**
Champagne (22kt Gold)	**-019570**	3,539.90	**-019611** **-019620**	370.30 370.30	**4,280.50**
Brushed Champagne (22kt Gold)	**-019569**	3,539.90	**-019610** **-019619**	370.30 370.30	**4,280.50**
Brushed Durabrass (23kt Gold)	**-019565**	3,539.90	**-019626** **-019625**	370.30 370.30	**4,280.50**
Brushed Dark Brass (PVD)	**-019566**	2,383.30	**-019612** **-019621**	246.90 246.90	**2,877.10**
Brushed Bronze (PVD)	**-019567**	2,383.30	**-019613** **-019622**	246.90 246.90	**2,877.10**
Brushed Dark Bronze (PVD)	**-019568**	2,689.90	**-019614** **-019623**	277.70 277.70	**3,245.30**
Dark Chrome	**-019564**	2,265.00	**-019609** **-019618**	231.50 231.50	**2,728.00**
Brushed Dark Platinum	**-019571**	2,724.90	**-019615** **-019624**	277.70 277.70	**3,280.30**

Atelier XV +
2x **Atelier XV**

NEW **Three-hole basin mixer TARA**

Combination of:
- 1x Three-hole basin mixer
- 2x Design Element Adapter
- 165mm projection

Only suitable for basins with an overflow.

This article only contains the adapters for the design elements, not the design elements themselves.

Please always order all numbers of the combinations.

Please note the information on www.dornbracht.com/atelier-adapter

Atelier combination	1x **Atelier XV** FF Basic Product FF	Euro	2x **Atelier XV** FF Designelement FF	Euro	**Total price:** Euro
Chrome	**-019257**	1,405.00	**-019232**	114.50	**1,634.00**
Brushed Chrome	**-019268**	1,836.90	**-019240**	148.90	**2,134.70**
Platinum	**-019259**	2,269.30	**-019234**	183.20	**2,635.70**
Brushed Platinum	**-019258**	2,269.30	**-019233**	183.20	**2,635.70**
Champagne (22kt Gold)	**-019267**	3,316.00	**-019239**	274.80	**3,865.60**
Brushed Champagne (22kt Gold)	**-019266**	3,316.00	**-019238**	274.80	**3,865.60**
Brushed Durabrass (23kt Gold)	**-019262**	3,316.00	**-019236**	274.80	**3,865.60**
Brushed Bronze (PVD)	**-019265**	2,234.00	**-019585**	183.20	**2,600.40**
Dark Chrome	**-019260**	2,125.00	**-019235**	171.80	**2,468.60**
Brushed Dark Platinum	**-019269**	2,557.10	**-019241**	206.10	**2,969.30**
Matte Black	**-019263**	1,874.40	**-019237**	154.60	**2,183.60**

Atelier XV +
2x **Atelier XV**

NEW **Three-hole basin mixer MEM**

Combination of:
- 1x Three-hole basin mixer
- 2x Design Element Adapter
- 200mm projection
- Adapter is compatible with all available surfaces in the MEM series

Only suitable for basins with an overflow.

This article only contains the adapters for the design elements, not the design elements themselves.

The fitting is available in all surfaces of the MEM series. The adapter for MEM is compatible with all surfaces in the MEM range (see Atelier price list).

Please always order all numbers of the combinations.

Please note the information on www.dornbracht.com/atelier-adapter

Atelier combination	1x **Atelier XV** FF Basic Product FF	Euro	2x **Atelier XV** FF Designelement FF	Euro	**Total price:** Euro
Chrome	**-014787**	1,723.20	**-018969**	86.30	**1,895.80**
Brushed Gold (PVD)	**-019121**	2,628.40	**-018970**	129.50	**2,887.40**
Brushed Bronze (PVD)	**-018350**	2,808.20	**-019548**	138.10	**3,084.40**
Brushed Dark Platinum	**-014793**	3,086.70	**-018971**	155.30	**3,397.30**

20 713 811 +
2x **Atelier XV**

NEW **Three-hole basin mixer CYO**

Combination of:
- 1x Three-hole basin mixer
- 2x Design Element Adapter
- 167mm projection

Only suitable for basins with an overflow.

This article only contains the adapters for the design elements, not the design elements themselves.

The tap is available in all finishes in the CYO series. The adapter for CYO is compatible with all surfaces in the CYO range (see Atelier price list).

Please always order all numbers of the combinations.

Please note the information on www.dornbracht.com/atelier-adapter

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **20 713 811** FF Basic Product		2x **Atelier XV** FF Designelement		**Total price:**
Atelier combination	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,659.80	**-018967**	100.00	**1,859.80**

Accesories

Atelier XV NEW **Atelier Adapter COYA Neutral**

Standard article	**Atelier XV** FF	FF	Euro
Chrome		**-019595**	154.30
Brushed Platinum		**-019598**	246.90
Champagne (22kt Gold)		**-019601**	370.30
Brushed Champagne (22kt Gold)		**-019600**	370.30
Brushed Durabrass (23kt Gold)		**-019602**	370.30
Brushed Dark Brass (PVD)		**-019603**	246.90
Brushed Bronze (PVD)		**-019604**	246.90
Brushed Dark Bronze (PVD)		**-019605**	277.70
Dark Chrome		**-019599**	231.50
Brushed Dark Platinum		**-019606**	277.70

Atelier XV NEW **Atelier Adapter COYA hot**

Standard article	**Atelier XV** FF	FF	Euro
Chrome		**-019607**	154.30
Brushed Platinum		**-019608**	246.90
Champagne (22kt Gold)		**-019611**	370.30
Brushed Champagne (22kt Gold)		**-019610**	370.30
Brushed Durabrass (23kt Gold)		**-019626**	370.30
Brushed Dark Brass (PVD)		**-019612**	246.90
Brushed Bronze (PVD)		**-019613**	246.90
Brushed Dark Bronze (PVD)		**-019614**	277.70
Dark Chrome		**-019609**	231.50
Brushed Dark Platinum		**-019615**	277.70

Atelier XV NEW **Atelier Adapter COYA cold**

Standard article	**Atelier XV** FF	FF	Euro
Chrome		**-019616**	154.30
Brushed Platinum		**-019617**	246.90
Champagne (22kt Gold)		**-019620**	370.30
Brushed Champagne (22kt Gold)		**-019619**	370.30
Brushed Durabrass (23kt Gold)		**-019625**	370.30
Brushed Dark Brass (PVD)		**-019621**	246.90
Brushed Bronze (PVD)		**-019622**	246.90
Brushed Dark Bronze (PVD)		**-019623**	277.70
Dark Chrome		**-019618**	231.50
Brushed Dark Platinum		**-019624**	277.70

Atelier Adapter

Atelier XV **NEW** **Atelier Adapter CYO**

Standard article	**Atelier XV** FF	FF	Euro
Chrome		**-018967**	100.00

Atelier XV **NEW** **Atelier Adapter MEM**

Standard article	**Atelier XV** FF	FF	Euro
Chrome		**-018969**	86.30
Brushed Gold (PVD)		**-018970**	129.50
Brushed Dark Platinum		**-018971**	155.30

Atelier XV **NEW** **Atelier Adapter TARA**

Standard article	**Atelier XV** FF	FF	Euro
Chrome		**-019232**	114.50
Brushed Chrome		**-019240**	148.90
Platinum		**-019234**	183.20
Brushed Platinum		**-019233**	183.20
Champagne (22kt Gold)		**-019239**	274.80
Brushed Champagne (22kt Gold)		**-019238**	274.80
Brushed Durabrass (23kt Gold)		**-019236**	274.80
Brushed Dark Brass (PVD)		**-019584**	183.20
Brushed Bronze (PVD)		**-019585**	183.20
Dark Chrome		**-019235**	171.80
Brushed Dark Platinum		**-019241**	206.10
Matte Black		**-019237**	154.60

Touchfree Faucets

Sieger Design

Infrared Technology
from page 597

Radar Technology
from page 599

Basin fittings

Touchfree

125mm projection	165mm projection	165mm projection	167mm projection	165mm projection	170mm projection
44 515 660	**44 521 660**	**44 521 782**	**44 521 809**	**13 716 671 + 42 765 970**	**13 800 671 + 42 765 970**

Touchfree

130mm projection	160mm projection	133mm projection	200mm projection	168mm projection	166mm projection
13 700 845 + 42 765 970	**13 715 705 + 42 765 970**	**13 715 811 + 42 765 970**	**13 716 782 + 42 765 970**	**13 716 809 + 42 765 970**	**13 716 882 + 42 765 970**

Touchfree

167mm projection	200mm projection	200mm projection	190mm projection	160mm projection	190mm projection
13 717 811 + 42 765 970	**13 800 705 + 42 765 970**	**13 800 782 + 42 765 970**	**13 800 809 + 42 765 970**	**13 800 811 + 42 765 970**	**13 800 882 + 42 765 970**

Touchfree

190mm projection
13 805 811 + 42 765 970

44 515 660 NEW

Touchfree Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- **125mm projection**
- height of mixer 140 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Direct temperature control at faucet
- Battery-powered (batteries not included)
- 1x CR-P2 battery required
- lead-free
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**44 515 660** FF	FF	Euro
Chrome		**-00**	980.40
Brushed Chrome		**-93**	1,274.50
Platinum		**-08**	1,568.80
Brushed Platinum		**-06**	1,568.80
Light Gold (PVD)		**-26**	1,470.60
Brushed Light Gold (PVD)		**-27**	1,470.60
Brushed Dark Brass (PVD)		**-39**	1,568.60
Brushed Bronze (PVD)		**-42**	1,568.60
Dark Chrome		**-19**	1,470.70
Brushed Dark Platinum		**-99**	1,764.90
Matte Black		**-33**	1,323.70

44 521 660 NEW

Touchfree Washstand fitting with electronic opening and closing function without pop-up waste

- **165mm projection**
- Infrared sensor technology
- height of mixer 310 mm
- height up to aerator 199 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**44 521 660** FF	FF	Euro
Chrome		**-00**	781.50
Brushed Chrome		**-93**	1,015.90
Platinum		**-08**	1,250.30
Brushed Platinum		**-06**	1,250.30
Light Gold (PVD)		**-26**	1,172.20
Brushed Light Gold (PVD)		**-27**	1,172.20
Champagne (22kt Gold)		**-47**	1,875.60
Brushed Champagne (22kt Gold)		**-46**	1,875.60
Brushed Durabrass (23kt Gold)		**-28**	1,875.60
Brushed Dark Brass (PVD)		**-39**	1,250.40
Brushed Bronze (PVD)		**-42**	1,250.30
Dark Chrome		**-19**	1,172.20
Brushed Dark Platinum		**-99**	1,406.50
Matte Black		**-33**	1,054.90

44 521 782

Touchfree Washstand fitting with electronic opening and closing function without pop-up waste

- **165mm projection**
- Infrared sensor technology
- height of mixer 313 mm
- height up to aerator 206 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- rectangular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**44 521 782** FF	FF	Euro
Chrome		**-00**	964.10
Brushed Chrome		**-93**	1,253.40
Platinum		**-08**	1,542.70
Brushed Platinum		**-06**	1,542.70
Champagne (22kt Gold)		**-47**	2,313.80
Brushed Champagne (22kt Gold)		**-46**	2,313.80
Brushed Durabrass (23kt Gold)		**-28**	2,313.80
Brushed Dark Brass (PVD)		**-39**	1,542.70
Brushed Bronze (PVD)		**-42**	1,542.70
Dark Chrome		**-19**	1,446.30
Brushed Dark Platinum		**-99**	1,735.40
Matte Black		**-33**	1,301.70

44 521 809 **NEW**

Touchfree Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- **167mm projection**
- height of mixer 306 mm
- height up to aerator 221 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**44 521 809** FF	FF	Euro
Chrome		**-00**	862.40
Brushed Chrome		**-93**	1,121.10
Platinum		**-08**	1,380.00
Brushed Platinum		**-06**	1,380.00
Champagne (22kt Gold)		**-47**	2,069.80
Brushed Champagne (22kt Gold)		**-46**	2,069.80
Brushed Durabrass (23kt Gold)		**-28**	2,069.80
Brushed Dark Brass (PVD)		**-39**	1,379.80
Brushed Bronze (PVD)		**-42**	1,379.90
Dark Chrome		**-19**	1,293.80
Brushed Dark Platinum		**-99**	1,552.40
Matte Black		**-33**	1,164.30

13 716 671 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **165mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 220 mm
- height up to aerator 176 mm
- hole diameter 35 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2“ connection
- max. flow 4.6 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **13 716 671** FF max. flow 4.5 l/min		1x **42 765 970 90** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	581.10	**90**	721.90	**1,303.00**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

35 740 970 FF | FF | Euro

Concealed rough parts | **90** | 329.40

For details and miscellaneous, see page 734

13 800 671 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **170mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 40 mm
- rosettes 80 x 60 mm
- 1/2“ connection
- max. flow 4.6 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **13 800 671** FF max. flow 4.5 l/min		1x **42 765 970 90** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	572.10	**90**	721.90	**1,294.00**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

35 741 970 FF | FF | Euro

Concealed rough parts | **90** | 329.40

For details and miscellaneous, see page 733

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF | FF | Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts | **90** | 128.90

For details and miscellaneous, see page 732

13 700 845 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **130mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 95 mm
- height up to aerator 75 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2“ connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **13 700 845** FF max. flow 5.7 l/min		1x **42 765 970 90** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	427.00	**90**	721.90	**1,148.90**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	329.40

13 715 705 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **160mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2“ connection
- max. flow 4 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **13 715 705** FF max. flow 4 l/min		1x **42 765 970 90** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	952.70	**90**	721.90	**1,674.60**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	329.40

13 715 811 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **133mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter 35 mm
- 2x 1/2“ x 1/2“ high pressure hose
- 1/2“ connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **13 715 811** FF max. flow 4.5 l/min		1x **42 765 970 90** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	952.70	**90**	721.90	**1,674.60**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	329.40

13 716 782 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **200mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 321 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2“ connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **13 716 782** FF max. flow 5.7 l/min		1x **42 765 970 90** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	1,083.20	**90**	721.90	**1,805.10**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	329.40

13 716 809 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **168mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2“ connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **13 716 809** FF max. flow 5.7 l/min		1x **42 765 970 90** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	952.70	**90**	721.90	**1,674.60**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	329.40

13 716 882 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **166mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2“ connection
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **13 716 882** FF max. flow 7 l/min		1x **42 765 970 90** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	611.20	**90**	721.90	**1,333.10**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	329.40

13 717 811 + 42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **167mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter 35 mm
- 2x 1/2“ x 1/2“ high pressure hose
- 1/2“ connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 717 811** FF max. flow 4.5 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,000.10	**90**	721.90	**1,722.00**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

35 740 970 FF

	FF	Euro
Concealed rough parts	**90**	329.40

For details and miscellaneous, see page 734

13 800 705 + 42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **200mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter 37 mm
- 1/2“ connection
- plug-link mounting
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 800 705** FF max. flow 4.5 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	822.50	**90**	721.90	**1,544.40**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

35 741 970 FF

	FF	Euro
Concealed rough parts	**90**	329.40

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 733

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

	FF	Euro
Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

13 800 782 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **200mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- rosette for spout 60 x 60mm
- 1/2“ connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 800 782** FF max. flow 5.7 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	803.60	**90**	721.90	**1,525.50**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

35 741 970 FF

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 733

FF	Euro
Concealed rough parts **90**	329.40

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

FF	Euro
Concealed rough parts **90**	128.90

13 800 809 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette Ø 60 mm
- 1/2“ connection
- plug-link mounting
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 800 809** FF max. flow 5.7 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	822.50	**90**	721.90	**1,544.40**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

35 741 970 FF

- min. recess depth 90 mm
- max. recess depth 125 mm

For details and miscellaneous, see page 733

FF	Euro
Concealed rough parts **90**	329.40

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

FF	Euro
Concealed rough parts **90**	128.90

13 800 811 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **160mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 35 mm
- 1/2“ connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 800 811** FF max. flow 4.5 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	719.70	**90**	721.90	**1,441.60**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

35 741 970 FF

- min. recess depth 90 mm
- max. recess depth 125 mm

Concealed rough parts

FF	Euro
90	329.40

For details and miscellaneous, see page 733

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

FF	Euro
90	128.90

For details and miscellaneous, see page 732

13 800 882 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter 40 mm
- rosette Ø 60 mm
- 1/2“ connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **13 800 882** FF max. flow 7 l/min FF	Euro	1x **42 765 970 90** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	516.20	**90**	721.90	**1,238.10**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

35 741 970 FF

- min. recess depth 90 mm
- max. recess depth 125 mm

Concealed rough parts

FF	Euro
90	329.40

For details and miscellaneous, see page 733

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

FF	Euro
90	128.90

For details and miscellaneous, see page 732

13 805 811 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting
- **190mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 35 mm
- 1/2“ connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **13 805 811** FF max. flow 4.5 l/min		1x **42 765 970 90** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	760.80	**90**	721.90	**1,482.70**

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

35 741 970 FF

- min. recess depth 90 mm
- max. recess depth 125 mm

Concealed rough parts | FF **90** | Euro 329.40

For details and miscellaneous, see page 733

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts | FF **90** | Euro 128.90

For details and miscellaneous, see page 732

Shower

Shower set
from page 570

Showerheads
from page 621

Shower systems
from page 586

Rain shower
from page 639

Rain panels
from page 661

Hand showers
from page 669

Hand shower set
from page 634

Water Modules
from page 689

Showers

Shower sets

26 412 710 +
28 012 979

26 412 404 +
28 012 979

26 413 370 +
28 002 970

26 412 892 +
28 018 979

26 413 809 +
28 012 979

26 412 980 +
28 012 979

Shower sets

26 412 979 +
28 018 979

26 412 625 +
28 018 979

26 411 625

Head showers with one spray type

28 504 670

28 504 979

28 508 404

Head showers with one spray type

28 611 970

28 613 970

Head showers with multiple jet types

28 508 710

28 508 360

28 508 979

28 508 980

Head showers with multiple jet types

28 505 979

Shower pipes with shower mixer

26 632 360 +
28 002 970

26 622 892 +
28 018 979

26 623 892 +
28 018 979

Shower pipes with shower thermostat

34 465 404 +
28 018 979
34 459 404*

34 459 360 +
11 420 360 +
28 002 978

Shower

Shower pipes with shower thermostat

34 465 892 +
28 015 979
34 463 892*

34 465 809 +
28 015 979
34 464 809*

34 464 979 +
28 025 979
34 466 979*

34 465 979 +
28 018 979
34 469 979*

34 463 980 +
28 018 979
34 468 980*

34 464 980 +
28 018 979
34 469 980*

Rain showers with wall connection

28 677 404
28 678 404*

28 545 977

28 647 670
28 645 670*

28 646 670
28 644 670*

28 647 970
28 645 970*

28 646 970
28 644 970*

Rain showers with wall connection

28 677 670
28 675 670*

28 676 670
28 674 670*

28 677 970
28 675 970*

28 676 970
28 674 970*

28 659 970

28 762 710
28 760 710*

Rain showers with wall connection

28 762 980
28 760 980*

28 763 710
28 761 710*

28 763 980
28 761 980*

JUST RAIN

41 550 979

Rain showers with ceiling connection

28 687 404
28 688 404*

28 565 977

Rain showers with ceiling connection

28 666 970
28 664 970*

28 667 970
28 665 970*

28 686 970
28 684 970*

28 687 970
28 685 970*

28 699 970

28 772 710
28 770 710*

Rain showers with ceiling connection

28 772 980
28 770 980*

28 773 710
28 771 710*

28 773 980
28 771 980*

JUST RAIN

41 507 979

Rain showers for ceiling connection

28 031 970

28 041 980

Shower

Rain showers for ceiling connection

28 032 970

28 042 980

Rain showers for ceiling installation

28 033 970

28 043 980

28 034 970

28 044 980

Rain panels

RAINMOON

41 610 979

RAINMOON

41 615 979

AQUAMOON

41 620 979

AQUAMOON

41 625 979

AQUAMOON EMBRACE

41 630 979

AQUAHALO

41 750 979

Rain panels

BIG RAIN

41 400 979

SERENITY SKY

41 770 979
41 772 979*

SERENITY SKY

41 771 979
41 773 979*

SERENITY SKY+

41 780 979

SERENITY SKY+

41 781 979

Hand showers with one flow mode

28 029 979

Hand showers with one flow mode

28 002 970

28 015 979
28 025 979*

28 017 979
28 027 979*

28 022 979

Hand showers with multiple flow modes

28 018 979

28 016 979

Hand showers with multiple flow modes

28 012 979

28 002 978

Hand shower sets with integrated shower holder

27 812 660

27 812 970

27 813 660

Hand shower sets

27 815 625

Hand shower sets

27 816 625

27 803 845

27 808 404

27 808 710

27 803 361

27 802 892

Shower

Hand shower sets

27 803 892

27 808 809

27 809 985

27 811 980

Hand shower sets with cover plate

27 818 980

Massage modules

WATER POINTS

36 515 979

Massage modules

WATER BAR

36 517 979

WATER CURVE

36 514 979

WATER FAN

36 513 979
36 512 979*

Waterfalls

WATER SHEET

13 415 979

WATER FALL

13 420 979

WATER FALL

13 425 979

Kneipp modules

27 838 979

WATER TUBE

27 821 979 +
28 285 979

WATER TUBE

27 823 979 +
28 285 979

Shower

26 412 710 +
28 012 979

NEW

Shower set
- spray head Ø 120mm
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow.
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 800 mm
- rosette 78 x 55 mm
- Pipe diameter 18 mm

Notes:
- Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 710** FF FF	Euro	1x **28 012 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	737.10	**-00**	247.90	**985.00**
Brushed Platinum	**-06**	1,179.40	**-06**	396.60	**1,576.00**

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

28 450 710 FF	FF	Euro
Chrome	**-00**	181.20
Brushed Platinum	**-06**	289.60

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	398.90

26 412 404 +
28 012 979

NEW

Shower set
- spray head Ø 120mm
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 800 mm
- rosettes 60 x 60 mm
- Pipe diameter 18 mm

Notes:
- Fits COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 404** FF FF	Euro	1x **28 012 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	772.00	**-00**	247.90	**1,019.90**
Brushed Platinum	**-06**	1,235.20	**-06**	396.60	**1,631.80**
Champagne (22kt Gold)	**-47**	1,852.80	**-47**	595.00	**2,447.80**
Brushed Champagne (22kt Gold)	**-46**	1,852.80	**-46**	595.00	**2,447.80**
Brushed Durabrass (23kt Gold)	**-28**	1,852.80	**-28**	595.00	**2,447.80**
Brushed Dark Brass (PVD)	**-39**	1,235.20	**-39**	396.60	**1,631.80**
Brushed Bronze (PVD)	**-42**	1,235.20	**-42**	396.60	**1,631.80**
Brushed Dark Bronze (PVD)	**-43**	1,389.60	**-43**	446.20	**1,835.80**
Dark Chrome	**-19**	1,158.00	**-19**	371.80	**1,529.80**
Brushed Dark Platinum	**-99**	1,389.60	**-99**	446.30	**1,835.90**

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see page 64

28 450 404 FF	FF	Euro
Chrome	**-00**	147.70
Brushed Platinum	**-06**	236.30
Champagne (22kt Gold)	**-47**	354.50
Brushed Champagne (22kt Gold)	**-46**	354.50
Brushed Durabrass (23kt Gold)	**-28**	354.50
Brushed Dark Brass (PVD)	**-39**	236.30
Brushed Bronze (PVD)	**-42**	236.30
Brushed Dark Bronze (PVD)	**-43**	265.90
Dark Chrome	**-19**	221.60
Brushed Dark Platinum	**-99**	265.90

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	342.20	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	342.20	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	342.20	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	228.10	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	228.00	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	256.70	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	213.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	256.50	**-99**	370.20	**-99**	448.70

Shower

26 413 370 +
28 002 970

Shower set
- spray head Ø 64mm
- COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 6 l/min
- inherently safe from back flow
- shower hose connector 1/2“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 850 mm
- rosette Ø 60 mm
- Pipe diameter 18 mm

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 413 370** FF FF	Euro	1x **28 002 970** FF max. flow 9 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	810.70	**-00**	321.30	**1,132.00**
Platinum	**-08**	1,297.40	**-08**	513.90	**1,811.30**
Brushed Platinum	**-06**	1,297.40	**-06**	513.90	**1,811.30**
Durabrass (23kt Gold)	**-09**	1,945.70	**-09**	771.10	**2,716.80**
Brushed Durabrass (23kt Gold)	**-28**	1,945.70	**-28**	771.10	**2,716.80**
Brushed Dark Brass (PVD)	**-39**	1,297.20	**-39**	514.20	**1,811.40**
Brushed Bronze (PVD)	**-42**	1,297.20	**-42**	514.20	**1,811.40**
Brushed Dark Bronze (PVD)	**-43**	1,459.30	**-43**	578.30	**2,037.60**
Brushed Dark Platinum	**-99**	1,459.40	**-99**	578.10	**2,037.50**

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

28 450 410 FF	FF	Euro
Chrome	**-00**	112.10
Platinum	**-08**	179.40
Brushed Platinum	**-06**	179.40
Durabrass (23kt Gold)	**-09**	269.00
Brushed Durabrass (23kt Gold)	**-28**	269.00
Brushed Dark Brass (PVD)	**-39**	179.40
Brushed Bronze (PVD)	**-42**	179.40
Brushed Dark Bronze (PVD)	**-43**	201.80
Brushed Dark Platinum	**-99**	201.90

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 674.

3 jets
Ø 95 mm

Alternative hand shower	**28 002 978** FF max. flow 9 l/min FF	Euro
Chrome	**-00**	247.90
Platinum	**-08**	396.60
Brushed Platinum	**-06**	396.60
Durabrass (23kt Gold)	**-09**	595.00
Brushed Durabrass (23kt Gold)	**-28**	595.00
Brushed Dark Brass (PVD)	**-39**	396.60
Brushed Bronze (PVD)	**-42**	396.60
Brushed Dark Bronze (PVD)	**-43**	446.20
Brushed Dark Platinum	**-99**	446.30

26 412 892 + 28 018 979

NEW

Shower set
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 800 mm
- rosette Ø 55 mm
- Pipe diameter 18 mm

Notes:
- Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 892** FF FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	736.90	**-00**	142.60	**879.50**
Brushed Chrome	**-93**	957.90	**-93**	185.30	**1,143.20**
Platinum	**-08**	1,179.00	**-08**	228.00	**1,407.00**
Brushed Platinum	**-06**	1,179.00	**-06**	228.00	**1,407.00**
Champagne (22kt Gold)	**-47**	1,768.60	**-47**	342.20	**2,110.80**
Brushed Champagne (22kt Gold)	**-46**	1,768.60	**-46**	342.20	**2,110.80**
Brushed Durabrass (23kt Gold)	**-28**	1,768.60	**-28**	342.20	**2,110.80**
Brushed Dark Brass (PVD)	**-39**	1,179.00	**-39**	228.10	**1,407.10**
Brushed Bronze (PVD)	**-42**	1,179.00	**-42**	228.00	**1,407.00**
Brushed Dark Bronze (PVD)	**-43**	1,326.40	**-43**	256.70	**1,583.10**
Dark Chrome	**-19**	1,105.30	**-19**	213.80	**1,319.10**
Brushed Dark Platinum	**-99**	1,326.40	**-99**	256.50	**1,582.90**
Matte Black	**-33**	994.80	**-33**	192.40	**1,187.20**

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

28 450 625 FF	FF	Euro
Chrome	**-00**	121.50
Brushed Chrome	**-93**	157.90
Platinum	**-08**	194.50
Brushed Platinum	**-06**	194.50
Champagne (22kt Gold)	**-47**	291.60
Brushed Champagne (22kt Gold)	**-46**	291.60
Brushed Durabrass (23kt Gold)	**-28**	291.60
Brushed Dark Brass (PVD)	**-39**	194.40
Brushed Bronze (PVD)	**-42**	194.40
Brushed Dark Bronze (PVD)	**-43**	218.70
Dark Chrome	**-19**	182.30
Brushed Dark Platinum	**-99**	218.70
Matte Black	**-33**	163.70

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

Shower

26 413 809 +
28 012 979

Shower set
- spray head Ø 120mm
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- shower hose connector 3/8“
- metal shower hose 1700mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 800 mm
- rosettes Ø 60 mm
- Pipe diameter 18 mm

Notes:
- Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 413 809** FF FF	Euro	1x **28 012 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	736.90	**-00**	247.90	**984.80**
Platinum	**-08**	1,178.60	**-08**	396.60	**1,575.20**
Brushed Platinum	**-06**	1,178.80	**-06**	396.60	**1,575.40**
Champagne (22kt Gold)	**-47**	1,768.60	**-47**	595.00	**2,363.60**
Brushed Champagne (22kt Gold)	**-46**	1,768.60	**-46**	595.00	**2,363.60**
Brushed Gold (PVD)	**-37**	1,105.40	**-37**	371.90	**1,477.30**
Brushed Durabrass (23kt Gold)	**-28**	1,768.60	**-28**	595.00	**2,363.60**
Brushed Dark Brass (PVD)	**-39**	1,179.00	**-39**	396.60	**1,575.60**
Brushed Bronze (PVD)	**-42**	1,179.00	**-42**	396.60	**1,575.60**
Brushed Dark Bronze (PVD)	**-43**	1,326.40	**-43**	446.20	**1,772.60**
Dark Chrome	**-19**	1,105.20	**-19**	371.80	**1,477.00**
Brushed Dark Platinum	**-99**	1,325.90	**-99**	446.30	**1,772.20**

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see page 569

	28 450 809 FF FF	Euro
Chrome	**-00**	141.00
Platinum	**-08**	225.40
Brushed Platinum	**-06**	225.00
Champagne (22kt Gold)	**-47**	338.40
Brushed Champagne (22kt Gold)	**-46**	338.40
Brushed Gold (PVD)	**-37**	211.50
Brushed Durabrass (23kt Gold)	**-28**	338.40
Brushed Dark Brass (PVD)	**-39**	225.60
Brushed Bronze (PVD)	**-42**	225.60
Brushed Dark Bronze (PVD)	**-43**	253.80
Dark Chrome	**-19**	211.40
Brushed Dark Platinum	**-99**	253.60

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

	35 085 970 FF FF	Euro
Concealed rough parts	**90**	128.90

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 100 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	249.30
Platinum	**-08**	212.40	**-08**	305.70	**-08**	228.00	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	342.20	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	342.20	**-46**	493.40	**-46**	598.30
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	213.90	**-37**	308.40	**-37**	374.00
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	342.20	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	228.10	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	228.00	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	256.70	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	213.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	256.50	**-99**	370.20	**-99**	448.70

26 412 980 + 28 012 979

NEW



Shower set
- spray head Ø 120mm
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 800 mm
- rosette 60 x 60 mm
- Pipe diameter 18 mm

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 980** FF FF	Euro	1x **28 012 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	737.00	**-00**	247.90	**984.90**
Brushed Chrome	**-93**	958.10	**-93**	322.10	**1,280.20**
Platinum	**-08**	1,179.20	**-08**	396.60	**1,575.80**
Brushed Platinum	**-06**	1,179.20	**-06**	396.60	**1,575.80**
Light Gold (PVD)	**-26**	1,105.50	**-26**	371.80	**1,477.30**
Brushed Light Gold (PVD)	**-27**	1,105.50	**-27**	371.80	**1,477.30**
Champagne (22kt Gold)	**-47**	1,768.80	**-47**	595.00	**2,363.80**
Brushed Champagne (22kt Gold)	**-46**	1,768.80	**-46**	595.00	**2,363.80**
Brushed Gold (PVD)	**-37**	1,105.50	**-37**	371.90	**1,477.40**
Brushed Durabrass (23kt Gold)	**-28**	1,768.80	**-28**	595.00	**2,363.80**
Brushed Dark Brass (PVD)	**-39**	1,179.20	**-39**	396.60	**1,575.80**
Brushed Bronze (PVD)	**-42**	1,179.20	**-42**	396.60	**1,575.80**
Brushed Dark Bronze (PVD)	**-43**	1,326.60	**-43**	446.20	**1,772.80**
Dark Chrome	**-19**	1,105.50	**-19**	371.80	**1,477.30**
Brushed Dark Platinum	**-99**	1,326.60	**-99**	446.30	**1,772.90**
Matte Black	**-33**	995.00	**-33**	334.60	**1,329.60**

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see page 113

28 450 980 FF	FF	Euro
Chrome	**-00**	173.40
Brushed Chrome	**-93**	225.50
Platinum	**-08**	277.60
Brushed Platinum	**-06**	277.60
Light Gold (PVD)	**-26**	260.10
Brushed Light Gold (PVD)	**-27**	260.10
Champagne (22kt Gold)	**-47**	416.20
Brushed Champagne (22kt Gold)	**-46**	416.20
Brushed Gold (PVD)	**-37**	260.10
Brushed Durabrass (23kt Gold)	**-28**	416.20
Brushed Dark Bronze (PVD)	**-43**	312.10
Dark Chrome	**-19**	260.30
Brushed Dark Platinum	**-99**	312.30
Matte Black	**-33**	234.20

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	185.30	**-93**	267.20	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	228.00	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	398.90
Light Gold (PVD)	**-26**	198.90	**-26**	286.40	**-26**	213.80	**-26**	308.50	**-26**	374.00
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	213.80	**-27**	308.50	**-27**	374.00
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	342.20	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	342.20	**-46**	493.40	**-46**	598.30
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	213.90	**-37**	308.40	**-37**	374.00
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	342.20	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	228.10	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	228.00	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	256.70	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	213.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	256.50	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	192.40	**-33**	277.60	**-33**	336.50

26 412 979 +
28 018 979

NEW

Shower set
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow.
- shower hose connector 3/8“
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- gauge 853 mm
- Pipe diameter 18 mm

Notes:
- Fits CL.1, IMO, MEM, SERIES-VARIOUS, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 979** FF FF	1x **26 412 979** FF Euro	1x **28 018 979** FF max. flow 15 l/min FF	1x **28 018 979** FF max. flow 15 l/min Euro	**Total price:** Euro
Chrome	**-00**	441.30	**-00**	142.60	**583.90**
Brushed Chrome	**-93**	573.70	**-93**	185.30	**759.00**
Platinum	**-08**	706.10	**-08**	228.00	**934.10**
Brushed Platinum	**-06**	706.10	**-06**	228.00	**934.10**
Light Gold (PVD)	**-26**	662.00	**-26**	213.80	**875.80**
Brushed Light Gold (PVD)	**-27**	662.00	**-27**	213.80	**875.80**
Champagne (22kt Gold)	**-47**	1,059.10	**-47**	342.20	**1,401.30**
Brushed Champagne (22kt Gold)	**-46**	1,059.10	**-46**	342.20	**1,401.30**
Brushed Gold (PVD)	**-37**	662.00	**-37**	213.90	**875.90**
Brushed Durabrass (23kt Gold)	**-28**	1,059.10	**-28**	342.20	**1,401.30**
Brushed Dark Brass (PVD)	**-39**	706.10	**-39**	228.10	**934.20**
Brushed Bronze (PVD)	**-42**	706.10	**-42**	228.00	**934.10**
Brushed Dark Bronze (PVD)	**-43**	794.30	**-43**	256.70	**1,051.00**
Dark Chrome	**-19**	662.00	**-19**	213.80	**875.80**
Brushed Dark Platinum	**-99**	794.30	**-99**	256.50	**1,050.80**
Matte Black	**-33**	595.80	**-33**	192.40	**788.20**

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

	35 085 970 FF	FF	Euro
	Concealed rough parts	**90**	128.90

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see page 113

	28 450 980 FF	FF	Euro
	Chrome	**-00**	173.40
	Brushed Chrome	**-93**	225.50
	Platinum	**-08**	277.60
	Brushed Platinum	**-06**	277.60
	Light Gold (PVD)	**-26**	260.10
	Champagne (22kt Gold)	**-47**	416.20
	Brushed Champagne (22kt Gold)	**-46**	416.20
	Brushed Gold (PVD)	**-37**	260.10
	Brushed Durabrass (23kt Gold)	**-28**	416.20
	Dark Chrome	**-19**	260.30
	Brushed Dark Platinum	**-99**	312.30
	Matte Black	**-33**	234.20

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Light Gold (PVD)	**-26**	198.90	**-26**	286.40	**-26**	371.80	**-26**	308.50	**-26**	374.00
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	371.80	**-27**	308.50	**-27**	374.00
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	371.90	**-37**	308.40	**-37**	374.00
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

26 412 625 + 28 018 979

NEW

Shower set
- spray head Ø 120mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8“
- slide bar

Technical data:
- gauge 800 mm
- rosette Ø 55 mm
- Pipe diameter 18 mm

Notes:
- Fits META, TARA, SERIES-VARIOUS

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 412 625** FF FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	735.90	**-00**	142.60	**878.50**
Brushed Chrome	**-93**	956.80	**-93**	185.30	**1,142.10**
Platinum	**-08**	1,177.50	**-08**	228.00	**1,405.50**
Brushed Platinum	**-06**	1,177.50	**-06**	228.00	**1,405.50**
Light Gold (PVD)	**-26**	1,104.00	**-26**	213.80	**1,317.80**
Brushed Light Gold (PVD)	**-27**	1,104.00	**-27**	213.80	**1,317.80**
Champagne (22kt Gold)	**-47**	1,766.20	**-47**	342.20	**2,108.40**
Brushed Champagne (22kt Gold)	**-46**	1,766.20	**-46**	342.20	**2,108.40**
Brushed Gold (PVD)	**-37**	1,103.90	**-37**	213.90	**1,317.80**
Brushed Durabrass (23kt Gold)	**-28**	1,766.20	**-28**	342.20	**2,108.40**
Brushed Dark Brass (PVD)	**-39**	1,177.50	**-39**	228.10	**1,405.60**
Brushed Bronze (PVD)	**-42**	1,177.50	**-42**	228.00	**1,405.50**
Brushed Dark Bronze (PVD)	**-43**	1,324.60	**-43**	256.70	**1,581.30**
Dark Chrome	**-19**	1,104.00	**-19**	213.80	**1,317.80**
Brushed Dark Platinum	**-99**	1,324.70	**-99**	256.50	**1,581.20**
Matte Black	**-33**	993.50	**-33**	192.40	**1,185.90**

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

28 450 625 FF	FF	Euro
Chrome	**-00**	121.50
Brushed Chrome	**-93**	157.90
Platinum	**-08**	194.50
Brushed Platinum	**-06**	194.50
Light Gold (PVD)	**-26**	182.30
Brushed Light Gold (PVD)	**-27**	182.30
Champagne (22kt Gold)	**-47**	291.60
Brushed Champagne (22kt Gold)	**-46**	291.60
Brushed Gold (PVD)	**-37**	182.30
Brushed Durabrass (23kt Gold)	**-28**	291.60
Brushed Dark Brass (PVD)	**-39**	194.40
Brushed Bronze (PVD)	**-42**	194.40
Brushed Dark Bronze (PVD)	**-43**	218.70
Dark Chrome	**-19**	182.30
Brushed Dark Platinum	**-99**	218.70
Matte Black	**-33**	163.70

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

1 jet

4 jets
Ø 120 mm

5 jets
Ø 130 mm

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	249.30	**-00**	247.90	**-00**	205.60
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	324.10	**-93**	322.10	**-93**	267.20
Platinum	**-08**	212.40	**-08**	305.70	**-08**	398.90	**-08**	396.60	**-08**	329.30
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	398.90	**-06**	396.60	**-06**	329.30
Light Gold (PVD)	**-26**	198.90	**-26**	286.40	**-26**	374.00	**-26**	371.80	**-26**	308.50
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	374.00	**-27**	371.80	**-27**	308.50
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	598.30	**-47**	595.00	**-47**	493.40
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	598.30	**-46**	595.00	**-46**	493.40
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	374.00	**-37**	371.90	**-37**	308.40
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	598.30	**-28**	595.00	**-28**	493.40
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	398.90	**-39**	396.60	**-39**	329.00
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	398.90	**-42**	396.60	**-42**	329.00
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	448.70	**-43**	446.20	**-43**	370.10
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	374.00	**-19**	371.80	**-19**	308.50
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	448.70	**-99**	446.30	**-99**	370.20
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	336.50	**-33**	334.60	**-33**	277.60

Shower

26 411 625 **NEW**



Shower set
- spray head Ø 120mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- shower hose connector 3/8“
- Plastic hose, 1750 mm, with integrated anti-twist protection
- slide bar

Technical data:
- gauge 800 mm
- rosette Ø 55 mm
- Pipe diameter 18 mm

Notes:
- Fits META, SERIES-VARIOUS

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**26 411 625** FF	FF	Euro
Chrome		**-00**	494.80
Brushed Chrome		**-93**	643.20
Light Gold (PVD)		**-26**	742.10
Brushed Light Gold (PVD)		**-27**	742.10
Brushed Gold (PVD)		**-37**	742.20
Brushed Bronze (PVD)		**-42**	791.60
Brushed Dark Bronze (PVD)		**-43**	890.60
Dark Chrome		**-19**	742.10
Brushed Dark Platinum		**-99**	890.60
Matte Black		**-33**	667.90

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

	28 450 625 FF	FF	Euro
Chrome		**-00**	121.50
Brushed Chrome		**-93**	157.90
Light Gold (PVD)		**-26**	182.30
Brushed Light Gold (PVD)		**-27**	182.30
Brushed Gold (PVD)		**-37**	182.30
Brushed Bronze (PVD)		**-42**	194.40
Brushed Dark Bronze (PVD)		**-43**	218.70
Dark Chrome		**-19**	182.30
Brushed Dark Platinum		**-99**	218.70
Matte Black		**-33**	163.70

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

	35 085 970 FF	FF	Euro
Concealed rough parts		**90**	128.90

28 504 670

Shower head
- spray head Ø 100mm
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system

Technical data:
- 180-210mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 504 670** FF	FF	Euro
Chrome		**-00**	643.80
Brushed Chrome		**-93**	836.90
Platinum		**-08**	1,029.90
Brushed Platinum		**-06**	1,021.40
Brushed Light Gold (PVD)		**-27**	965.60
Champagne (22kt Gold)		**-47**	1,545.10
Brushed Champagne (22kt Gold)		**-46**	1,545.10
Brushed Gold (PVD)		**-37**	965.70
Brushed Durabrass (23kt Gold)		**-28**	1,545.10
Brushed Dark Brass (PVD)		**-39**	1,029.90
Brushed Bronze (PVD)		**-42**	1,029.90
Brushed Dark Bronze (PVD)		**-43**	1,158.80
Dark Chrome		**-19**	965.50
Brushed Dark Platinum		**-99**	1,158.60
Matte Black		**-33**	869.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 504 979

Shower head
- spray head Ø 100mm
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system

Technical data:
- 180-210mm projection
- ball-joint pivotable through 30°
- rosettes Ø 55 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 504 979** FF	FF	Euro
Chrome		**-00**	621.20
Brushed Chrome		**-93**	807.50
Platinum		**-08**	994.10
Brushed Platinum		**-06**	994.20
Light Gold (PVD)		**-26**	931.80
Brushed Light Gold (PVD)		**-27**	931.80
Champagne (22kt Gold)		**-47**	1,490.90
Brushed Champagne (22kt Gold)		**-46**	1,490.90
Brushed Gold (PVD)		**-37**	931.80
Brushed Durabrass (23kt Gold)		**-28**	1,490.90
Brushed Dark Brass (PVD)		**-39**	993.90
Brushed Bronze (PVD)		**-42**	993.90
Brushed Dark Bronze (PVD)		**-43**	1,118.20
Dark Chrome		**-19**	932.00
Brushed Dark Platinum		**-99**	1,118.40
Matte Black		**-33**	838.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

Shower

28 508 404 **NEW**

Shower head
- spray head Ø 94mm
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 5.1 l/min
- with anti-scale system

Technical data:
- 197mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 508 404** FF	FF	Euro
Chrome		**-00**	650.80
Brushed Platinum		**-06**	1,041.30
Champagne (22kt Gold)		**-47**	1,561.90
Brushed Champagne (22kt Gold)		**-46**	1,561.90
Brushed Durabrass (23kt Gold)		**-28**	1,561.90
Brushed Dark Brass (PVD)		**-39**	1,041.30
Brushed Bronze (PVD)		**-42**	1,041.30
Brushed Dark Bronze (PVD)		**-43**	1,171.40
Dark Chrome		**-19**	976.20
Brushed Dark Platinum		**-99**	1,171.40

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 508 404** FF	FF	Euro
Chrome		**-000010**	650.80
Brushed Platinum		**-060010**	1,041.30
Champagne (22kt Gold)		**-470010**	1,561.90
Brushed Champagne (22kt Gold)		**-460010**	1,561.90
Brushed Durabrass (23kt Gold)		**-280010**	1,561.90
Brushed Dark Brass (PVD)		**-390010**	1,041.30
Brushed Bronze (PVD)		**-420010**	1,041.30
Brushed Dark Bronze (PVD)		**-430010**	1,171.40
Dark Chrome		**-190010**	976.20
Brushed Dark Platinum		**-990010**	1,171.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 508 710

Shower head
- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:
- 200-mm projection
- ball-joint pivotable through 30°
- rosette 78 x 55 mm
- 1/2“ connection

Notes:
- Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 508 710** FF	FF	Euro
Chrome		**-00**	690.70
Brushed Platinum		**-06**	1,105.30

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 508 710** FF	FF	Euro
Chrome		**-000010**	690.70
Brushed Platinum		**-060010**	1,105.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 508 360

Shower head
- spray head Ø 94mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:
- 200-mm projection
- ball-joint pivotable through 30°
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 508 360** FF	FF	Euro
Chrome		**-00**	694.90
Platinum		**-08**	1,111.50
Brushed Platinum		**-06**	1,111.50
Durabrass (23kt Gold)		**-09**	1,667.80
Brushed Durabrass (23kt Gold)		**-28**	1,667.80
Brushed Dark Brass (PVD)		**-39**	1,111.70
Brushed Bronze (PVD)		**-42**	1,111.70
Brushed Dark Bronze (PVD)		**-43**	1,250.80
Brushed Dark Platinum		**-99**	1,250.60

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 508 360** FF	FF	Euro
Chrome		**-000010**	694.90
Platinum		**-080010**	1,111.50
Brushed Platinum		**-060010**	1,111.50
Durabrass (23kt Gold)		**-090010**	1,667.80
Brushed Durabrass (23kt Gold)		**-280010**	1,667.80
Brushed Dark Brass (PVD)		**-390010**	1,111.70
Brushed Bronze (PVD)		**-420010**	1,111.70
Brushed Dark Bronze (PVD)		**-430010**	1,250.80
Brushed Dark Platinum		**-990010**	1,250.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

Shower

28 508 979

Shower head
- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:
- 200-mm projection
- ball-joint pivotable through 30°
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 508 979** FF	FF	Euro
Chrome		**-00**	694.90
Brushed Chrome		**-93**	903.40
Platinum		**-08**	1,111.40
Brushed Platinum		**-06**	1,111.40
Light Gold (PVD)		**-26**	1,042.30
Brushed Light Gold (PVD)		**-27**	1,042.30
Champagne (22kt Gold)		**-47**	1,667.80
Brushed Champagne (22kt Gold)		**-46**	1,667.80
Brushed Gold (PVD)		**-37**	1,042.40
Brushed Durabrass (23kt Gold)		**-28**	1,667.80
Brushed Dark Brass (PVD)		**-39**	1,111.70
Brushed Bronze (PVD)		**-42**	1,111.70
Brushed Dark Bronze (PVD)		**-43**	1,250.80
Dark Chrome		**-19**	1,042.20
Brushed Dark Platinum		**-99**	1,250.60
Matte Black		**-33**	938.00

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 508 979** FF	FF	Euro
Chrome		**-000010**	694.90
Brushed Chrome		**-930010**	903.40
Platinum		**-080010**	1,111.40
Brushed Platinum		**-060010**	1,111.40
Light Gold (PVD)		**-260010**	1,042.30
Brushed Light Gold (PVD)		**-270010**	1,042.30
Champagne (22kt Gold)		**-470010**	1,667.80
Brushed Champagne (22kt Gold)		**-460010**	1,667.80
Brushed Gold (PVD)		**-370010**	1,042.40
Brushed Durabrass (23kt Gold)		**-280010**	1,667.80
Brushed Dark Brass (PVD)		**-390010**	1,111.70
Brushed Bronze (PVD)		**-420010**	1,111.70
Brushed Dark Bronze (PVD)		**-430010**	1,250.80
Dark Chrome		**-190010**	1,042.20
Brushed Dark Platinum		**-990010**	1,250.60
Matte Black		**-330010**	938.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 508 980

Shower head
- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system

Technical data:
- 200-mm projection
- ball-joint pivotable through 30°
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 508 980** FF	FF	Euro
Chrome		**-00**	714.40
Brushed Chrome		**-93**	928.70
Platinum		**-08**	1,143.00
Brushed Platinum		**-06**	1,142.70
Brushed Light Gold (PVD)		**-27**	1,071.50
Champagne (22kt Gold)		**-47**	1,714.60
Brushed Champagne (22kt Gold)		**-46**	1,714.60
Brushed Gold (PVD)		**-37**	1,071.60
Brushed Durabrass (23kt Gold)		**-28**	1,714.60
Brushed Dark Brass (PVD)		**-39**	1,143.10
Brushed Bronze (PVD)		**-42**	1,143.10
Brushed Dark Bronze (PVD)		**-43**	1,285.90
Dark Chrome		**-19**	1,071.50
Brushed Dark Platinum		**-99**	1,286.10
Matte Black		**-33**	964.50

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 508 980** FF	FF	Euro
Chrome		**-000010**	714.40
Brushed Chrome		**-930010**	928.70
Platinum		**-080010**	1,143.00
Brushed Platinum		**-060010**	1,142.70
Brushed Light Gold (PVD)		**-270010**	1,071.50
Champagne (22kt Gold)		**-470010**	1,714.60
Brushed Champagne (22kt Gold)		**-460010**	1,714.60
Brushed Gold (PVD)		**-370010**	1,071.60
Brushed Durabrass (23kt Gold)		**-280010**	1,714.60
Brushed Dark Brass (PVD)		**-390010**	1,143.10
Brushed Bronze (PVD)		**-420010**	1,143.10
Brushed Dark Bronze (PVD)		**-430010**	1,285.90
Dark Chrome		**-190010**	1,071.50
Brushed Dark Platinum		**-990010**	1,286.10
Matte Black		**-330010**	964.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

Shower

28 505 979

Shower head
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 7.6 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- 155-mm projection
- ball-joint pivotable through 18° (in any direction)
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 505 979** FF	FF	Euro
Chrome		**-00**	387.10
Brushed Chrome		**-93**	503.40
Platinum		**-08**	619.50
Brushed Platinum		**-06**	619.50
Light Gold (PVD)		**-26**	580.80
Brushed Light Gold (PVD)		**-27**	580.80
Champagne (22kt Gold)		**-47**	929.00
Brushed Champagne (22kt Gold)		**-46**	929.00
Brushed Gold (PVD)		**-37**	580.70
Brushed Durabrass (23kt Gold)		**-28**	929.00
Brushed Dark Brass (PVD)		**-39**	619.50
Brushed Bronze (PVD)		**-42**	619.50
Brushed Dark Bronze (PVD)		**-43**	696.80
Dark Chrome		**-19**	580.80
Brushed Dark Platinum		**-99**	697.00
Matte Black		**-33**	522.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 611 970 NEW

Shower head with ceiling fixing
- INTENSE RAIN, flow rate max. 8 l/min
- Function from: 6 l/min
- with anti-scale system

Technical data:
- Adjustable spray angle ±7°
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META

Standard article	**28 611 970** FF	FF	Euro
Chrome		**-00**	365.20
Brushed Chrome		**-93**	474.70
Light Gold (PVD)		**-26**	547.80
Brushed Light Gold (PVD)		**-27**	547.80
Brushed Gold (PVD)		**-37**	547.80
Brushed Dark Brass (PVD)		**-39**	584.30
Brushed Bronze (PVD)		**-42**	584.30
Brushed Dark Bronze (PVD)		**-43**	657.40
Dark Chrome		**-19**	547.80
Brushed Dark Platinum		**-99**	657.30
Matte Black		**-33**	493.00

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 611 970** FF	FF	Euro
Chrome		**-000010**	365.20
Brushed Chrome		**-930010**	474.70
Light Gold (PVD)		**-260010**	547.80
Brushed Light Gold (PVD)		**-270010**	547.80
Brushed Gold (PVD)		**-370010**	547.80
Brushed Dark Brass (PVD)		**-390010**	584.30
Brushed Bronze (PVD)		**-420010**	584.30
Brushed Dark Bronze (PVD)		**-430010**	657.30
Dark Chrome		**-190010**	547.80
Brushed Dark Platinum		**-990010**	657.30
Matte Black		**-330010**	493.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 613 970 **NEW**

Shower head
- INTENSE RAIN, flow rate max. 8 l/min
- Function from: 6 l/min
- with anti-scale system

Technical data:
- 156-mm projection
- ball-joint pivotable through 30°
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, TARA

Standard article	**28 613 970** FF	FF	Euro
Chrome		**-00**	434.40
Brushed Chrome		**-93**	564.70
Light Gold (PVD)		**-26**	651.60
Brushed Light Gold (PVD)		**-27**	651.60
Brushed Gold (PVD)		**-37**	651.60
Brushed Dark Brass (PVD)		**-39**	695.00
Brushed Bronze (PVD)		**-42**	695.00
Brushed Dark Bronze (PVD)		**-43**	781.90
Dark Chrome		**-19**	651.60
Brushed Dark Platinum		**-99**	781.90
Matte Black		**-33**	586.40

Product alternative
- FlowReduce
- Max. flow rate 5.7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 613 970** FF	FF	Euro
Chrome		**-000010**	434.40
Brushed Chrome		**-930010**	564.70
Light Gold (PVD)		**-260010**	651.60
Brushed Light Gold (PVD)		**-270010**	651.60
Brushed Gold (PVD)		**-370010**	651.60
Brushed Dark Brass (PVD)		**-390010**	695.00
Brushed Bronze (PVD)		**-420010**	695.00
Brushed Dark Bronze (PVD)		**-430010**	781.90
Dark Chrome		**-190010**	651.60
Brushed Dark Platinum		**-990010**	781.90
Matte Black		**-330010**	586.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

Shower

26 632 360 +
28 002 970

Showerpipe with shower mixer
- rain shower Ø 200 mm
- Rain shower material: metal
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 64mm
- Hand shower: COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- 1/2“ connection
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter for fixed-riser shower/hand shower
- slide-on rosettes Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- shower with fixed riser projection 420mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1180mm
- rosette for wall mounting Ø 70mm
- rosette for shower holder Ø 66mm
- rosette for shower mixer Ø 60mm
- Pipe diameter 20 mm
- gauge 150 mm - 13 mm

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 632 360** FF max. flow 14 l/min FF	Euro	1x **28 002 970** FF max. flow 9 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,345.40	**-00**	321.30	**3,666.70**
Platinum	**-08**	5,352.60	**-08**	513.90	**5,866.50**
Brushed Platinum	**-06**	5,352.60	**-06**	513.90	**5,866.50**
Durabrass (23kt Gold)	**-09**	8,029.00	**-09**	771.10	**8,800.10**
Brushed Durabrass (23kt Gold)	**-28**	8,029.00	**-28**	771.10	**8,800.10**
Brushed Dark Brass (PVD)	**-39**	5,352.70	**-39**	514.20	**5,866.90**
Brushed Bronze (PVD)	**-42**	5,352.70	**-42**	514.20	**5,866.90**
Brushed Dark Bronze (PVD)	**-43**	6,021.70	**-43**	578.30	**6,600.00**
Brushed Dark Platinum	**-99**	6,021.80	**-99**	578.10	**6,599.90**

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 674.

3 jets
Ø 95 mm

Alternative hand shower	**28 002 978** FF max. flow 9 l/min FF	Euro
Chrome	**-00**	247.90
Platinum	**-08**	396.60
Brushed Platinum	**-06**	396.60
Brushed Durabrass (23kt Gold)	**-28**	595.00
Brushed Dark Brass (PVD)	**-39**	396.60
Brushed Bronze (PVD)	**-42**	396.60
Brushed Dark Bronze (PVD)	**-43**	446.20
Brushed Dark Platinum	**-99**	446.30

26 622 892 +
28 018 979

Showerpipe with shower mixer 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- three settings: normal flow, soft flow, massage flow
- 1/2“ connection
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter for fixed-riser shower/hand shower
- slide-on rosettes Ø 65 mm
- 1500 mm metal shower hose

Technical data:
- shower with fixed riser projection 420mm
- height of fittings up to rain shower (bottom edge) 850mm
- height of fittings up to top edge of elbow 1167mm
- rosette for wall mounting Ø 57mm
- rosette for shower holder Ø 55mm
- rosette for shower mixer Ø 65mm
- Pipe diameter 20 mm
- gauge 150 mm - 13 mm

Notes:
- Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 622 892** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,107.00	**-00**	142.60	**3,249.60**
Brushed Chrome	**-93**	4,039.00	**-93**	185.30	**4,224.30**
Platinum	**-08**	4,971.10	**-08**	228.00	**5,199.10**
Brushed Platinum	**-06**	4,971.10	**-06**	228.00	**5,199.10**
Champagne (22kt Gold)	**-47**	7,456.80	**-47**	342.20	**7,799.00**
Brushed Champagne (22kt Gold)	**-46**	7,456.80	**-46**	342.20	**7,799.00**
Brushed Durabrass (23kt Gold)	**-28**	7,456.80	**-28**	342.20	**7,799.00**
Brushed Dark Brass (PVD)	**-39**	4,971.10	**-39**	228.10	**5,199.20**
Brushed Bronze (PVD)	**-42**	4,971.10	**-42**	228.00	**5,199.10**
Brushed Dark Bronze (PVD)	**-43**	5,592.60	**-43**	256.70	**5,849.30**
Dark Chrome	**-19**	4,660.50	**-19**	213.80	**4,874.30**
Brushed Dark Platinum	**-99**	5,592.50	**-99**	256.50	**5,849.00**
Matte Black	**-33**	4,194.30	**-33**	192.40	**4,386.70**

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

Shower

26 623 892 +
28 018 979

Showerpipe with shower mixer 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- 1/2“ connection
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter for fixed-riser shower/hand shower
- 1500 mm metal shower hose

Technical data:
- **420mm projection**
- height of fittings up to rain shower (bottom edge) 1007mm
- height of fittings up to top edge of elbow 1167mm
- rosette for wall mounting Ø 57mm
- rosette for shower holder Ø 55mm
- rosette for shower mixer Ø 65mm
- Pipe diameter 20 mm
- gauge 150 mm - 13 mm

Notes:
- Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **26 623 892** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,036.40	**-00**	142.60	**3,179.00**
Brushed Chrome	**-93**	3,947.40	**-93**	185.30	**4,132.70**
Platinum	**-08**	4,858.20	**-08**	228.00	**5,086.20**
Brushed Platinum	**-06**	4,858.20	**-06**	228.00	**5,086.20**
Champagne (22kt Gold)	**-47**	7,287.40	**-47**	342.20	**7,629.60**
Brushed Champagne (22kt Gold)	**-46**	7,287.40	**-46**	342.20	**7,629.60**
Brushed Gold (PVD)	**-37**	4,554.60	**-37**	213.90	**4,768.50**
Brushed Durabrass (23kt Gold)	**-28**	7,287.40	**-28**	342.20	**7,629.60**
Brushed Dark Brass (PVD)	**-39**	4,858.40	**-39**	228.10	**5,086.50**
Brushed Bronze (PVD)	**-42**	4,858.20	**-42**	228.00	**5,086.20**
Brushed Dark Bronze (PVD)	**-43**	5,465.50	**-43**	256.70	**5,722.20**
Dark Chrome	**-19**	4,554.60	**-19**	213.80	**4,768.40**
Brushed Dark Platinum	**-99**	5,465.50	**-99**	256.50	**5,722.00**
Matte Black	**-33**	4,099.10	**-33**	192.40	**4,291.50**

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

5 jets
Ø 130 mm

4 jets
Ø 120 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	205.60	**-00**	247.90	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	267.20	**-93**	322.10	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	329.30	**-08**	396.60	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	329.30	**-06**	396.60	**-06**	398.90
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	493.40	**-47**	595.00	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	493.40	**-46**	595.00	**-46**	598.30
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	308.40	**-37**	371.90	**-37**	374.00
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	493.40	**-28**	595.00	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	329.00	**-39**	396.60	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	329.00	**-42**	396.60	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	370.10	**-43**	446.20	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	308.50	**-19**	371.80	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	370.20	**-99**	446.30	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	277.60	**-33**	334.60	**-33**	336.50

34 465 404 + 28 018 979

NEW

Showerpipe with shower thermostat
- rain shower Ø 300 mm
- Rain shower material: metal
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- 1/2“ connection
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- **420mm projection**
- height of fittings up to rain shower (bottom edge) 937mm
- height of fittings up to top edge of elbow 1279mm
- Pipe diameter 23.5 mm
- gauge 150 mm - 13 mm

Notes:
- Fits COYA

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 465 404** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,008.40	**-00**	142.60	**3,151.00**
Brushed Platinum	**-06**	4,813.40	**-06**	228.00	**5,041.40**
Champagne (22kt Gold)	**-47**	7,220.20	**-47**	342.20	**7,562.40**
Brushed Champagne (22kt Gold)	**-46**	7,220.20	**-46**	342.20	**7,562.40**
Brushed Durabrass (23kt Gold)	**-28**	7,220.20	**-28**	342.20	**7,562.40**
Brushed Dark Brass (PVD)	**-39**	4,813.40	**-39**	228.10	**5,041.50**
Brushed Bronze (PVD)	**-42**	4,813.40	**-42**	228.00	**5,041.40**
Brushed Dark Bronze (PVD)	**-43**	5,415.10	**-43**	256.70	**5,671.80**
Dark Chrome	**-19**	4,512.60	**-19**	213.80	**4,726.40**
Brushed Dark Platinum	**-99**	5,415.10	**-99**	256.50	**5,671.60**

Product alternative
- FlowReduce
- max. flow 9 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

34 459 404 FF	FF	Euro
Chrome	**-00**	2,856.00
Brushed Platinum	**-06**	4,569.60
Champagne (22kt Gold)	**-47**	6,854.40
Brushed Champagne (22kt Gold)	**-46**	6,854.40
Brushed Durabrass (23kt Gold)	**-28**	6,854.40
Brushed Dark Brass (PVD)	**-39**	4,569.60
Brushed Bronze (PVD)	**-42**	4,569.60
Brushed Dark Bronze (PVD)	**-43**	5,140.80
Dark Chrome	**-19**	4,284.00
Brushed Dark Platinum	**-99**	5,140.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 671.

1 jet
Ø 130 mm

1 jet
Ø 100 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	191.00	**-00**	132.60	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Platinum	**-06**	305.70	**-06**	212.40	**-06**	396.60	**-06**	329.30	**-06**	398.90
Champagne (22kt Gold)	**-47**	458.40	**-47**	318.20	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	458.40	**-46**	318.20	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	458.40	**-28**	318.20	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	305.70	**-39**	212.20	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	305.60	**-42**	212.10	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	343.80	**-43**	238.70	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	286.40	**-19**	198.90	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	343.70	**-99**	238.60	**-99**	446.30	**-99**	370.20	**-99**	448.70

Shower

34 459 360 +
11 420 360 +
28 002 978

Showerpipe with shower thermostat
- rain shower Ø 200 mm
- Rain shower material: metal
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 95mm
- Hand shower: Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUA-PRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- 1/2“ connection
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter for fixed-riser shower/hand shower
- two-part push-on rosette Ø 65 mm
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- shower with fixed riser projection 420mm
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1160mm
- rosette for shower holder Ø 65mm
- rosette for wall mounting Ø 60mm
- Pipe diameter 20 mm
- gauge 150 mm - 13 mm

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **34 459 360** FF		1x **11 420 360** FF 1x **28 002 978** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	3,340.90	**-00**	302.00	**3,890.80**
			-00	247.90	
Platinum	**-08**	5,345.70	**-08**	483.00	**6,225.30**
			-08	396.60	
Brushed Platinum	**-06**	5,345.70	**-06**	483.00	**6,225.30**
			-06	396.60	
Durabrass (23kt Gold)	**-09**	8,018.20	**-09**	724.80	**9,338.00**
			-09	595.00	
Brushed Durabrass (23kt Gold)	**-28**	8,018.20	**-28**	724.80	**9,338.00**
			-28	595.00	
Brushed Dark Brass (PVD)	**-39**	5,345.40	**-39**	483.10	**6,225.10**
			-39	396.60	
Brushed Bronze (PVD)	**-42**	5,345.40	**-42**	483.10	**6,225.10**
			-42	396.60	
Brushed Dark Bronze (PVD)	**-43**	6,013.60	**-43**	543.60	**7,003.40**
			-43	446.20	
Brushed Dark Platinum	**-99**	6,013.60	**-99**	543.50	**7,003.40**
			-99	446.30	

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 669.

1 jet
Ø 64 mm

	28 002 970 FF max. flow 9 l/min	
Alternative hand shower	FF	Euro
Chrome	**-00**	321.30
Platinum	**-08**	513.90
Brushed Platinum	**-06**	513.90
Durabrass (23kt Gold)	**-09**	771.10
Brushed Durabrass (23kt Gold)	**-28**	771.10
Brushed Dark Brass (PVD)	**-39**	514.20
Brushed Bronze (PVD)	**-42**	514.20
Brushed Dark Bronze (PVD)	**-43**	578.30
Brushed Dark Platinum	**-99**	578.10

34 465 892 + 28 015 979 **NEW**

Shower pipe with shower thermostat with hand shower set 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- slide-on rosettes Ø 70 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2“ connection
- slide bar

Technical data:
- shower with fixed riser projection 420mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm

Notes:
- Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 465 892** FF max. flow 14 l/min FF	Euro	1x **28 015 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,235.70	**-00**	132.60	**3,368.30**
Brushed Chrome	**-93**	4,206.40	**-93**	172.40	**4,378.80**
Platinum	**-08**	5,177.10	**-08**	212.40	**5,389.50**
Brushed Platinum	**-06**	5,177.10	**-06**	212.40	**5,389.50**
Light Gold (PVD)	**-26**	4,853.50	**-26**	198.90	**5,052.40**
Champagne (22kt Gold)	**-47**	7,765.70	**-47**	318.20	**8,083.90**
Brushed Champagne (22kt Gold)	**-46**	7,765.70	**-46**	318.20	**8,083.90**
Brushed Gold (PVD)	**-37**	4,853.60	**-37**	198.90	**5,052.50**
Brushed Durabrass (23kt Gold)	**-28**	7,765.70	**-28**	318.20	**8,083.90**
Brushed Dark Brass (PVD)	**-39**	5,177.10	**-39**	212.20	**5,389.30**
Brushed Bronze (PVD)	**-42**	5,177.10	**-42**	212.10	**5,389.20**
Brushed Dark Bronze (PVD)	**-43**	5,824.30	**-43**	238.70	**6,063.00**
Dark Chrome	**-19**	4,853.50	**-19**	198.90	**5,052.40**
Brushed Dark Platinum	**-99**	5,824.20	**-99**	238.60	**6,062.80**
Matte Black	**-33**	4,368.20	**-33**	178.80	**4,547.00**

Product alternative
- FlowReduce
- max. flow 5 l/min
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article **34 463 892** FF	FF	Euro
Chrome	**-00**	3,235.70
Brushed Chrome	**-93**	4,206.40
Platinum	**-08**	5,177.10
Brushed Platinum	**-06**	5,177.10
Light Gold (PVD)	**-26**	4,853.50
Champagne (22kt Gold)	**-47**	7,765.70
Brushed Champagne (22kt Gold)	**-46**	7,765.70
Brushed Gold (PVD)	**-37**	4,853.60
Brushed Durabrass (23kt Gold)	**-28**	7,765.70
Brushed Dark Brass (PVD)	**-39**	5,177.10
Brushed Bronze (PVD)	**-42**	5,177.10
Brushed Dark Bronze (PVD)	**-43**	5,824.30
Dark Chrome	**-19**	4,853.50
Brushed Dark Platinum	**-99**	5,824.20
Matte Black	**-33**	4,368.20

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 673.

5 jets
Ø 130 mm

5 jets
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

1 jet

Alternative hand shower	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	205.60	**-00**	142.60	**-00**	191.00	**-00**	247.90	**-00**	249.30
Brushed Chrome	**-93**	267.20	**-93**	185.30	**-93**	248.20	**-93**	322.10	**-93**	324.10
Platinum	**-08**	329.30	**-08**	228.00	**-08**	305.70	**-08**	396.60	**-08**	398.90
Brushed Platinum	**-06**	329.30	**-06**	228.00	**-06**	305.70	**-06**	396.60	**-06**	398.90
Light Gold (PVD)	**-26**	308.50	**-26**	213.80	**-26**	286.40	**-26**	371.80	**-26**	374.00
Champagne (22kt Gold)	**-47**	493.40	**-47**	342.20	**-47**	458.40	**-47**	595.00	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	493.40	**-46**	342.20	**-46**	458.40	**-46**	595.00	**-46**	598.30
Brushed Gold (PVD)	**-37**	308.40	**-37**	213.90	**-37**	286.50	**-37**	371.90	**-37**	374.00
Brushed Durabrass (23kt Gold)	**-28**	493.40	**-28**	342.20	**-28**	458.40	**-28**	595.00	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	329.00	**-39**	228.10	**-39**	305.70	**-39**	396.60	**-39**	398.90
Brushed Bronze (PVD)	**-42**	329.00	**-42**	228.00	**-42**	305.60	**-42**	396.60	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	370.10	**-43**	256.70	**-43**	343.80	**-43**	446.20	**-43**	448.70
Dark Chrome	**-19**	308.50	**-19**	213.80	**-19**	286.40	**-19**	371.80	**-19**	374.00
Brushed Dark Platinum	**-99**	370.20	**-99**	256.50	**-99**	343.70	**-99**	446.30	**-99**	448.70
Matte Black	**-33**	277.60	**-33**	192.40	**-33**	258.00	**-33**	334.60	**-33**	336.50

34 465 809 + 28 015 979 **NEW**

Shower pipe with shower thermostat with hand shower set 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2“ connection
- slide bar

Technical data:
- shower with fixed riser projection 420mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm

Notes:
- Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 465 809** FF max. flow 14 l/min FF	Euro	1x **28 015 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,235.70	**-00**	132.60	**3,368.30**
Platinum	**-08**	5,177.10	**-08**	212.40	**5,389.50**
Brushed Platinum	**-06**	5,177.10	**-06**	212.40	**5,389.50**
Light Gold (PVD)	**-26**	4,853.50	**-26**	198.90	**5,052.40**
Brushed Light Gold (PVD)	**-27**	4,853.50	**-27**	198.90	**5,052.40**
Champagne (22kt Gold)	**-47**	7,765.70	**-47**	318.20	**8,083.90**
Brushed Champagne (22kt Gold)	**-46**	7,765.70	**-46**	318.20	**8,083.90**
Brushed Durabrass (23kt Gold)	**-28**	7,765.70	**-28**	318.20	**8,083.90**
Brushed Dark Brass (PVD)	**-39**	5,177.10	**-39**	212.20	**5,389.30**
Brushed Bronze (PVD)	**-42**	5,177.10	**-42**	212.10	**5,389.20**
Brushed Dark Bronze (PVD)	**-43**	5,824.30	**-43**	238.70	**6,063.00**
Dark Chrome	**-19**	4,853.50	**-19**	198.90	**5,052.40**
Brushed Dark Platinum	**-99**	5,824.20	**-99**	238.60	**6,062.80**

Product alternative
- FlowReduce
- max. flow 5 l/min
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article **34 464 809** FF	FF	Euro
Chrome	**-00**	3,235.70
Platinum	**-08**	5,177.10
Brushed Platinum	**-06**	5,177.10
Light Gold (PVD)	**-26**	4,853.50
Brushed Light Gold (PVD)	**-27**	4,853.50
Champagne (22kt Gold)	**-47**	7,765.70
Brushed Champagne (22kt Gold)	**-46**	7,765.70
Brushed Durabrass (23kt Gold)	**-28**	7,765.70
Brushed Dark Brass (PVD)	**-39**	5,177.10
Brushed Bronze (PVD)	**-42**	5,177.10
Brushed Dark Bronze (PVD)	**-43**	5,824.30
Dark Chrome	**-19**	4,853.50
Brushed Dark Platinum	**-99**	5,824.20

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 671.

1 jet
Ø 130 mm

5 jets
Ø 120 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	191.00	**-00**	247.90	**-00**	142.60	**-00**	205.60	**-00**	249.30
Platinum	**-08**	305.70	**-08**	396.60	**-08**	228.00	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	305.70	**-06**	396.60	**-06**	228.00	**-06**	329.30	**-06**	398.90
Light Gold (PVD)	**-26**	286.40	**-26**	371.80	**-26**	213.80	**-26**	308.50	**-26**	374.00
Brushed Light Gold (PVD)	**-27**	286.40	**-27**	371.80	**-27**	213.80	**-27**	308.50	**-27**	374.00
Champagne (22kt Gold)	**-47**	458.40	**-47**	595.00	**-47**	342.20	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	458.40	**-46**	595.00	**-46**	342.20	**-46**	493.40	**-46**	598.30
Brushed Durabrass (23kt Gold)	**-28**	458.40	**-28**	595.00	**-28**	342.20	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	305.70	**-39**	396.60	**-39**	228.10	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	305.60	**-42**	396.60	**-42**	228.00	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	343.80	**-43**	446.20	**-43**	256.70	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	286.40	**-19**	371.80	**-19**	213.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	343.70	**-99**	446.30	**-99**	256.50	**-99**	370.20	**-99**	448.70

34 464 979 + 28 025 979 **NEW**

Shower pipe with shower thermostat with hand shower set FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, LULU
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 464 979** FF max. flow 5 l/min FF	Euro	1x **28 025 979** FF max. flow 5 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	2,726.20	**-000010**	132.60	**2,858.80**
Brushed Chrome	**-93**	3,544.10	**-930010**	172.40	**3,716.50**
Platinum	**-08**	4,361.90	**-080010**	212.10	**4,574.00**
Brushed Platinum	**-06**	4,361.90	**-060010**	212.10	**4,574.00**
Light Gold (PVD)	**-26**	4,089.30	**-260010**	198.90	**4,288.20**
Brushed Light Gold (PVD)	**-27**	4,089.30	**-270010**	198.90	**4,288.20**
Champagne (22kt Gold)	**-47**	6,542.90	**-470010**	318.20	**6,861.10**
Brushed Champagne (22kt Gold)	**-46**	6,542.90	**-460010**	318.20	**6,861.10**
Brushed Gold (PVD)	**-37**	4,089.30	**-370010**	198.90	**4,288.20**
Brushed Durabrass (23kt Gold)	**-28**	6,542.90	**-280010**	318.20	**6,861.10**
Brushed Dark Brass (PVD)	**-39**	4,361.90	**-390010**	212.20	**4,574.10**
Brushed Bronze (PVD)	**-42**	4,361.90	**-420010**	212.10	**4,574.00**
Brushed Dark Bronze (PVD)	**-43**	4,907.20	**-430010**	238.70	**5,145.90**
Dark Chrome	**-19**	4,089.30	**-190010**	198.90	**4,288.20**
Brushed Dark Platinum	**-99**	4,907.20	**-990010**	238.70	**5,145.90**
Matte Black	**-33**	3,680.40	**-330010**	179.00	**3,859.40**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article	**34 466 979** FF	Euro
Chrome	**-00**	2,058.10
Brushed Chrome	**-93**	2,675.50
Light Gold (PVD)	**-26**	3,087.20
Brushed Light Gold (PVD)	**-27**	3,087.20
Brushed Gold (PVD)	**-37**	3,087.20
Brushed Bronze (PVD)	**-42**	3,293.00
Dark Chrome	**-19**	3,087.20
Brushed Dark Platinum	**-99**	3,704.60
Matte Black	**-33**	2,778.40

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 671.

1 jet
Ø 130 mm

5 jets
Ø 100 mm

5 jets
Ø 130 mm

4 jets
Ø 120 mm

1 jet

Alternative hand shower	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 018 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	191.00	**-00**	142.60	**-00**	205.60	**-00**	247.90	**-00**	249.30
Brushed Chrome	**-93**	248.20	**-93**	185.30	**-93**	267.20	**-93**	322.10	**-93**	324.10
Platinum	**-08**	305.70	**-08**	228.00	**-08**	329.30	**-08**	396.60	**-08**	398.90
Brushed Platinum	**-06**	305.70	**-06**	228.00	**-06**	329.30	**-06**	396.60	**-06**	398.90
Light Gold (PVD)	**-26**	286.40	**-26**	213.80	**-26**	308.50	**-26**	371.80	**-26**	374.00
Brushed Light Gold (PVD)	**-27**	286.40	**-27**	213.80	**-27**	308.50	**-27**	371.80	**-27**	374.00
Champagne (22kt Gold)	**-47**	458.40	**-47**	342.20	**-47**	493.40	**-47**	595.00	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	458.40	**-46**	342.20	**-46**	493.40	**-46**	595.00	**-46**	598.30
Brushed Gold (PVD)	**-37**	286.50	**-37**	213.90	**-37**	308.40	**-37**	371.90	**-37**	374.00
Brushed Durabrass (23kt Gold)	**-28**	458.40	**-28**	342.20	**-28**	493.40	**-28**	595.00	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	305.70	**-39**	228.10	**-39**	329.00	**-39**	396.60	**-39**	398.90
Brushed Bronze (PVD)	**-42**	305.60	**-42**	228.00	**-42**	329.00	**-42**	396.60	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	343.80	**-43**	256.70	**-43**	370.10	**-43**	446.20	**-43**	448.70
Dark Chrome	**-19**	286.40	**-19**	213.80	**-19**	308.50	**-19**	371.80	**-19**	374.00
Brushed Dark Platinum	**-99**	343.70	**-99**	256.50	**-99**	370.20	**-99**	446.30	**-99**	448.70
Matte Black	**-33**	258.00	**-33**	192.40	**-33**	277.60	**-33**	334.60	**-33**	336.50

34 465 979 + 28 018 979 **NEW**

Shower pipe with shower thermostat with hand shower set 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1146mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 465 979** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	2,871.60	**-00**	142.60	**3,014.20**
Brushed Chrome	**-93**	3,733.20	**-93**	185.30	**3,918.50**
Platinum	**-08**	4,594.60	**-08**	228.00	**4,822.60**
Brushed Platinum	**-06**	4,594.60	**-06**	228.00	**4,822.60**
Light Gold (PVD)	**-26**	4,307.50	**-26**	213.80	**4,521.30**
Brushed Light Gold (PVD)	**-27**	4,307.50	**-27**	213.80	**4,521.30**
Champagne (22kt Gold)	**-47**	6,891.80	**-47**	342.20	**7,234.00**
Brushed Champagne (22kt Gold)	**-46**	6,891.80	**-46**	342.20	**7,234.00**
Brushed Gold (PVD)	**-37**	4,307.40	**-37**	213.90	**4,521.30**
Brushed Durabrass (23kt Gold)	**-28**	6,891.80	**-28**	342.20	**7,234.00**
Brushed Dark Brass (PVD)	**-39**	4,594.60	**-39**	228.10	**4,822.70**
Brushed Bronze (PVD)	**-42**	4,594.60	**-42**	228.00	**4,822.60**
Brushed Dark Bronze (PVD)	**-43**	5,168.90	**-43**	256.70	**5,425.60**
Dark Chrome	**-19**	4,307.50	**-19**	213.80	**4,521.30**
Brushed Dark Platinum	**-99**	5,168.90	**-99**	256.50	**5,425.40**
Matte Black	**-33**	3,876.70	**-33**	192.40	**4,069.10**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 469 979** FF	FF	Euro
Chrome	**-00**	2,327.10
Brushed Chrome	**-93**	3,025.30
Light Gold (PVD)	**-26**	3,490.70
Brushed Light Gold (PVD)	**-27**	3,490.70
Brushed Gold (PVD)	**-37**	3,490.70
Brushed Bronze (PVD)	**-42**	3,723.40
Dark Chrome	**-19**	3,490.70
Brushed Dark Platinum	**-99**	4,188.80
Matte Black	**-33**	3,141.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Light Gold (PVD)	**-26**	198.90	**-26**	286.40	**-26**	371.80	**-26**	308.50	**-26**	374.00
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	371.80	**-27**	308.50	**-27**	374.00
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	371.90	**-37**	308.40	**-37**	374.00
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

34 463 980 + 28 018 979 **NEW**

Shower pipe with shower thermostat with hand shower set FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6.8 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow.
- hand shower with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 453mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1170mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, MEM, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 463 980** FF max. flow 6.8 l/min FF	Euro	1x **28 018 979** FF max. flow 6.8 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,233.20	**-000010**	142.60	**3,375.80**
Brushed Chrome	**-93**	4,203.20	**-930010**	185.30	**4,388.50**
Platinum	**-08**	5,173.00	**-080010**	228.00	**5,401.00**
Brushed Platinum	**-06**	5,173.00	**-060010**	228.00	**5,401.00**
Light Gold (PVD)	**-26**	4,849.70	**-260010**	213.80	**5,063.50**
Brushed Light Gold (PVD)	**-27**	4,849.70	**-270010**	213.80	**5,063.50**
Champagne (22kt Gold)	**-47**	7,759.70	**-470010**	342.20	**8,101.90**
Brushed Champagne (22kt Gold)	**-46**	7,759.70	**-460010**	342.20	**8,101.90**
Brushed Gold (PVD)	**-37**	4,849.80	**-370010**	213.90	**5,063.70**
Brushed Durabrass (23kt Gold)	**-28**	7,759.70	**-280010**	342.20	**8,101.90**
Brushed Dark Brass (PVD)	**-39**	5,173.00	**-390010**	228.10	**5,401.10**
Brushed Bronze (PVD)	**-42**	5,173.00	**-420010**	228.00	**5,401.00**
Brushed Dark Bronze (PVD)	**-43**	5,819.80	**-430010**	256.70	**6,076.50**
Dark Chrome	**-19**	4,849.70	**-190010**	213.80	**5,063.50**
Brushed Dark Platinum	**-99**	5,819.70	**-990010**	256.60	**6,076.30**
Matte Black	**-33**	4,364.70	**-330010**	192.40	**4,557.10**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 468 980** FF	FF	Euro
Chrome	**-00**	2,688.60
Brushed Chrome	**-93**	3,495.20
Light Gold (PVD)	**-26**	4,032.90
Brushed Light Gold (PVD)	**-27**	4,032.90
Brushed Gold (PVD)	**-37**	4,032.90
Brushed Durabrass (23kt Gold)	**-28**	6,452.60
Brushed Bronze (PVD)	**-42**	4,301.90
Dark Chrome	**-19**	4,032.90
Brushed Dark Platinum	**-99**	4,839.60
Matte Black	**-33**	3,629.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Light Gold (PVD)	**-26**	198.90	**-26**	286.40	**-26**	371.80	**-26**	308.50	**-26**	374.00
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	371.80	**-27**	308.50	**-27**	374.00
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	371.90	**-37**	308.40	**-37**	374.00
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

34 464 980 + 28 018 979 **NEW**

Shower pipe with shower thermostat with hand shower set 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower with anti-scale system

hand shower:
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- inherently safe from back flow
- with anti-scale system

Control element:
- rotary diverter with volume control and shut-off function
- with FlowReduce function
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

Technical data:
- shower with fixed riser projection 454mm
- height of fittings up to rain shower (bottom edge) 982mm
- height of fittings up to top edge of elbow 1146mm
- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- Pipe diameter 20 mm
- 1/2“ connection

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **34 464 980** FF max. flow 14 l/min FF	Euro	1x **28 018 979** FF max. flow 15 l/min FF	Euro	**Total price:** Euro
Chrome	**-00**	3,233.20	**-00**	142.60	**3,375.80**
Brushed Chrome	**-93**	4,203.20	**-93**	185.30	**4,388.50**
Platinum	**-08**	5,173.00	**-08**	228.00	**5,401.00**
Brushed Platinum	**-06**	5,173.00	**-06**	228.00	**5,401.00**
Light Gold (PVD)	**-26**	4,849.70	**-26**	213.80	**5,063.50**
Brushed Light Gold (PVD)	**-27**	4,849.70	**-27**	213.80	**5,063.50**
Champagne (22kt Gold)	**-47**	7,759.70	**-47**	342.20	**8,101.90**
Brushed Champagne (22kt Gold)	**-46**	7,759.70	**-46**	342.20	**8,101.90**
Brushed Gold (PVD)	**-37**	4,849.80	**-37**	213.90	**5,063.70**
Brushed Durabrass (23kt Gold)	**-28**	7,759.70	**-28**	342.20	**8,101.90**
Brushed Dark Brass (PVD)	**-39**	5,173.00	**-39**	228.10	**5,401.10**
Brushed Bronze (PVD)	**-42**	5,173.00	**-42**	228.00	**5,401.00**
Brushed Dark Bronze (PVD)	**-43**	5,819.80	**-43**	256.70	**6,076.50**
Dark Chrome	**-19**	4,849.70	**-19**	213.80	**5,063.50**
Brushed Dark Platinum	**-99**	5,819.70	**-99**	256.50	**6,076.20**
Matte Black	**-33**	4,364.70	**-33**	192.40	**4,557.10**

Product alternative
- Material rain shower: plastic
- Plastic hose, 1750 mm, with integrated anti-twist protection
- with hand shower

Standard article **34 469 980** FF	FF	Euro
Chrome	**-00**	2,688.60
Brushed Chrome	**-93**	3,495.20
Light Gold (PVD)	**-26**	4,032.90
Brushed Light Gold (PVD)	**-27**	4,032.90
Brushed Gold (PVD)	**-37**	4,032.90
Brushed Bronze (PVD)	**-42**	4,301.90
Dark Chrome	**-19**	4,032.90
Brushed Dark Platinum	**-99**	4,839.60
Matte Black	**-33**	3,629.60

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 670.

1 jet
Ø 100 mm

1 jet
Ø 130 mm

4 jets
Ø 120 mm

5 jets
Ø 130 mm

1 jet

Alternative hand shower	**28 015 979** FF max. flow 15 l/min FF	Euro	**28 017 979** FF max. flow 15 l/min FF	Euro	**28 012 979** FF max. flow 15 l/min FF	Euro	**28 016 979** FF max. flow 15 l/min FF	Euro	**28 029 979** FF max. flow 15 l/min FF	Euro
Chrome	**-00**	132.60	**-00**	191.00	**-00**	247.90	**-00**	205.60	**-00**	249.30
Brushed Chrome	**-93**	172.40	**-93**	248.20	**-93**	322.10	**-93**	267.20	**-93**	324.10
Platinum	**-08**	212.40	**-08**	305.70	**-08**	396.60	**-08**	329.30	**-08**	398.90
Brushed Platinum	**-06**	212.40	**-06**	305.70	**-06**	396.60	**-06**	329.30	**-06**	398.90
Light Gold (PVD)	**-26**	198.90	**-26**	286.40	**-26**	371.80	**-26**	308.50	**-26**	374.00
Brushed Light Gold (PVD)	**-27**	198.90	**-27**	286.40	**-27**	371.80	**-27**	308.50	**-27**	374.00
Champagne (22kt Gold)	**-47**	318.20	**-47**	458.40	**-47**	595.00	**-47**	493.40	**-47**	598.30
Brushed Champagne (22kt Gold)	**-46**	318.20	**-46**	458.40	**-46**	595.00	**-46**	493.40	**-46**	598.30
Brushed Gold (PVD)	**-37**	198.90	**-37**	286.50	**-37**	371.90	**-37**	308.40	**-37**	374.00
Brushed Durabrass (23kt Gold)	**-28**	318.20	**-28**	458.40	**-28**	595.00	**-28**	493.40	**-28**	598.30
Brushed Dark Brass (PVD)	**-39**	212.20	**-39**	305.70	**-39**	396.60	**-39**	329.00	**-39**	398.90
Brushed Bronze (PVD)	**-42**	212.10	**-42**	305.60	**-42**	396.60	**-42**	329.00	**-42**	398.90
Brushed Dark Bronze (PVD)	**-43**	238.70	**-43**	343.80	**-43**	446.20	**-43**	370.10	**-43**	448.70
Dark Chrome	**-19**	198.90	**-19**	286.40	**-19**	371.80	**-19**	308.50	**-19**	374.00
Brushed Dark Platinum	**-99**	238.60	**-99**	343.70	**-99**	446.30	**-99**	370.20	**-99**	448.70
Matte Black	**-33**	178.80	**-33**	258.00	**-33**	334.60	**-33**	277.60	**-33**	336.50

28 677 404 NEW

Rain shower with wall fixing
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 67 x 67 mm
- 1/2“ connection

Notes:
- Fits COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 677 404** FF	FF	Euro
Chrome		**-00**	1,249.30
Brushed Platinum		**-06**	1,998.90
Champagne (22kt Gold)		**-47**	2,998.30
Brushed Champagne (22kt Gold)		**-46**	2,998.30
Brushed Durabrass (23kt Gold)		**-28**	2,998.30
Brushed Dark Brass (PVD)		**-39**	1,998.90
Brushed Bronze (PVD)		**-42**	1,998.90
Brushed Dark Bronze (PVD)		**-43**	2,248.70
Dark Chrome		**-19**	1,874.00
Brushed Dark Platinum		**-99**	2,248.70

Product alternative
- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	28 678 404 FF	FF	Euro
Chrome		**-00**	1,249.30
Brushed Platinum		**-06**	1,998.90
Champagne (22kt Gold)		**-47**	2,998.30
Brushed Champagne (22kt Gold)		**-46**	2,998.30
Brushed Durabrass (23kt Gold)		**-28**	2,998.30
Brushed Dark Brass (PVD)		**-39**	1,998.90
Brushed Bronze (PVD)		**-42**	1,998.90
Brushed Dark Bronze (PVD)		**-43**	2,248.70
Dark Chrome		**-19**	1,874.00
Brushed Dark Platinum		**-99**	2,248.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 545 977

Rain shower with wall fixing 200 mm
- rain shower Ø 200 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- with anti-scale system

Technical data:
- 435mm projection
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 545 977** FF	FF	Euro
Chrome		**-00**	1,292.10
Platinum		**-08**	2,067.20
Brushed Platinum		**-06**	2,067.20
Durabrass (23kt Gold)		**-09**	3,101.00
Brushed Durabrass (23kt Gold)		**-28**	3,101.00
Brushed Dark Brass (PVD)		**-39**	2,067.60
Brushed Bronze (PVD)		**-42**	2,067.60
Brushed Dark Bronze (PVD)		**-43**	2,325.80
Brushed Dark Platinum		**-99**	2,325.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 647 670 NEW

Rain shower with wall fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 65 x 65 mm
- 1/2“ connection

Notes:
- Fits IMO, SERIES-VARIOUS, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 647 670** FF	FF	Euro
Chrome		**-00**	1,071.00
Brushed Chrome		**-93**	1,392.30
Platinum		**-08**	1,713.60
Brushed Platinum		**-06**	1,713.60
Brushed Light Gold (PVD)		**-27**	1,606.50
Champagne (22kt Gold)		**-47**	2,570.40
Brushed Champagne (22kt Gold)		**-46**	2,570.40
Brushed Gold (PVD)		**-37**	1,606.50
Brushed Durabrass (23kt Gold)		**-28**	2,570.40
Brushed Bronze (PVD)		**-42**	1,713.60
Dark Chrome		**-19**	1,606.50
Brushed Dark Platinum		**-99**	1,927.80
Matte Black		**-33**	1,445.90

Product alternative
- Material rain shower: plastic

Standard article	**28 645 670** FF	FF	Euro
Chrome		**-00**	628.80
Brushed Chrome		**-93**	817.50
Brushed Light Gold (PVD)		**-27**	943.30
Brushed Gold (PVD)		**-37**	943.20
Brushed Bronze (PVD)		**-42**	1,006.10
Dark Chrome		**-19**	943.30
Brushed Dark Platinum		**-99**	1,131.90
Matte Black		**-33**	848.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 646 670 NEW

Rain shower with wall fixing FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 65 x 65 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, SERIES-VARIOUS, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 646 670** FF	FF	Euro
Chrome		**-00**	1,071.00
Brushed Chrome		**-93**	1,392.30
Platinum		**-08**	1,713.60
Brushed Platinum		**-06**	1,713.60
Brushed Light Gold (PVD)		**-27**	1,606.50
Champagne (22kt Gold)		**-47**	2,570.40
Brushed Champagne (22kt Gold)		**-46**	2,570.40
Brushed Gold (PVD)		**-37**	1,606.50
Brushed Durabrass (23kt Gold)		**-28**	2,570.40
Brushed Bronze (PVD)		**-42**	1,713.60
Dark Chrome		**-19**	1,606.50
Brushed Dark Platinum		**-99**	1,927.80
Matte Black		**-33**	1,445.90

Product alternative
- Material rain shower: plastic

Standard article	**28 644 670** FF	FF	Euro
Chrome		**-00**	618.60
Brushed Chrome		**-93**	804.10
Brushed Light Gold (PVD)		**-27**	927.90
Brushed Gold (PVD)		**-37**	927.90
Brushed Bronze (PVD)		**-42**	989.70
Dark Chrome		**-19**	927.90
Brushed Dark Platinum		**-99**	1,113.40
Matte Black		**-33**	835.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 647 970 NEW

Rain shower with wall fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 647 970** FF	FF	Euro
Chrome		**-00**	1,012.30
Brushed Chrome		**-93**	1,316.00
Platinum		**-08**	1,619.70
Brushed Platinum		**-06**	1,619.70
Light Gold (PVD)		**-26**	1,518.50
Brushed Light Gold (PVD)		**-27**	1,518.50
Champagne (22kt Gold)		**-47**	2,429.50
Brushed Champagne (22kt Gold)		**-46**	2,429.50
Brushed Gold (PVD)		**-37**	1,518.50
Brushed Durabrass (23kt Gold)		**-28**	2,429.50
Brushed Dark Brass (PVD)		**-39**	1,619.70
Brushed Bronze (PVD)		**-42**	1,619.70
Brushed Dark Bronze (PVD)		**-43**	1,822.10
Dark Chrome		**-19**	1,518.50
Brushed Dark Platinum		**-99**	1,822.20
Matte Black		**-33**	1,366.60

Product alternative
- Material rain shower: plastic

Standard article	**28 645 970** FF	FF	Euro
Chrome		**-00**	618.60
Brushed Chrome		**-93**	804.10
Light Gold (PVD)		**-26**	927.90
Brushed Light Gold (PVD)		**-27**	927.90
Brushed Gold (PVD)		**-37**	927.90
Brushed Bronze (PVD)		**-42**	989.70
Brushed Dark Bronze (PVD)		**-43**	1,113.50
Dark Chrome		**-19**	927.90
Brushed Dark Platinum		**-99**	1,113.40
Matte Black		**-33**	835.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 646 970 NEW

Rain shower with wall fixing FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 646 970** FF	FF	Euro
Chrome		**-00**	1,012.30
Brushed Chrome		**-93**	1,316.00
Platinum		**-08**	1,619.70
Brushed Platinum		**-06**	1,619.70
Light Gold (PVD)		**-26**	1,518.50
Brushed Light Gold (PVD)		**-27**	1,518.50
Champagne (22kt Gold)		**-47**	2,429.50
Brushed Champagne (22kt Gold)		**-46**	2,429.50
Brushed Gold (PVD)		**-37**	1,518.50
Brushed Durabrass (23kt Gold)		**-28**	2,429.50
Brushed Dark Brass (PVD)		**-39**	1,619.70
Brushed Bronze (PVD)		**-42**	1,619.70
Brushed Dark Bronze (PVD)		**-43**	1,822.10
Dark Chrome		**-19**	1,518.50
Brushed Dark Platinum		**-99**	1,822.20
Matte Black		**-33**	1,366.60

Product alternative
- Material rain shower: plastic

Standard article	**28 644 970** FF	FF	Euro
Chrome		**-00**	628.80
Brushed Chrome		**-93**	817.50
Light Gold (PVD)		**-26**	943.30
Brushed Light Gold (PVD)		**-27**	943.30
Brushed Gold (PVD)		**-37**	943.20
Brushed Bronze (PVD)		**-42**	1,006.10
Brushed Dark Bronze (PVD)		**-43**	1,131.80
Dark Chrome		**-19**	943.30
Brushed Dark Platinum		**-99**	1,131.90
Matte Black		**-33**	848.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 677 670 NEW

Rain shower with wall fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 65 x 65 mm
- 1/2“ connection

Notes:
- Fits IMO, SERIES-VARIOUS, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 677 670** FF	FF	Euro
Chrome		**-00**	1,257.00
Brushed Chrome		**-93**	1,634.00
Platinum		**-08**	2,011.20
Brushed Platinum		**-06**	2,011.20
Light Gold (PVD)		**-26**	1,885.50
Brushed Light Gold (PVD)		**-27**	1,885.50
Champagne (22kt Gold)		**-47**	3,016.80
Brushed Champagne (22kt Gold)		**-46**	3,016.80
Brushed Gold (PVD)		**-37**	1,885.50
Brushed Durabrass (23kt Gold)		**-28**	3,016.80
Brushed Bronze (PVD)		**-42**	2,011.20
Dark Chrome		**-19**	1,885.50
Brushed Dark Platinum		**-99**	2,262.50
Matte Black		**-33**	1,696.90

Product alternative
- Material rain shower: plastic

Standard article	**28 675 670** FF	FF	Euro
Chrome		**-00**	803.00
Brushed Chrome		**-93**	1,043.90
Light Gold (PVD)		**-26**	1,204.60
Brushed Light Gold (PVD)		**-27**	1,204.60
Brushed Gold (PVD)		**-37**	1,204.50
Brushed Bronze (PVD)		**-42**	1,284.90
Dark Chrome		**-19**	1,204.60
Brushed Dark Platinum		**-99**	1,445.40
Matte Black		**-33**	1,084.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 676 670 NEW

Rain shower with wall fixing FlowReduce 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 65 x 65 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, SERIES-VARIOUS, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 676 670** FF	FF	Euro
Chrome		**-00**	1,257.00
Brushed Chrome		**-93**	1,634.00
Platinum		**-08**	2,011.20
Brushed Platinum		**-06**	2,011.20
Light Gold (PVD)		**-26**	1,885.50
Brushed Light Gold (PVD)		**-27**	1,885.50
Champagne (22kt Gold)		**-47**	3,016.80
Brushed Champagne (22kt Gold)		**-46**	3,016.80
Brushed Gold (PVD)		**-37**	1,885.50
Brushed Durabrass (23kt Gold)		**-28**	3,016.80
Brushed Bronze (PVD)		**-42**	2,011.20
Dark Chrome		**-19**	1,885.50
Brushed Dark Platinum		**-99**	2,262.50
Matte Black		**-33**	1,696.90

Product alternative
- Material rain shower: plastic

Standard article	**28 674 670** FF	FF	Euro
Chrome		**-00**	618.60
Brushed Chrome		**-93**	804.10
Light Gold (PVD)		**-26**	927.90
Brushed Light Gold (PVD)		**-27**	927.90
Brushed Gold (PVD)		**-37**	927.90
Brushed Bronze (PVD)		**-42**	989.70
Dark Chrome		**-19**	927.90
Brushed Dark Platinum		**-99**	1,113.40
Matte Black		**-33**	835.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 677 970 NEW

Rain shower with wall fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 677 970** FF	FF	Euro
Chrome		**-00**	1,192.50
Brushed Chrome		**-93**	1,550.20
Platinum		**-08**	1,908.00
Brushed Platinum		**-06**	1,908.00
Light Gold (PVD)		**-26**	1,788.80
Brushed Light Gold (PVD)		**-27**	1,788.80
Champagne (22kt Gold)		**-47**	2,862.00
Brushed Champagne (22kt Gold)		**-46**	2,862.00
Brushed Gold (PVD)		**-37**	1,788.80
Brushed Durabrass (23kt Gold)		**-28**	2,862.00
Brushed Dark Brass (PVD)		**-39**	1,908.00
Brushed Bronze (PVD)		**-42**	1,908.00
Brushed Dark Bronze (PVD)		**-43**	2,146.50
Dark Chrome		**-19**	1,788.80
Brushed Dark Platinum		**-99**	2,146.50
Matte Black		**-33**	1,609.90

Product alternative
- Material rain shower: plastic

Standard article	**28 675 970** FF	FF	Euro
Chrome		**-00**	792.40
Brushed Chrome		**-93**	1,030.20
Light Gold (PVD)		**-26**	1,188.70
Brushed Light Gold (PVD)		**-27**	1,188.70
Brushed Gold (PVD)		**-37**	1,188.60
Brushed Bronze (PVD)		**-42**	1,267.90
Brushed Dark Bronze (PVD)		**-43**	1,426.30
Dark Chrome		**-19**	1,188.70
Brushed Dark Platinum		**-99**	1,426.40
Matte Black		**-33**	1,069.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 676 970 NEW

Rain shower with wall fixing FlowReduce 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 676 970** FF	FF	Euro
Chrome		**-00**	1,192.50
Brushed Chrome		**-93**	1,550.20
Platinum		**-08**	1,908.00
Brushed Platinum		**-06**	1,908.00
Light Gold (PVD)		**-26**	1,788.80
Brushed Light Gold (PVD)		**-27**	1,788.80
Champagne (22kt Gold)		**-47**	2,862.00
Brushed Champagne (22kt Gold)		**-46**	2,862.00
Brushed Gold (PVD)		**-37**	1,788.80
Brushed Durabrass (23kt Gold)		**-28**	2,862.00
Brushed Dark Brass (PVD)		**-39**	1,908.00
Brushed Bronze (PVD)		**-42**	1,908.00
Brushed Dark Bronze (PVD)		**-43**	2,146.50
Dark Chrome		**-19**	1,788.80
Brushed Dark Platinum		**-99**	2,146.50
Matte Black		**-33**	1,609.90

Product alternative
- Material rain shower: plastic

Standard article	**28 674 970** FF	FF	Euro
Chrome		**-00**	792.40
Brushed Chrome		**-93**	1,030.20
Light Gold (PVD)		**-26**	1,188.70
Brushed Light Gold (PVD)		**-27**	1,188.70
Brushed Gold (PVD)		**-37**	1,188.60
Brushed Bronze (PVD)		**-42**	1,267.90
Brushed Dark Bronze (PVD)		**-43**	1,426.30
Dark Chrome		**-19**	1,188.70
Brushed Dark Platinum		**-99**	1,426.40
Matte Black		**-33**	1,069.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 659 970

Rain shower with wall fixing 400 mm
- rain shower Ø 400 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- with anti-scale system

Technical data:
- 450mm projection
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, META, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 659 970** FF	FF	Euro
Chrome		**-00**	2,087.80
Brushed Chrome		**-93**	2,714.10
Platinum		**-08**	3,340.60
Brushed Platinum		**-06**	3,340.60
Light Gold (PVD)		**-26**	3,131.70
Brushed Light Gold (PVD)		**-27**	3,131.70
Champagne (22kt Gold)		**-47**	5,010.70
Brushed Champagne (22kt Gold)		**-46**	5,010.70
Brushed Gold (PVD)		**-37**	3,131.70
Brushed Durabrass (23kt Gold)		**-28**	5,010.70
Brushed Dark Brass (PVD)		**-39**	3,340.60
Brushed Bronze (PVD)		**-42**	3,340.60
Brushed Dark Bronze (PVD)		**-43**	3,758.00
Dark Chrome		**-19**	3,131.80
Brushed Dark Platinum		**-99**	3,757.80
Matte Black		**-33**	2,818.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 762 710 NEW

Rain shower with wall fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 78 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits LISSÉ, LULU

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 762 710** FF	FF	Euro
Chrome		**-00**	1,551.40
Brushed Platinum		**-06**	2,482.20

Product alternative
- Material rain shower: plastic

Standard article	**28 760 710** FF	FF	Euro
Chrome		**-00**	946.80
Brushed Platinum		**-06**	1,514.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 762 980 NEW

Rain shower with wall fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 762 980** FF	FF	Euro
Chrome		**-00**	1,605.00
Brushed Chrome		**-93**	2,086.60
Platinum		**-08**	2,568.10
Brushed Platinum		**-06**	2,568.10
Brushed Light Gold (PVD)		**-27**	2,407.50
Champagne (22kt Gold)		**-47**	3,852.00
Brushed Champagne (22kt Gold)		**-46**	3,852.00
Brushed Gold (PVD)		**-37**	2,407.50
Brushed Durabrass (23kt Gold)		**-28**	3,852.00
Brushed Dark Brass (PVD)		**-39**	2,568.10
Brushed Bronze (PVD)		**-42**	2,568.10
Brushed Dark Bronze (PVD)		**-43**	2,889.00
Dark Chrome		**-19**	2,407.50
Brushed Dark Platinum		**-99**	2,889.10
Matte Black		**-33**	2,166.80

Product alternative
- Material rain shower: plastic

Standard article	**28 760 980** FF	FF	Euro
Chrome		**-00**	946.90
Brushed Chrome		**-93**	1,230.90
Brushed Light Gold (PVD)		**-27**	1,420.30
Brushed Gold (PVD)		**-37**	1,420.40
Brushed Dark Brass (PVD)		**-39**	1,515.00
Brushed Bronze (PVD)		**-42**	1,515.00
Brushed Dark Bronze (PVD)		**-43**	1,704.40
Dark Chrome		**-19**	1,420.30
Brushed Dark Platinum		**-99**	1,704.40
Matte Black		**-33**	1,278.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 763 710 NEW

Rain shower with wall fixing 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 12 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 78 x 60 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, LULU

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 763 710 FF	FF	Euro
Chrome		-00	1,551.40
Brushed Platinum		-06	2,482.20

Product alternative
- Material rain shower: plastic

Standard article	28 761 710 FF	FF	Euro
Chrome		-00	946.80
Brushed Platinum		-06	1,514.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 763 980 NEW

Rain shower with wall fixing 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 12 l/min
- quick clearing
- with anti-scale system

Technical data:
- 450mm projection
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 763 980 FF	FF	Euro
Chrome		-00	1,605.00
Brushed Chrome		-93	2,086.60
Platinum		-08	2,568.10
Brushed Platinum		-06	2,568.10
Brushed Light Gold (PVD)		-27	2,407.50
Champagne (22kt Gold)		-47	3,852.00
Brushed Champagne (22kt Gold)		-46	3,852.00
Brushed Gold (PVD)		-37	2,407.50
Brushed Durabrass (23kt Gold)		-28	3,852.00
Brushed Dark Brass (PVD)		-39	2,568.00
Brushed Bronze (PVD)		-42	2,568.10
Brushed Dark Bronze (PVD)		-43	2,889.00
Dark Chrome		-19	2,407.50
Brushed Dark Platinum		-99	2,889.10
Matte Black		-33	2,166.80

Product alternative
- Material rain shower: plastic

Standard article	28 761 980 FF	FF	Euro
Chrome		-00	946.90
Brushed Chrome		-93	1,230.90
Brushed Light Gold (PVD)		-27	1,420.30
Brushed Gold (PVD)		-37	1,420.40
Brushed Dark Brass (PVD)		-39	1,515.00
Brushed Bronze (PVD)		-42	1,515.00
Brushed Dark Bronze (PVD)		-43	1,704.40
Dark Chrome		-19	1,420.30
Brushed Dark Platinum		-99	1,704.40
Matte Black		-33	1,278.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

41 550 979

JUST RAIN Rain shower with wall fixing
- rain shower 590 x 360mm
- PURE RAIN, max. flow rate 33.8 l/min (at 3 bar)
- 1/2“ connection
- pre-fitted stainless steel enclosure
- with anti-scale system

technical data:
- minimum flow: 17 l/min
- flow at 3bar flow pressure in conjunction with xTOOL: 24,5l/min
- minimum flow pressure 2 bar
- max. flow pressure 4 bar
- weight 11kg

technical data:

plumbing:
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO

Standard article	**41 550 979** FF	FF	Euro
Stainless Steel		**-85**	4,332.80
Brushed Stainless Steel		**-86**	4,332.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 687 404 **NEW**

Rain shower with ceiling fixing
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm optional
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 687 404** FF	FF	Euro
Chrome		**-00**	1,062.50
Brushed Platinum		**-06**	1,700.00
Champagne (22kt Gold)		**-47**	2,550.00
Brushed Champagne (22kt Gold)		**-46**	2,550.00
Brushed Durabrass (23kt Gold)		**-28**	2,550.00
Brushed Dark Brass (PVD)		**-39**	1,700.00
Brushed Bronze (PVD)		**-42**	1,700.00
Brushed Dark Bronze (PVD)		**-43**	1,912.50
Dark Chrome		**-19**	1,593.80
Brushed Dark Platinum		**-99**	1,912.50

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	28 688 404 FF	FF	Euro
Chrome		**-00**	1,062.50
Brushed Platinum		**-06**	1,700.00
Champagne (22kt Gold)		**-47**	2,550.00
Brushed Champagne (22kt Gold)		**-46**	2,550.00
Brushed Durabrass (23kt Gold)		**-28**	2,550.00
Brushed Dark Brass (PVD)		**-39**	1,700.00
Brushed Bronze (PVD)		**-42**	1,700.00
Brushed Dark Bronze (PVD)		**-43**	1,912.50
Dark Chrome		**-19**	1,593.80
Brushed Dark Platinum		**-99**	1,912.50

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

Shower

28 565 977

Rain shower with ceiling fixing 200 mm
- rain shower Ø 200 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- with anti-scale system

Technical data:
- distance between ceiling and lower edge of the shower 185mm
- rosette Ø 55 mm
- 1/2“ connection

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 565 977** FF	FF	Euro
Chrome		**-00**	976.60
Platinum		**-08**	1,562.60
Brushed Platinum		**-06**	1,562.60
Durabrass (23kt Gold)		**-09**	2,343.80
Brushed Durabrass (23kt Gold)		**-28**	2,343.80
Brushed Dark Brass (PVD)		**-39**	1,562.50
Brushed Bronze (PVD)		**-42**	1,562.50
Brushed Dark Bronze (PVD)		**-43**	1,757.90
Brushed Dark Platinum		**-99**	1,757.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 666 970 NEW

Rain shower with ceiling fixing FlowReduce 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 5 l/min (at 3 bar)
- Function from: 4 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 666 970** FF	FF	Euro
Chrome		**-00**	860.30
Brushed Chrome		**-93**	1,118.40
Platinum		**-08**	1,376.40
Brushed Platinum		**-06**	1,376.40
Light Gold (PVD)		**-26**	1,290.50
Brushed Light Gold (PVD)		**-27**	1,290.50
Champagne (22kt Gold)		**-47**	2,064.70
Brushed Champagne (22kt Gold)		**-46**	2,064.70
Brushed Gold (PVD)		**-37**	1,290.50
Brushed Durabrass (23kt Gold)		**-28**	2,064.70
Brushed Dark Brass (PVD)		**-39**	1,376.40
Brushed Bronze (PVD)		**-42**	1,376.40
Brushed Dark Bronze (PVD)		**-43**	1,548.50
Dark Chrome		**-19**	1,290.50
Brushed Dark Platinum		**-99**	1,548.40
Matte Black		**-33**	1,161.40

Product alternative
- Material rain shower: plastic

Standard article	**28 664 970** FF	FF	Euro
Chrome		**-00**	580.30
Brushed Chrome		**-93**	754.40
Light Gold (PVD)		**-26**	870.60
Brushed Light Gold (PVD)		**-27**	870.60
Brushed Gold (PVD)		**-37**	870.50
Brushed Bronze (PVD)		**-42**	928.50
Brushed Dark Bronze (PVD)		**-43**	1,044.50
Dark Chrome		**-19**	870.60
Brushed Dark Platinum		**-99**	1,044.60
Matte Black		**-33**	783.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 667 970 NEW

Rain shower with ceiling fixing 220 mm
- rain shower Ø 220 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 8 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 667 970** FF	FF	Euro
Chrome		**-00**	860.30
Brushed Chrome		**-93**	1,118.40
Platinum		**-08**	1,376.40
Brushed Platinum		**-06**	1,376.40
Light Gold (PVD)		**-26**	1,290.50
Brushed Light Gold (PVD)		**-27**	1,290.50
Champagne (22kt Gold)		**-47**	2,064.70
Brushed Champagne (22kt Gold)		**-46**	2,064.70
Brushed Gold (PVD)		**-37**	1,290.50
Brushed Durabrass (23kt Gold)		**-28**	2,064.70
Brushed Dark Brass (PVD)		**-39**	1,376.40
Brushed Bronze (PVD)		**-42**	1,376.40
Brushed Dark Bronze (PVD)		**-43**	1,548.50
Dark Chrome		**-19**	1,290.50
Brushed Dark Platinum		**-99**	1,548.40
Matte Black		**-33**	1,161.40

Product alternative
- Material rain shower: plastic

Standard article	**28 665 970** FF	FF	Euro
Chrome		**-00**	580.30
Brushed Chrome		**-93**	754.40
Light Gold (PVD)		**-26**	870.60
Brushed Light Gold (PVD)		**-27**	870.60
Brushed Gold (PVD)		**-37**	870.50
Brushed Bronze (PVD)		**-42**	928.50
Brushed Dark Bronze (PVD)		**-43**	1,044.50
Dark Chrome		**-19**	870.60
Brushed Dark Platinum		**-99**	1,044.60
Matte Black		**-33**	783.40

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 686 970 NEW

Rain shower with ceiling fixing FlowReduce 300 mm

- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:

- rosette Ø 60 mm
- 1/2“ connection

Notes:

- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 686 970** FF	FF	Euro
Chrome		**-00**	1,014.20
Brushed Chrome		**-93**	1,318.50
Platinum		**-08**	1,622.70
Brushed Platinum		**-06**	1,622.70
Light Gold (PVD)		**-26**	1,521.30
Brushed Light Gold (PVD)		**-27**	1,521.30
Champagne (22kt Gold)		**-47**	2,434.10
Brushed Champagne (22kt Gold)		**-46**	2,434.10
Brushed Gold (PVD)		**-37**	1,521.30
Brushed Durabrass (23kt Gold)		**-28**	2,434.10
Brushed Dark Brass (PVD)		**-39**	1,622.70
Brushed Bronze (PVD)		**-42**	1,622.70
Brushed Dark Bronze (PVD)		**-43**	1,825.60
Dark Chrome		**-19**	1,521.30
Brushed Dark Platinum		**-99**	1,825.50
Matte Black		**-33**	1,369.20

Product alternative

- Material rain shower: plastic

Standard article	**28 684 970** FF	FF	Euro
Chrome		**-00**	729.40
Brushed Chrome		**-93**	948.30
Light Gold (PVD)		**-26**	1,094.20
Brushed Light Gold (PVD)		**-27**	1,094.20
Brushed Gold (PVD)		**-37**	1,094.10
Brushed Bronze (PVD)		**-42**	1,167.10
Brushed Dark Bronze (PVD)		**-43**	1,312.90
Dark Chrome		**-19**	1,094.20
Brushed Dark Platinum		**-99**	1,313.00
Matte Black		**-33**	984.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 687 970 NEW

Rain shower with ceiling fixing 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits IMO, LISSÉ, META, SERIES-VARIOUS, TARA, VAIA, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 687 970** FF	FF	Euro
Chrome		**-00**	1,014.20
Brushed Chrome		**-93**	1,318.50
Platinum		**-08**	1,622.70
Brushed Platinum		**-06**	1,622.70
Light Gold (PVD)		**-26**	1,521.30
Brushed Light Gold (PVD)		**-27**	1,521.30
Champagne (22kt Gold)		**-47**	2,434.10
Brushed Champagne (22kt Gold)		**-46**	2,434.10
Brushed Gold (PVD)		**-37**	1,521.30
Brushed Durabrass (23kt Gold)		**-28**	2,434.10
Brushed Dark Brass (PVD)		**-39**	1,622.70
Brushed Bronze (PVD)		**-42**	1,622.70
Brushed Dark Bronze (PVD)		**-43**	1,825.60
Dark Chrome		**-19**	1,521.30
Brushed Dark Platinum		**-99**	1,825.50
Matte Black		**-33**	1,369.20

Product alternative
- Material rain shower: plastic

Standard article	**28 685 970** FF	FF	Euro
Chrome		**-00**	729.40
Brushed Chrome		**-93**	948.30
Light Gold (PVD)		**-26**	1,094.20
Brushed Light Gold (PVD)		**-27**	1,094.20
Brushed Gold (PVD)		**-37**	1,094.10
Brushed Bronze (PVD)		**-42**	1,167.10
Brushed Dark Bronze (PVD)		**-43**	1,312.90
Dark Chrome		**-19**	1,094.20
Brushed Dark Platinum		**-99**	1,313.00
Matte Black		**-33**	984.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 699 970

Rain shower with ceiling fixing 400 mm
- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- with anti-scale system
- quick clearing

Technical data:
- rosette Ø 60 mm optional
- 1/2“ connection

Notes:
- Fits LISSÉ, META, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 699 970** FF	FF	Euro
Chrome		**-00**	1,867.10
Brushed Chrome		**-93**	2,427.20
Platinum		**-08**	2,987.30
Brushed Platinum		**-06**	2,987.30
Light Gold (PVD)		**-26**	2,800.70
Brushed Light Gold (PVD)		**-27**	2,800.70
Champagne (22kt Gold)		**-47**	4,481.00
Brushed Champagne (22kt Gold)		**-46**	4,481.00
Brushed Gold (PVD)		**-37**	2,800.70
Brushed Durabrass (23kt Gold)		**-28**	4,481.00
Brushed Dark Brass (PVD)		**-39**	2,987.40
Brushed Bronze (PVD)		**-42**	2,987.40
Brushed Dark Bronze (PVD)		**-43**	3,360.80
Dark Chrome		**-19**	2,800.50
Brushed Dark Platinum		**-99**	3,360.50
Matte Black		**-33**	2,520.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 772 710 NEW

Rain shower with ceiling fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette 78 x 55 mm
- 1/2“ connection

Notes:
- Fits LISSÉ, LULU
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 772 710 FF	FF	Euro
Chrome		-00	1,318.90
Brushed Platinum		-06	2,110.30

Product alternative
- Material rain shower: plastic

Standard article	28 770 710 FF	FF	Euro
Chrome		-00	836.00
Brushed Platinum		-06	1,337.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 772 980 NEW

Rain shower with ceiling fixing FlowReduce 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 772 980 FF	FF	Euro
Chrome		-00	1,364.30
Brushed Chrome		-93	1,773.60
Platinum		-08	2,182.80
Brushed Platinum		-06	2,182.80
Brushed Light Gold (PVD)		-27	2,046.50
Champagne (22kt Gold)		-47	3,274.30
Brushed Champagne (22kt Gold)		-46	3,274.30
Brushed Gold (PVD)		-37	2,046.50
Brushed Durabrass (23kt Gold)		-28	3,274.30
Brushed Dark Brass (PVD)		-39	2,182.90
Brushed Bronze (PVD)		-42	2,182.80
Brushed Dark Bronze (PVD)		-43	2,455.70
Dark Chrome		-19	2,046.50
Brushed Dark Platinum		-99	2,455.60
Matte Black		-33	1,841.80

Product alternative
- Material rain shower: plastic

Standard article	28 770 980 FF	FF	Euro
Chrome		-00	836.00
Brushed Chrome		-93	1,086.90
Brushed Platinum		-06	1,337.60
Brushed Light Gold (PVD)		-27	1,254.00
Brushed Gold (PVD)		-37	1,254.00
Brushed Dark Brass (PVD)		-39	1,337.60
Brushed Bronze (PVD)		-42	1,337.60
Brushed Dark Bronze (PVD)		-43	1,504.80
Dark Chrome		-19	1,254.00
Brushed Dark Platinum		-99	1,504.90
Matte Black		-33	1,128.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	90	128.90

For details and miscellaneous, see page 732

28 773 710 NEW

Rain shower with ceiling fixing 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 12 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette 78 x 55 mm
- 1/2“ connection

Notes:
- Fits LULU

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 773 710** FF	FF	Euro
Chrome		**-00**	1,318.90
Brushed Platinum		**-06**	2,110.30

Product alternative
- Material rain shower: plastic

Standard article	**28 771 710** FF	FF	Euro
Chrome		**-00**	836.00
Brushed Platinum		**-06**	1,337.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 773 980 NEW

Rain shower with ceiling fixing 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 12 l/min
- quick clearing
- with anti-scale system

Technical data:
- rosette 60 x 60 mm
- 1/2“ connection

Notes:
- Fits IMO, MEM, CL.1, CYO

Available from Q2 2026

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 773 980** FF	FF	Euro
Chrome		**-00**	1,364.30
Brushed Chrome		**-93**	1,773.60
Platinum		**-08**	2,182.80
Brushed Platinum		**-06**	2,182.80
Brushed Light Gold (PVD)		**-27**	2,046.50
Champagne (22kt Gold)		**-47**	3,274.30
Brushed Champagne (22kt Gold)		**-46**	3,274.30
Brushed Gold (PVD)		**-37**	2,046.50
Brushed Durabrass (23kt Gold)		**-28**	3,274.30
Brushed Dark Brass (PVD)		**-39**	2,182.80
Brushed Bronze (PVD)		**-42**	2,182.80
Brushed Dark Bronze (PVD)		**-43**	2,455.70
Dark Chrome		**-19**	2,046.50
Brushed Dark Platinum		**-99**	2,455.60
Matte Black		**-33**	1,841.80

Product alternative
- Material rain shower: plastic

Standard article	**28 771 980** FF	FF	Euro
Chrome		**-00**	836.00
Brushed Chrome		**-93**	1,086.90
Brushed Light Gold (PVD)		**-27**	1,254.00
Brushed Gold (PVD)		**-37**	1,254.00
Brushed Dark Brass (PVD)		**-39**	1,337.60
Brushed Bronze (PVD)		**-42**	1,337.60
Brushed Dark Bronze (PVD)		**-43**	1,504.80
Dark Chrome		**-19**	1,254.00
Brushed Dark Platinum		**-99**	1,504.90
Matte Black		**-33**	1,128.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

41 507 979

JUST RAIN Rain shower with ceiling fixing
- rain shower 400 x 320mm
- PURE RAIN, max. flow rate 44 l/min (at 3 bar)
- 1/2“ connection
- pre-fitted stainless steel enclosure
- with anti-scale system

technical data:
- minimum flow: 17 l/min
- flow at 3bar flow pressure in conjunction with xTOOL: 24,5l/min
- minimum flow pressure 2 bar
- max. flow pressure 4 bar
- weight 7kg

technical data:

plumbing:
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

Standard article	**41 507 979** FF	FF	Euro
Stainless Steel		**-85**	3,864.80
Brushed Stainless Steel		**-86**	3,864.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 031 970

Rain shower for surface-mounted ceiling installation 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

technical data:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 031 970** FF	FF	Euro
Chrome		**-00**	858.90
Brushed Chrome		**-93**	1,116.60
Platinum		**-08**	1,374.20
Brushed Platinum		**-06**	1,374.20
Light Gold (PVD)		**-26**	1,288.40
Brushed Light Gold (PVD)		**-27**	1,288.40
Champagne (22kt Gold)		**-47**	2,061.40
Brushed Champagne (22kt Gold)		**-46**	2,061.40
Brushed Gold (PVD)		**-37**	1,288.40
Brushed Durabrass (23kt Gold)		**-28**	2,061.40
Brushed Dark Brass (PVD)		**-39**	1,374.20
Brushed Bronze (PVD)		**-42**	1,374.20
Brushed Dark Bronze (PVD)		**-43**	1,546.00
Dark Chrome		**-19**	1,288.40
Brushed Dark Platinum		**-99**	1,546.00
Matte Black		**-33**	1,159.50

Required miscellaneous

Concealed ceiling installation box with ceiling fixing

	35 041 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2“ outlet	Concealed rough parts	**90**	572.60

For details and miscellaneous, see page 735

28 041 980

Rain shower for surface-mounted ceiling installation 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 041 980** FF	FF	Euro
Chrome		**-00**	858.90
Brushed Chrome		**-93**	1,116.60
Platinum		**-08**	1,374.20
Brushed Platinum		**-06**	1,374.20
Brushed Light Gold (PVD)		**-27**	1,288.40
Champagne (22kt Gold)		**-47**	2,061.40
Brushed Champagne (22kt Gold)		**-46**	2,061.40
Brushed Gold (PVD)		**-37**	1,288.40
Brushed Durabrass (23kt Gold)		**-28**	2,061.40
Brushed Dark Brass (PVD)		**-39**	1,374.20
Brushed Bronze (PVD)		**-42**	1,374.20
Brushed Dark Bronze (PVD)		**-43**	1,546.00
Dark Chrome		**-19**	1,288.40
Brushed Dark Platinum		**-99**	1,546.00
Matte Black		**-33**	1,159.50

Required miscellaneous

Concealed ceiling installation box with ceiling fixing

	35 041 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2“ outlet	Concealed rough parts	**90**	572.60

For details and miscellaneous, see page 735

28 032 970

Rain shower for surface-mounted ceiling installation with light 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Electric:
- Ceiling module power supply
- 350mA (CC)
- Spot lighting
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Technology: LED, not dimmable
- Contains energy efficiency class bulbs
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Provided by customer: Light switch
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 032 970** FF	FF	Euro
Chrome		**-00**	1,290.50
Brushed Chrome		**-93**	1,677.70
Platinum		**-08**	2,064.80
Brushed Platinum		**-06**	2,064.80
Light Gold (PVD)		**-26**	1,935.80
Brushed Light Gold (PVD)		**-27**	1,935.80
Champagne (22kt Gold)		**-47**	3,097.20
Brushed Champagne (22kt Gold)		**-46**	3,097.20
Brushed Gold (PVD)		**-37**	1,935.80
Brushed Durabrass (23kt Gold)		**-28**	3,097.20
Brushed Dark Brass (PVD)		**-39**	2,064.80
Brushed Bronze (PVD)		**-42**	2,064.80
Brushed Dark Bronze (PVD)		**-43**	2,322.90
Dark Chrome		**-19**	1,935.80
Brushed Dark Platinum		**-99**	2,322.90
Matte Black		**-33**	1,742.20

Required miscellaneous

Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2“ connections • Input 100-240V AC 50-60Hz • Output 350 mA SELV / Class 2 • Provided by customer: Light switch	Concealed rough parts	**90**	860.20

For details and miscellaneous, see page 736

28 042 980

Rain shower for surface-mounted ceiling installation with light 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Distance to ceiling from bottom edge of shower 40 mm

Electric:
- Ceiling module power supply
- 350mA (CC)
- Spot lighting
- LED colour temperature approx. 3000 K
- Technology: LED, not dimmable
- Contains energy efficiency class bulbs
- Bulbs protected against splashing water
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Provided by customer: Light switch
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 042 980** FF	FF	Euro
Chrome		**-00**	1,290.50
Brushed Chrome		**-93**	1,677.70
Platinum		**-08**	2,064.80
Brushed Platinum		**-06**	2,064.80
Brushed Light Gold (PVD)		**-27**	1,935.80
Champagne (22kt Gold)		**-47**	3,097.20
Brushed Champagne (22kt Gold)		**-46**	3,097.20
Brushed Gold (PVD)		**-37**	1,935.80
Brushed Durabrass (23kt Gold)		**-28**	3,097.20
Brushed Dark Brass (PVD)		**-39**	2,064.80
Brushed Bronze (PVD)		**-42**	2,064.80
Brushed Dark Bronze (PVD)		**-43**	2,322.90
Dark Chrome		**-19**	1,935.80
Brushed Dark Platinum		**-99**	2,322.90
Matte Black		**-33**	1,742.20

Required miscellaneous

Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
• concealed rough parts • min. recess depth 90 mm • max. recess depth 115 mm • 2x female thread 1/2“ connections • Input 100-240V AC 50-60Hz • Output 350 mA SELV / Class 2 • Provided by customer: Light switch	Concealed rough parts	**90**	860.20

For details and miscellaneous, see page 736

28 033 970

Rain shower for recessed ceiling installation 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 033 970** FF	FF	Euro
Chrome		**-00**	1,647.10
Brushed Chrome		**-93**	2,141.20
Platinum		**-08**	2,635.40
Brushed Platinum		**-06**	2,635.40
Light Gold (PVD)		**-26**	2,470.70
Brushed Light Gold (PVD)		**-27**	2,470.70
Champagne (22kt Gold)		**-47**	3,953.00
Brushed Champagne (22kt Gold)		**-46**	3,953.00
Brushed Gold (PVD)		**-37**	2,470.70
Brushed Durabrass (23kt Gold)		**-28**	3,953.00
Brushed Dark Brass (PVD)		**-39**	2,635.40
Brushed Bronze (PVD)		**-42**	2,635.40
Brushed Dark Bronze (PVD)		**-43**	2,964.80
Dark Chrome		**-19**	2,470.70
Brushed Dark Platinum		**-99**	2,964.80
Matte Black		**-33**	2,223.60

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation

	35 033 970 FF	FF	Euro
• concealed rough parts • recess depth 137mm • 2x female thread 1/2“ outlet • flush-mounted installation box Ø 360 mm RAL 9003 signal white	Concealed rough parts	**90**	1,098.10

For details and miscellaneous, see page 734

28 043 980

Rain shower for recessed ceiling installation 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 043 980** FF	FF	Euro
Chrome		**-00**	1,647.10
Brushed Chrome		**-93**	2,141.20
Platinum		**-08**	2,635.40
Brushed Platinum		**-06**	2,635.40
Brushed Light Gold (PVD)		**-27**	2,470.70
Champagne (22kt Gold)		**-47**	3,953.00
Brushed Champagne (22kt Gold)		**-46**	3,953.00
Brushed Gold (PVD)		**-37**	2,470.70
Brushed Durabrass (23kt Gold)		**-28**	3,953.00
Brushed Dark Brass (PVD)		**-39**	2,635.40
Brushed Bronze (PVD)		**-42**	2,635.40
Brushed Dark Bronze (PVD)		**-43**	2,964.80
Dark Chrome		**-19**	2,470.70
Brushed Dark Platinum		**-99**	2,964.80
Matte Black		**-33**	2,223.60

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation

	35 043 970 FF	FF	Euro
• concealed rough parts • recess depth 137mm • 2x female thread 1/2“ outlet • flush-mounted RAL 9003 signal white light reflection box 310 x 250 mm	Concealed rough parts	**90**	1,098.10

For details and miscellaneous, see page 734

28 034 970

Rain shower for recessed ceiling installation with light 300 mm
- rain shower Ø 300 mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

electrical:
- Ceiling module power supply
- 12V DC (CV)
- Ambient lighting
- Spot lighting
- LED coloured light RGBW
- **includes light bulbs with a Class G energy efficiency**
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Activation:
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- Bulbs protected against splashing water

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Dornbracht recommends consulting a systems integrator.

Notes:
- Fits LISSÉ, TARA, VAIA, META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 034 970** FF	FF	Euro
Chrome		**-00**	2,472.80
Brushed Chrome		**-93**	3,214.60
Platinum		**-08**	3,956.50
Brushed Platinum		**-06**	3,956.50
Light Gold (PVD)		**-26**	3,709.20
Brushed Light Gold (PVD)		**-27**	3,709.20
Champagne (22kt Gold)		**-47**	5,934.70
Brushed Champagne (22kt Gold)		**-46**	5,934.70
Brushed Gold (PVD)		**-37**	3,709.20
Brushed Durabrass (23kt Gold)		**-28**	5,934.70
Brushed Dark Brass (PVD)		**-39**	3,956.50
Brushed Bronze (PVD)		**-42**	3,956.50
Brushed Dark Bronze (PVD)		**-43**	4,451.00
Dark Chrome		**-19**	3,709.20
Brushed Dark Platinum		**-99**	4,451.00
Matte Black		**-33**	3,338.30

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation with light

	35 034 970 FF	FF	Euro
• concealed rough parts • flush-mounted reflection box Ø 360 mm RAL 9003 signal white • recess depth 137mm • 2x female thread 1/2“ outlet • Input 100-240V AC 50-60Hz • Output 12V DC SELV / Class 2 • ZigBee Light Link RGBW controller	Concealed rough parts	**90**	1,648.60

For details and miscellaneous, see page 735

28 044 980

Rain shower for recessed ceiling installation with light 300 x 240 mm
- rain shower 300 x 240mm
- Rain shower material: metal
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 137 mm

Electric:
- Ceiling module power supply
- 12V DC (CV)
- Spot lighting
- Ambient lighting
- LED coloured light RGBW
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Activation:
- Provided by customer: Zigbee gateway
- ZigBee Light Link RGBW controller

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Dornbracht recommends consulting a systems integrator.

Notes:
- Fits CL.1, IMO, MEM, SYMETRICS, CYO, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 044 980** FF	FF	Euro
Chrome		**-00**	2,472.80
Brushed Chrome		**-93**	3,214.60
Platinum		**-08**	3,956.50
Brushed Platinum		**-06**	3,956.50
Brushed Light Gold (PVD)		**-27**	3,709.20
Champagne (22kt Gold)		**-47**	5,934.70
Brushed Champagne (22kt Gold)		**-46**	5,934.70
Brushed Gold (PVD)		**-37**	3,709.20
Brushed Durabrass (23kt Gold)		**-28**	5,934.70
Brushed Dark Brass (PVD)		**-39**	3,956.50
Brushed Bronze (PVD)		**-42**	3,956.50
Brushed Dark Bronze (PVD)		**-43**	4,451.00
Dark Chrome		**-19**	3,709.20
Brushed Dark Platinum		**-99**	4,451.00
Matte Black		**-33**	3,338.30

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation with light

	35 044 970 FF	FF	Euro
• concealed rough parts • flush-mounted installation box 360x 300 mm RAL 9003 signal white • recess depth 137mm • Input 100-240V AC 50-60Hz • Output 12V DC SELV / Class 2 • ZigBee Light Link RGBW controller	Concealed rough parts	**90**	1,648.60

For details and miscellaneous, see page 735

41 610 979

RAINMOON Rain panel
- exposed trim parts
- Rain panel with 2 different spray modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 6.8 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 5 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Outer diameter 1240 mm, opening diameter 450 mm
- Weight 22.5 kg
- Matt white cover, RAL 9003

Electric:
- Ambient lighting, LED light color approx. 2700 K
- Technology: LED, not dimmable
- Bulbs protected against splashing water
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Provided by customer: Light switch
- Control elements not included among the items supplied

Notes:
- Fits SERIES-VARIOUS

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

Standard article	41 610 979 FF	FF	Euro
Matte White		-10	7,277.00

Required miscellaneous

RAINMOON Concealed ceiling installation box

	35 610 970 FF	FF	Euro
• concealed rough parts • Ceiling installation enclosure 1356 x 1356 x 290 mm • Opening diameter 1252 mm • min. recess depth 290 mm • Pre-assembly kit for three-way diverter included	Concealed rough parts	90	8,589.50

For details and miscellaneous, see page 736

41 615 979

RAINMOON Rain panel with color light
- exposed trim parts
- Rain panel with 2 different spray modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 6.8 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 5 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Outer diameter 1240 mm, opening diameter 450 mm
- Weight 22.5 kg
- Matt white cover, RAL 9003

Electric:
- Ambient lighting: LED colored light RGBW
- Ceiling module power supply
- 12V DC (CV)
- Bulbs protected against splashing water
- **includes light bulbs with a Class G energy efficiency**
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Activation:
- Provided by customer: Zigbee gateway
- ZigBee Light Link RGBW controller

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Dornbracht recommends consulting a systems integrator.
- Control elements not included among the items supplied

Notes:
- Fits SERIES-VARIOUS

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

includes light bulbs with a Class G energy efficiency

Standard article	41 615 979 FF	FF	Euro
Matte White		-10	7,277.00

Required miscellaneous

RAINMOON Concealed ceiling installation box with color light

	35 615 970 FF	FF	Euro
• concealed rough parts • Ceiling installation enclosure 1356 x 1356 x 290 mm • Opening diameter 1252 mm • min. recess depth 290 mm • Pre-assembly kit for three-way diverter included	Concealed rough parts	90	8,589.50

For details and miscellaneous, see page 737

41 620 979

AQUAMOON Rain panel
- exposed trim parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 12 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 10 l/min (at 3 bar)
- QUEEN'S COLLAR CASCADE: Rounded cascade, max. flow rate 24 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Outer diameter 1240 mm, opening diameter 450 mm
- Weight 22.5 kg
- Matt white cover, RAL 9003

Electric:
- Ambient lighting, LED light color approx. 2700 K
- Bulbs protected against splashing water
- Technology: LED, not dimmable
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Provided by customer: Light switch
- Control elements not included among the items supplied

Notes:
- Fits SERIES-VARIOUS

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

Standard article	41 620 979 FF	FF	Euro
Matte White		-10	8,426.00

Required miscellaneous

AQUAMOON Concealed ceiling installation box

	35 620 970 FF	FF	Euro
• concealed rough parts • Ceiling installation enclosure 1356 x 1356 x 290 mm • Opening diameter 1252 mm • min. recess depth 290 mm	Concealed rough parts	90	9,146.90

For details and miscellaneous, see page 737

41 625 979

AQUAMOON Rain panel with color light
- exposed trim parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 12 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 10 l/min (at 3 bar)
- QUEEN'S COLLAR CASCADE: Rounded cascade, max. flow rate 24 l/min (at 3 bar)
- Flow rate at 3 bar flow pressure in conjunction with xTOOL: 46 l/min
- with anti-scale system

Technical data:
- Outer diameter 1240 mm, opening diameter 450 mm
- Weight 22.5 kg
- Matt white cover, RAL 9003

electrical:
- Ceiling module power supply
- 12V DC (CV)
- Ambient lighting: LED colored light RGBW
- Protection rating IP67
- Bulbs protected against splashing water
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Activation:
- ZigBee Light Link RGBW controller

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

technical data:
- Provided by customer: Zigbee gateway
- Control elements not included among the items supplied
- Dornbracht recommends consulting a systems integrator.

Notes:
- Fits SERIES-VARIOUS

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

includes light bulbs with a Class G energy efficiency

Standard article	41 625 979 FF	FF	Euro
Matte White		-10	8,426.00

Required miscellaneous

AQUAMOON Concealed ceiling installation box with color light

	35 625 970 FF	FF	Euro
• concealed rough parts • Ceiling installation enclosure 1356 x 1356 x 290 mm • Opening diameter 1252 mm • min. recess depth 290 mm	Concealed rough parts	90	9,146.90

For details and miscellaneous, see page 738

41 630 979

AQUAMOON EMBRACE Rain panel with color light

- exposed trim parts
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 12 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 10 l/min (at 3 bar)
- QUEEN'S COLLAR CASCADE: Rounded cascade, max. flow rate 24 l/min (at 3 bar)
- EMBRACE CASCADE: Circular cascade, max. flow rate 60 l/min (at 3 bar)
- with anti-scale system

Technical data:

- Outer diameter 1240 mm, opening diameter 450 mm
- Weight 22.5 kg
- Matt white cover, RAL 9003

electrical:

- Ceiling module power supply
- 12V DC (CV)
- Ambient lighting: LED colored light RGBW
- Protection rating IP67
- Bulbs protected against splashing water
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Activation:

- RGBW LED ambient lighting
- ZigBee Light Link RGBW controller

Environment:

- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:

- Provided by customer: Zigbee gateway
- Control elements not included among the items supplied
- Dornbracht recommends consulting a systems integrator.

Notes:

- Fits SERIES-VARIOUS

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

includes light bulbs with a Class G energy efficiency

Standard article	**41 630 979** FF	FF	Euro
Matte White		**-10**	8,594.40

Required miscellaneous

AQUAMOON EMBRACE Concealed ceiling installation box with color light

	35 630 970 FF	FF	Euro
• concealed rough parts • Ceiling installation enclosure 1356 x 1356 x 290 mm • Opening diameter 1252 mm • min. recess depth 290 mm	Concealed rough parts	**90**	9,146.90

For details and miscellaneous, see page 738

41 750 979

AQUAHALO Rain panel
- exposed trim parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 14 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 9 l/min (at 3 bar)
- DIAMOND RAIN: Ring of rain, max. flow rate 6.8 l/min (at 3 bar)

Technical data:
- Outer diameter: 605 mm, opening diameter: 465 mm
- Weight: 6 kg

Electric:
- Separate LED power supply
- Input LED power supply
- Input 100-240V AC 50-60Hz
- Output LED power supply
- 350mA (CC)
- Output specification LED power supply
- SELV (Safety Extra Low Voltage)
- Class 2
- Ceiling module power supply
- 350mA (CC)
- Supply pipe 7 m
- Spot lighting
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Technology: LED, not dimmable
- IP67
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Environment:
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- Provided by customer: Light switch
- Recommended control element: xTool

Notes:
- Fits SERIES-VARIOUS

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**41 750 979** FF	FF	Euro
Chrome		**-00**	6,217.10
Brushed Platinum		**-06**	9,947.20
Champagne (22kt Gold)		**-47**	14,921.00
Brushed Champagne (22kt Gold)		**-46**	14,921.00
Matte Black		**-33**	8,393.00

Required miscellaneous

AQUAHALO Concealed ceiling installation box
- concealed rough parts
- Ceiling installation enclosure 605 x 605 x 95 mm
- Weight: 10 kg
- min. recess depth 110 mm
- Pre-assembly kit for three-way diverter included

For details and miscellaneous, see page 740

	35 750 970 FF	FF	Euro
Chrome		**-00**	5,424.40
Brushed Platinum		**-06**	5,424.40
Champagne (22kt Gold)		**-47**	5,424.40
Brushed Champagne (22kt Gold)		**-46**	5,424.40
Matte Black		**-33**	5,424.40

41 400 979

BIG RAIN Rain panel for ceiling installation or ceiling substructure installation
- Rain panel with 2 different spray modes
- PURIFY RAIN, 200 x 160 mm, max. flow rate 23.5 l/min (at 3 bar)
- FULL RAIN, 360 x 280 mm, max. flow rate 13.6 l/min (at 3 bar)
- minimum flow rate 25 l/min (both rain modes together)
- flow at 3bar flow pressure in conjunction with xTOOL: 39l/min
- 2x flexible connection hose 1/2“ - female thread
- 4x mounting pin
- pre-fitted stainless steel enclosure
- with anti-scale system

technical data:
- cover plate, stainless steel 600 x 480 mm
- weight: 12kg
- max. flow pressure 4 bar
- minimum flow pressure 2 bar

technical data:

plumbing:
- recommended water hardness: 6-7 °dH - if the water is harder, integrate a water softener that uses the ion exchange principle into the feed pipe.
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50
- feed pipe (hot/cold): 2x DN 20
- for the optimum choice of hot water storage device - taking into consideration additional drawing-off points and the frequency with which BigRain is used - the specific demand needs to be assessed.

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO

Standard article	41 400 979 FF	FF	Euro
Stainless Steel		-85	6,475.50
Brushed Stainless Steel		-86	6,475.50

Recommended miscellaneous

BIG RAIN Cover for supply pipes

- stainless steel cover 125 x 50 mm
- length 450-480 mm
- for ceiling substructure installation

	12 940 979 FF	FF	Euro
Stainless Steel		-85	507.80
Brushed Stainless Steel		-86	507.80

41 770 979

SERENITY SKY Rain panel for recessed ceiling installation
- exposed trim parts
- Rain panel with 2 different spray modes
- PURIFY RAIN, 175 x 175 mm, max. flow rate 10 l/min (at 3 bar)
- FULL RAIN, 455 x 315 mm, max. flow rate 14 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Rain panel, 600 x 420 mm
- min. recess depth 150 mm
- weight 15kg
- feed pipe (hot/cold): 2x DN 20

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

Planning tips:
- recommended water hardness: 6-7 °dH - if the water is harder, integrate a water softener that uses the ion exchange principle into the feed pipe.
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50
- For the optimum choice of hot water storage device - taking into consideration additional drawing-off points and the frequency with which the rain panels are used - the specific demand needs to be assessed
- Recommended control element: xTool

Notes:
- Fits MEM, IMO, CL.1, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	41 770 979 FF	FF	Euro
Chrome		-00	3,089.30
Champagne (22kt Gold)		-47	7,414.30
Brushed Champagne (22kt Gold)		-46	7,414.30
Brushed Bronze (PVD)		-42	4,942.90
Brushed Dark Bronze (PVD)		-43	5,560.80
Dark Chrome		-19	4,634.00
Brushed Dark Platinum		-99	5,560.80
Brushed Stainless Steel		-86	4,016.10

Product alternative
- FlowReduce
- PURIFY RAIN, max. flow rate 6.8 l/min (at 3 bar)
- FULL RAIN, max. flow rate 6.8 l/min (at 3 bar)

Standard article	41 772 979 FF	FF	Euro
Chrome		-00	3,089.30
Champagne (22kt Gold)		-47	7,414.30
Brushed Champagne (22kt Gold)		-46	7,414.30
Brushed Bronze (PVD)		-42	4,942.90
Dark Chrome		-19	4,634.00
Brushed Dark Platinum		-99	5,560.80
Brushed Stainless Steel		-86	4,016.10

Required miscellaneous

SERENITY SKY Concealed ceiling installation box

- concealed rough parts
- 2x female thread 1/2“ connections
- flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White
- min. recess depth 150 mm
- weight 15kg
- Recommended control element: xTool

	35 770 970 FF	FF	Euro
Concealed rough parts		90	2,145.00

For details and miscellaneous, see page 740

41 771 979

SERENITY SKY Rain panel for recessed ceiling installation with light
- exposed trim parts
- Rain panel with 2 different spray modes
- PURIFY RAIN, 175 x 175 mm, max. flow rate 10 l/min (at 3 bar)
- FULL RAIN, 455 x 315 mm, max. flow rate 14 l/min (at 3 bar)
- with anti-scale system

Technical data:
- Rain panel, 600 x 420 mm
- min. recess depth 150 mm
- weight 15kg
- feed pipe (hot/cold): 2x DN 20

Electric:
- Ceiling module power supply
- 24V DC (CV)
- Ambient lighting
- LED coloured light RGBW
- Bulbs protected against splashing water

Activation:
- ZigBee Light Link RGBW controller

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

technical data:
- Recommended control element: xTool
- Provided by customer: Zigbee gateway
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- recommended water hardness: 6-7 °dH - if the water is harder, integrate a water softener that uses the ion exchange principle into the feed pipe.
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50
- For the optimum choice of hot water storage device - taking into consideration additional drawing-off points and the frequency with which the rain panels are used - the specific demand needs to be assessed
- Dornbracht recommends consulting a systems integrator.

Notes:
- Fits MEM, IMO, CL.1, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**41 771 979** FF	FF	Euro
Chrome		**-00**	4,116.70
Champagne (22kt Gold)		**-47**	9,880.10
Brushed Champagne (22kt Gold)		**-46**	9,880.10
Brushed Bronze (PVD)		**-42**	6,586.80
Dark Chrome		**-19**	6,175.20
Brushed Dark Platinum		**-99**	7,410.20
Brushed Stainless Steel		**-86**	5,351.90

Product alternative
- FlowReduce
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- FULL RAIN, max. flow rate 6.8 l/min (at 3 bar)

Standard article	**41 773 979** FF	FF	Euro
Chrome		**-00**	4,116.70
Champagne (22kt Gold)		**-47**	9,880.10
Brushed Champagne (22kt Gold)		**-46**	9,880.10
Brushed Bronze (PVD)		**-42**	6,586.80
Dark Chrome		**-19**	6,175.20
Brushed Dark Platinum		**-99**	7,410.20
Brushed Stainless Steel		**-86**	5,351.90

Required miscellaneous

SERENITY SKY Concealed ceiling installation box with light

	35 771 970 FF	FF	Euro
• concealed rough parts • flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White • 2x female thread 1/2“ connections • min. recess depth 150 mm • weight 15kg • Supply pipe 7 m • Input 100-240V AC 50-60Hz • Output 24V DC SELV / Class 2 • ZigBee Light Link RGBW controller • Provided by customer: Zigbee gateway	Concealed rough parts	**90**	2,860.00

For details and miscellaneous, see page 741

41 780 979

SERENITY SKY+ Rain panel for recessed ceiling installation
- exposed trim parts
- Rain panel with 5 different flow modes
- Rain panel, 600 x 420 mm
- PURIFY RAIN, 175 x 175 mm, max. flow rate 10 l/min (at 3 bar)
- FULL RAIN, 455 x 315 mm, max. flow rate 14 l/min (at 3 bar)
- LAMINAR FLOW, max. flow rate 10 l/min (at 3 bar)
- AQUAPRESSURE FLOW, max. flow rate 9.4 l/min (at 3 bar)
- COOL MIST, max. flow rate 1 l/min (at 3 bar)
- with anti-scale system

Technical data:
- min. recess depth 150 mm
- weight 15kg
- feed pipe (hot/cold): 2x DN 20

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

technical data:
- Recommended control element: xTool
- recommended water hardness: 6-7 °dH - if the water is harder, integrate a water softener that uses the ion exchange principle into the feed pipe.
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50
- For the optimum choice of hot water storage device - taking into consideration additional drawing-off points and the frequency with which the rain panels are used - the specific demand needs to be assessed

Notes:
- Fits MEM, IMO, CL.1, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**41 780 979** FF	FF	Euro
Chrome		**-00**	4,116.70
Champagne (22kt Gold)		**-47**	9,880.10
Brushed Champagne (22kt Gold)		**-46**	9,880.10
Brushed Bronze (PVD)		**-42**	6,586.80
Brushed Dark Bronze (PVD)		**-43**	7,410.20
Dark Chrome		**-19**	6,175.20
Brushed Dark Platinum		**-99**	7,410.20
Brushed Stainless Steel		**-86**	5,351.90

Required miscellaneous

SERENITY SKY+ Concealed ceiling installation box

	35 780 970 FF	FF	Euro
• concealed rough parts • 5x 1/2" female connector • flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White • min. recess depth 150 mm • weight 15kg	Concealed rough parts	**90**	2,860.00

For details and miscellaneous, see page 741

41 781 979

SERENITY SKY+ Rain panel for recessed ceiling installation with light

- exposed trim parts
- Rain panel with 5 different flow modes
- Rain panel, 600 x 420 mm
- PURIFY RAIN, 175 x 175 mm, max. flow rate 10 l/min (at 3 bar)
- FULL RAIN, 455 x 315 mm, max. flow rate 14 l/min (at 3 bar)
- LAMINAR FLOW, max. flow rate 10 l/min (at 3 bar)
- AQUAPRESSURE FLOW, max. flow rate 9.4 l/min (at 3 bar)
- COOL MIST, max. flow rate 1 l/min (at 3 bar)
- with anti-scale system

Technical data:

- min. recess depth 150 mm
- weight 15kg
- feed pipe (hot/cold): 2x DN 20

Electric:

- Ceiling module power supply
- 24V DC (CV)
- Ambient lighting
- LED coloured light RGBW
- Bulbs protected against splashing water

Activation:

- ZigBee Light Link RGBW controller

Environment:

- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.

technical data:

- Recommended control element: xTool
- Provided by customer: Zigbee gateway
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- recommended water hardness: 6-7 °dH - if the water is harder, integrate a water softener that uses the ion exchange principle into the feed pipe.
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50
- For the optimum choice of hot water storage device - taking into consideration additional drawing-off points and the frequency with which the rain panels are used - the specific demand needs to be assessed
- Dornbracht recommends consulting a systems integrator.

Notes:

- Fits MEM, IMO, CL.1, CYO

includes light bulbs with a Class G energy efficiency

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**41 781 979** FF	FF	Euro
Chrome		**-00**	5,145.50
Champagne (22kt Gold)		**-47**	12,349.20
Brushed Champagne (22kt Gold)		**-46**	12,349.20
Brushed Bronze (PVD)		**-42**	8,232.90
Dark Chrome		**-19**	7,718.30
Brushed Dark Platinum		**-99**	9,261.90
Brushed Stainless Steel		**-86**	6,689.20

Required miscellaneous

SERENITY SKY+ Concealed ceiling installation box with light

	35 781 970 FF	FF	Euro
Concealed rough parts		**90**	3,571.30

- concealed rough parts
- 2x female thread 1/2“ connections
- flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White
- min. recess depth 150 mm
- weight 15kg
- Supply pipe 7 m
- Input 100-240V AC 50-60Hz
- Output 24V DC SELV / Class 2
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway

For details and miscellaneous, see page 741

28 029 979

Hand shower
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- 1/2“ connection
- inherently safe from back flow.
- with anti-scale system

Notes:
- Fits CL.1, CYO, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 029 979** FF	FF	Euro
Chrome		**-00**	249.30
Brushed Chrome		**-93**	324.10
Platinum		**-08**	398.90
Brushed Platinum		**-06**	398.90
Light Gold (PVD)		**-26**	374.00
Brushed Light Gold (PVD)		**-27**	374.00
Champagne (22kt Gold)		**-47**	598.30
Brushed Champagne (22kt Gold)		**-46**	598.30
Brushed Gold (PVD)		**-37**	374.00
Brushed Durabrass (23kt Gold)		**-28**	598.30
Brushed Dark Brass (PVD)		**-39**	398.90
Brushed Bronze (PVD)		**-42**	398.90
Brushed Dark Bronze (PVD)		**-43**	448.70
Dark Chrome		**-19**	374.00
Brushed Dark Platinum		**-99**	448.70
Matte Black		**-33**	336.50

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 029 979** FF	FF	Euro
Chrome		**-000010**	249.30
Brushed Chrome		**-930010**	324.10
Platinum		**-080010**	398.90
Brushed Platinum		**-060010**	398.90
Light Gold (PVD)		**-260010**	374.00
Brushed Light Gold (PVD)		**-270010**	374.00
Champagne (22kt Gold)		**-470010**	598.30
Brushed Champagne (22kt Gold)		**-460010**	598.30
Brushed Gold (PVD)		**-370010**	374.00
Brushed Durabrass (23kt Gold)		**-280010**	598.30
Brushed Dark Brass (PVD)		**-390010**	398.90
Brushed Bronze (PVD)		**-420010**	398.90
Brushed Dark Bronze (PVD)		**-430010**	448.70
Dark Chrome		**-190010**	374.00
Brushed Dark Platinum		**-990010**	448.70
Matte Black		**-330010**	336.50

28 002 970

Metal hand shower with porcelain insert (white)
- spray head Ø 64mm
- COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 6 l/min
- 1/2“ connection
- inherently safe from back flow
- with anti-scale system

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 002 970** FF	FF	Euro
Chrome		**-00**	321.30
Platinum		**-08**	513.90
Brushed Platinum		**-06**	513.90
Durabrass (23kt Gold)		**-09**	771.10
Brushed Durabrass (23kt Gold)		**-28**	771.10
Brushed Dark Brass (PVD)		**-39**	514.20
Brushed Bronze (PVD)		**-42**	514.20
Brushed Dark Bronze (PVD)		**-43**	578.30
Brushed Dark Platinum		**-99**	578.10

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 002 970** FF	FF	Euro
Chrome		**-000010**	321.30
Platinum		**-080010**	513.90
Brushed Platinum		**-060010**	513.90
Durabrass (23kt Gold)		**-090010**	771.10
Brushed Durabrass (23kt Gold)		**-280010**	771.10
Brushed Dark Brass (PVD)		**-390010**	514.20
Brushed Bronze (PVD)		**-420010**	514.20
Brushed Dark Bronze (PVD)		**-430010**	578.30
Brushed Dark Platinum		**-990010**	578.10

Shower

28 015 979

Hand shower
- spray head Ø 100mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- 1/2“ connection
- inherently safe from back flow
- with anti-scale system

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **28 015 979** FF	FF	Euro
Chrome	**-00**	132.60
Brushed Chrome	**-93**	172.40
Platinum	**-08**	212.40
Brushed Platinum	**-06**	212.40
Light Gold (PVD)	**-26**	198.90
Brushed Light Gold (PVD)	**-27**	198.90
Champagne (22kt Gold)	**-47**	318.20
Brushed Champagne (22kt Gold)	**-46**	318.20
Brushed Gold (PVD)	**-37**	198.90
Brushed Durabrass (23kt Gold)	**-28**	318.20
Brushed Dark Brass (PVD)	**-39**	212.20
Brushed Bronze (PVD)	**-42**	212.10
Brushed Dark Bronze (PVD)	**-43**	238.70
Dark Chrome	**-19**	198.90
Brushed Dark Platinum	**-99**	238.60
Matte Black	**-33**	178.80

Product alternative
- FlowReduce
- Max. flow rate 5 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article **28 025 979** FF	FF	Euro
Chrome	**-000010**	132.60
Brushed Chrome	**-930010**	172.40
Platinum	**-080010**	212.10
Brushed Platinum	**-060010**	212.10
Light Gold (PVD)	**-260010**	198.90
Brushed Light Gold (PVD)	**-270010**	198.90
Champagne (22kt Gold)	**-470010**	318.20
Brushed Champagne (22kt Gold)	**-460010**	318.20
Brushed Gold (PVD)	**-370010**	198.90
Brushed Durabrass (23kt Gold)	**-280010**	318.20
Brushed Dark Brass (PVD)	**-390010**	212.20
Brushed Bronze (PVD)	**-420010**	212.10
Brushed Dark Bronze (PVD)	**-430010**	238.70
Dark Chrome	**-190010**	198.90
Brushed Dark Platinum	**-990010**	238.70
Matte Black	**-330010**	179.00

28 017 979

Hand shower
- spray head Ø 130 mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- 1/2“ connection
- inherently safe from back flow
- with anti-scale system

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **28 017 979** FF	FF	Euro
Chrome	**-00**	191.00
Brushed Chrome	**-93**	248.20
Platinum	**-08**	305.70
Brushed Platinum	**-06**	305.70
Light Gold (PVD)	**-26**	286.40
Brushed Light Gold (PVD)	**-27**	286.40
Champagne (22kt Gold)	**-47**	458.40
Brushed Champagne (22kt Gold)	**-46**	458.40
Brushed Gold (PVD)	**-37**	286.50
Brushed Durabrass (23kt Gold)	**-28**	458.40
Brushed Dark Brass (PVD)	**-39**	305.70
Brushed Bronze (PVD)	**-42**	305.60
Brushed Dark Bronze (PVD)	**-43**	343.80
Dark Chrome	**-19**	286.40
Brushed Dark Platinum	**-99**	343.70
Matte Black	**-33**	258.00

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article **28 027 979** FF	FF	Euro
Chrome	**-000010**	191.00
Brushed Chrome	**-930010**	248.20
Platinum	**-080010**	305.60
Brushed Platinum	**-060010**	305.60
Light Gold (PVD)	**-260010**	286.40
Brushed Light Gold (PVD)	**-270010**	286.40
Champagne (22kt Gold)	**-470010**	458.40
Brushed Champagne (22kt Gold)	**-460010**	458.40
Brushed Gold (PVD)	**-370010**	286.40
Brushed Durabrass (23kt Gold)	**-280010**	458.40
Brushed Dark Brass (PVD)	**-390010**	305.70
Brushed Bronze (PVD)	**-420010**	305.60
Brushed Dark Bronze (PVD)	**-430010**	343.70
Dark Chrome	**-190010**	286.40
Brushed Dark Platinum	**-990010**	343.70
Matte Black	**-330010**	257.90

Shower

28 018 979

Hand shower
- spray head Ø 100mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- 1/2“ connection
- inherently safe from back flow
- with anti-scale system

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, CYO, SERIES-VARIOUS

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **28 018 979** FF	FF	Euro
Chrome	**-00**	142.60
Brushed Chrome	**-93**	185.30
Platinum	**-08**	228.00
Brushed Platinum	**-06**	228.00
Light Gold (PVD)	**-26**	213.80
Brushed Light Gold (PVD)	**-27**	213.80
Champagne (22kt Gold)	**-47**	342.20
Brushed Champagne (22kt Gold)	**-46**	342.20
Brushed Gold (PVD)	**-37**	213.90
Brushed Durabrass (23kt Gold)	**-28**	342.20
Brushed Dark Brass (PVD)	**-39**	228.10
Brushed Bronze (PVD)	**-42**	228.00
Brushed Dark Bronze (PVD)	**-43**	256.70
Dark Chrome	**-19**	213.80
Brushed Dark Platinum	**-99**	256.50
Matte Black	**-33**	192.40

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article **28 018 979** FF	FF	Euro
Chrome	**-000010**	142.60
Brushed Chrome	**-930010**	185.30
Platinum	**-080010**	228.00
Brushed Platinum	**-060010**	228.00
Light Gold (PVD)	**-260010**	213.80
Brushed Light Gold (PVD)	**-270010**	213.80
Champagne (22kt Gold)	**-470010**	342.20
Brushed Champagne (22kt Gold)	**-460010**	342.20
Brushed Gold (PVD)	**-370010**	213.90
Brushed Durabrass (23kt Gold)	**-280010**	342.20
Brushed Dark Brass (PVD)	**-390010**	228.10
Brushed Bronze (PVD)	**-420010**	228.00
Brushed Dark Bronze (PVD)	**-430010**	256.70
Dark Chrome	**-190010**	213.80
Brushed Dark Platinum	**-990010**	256.60
Matte Black	**-330010**	192.40

28 016 979

Hand shower
- spray head Ø 130 mm
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- 1/2“ connection
- inherently safe from back flow.
- with anti-scale system

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 016 979** FF	FF	Euro
Chrome		**-00**	205.60
Brushed Chrome		**-93**	267.20
Platinum		**-08**	329.30
Brushed Platinum		**-06**	329.30
Light Gold (PVD)		**-26**	308.50
Brushed Light Gold (PVD)		**-27**	308.50
Champagne (22kt Gold)		**-47**	493.40
Brushed Champagne (22kt Gold)		**-46**	493.40
Brushed Gold (PVD)		**-37**	308.40
Brushed Durabrass (23kt Gold)		**-28**	493.40
Brushed Dark Brass (PVD)		**-39**	329.00
Brushed Bronze (PVD)		**-42**	329.00
Brushed Dark Bronze (PVD)		**-43**	370.10
Dark Chrome		**-19**	308.50
Brushed Dark Platinum		**-99**	370.20
Matte Black		**-33**	277.60

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 016 979** FF	FF	Euro
Chrome		**-000010**	205.60
Brushed Chrome		**-930010**	267.20
Platinum		**-080010**	329.20
Brushed Platinum		**-060010**	329.20
Light Gold (PVD)		**-260010**	308.50
Brushed Light Gold (PVD)		**-270010**	308.50
Champagne (22kt Gold)		**-470010**	493.40
Brushed Champagne (22kt Gold)		**-460010**	493.40
Brushed Gold (PVD)		**-370010**	308.40
Brushed Durabrass (23kt Gold)		**-280010**	493.40
Brushed Dark Brass (PVD)		**-390010**	329.00
Brushed Bronze (PVD)		**-420010**	329.00
Brushed Dark Bronze (PVD)		**-430010**	370.10
Dark Chrome		**-190010**	308.50
Brushed Dark Platinum		**-990010**	370.20
Matte Black		**-330010**	277.60

28 012 979

Hand shower
- spray head Ø 120mm
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- 1/2“ connection
- inherently safe from back flow
- with anti-scale system

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 012 979** FF	FF	Euro
Chrome		**-00**	247.90
Brushed Chrome		**-93**	322.10
Platinum		**-08**	396.60
Brushed Platinum		**-06**	396.60
Light Gold (PVD)		**-26**	371.80
Brushed Light Gold (PVD)		**-27**	371.80
Champagne (22kt Gold)		**-47**	595.00
Brushed Champagne (22kt Gold)		**-46**	595.00
Brushed Gold (PVD)		**-37**	371.90
Brushed Durabrass (23kt Gold)		**-28**	595.00
Brushed Dark Brass (PVD)		**-39**	396.60
Brushed Bronze (PVD)		**-42**	396.60
Brushed Dark Bronze (PVD)		**-43**	446.20
Dark Chrome		**-19**	371.80
Brushed Dark Platinum		**-99**	446.30
Matte Black		**-33**	334.60

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 012 979** FF	FF	Euro
Chrome		**-000010**	247.90
Brushed Chrome		**-930010**	322.10
Platinum		**-080010**	396.60
Brushed Platinum		**-060010**	396.60
Light Gold (PVD)		**-260010**	371.80
Brushed Light Gold (PVD)		**-270010**	371.80
Champagne (22kt Gold)		**-470010**	595.00
Brushed Champagne (22kt Gold)		**-460010**	595.00
Brushed Gold (PVD)		**-370010**	371.90
Brushed Durabrass (23kt Gold)		**-280010**	595.00
Brushed Dark Brass (PVD)		**-390010**	396.60
Brushed Bronze (PVD)		**-420010**	396.60
Brushed Dark Bronze (PVD)		**-430010**	446.20
Dark Chrome		**-190010**	371.80
Brushed Dark Platinum		**-990010**	446.30
Matte Black		**-330010**	334.60

28 002 978

Hand shower
- spray head Ø 95mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 6.8 l/min
- 1/2“ connection
- inherently safe from back flow
- with anti-scale system

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 002 978** FF	FF	Euro
Chrome		**-00**	247.90
Platinum		**-08**	396.60
Brushed Platinum		**-06**	396.60
Durabrass (23kt Gold)		**-09**	595.00
Brushed Durabrass (23kt Gold)		**-28**	595.00
Brushed Dark Brass (PVD)		**-39**	396.60
Brushed Bronze (PVD)		**-42**	396.60
Brushed Dark Bronze (PVD)		**-43**	446.20
Brushed Dark Platinum		**-99**	446.30

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 002 978** FF	FF	Euro
Chrome		**-000010**	247.90
Platinum		**-080010**	396.60
Brushed Platinum		**-060010**	396.60
Durabrass (23kt Gold)		**-090010**	595.00
Brushed Durabrass (23kt Gold)		**-280010**	595.00
Brushed Dark Brass (PVD)		**-390010**	396.60
Brushed Bronze (PVD)		**-420010**	396.60
Brushed Dark Bronze (PVD)		**-430010**	446.20
Brushed Dark Platinum		**-990010**	446.30

28 022 979 **NEW**

Hand shower
- spray head Ø 120mm
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- 1/2“ connection
- inherently safe from back flow
- with anti-scale system

Notes:
- Fits META, IMO, LISSÉ, LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 022 979** FF	FF	Euro
Chrome		**-00**	111.50
Brushed Chrome		**-93**	145.00
Light Gold (PVD)		**-26**	167.30
Brushed Light Gold (PVD)		**-27**	167.30
Brushed Gold (PVD)		**-37**	167.30
Brushed Bronze (PVD)		**-42**	178.40
Dark Chrome		**-19**	167.30
Brushed Dark Platinum		**-99**	200.80
Matte Black		**-33**	150.60

Product alternative
- with FlowReduce function
- max. flow 6.8 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**28 022 979** FF	FF	Euro
Chrome		**-000010**	111.50
Brushed Chrome		**-930010**	145.00
Light Gold (PVD)		**-260010**	167.30
Brushed Light Gold (PVD)		**-270010**	167.30
Brushed Gold (PVD)		**-370010**	167.30
Brushed Bronze (PVD)		**-420010**	178.40
Dark Chrome		**-190010**	167.30
Brushed Dark Platinum		**-990010**	200.80
Matte Black		**-330010**	150.60

27 812 660 NEW

Hand shower set with integrated shower holder
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **27 812 660** FF	FF	Euro
Chrome	**-00**	478.10
Brushed Chrome	**-93**	621.50
Platinum	**-08**	764.90
Brushed Platinum	**-06**	764.90
Light Gold (PVD)	**-26**	717.20
Brushed Light Gold (PVD)	**-27**	717.20
Champagne (22kt Gold)	**-47**	1,147.40
Brushed Champagne (22kt Gold)	**-46**	1,147.40
Brushed Gold (PVD)	**-37**	717.20
Brushed Durabrass (23kt Gold)	**-28**	1,147.40
Brushed Dark Brass (PVD)	**-39**	764.90
Brushed Bronze (PVD)	**-42**	764.90
Brushed Dark Bronze (PVD)	**-43**	860.60
Dark Chrome	**-19**	717.20
Brushed Dark Platinum	**-99**	860.50
Matte Black	**-33**	645.40

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article **27 812 660** FF	FF	Euro
Chrome	**-000010**	478.10
Brushed Chrome	**-930010**	621.50
Platinum	**-080010**	764.90
Brushed Platinum	**-060010**	764.90
Light Gold (PVD)	**-260010**	717.20
Brushed Light Gold (PVD)	**-270010**	717.20
Champagne (22kt Gold)	**-470010**	1,147.40
Brushed Champagne (22kt Gold)	**-460010**	1,147.40
Brushed Gold (PVD)	**-370010**	717.20
Brushed Durabrass (23kt Gold)	**-280010**	1,147.40
Brushed Dark Brass (PVD)	**-390010**	764.90
Brushed Bronze (PVD)	**-420010**	764.90
Brushed Dark Bronze (PVD)	**-430010**	860.60
Dark Chrome	**-190010**	717.20
Brushed Dark Platinum	**-990010**	860.50
Matte Black	**-330010**	645.40

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

27 812 970 **NEW**

Hand shower set with integrated shower holder
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- 1/2“ connection
- rosette 60 x 60 mm

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 812 970** FF	FF	Euro
Chrome		**-00**	493.10
Brushed Chrome		**-93**	641.00
Platinum		**-08**	789.00
Brushed Platinum		**-06**	789.00
Light Gold (PVD)		**-26**	739.60
Brushed Light Gold (PVD)		**-27**	739.60
Champagne (22kt Gold)		**-47**	1,183.40
Brushed Champagne (22kt Gold)		**-46**	1,183.40
Brushed Gold (PVD)		**-37**	739.70
Brushed Durabrass (23kt Gold)		**-28**	1,183.40
Brushed Dark Brass (PVD)		**-39**	789.00
Brushed Bronze (PVD)		**-42**	789.00
Brushed Dark Bronze (PVD)		**-43**	887.60
Dark Chrome		**-19**	739.60
Brushed Dark Platinum		**-99**	887.60
Matte Black		**-33**	665.70

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 812 970** FF	FF	Euro
Chrome		**-000010**	493.10
Brushed Chrome		**-930010**	641.00
Platinum		**-080010**	789.00
Brushed Platinum		**-060010**	789.00
Light Gold (PVD)		**-260010**	739.60
Brushed Light Gold (PVD)		**-270010**	739.60
Champagne (22kt Gold)		**-470010**	1,183.40
Brushed Champagne (22kt Gold)		**-460010**	1,183.40
Brushed Gold (PVD)		**-370010**	739.70
Brushed Durabrass (23kt Gold)		**-280010**	1,183.40
Brushed Dark Brass (PVD)		**-390010**	789.00
Brushed Bronze (PVD)		**-420010**	789.00
Brushed Dark Bronze (PVD)		**-430010**	887.60
Dark Chrome		**-190010**	739.60
Brushed Dark Platinum		**-990010**	887.60
Matte Black		**-330010**	665.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 813 660 NEW

Hand shower set with integrated shower holder
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

technical data:
- rosette Ø 60 mm
- 1/2“ connection

Notes:
- Fits META, SERIES-VARIOUS, TARA, VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 813 660** FF	FF	Euro
Chrome		**-00**	463.20
Brushed Chrome		**-93**	602.10
Platinum		**-08**	741.10
Brushed Platinum		**-06**	741.10
Light Gold (PVD)		**-26**	694.80
Brushed Light Gold (PVD)		**-27**	694.80
Champagne (22kt Gold)		**-47**	1,111.70
Brushed Champagne (22kt Gold)		**-46**	1,111.70
Brushed Gold (PVD)		**-37**	694.80
Brushed Durabrass (23kt Gold)		**-28**	1,111.70
Brushed Dark Brass (PVD)		**-39**	741.10
Brushed Bronze (PVD)		**-42**	741.10
Brushed Dark Bronze (PVD)		**-43**	833.70
Dark Chrome		**-19**	694.80
Brushed Dark Platinum		**-99**	833.70
Matte Black		**-33**	625.30

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 813 660** FF	FF	Euro
Chrome		**-000010**	463.20
Brushed Chrome		**-930010**	602.10
Platinum		**-080010**	741.10
Brushed Platinum		**-060010**	741.10
Light Gold (PVD)		**-260010**	694.80
Brushed Light Gold (PVD)		**-270010**	694.80
Champagne (22kt Gold)		**-470010**	1,111.70
Brushed Champagne (22kt Gold)		**-460010**	1,111.70
Brushed Gold (PVD)		**-370010**	694.80
Brushed Durabrass (23kt Gold)		**-280010**	1,111.70
Brushed Dark Brass (PVD)		**-390010**	741.10
Brushed Bronze (PVD)		**-420010**	741.10
Brushed Dark Bronze (PVD)		**-430010**	860.60
Dark Chrome		**-190010**	694.80
Brushed Dark Platinum		**-990010**	833.70
Matte Black		**-330010**	625.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 815 625

NEW

Hand shower set
- spray head Ø 100mm
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 6.8 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette Ø 55 mm
- 3/8“ shower outlet

Notes:
- Fits META, TARA, SERIES-VARIOUS

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 815 625** FF	FF	Euro
Chrome		**-00**	344.90
Brushed Chrome		**-93**	448.50
Brushed Platinum		**-06**	551.90
Light Gold (PVD)		**-26**	517.40
Brushed Light Gold (PVD)		**-27**	517.40
Champagne (22kt Gold)		**-47**	827.80
Brushed Champagne (22kt Gold)		**-46**	827.80
Brushed Gold (PVD)		**-37**	517.40
Brushed Durabrass (23kt Gold)		**-28**	827.80
Brushed Dark Brass (PVD)		**-39**	551.90
Brushed Bronze (PVD)		**-42**	551.90
Brushed Dark Bronze (PVD)		**-43**	620.80
Dark Chrome		**-19**	517.40
Brushed Dark Platinum		**-99**	620.90
Matte Black		**-33**	465.70

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 815 625** FF	FF	Euro
Chrome		**-000010**	344.90
Brushed Chrome		**-930010**	448.50
Brushed Platinum		**-060010**	551.90
Light Gold (PVD)		**-260010**	517.40
Brushed Light Gold (PVD)		**-270010**	517.40
Champagne (22kt Gold)		**-470010**	827.80
Brushed Champagne (22kt Gold)		**-460010**	827.80
Brushed Gold (PVD)		**-370010**	517.40
Brushed Durabrass (23kt Gold)		**-280010**	827.80
Brushed Dark Brass (PVD)		**-390010**	551.90
Brushed Bronze (PVD)		**-420010**	551.90
Brushed Dark Bronze (PVD)		**-430010**	620.80
Dark Chrome		**-190010**	517.40
Brushed Dark Platinum		**-990010**	620.90
Matte Black		**-330010**	465.70

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

	28 450 625 FF	FF	Euro
Chrome		**-00**	121.50
Brushed Chrome		**-93**	157.90
Brushed Platinum		**-06**	194.50
Light Gold (PVD)		**-26**	182.30
Brushed Light Gold (PVD)		**-27**	182.30
Champagne (22kt Gold)		**-47**	291.60
Brushed Champagne (22kt Gold)		**-46**	291.60
Brushed Gold (PVD)		**-37**	182.30
Brushed Durabrass (23kt Gold)		**-28**	291.60
Brushed Dark Brass (PVD)		**-39**	194.40
Brushed Bronze (PVD)		**-42**	194.40
Brushed Dark Bronze (PVD)		**-43**	218.70
Dark Chrome		**-19**	182.30
Brushed Dark Platinum		**-99**	218.70
Matte Black		**-33**	163.70

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

	35 085 970 FF	FF	Euro
Concealed rough parts		**90**	128.90

27 816 625 NEW

Hand shower set
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette Ø 55 mm
- 3/8“ shower outlet

Notes:
- Fits META

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 816 625** FF	FF	Euro
Chrome		**-00**	355.50
Brushed Chrome		**-93**	462.20
Brushed Platinum		**-06**	568.90
Light Gold (PVD)		**-26**	533.30
Brushed Light Gold (PVD)		**-27**	533.30
Champagne (22kt Gold)		**-47**	853.20
Brushed Champagne (22kt Gold)		**-46**	853.20
Brushed Gold (PVD)		**-37**	533.30
Brushed Durabrass (23kt Gold)		**-28**	853.20
Brushed Dark Brass (PVD)		**-39**	568.90
Brushed Bronze (PVD)		**-42**	568.90
Brushed Dark Bronze (PVD)		**-43**	639.90
Dark Chrome		**-19**	533.30
Brushed Dark Platinum		**-99**	640.00
Matte Black		**-33**	480.00

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 816 625** FF	FF	Euro
Chrome		**-000010**	355.50
Brushed Chrome		**-930010**	462.20
Brushed Platinum		**-060010**	568.90
Light Gold (PVD)		**-260010**	533.30
Brushed Light Gold (PVD)		**-270010**	533.30
Champagne (22kt Gold)		**-470010**	853.20
Brushed Champagne (22kt Gold)		**-460010**	853.20
Brushed Gold (PVD)		**-370010**	533.30
Brushed Durabrass (23kt Gold)		**-280010**	853.20
Brushed Dark Brass (PVD)		**-390010**	568.90
Brushed Bronze (PVD)		**-420010**	568.90
Brushed Dark Bronze (PVD)		**-430010**	639.90
Dark Chrome		**-190010**	533.30
Brushed Dark Platinum		**-990010**	640.00
Matte Black		**-330010**	480.00

Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

	28 450 625 FF	FF	Euro
Chrome		**-00**	121.50
Brushed Chrome		**-93**	157.90
Brushed Platinum		**-06**	194.50
Light Gold (PVD)		**-26**	182.30
Brushed Light Gold (PVD)		**-27**	182.30
Champagne (22kt Gold)		**-47**	291.60
Brushed Champagne (22kt Gold)		**-46**	291.60
Brushed Gold (PVD)		**-37**	182.30
Brushed Durabrass (23kt Gold)		**-28**	291.60
Brushed Dark Brass (PVD)		**-39**	194.40
Brushed Bronze (PVD)		**-42**	194.40
Brushed Dark Bronze (PVD)		**-43**	218.70
Dark Chrome		**-19**	182.30
Brushed Dark Platinum		**-99**	218.70
Matte Black		**-33**	163.70

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

	35 085 970 FF	FF	Euro
Concealed rough parts		**90**	128.90

27 803 845

Hand shower set with individual rosettes
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow 60 x 78mm
- rosette for shower holder 60 x 78mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 803 845** FF	FF	Euro
Chrome		**-00**	500.30
Brushed Chrome		**-93**	650.40
Brushed Platinum		**-06**	800.60
Brushed Light Gold (PVD)		**-27**	750.40
Dark Chrome		**-19**	750.40
Brushed Dark Platinum		**-99**	900.50
Matte Black		**-33**	675.20

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 803 845** FF	FF	Euro
Chrome		**-000010**	500.30
Brushed Chrome		**-930010**	650.40
Brushed Platinum		**-060010**	800.60
Brushed Light Gold (PVD)		**-270010**	750.40
Dark Chrome		**-190010**	750.40
Brushed Dark Platinum		**-990010**	900.50
Matte Black		**-330010**	675.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 808 404 NEW

Hand shower set with individual rosettes
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 808 404** FF	FF	Euro
Chrome		**-00**	739.80
Brushed Platinum		**-06**	1,183.70
Champagne (22kt Gold)		**-47**	1,775.50
Brushed Champagne (22kt Gold)		**-46**	1,775.50
Brushed Durabrass (23kt Gold)		**-28**	1,775.50
Brushed Dark Brass (PVD)		**-39**	1,183.70
Brushed Bronze (PVD)		**-42**	1,183.70
Brushed Dark Bronze (PVD)		**-43**	1,331.60
Dark Chrome		**-19**	1,109.70
Brushed Dark Platinum		**-99**	1,331.60

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 808 404** FF	FF	Euro
Chrome		**-000010**	739.80
Brushed Platinum		**-060010**	1,183.70
Champagne (22kt Gold)		**-470010**	1,775.50
Brushed Champagne (22kt Gold)		**-460010**	1,775.50
Brushed Durabrass (23kt Gold)		**-280010**	1,775.50
Brushed Dark Brass (PVD)		**-390010**	1,183.70
Brushed Bronze (PVD)		**-420010**	1,183.70
Brushed Dark Bronze (PVD)		**-430010**	1,331.60
Dark Chrome		**-190010**	1,109.70
Brushed Dark Platinum		**-990010**	1,331.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 808 710

Hand shower set with individual rosettes
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow 78 x 55mm
- rosette for shower holder 78 x 55mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 808 710** FF	FF	Euro
Chrome		**-00**	721.40
Brushed Platinum		**-06**	1,154.30

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 808 710** FF	FF	Euro
Chrome		**-000010**	721.40
Brushed Platinum		**-060010**	1,154.30

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 803 361

Hand shower set with individual rosettes
- spray head Ø 64mm
- COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system
- inherently safe from back flow
- metal shower hose 1250mm with integrated anti-twist protection

technical data:
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- 1/2“ wall elbow
- 1/2“ shower outlet

Notes:
- Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 803 361** FF	FF	Euro
Chrome		**-00**	714.90
Platinum		**-08**	1,143.50
Brushed Platinum		**-06**	1,143.50
Durabrass (23kt Gold)		**-09**	1,715.80
Brushed Durabrass (23kt Gold)		**-28**	1,715.80
Brushed Dark Brass (PVD)		**-39**	1,144.00
Brushed Bronze (PVD)		**-42**	1,144.00
Brushed Dark Bronze (PVD)		**-43**	1,286.80
Brushed Dark Platinum		**-99**	1,287.00

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 803 361** FF	FF	Euro
Chrome		**-000010**	714.90
Platinum		**-080010**	1,143.50
Brushed Platinum		**-060010**	1,143.50
Durabrass (23kt Gold)		**-090010**	1,715.80
Brushed Durabrass (23kt Gold)		**-280010**	1,715.80
Brushed Dark Brass (PVD)		**-390010**	1,144.00
Brushed Bronze (PVD)		**-420010**	1,144.00
Brushed Dark Bronze (PVD)		**-430010**	1,286.80
Brushed Dark Platinum		**-990010**	1,287.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 802 892

Hand shower set with individual rosettes
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- 1/2“ wall elbow
- 1/2“ shower outlet

Notes:
- Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 802 892** FF	FF	Euro
Chrome		**-00**	641.80
Brushed Chrome		**-93**	834.20
Platinum		**-08**	1,027.20
Brushed Platinum		**-06**	1,027.20
Champagne (22kt Gold)		**-47**	1,540.30
Brushed Champagne (22kt Gold)		**-46**	1,540.30
Brushed Durabrass (23kt Gold)		**-28**	1,540.30
Brushed Dark Brass (PVD)		**-39**	1,026.80
Brushed Bronze (PVD)		**-42**	1,026.90
Brushed Dark Bronze (PVD)		**-43**	1,155.20
Dark Chrome		**-19**	962.70
Brushed Dark Platinum		**-99**	1,155.20
Matte Black		**-33**	866.70

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 802 892** FF	FF	Euro
Chrome		**-000010**	641.80
Brushed Chrome		**-930010**	834.20
Platinum		**-080010**	1,027.20
Brushed Platinum		**-060010**	1,027.20
Champagne (22kt Gold)		**-470010**	1,540.30
Brushed Champagne (22kt Gold)		**-460010**	1,540.30
Brushed Durabrass (23kt Gold)		**-280010**	1,540.30
Brushed Dark Brass (PVD)		**-390010**	1,026.80
Brushed Bronze (PVD)		**-420010**	1,026.90
Brushed Dark Bronze (PVD)		**-430010**	1,155.20
Dark Chrome		**-190010**	962.70
Brushed Dark Platinum		**-990010**	1,155.20
Matte Black		**-330010**	866.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 803 892

Hand shower set with individual rosettes
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- 1/2“ wall elbow
- 1/2“ shower outlet

Notes:
- Fits TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 803 892** FF	FF	Euro
Chrome		**-00**	629.20
Brushed Chrome		**-93**	817.80
Platinum		**-08**	1,006.40
Brushed Platinum		**-06**	1,006.40
Champagne (22kt Gold)		**-47**	1,510.10
Brushed Champagne (22kt Gold)		**-46**	1,510.10
Brushed Durabrass (23kt Gold)		**-28**	1,510.10
Brushed Dark Brass (PVD)		**-39**	1,006.50
Brushed Bronze (PVD)		**-42**	1,006.60
Brushed Dark Bronze (PVD)		**-43**	1,132.60
Dark Chrome		**-19**	943.80
Brushed Dark Platinum		**-99**	1,132.60
Matte Black		**-33**	849.20

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 803 892** FF	FF	Euro
Chrome		**-000010**	629.20
Brushed Chrome		**-930010**	817.80
Platinum		**-080010**	1,006.40
Brushed Platinum		**-060010**	1,006.40
Champagne (22kt Gold)		**-470010**	1,510.10
Brushed Champagne (22kt Gold)		**-460010**	1,510.10
Brushed Durabrass (23kt Gold)		**-280010**	1,510.10
Brushed Dark Brass (PVD)		**-390010**	1,006.50
Brushed Bronze (PVD)		**-420010**	1,006.60
Brushed Dark Bronze (PVD)		**-430010**	1,132.60
Dark Chrome		**-190010**	943.80
Brushed Dark Platinum		**-990010**	1,132.60
Matte Black		**-330010**	849.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 808 809

Hand shower set with individual rosettes
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow.
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits VAIA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 808 809** FF	FF	Euro
Chrome		**-00**	706.10
Platinum		**-08**	1,129.90
Brushed Platinum		**-06**	1,129.90
Champagne (22kt Gold)		**-47**	1,694.60
Brushed Champagne (22kt Gold)		**-46**	1,694.60
Brushed Durabrass (23kt Gold)		**-28**	1,694.60
Brushed Dark Brass (PVD)		**-39**	1,129.70
Brushed Bronze (PVD)		**-42**	1,129.80
Brushed Dark Bronze (PVD)		**-43**	1,271.00
Dark Chrome		**-19**	1,059.20
Brushed Dark Platinum		**-99**	1,271.10

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 808 809** FF	FF	Euro
Chrome		**-000010**	706.10
Platinum		**-080010**	1,129.90
Brushed Platinum		**-060010**	1,129.90
Champagne (22kt Gold)		**-470010**	1,694.60
Brushed Champagne (22kt Gold)		**-460010**	1,694.60
Brushed Durabrass (23kt Gold)		**-280010**	1,694.60
Brushed Dark Brass (PVD)		**-390010**	1,129.70
Brushed Bronze (PVD)		**-420010**	1,129.80
Brushed Dark Bronze (PVD)		**-430010**	1,271.00
Dark Chrome		**-190010**	1,059.20
Brushed Dark Platinum		**-990010**	1,271.10

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 809 985

Hand shower set with individual rosettes with volume control
- with volume control
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits CL.1, SYMETRICS, CYO, IMO, MEM

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 809 985** FF	FF	Euro
Chrome		**-00**	976.60
Brushed Chrome		**-93**	1,269.60
Platinum		**-08**	1,562.40
Brushed Platinum		**-06**	1,562.60
Brushed Light Gold (PVD)		**-27**	1,465.00
Champagne (22kt Gold)		**-47**	2,343.80
Brushed Champagne (22kt Gold)		**-46**	2,343.80
Brushed Gold (PVD)		**-37**	1,464.90
Brushed Durabrass (23kt Gold)		**-28**	2,343.80
Brushed Dark Brass (PVD)		**-39**	1,562.50
Brushed Bronze (PVD)		**-42**	1,562.50
Brushed Dark Bronze (PVD)		**-43**	1,757.90
Dark Chrome		**-19**	1,465.00
Brushed Dark Platinum		**-99**	1,757.80

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 809 985** FF	FF	Euro
Chrome		**-000010**	976.60
Brushed Chrome		**-930010**	1,269.60
Platinum		**-080010**	1,562.40
Brushed Platinum		**-060010**	1,562.60
Brushed Light Gold (PVD)		**-270010**	1,465.00
Champagne (22kt Gold)		**-470010**	2,343.80
Brushed Champagne (22kt Gold)		**-460010**	2,343.80
Brushed Gold (PVD)		**-370010**	1,464.90
Brushed Durabrass (23kt Gold)		**-280010**	2,343.80
Brushed Dark Brass (PVD)		**-390010**	1,562.50
Brushed Bronze (PVD)		**-420010**	1,562.50
Brushed Dark Bronze (PVD)		**-430010**	1,326.60
Dark Chrome		**-190010**	1,465.00
Brushed Dark Platinum		**-990010**	1,757.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 811 980 **NEW**

Hand shower set with individual rosettes
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

technical data:
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **27 811 980** FF	FF	Euro
Chrome	**-00**	744.00
Brushed Chrome	**-93**	967.30
Platinum	**-08**	1,190.50
Brushed Platinum	**-06**	1,190.50
Light Gold (PVD)	**-26**	1,116.00
Brushed Light Gold (PVD)	**-27**	1,116.00
Champagne (22kt Gold)	**-47**	1,785.60
Brushed Champagne (22kt Gold)	**-46**	1,785.60
Brushed Gold (PVD)	**-37**	1,116.00
Brushed Durabrass (23kt Gold)	**-28**	1,785.60
Brushed Dark Brass (PVD)	**-39**	1,190.50
Brushed Bronze (PVD)	**-42**	1,190.50
Brushed Dark Bronze (PVD)	**-43**	1,339.20
Dark Chrome	**-19**	1,116.00
Brushed Dark Platinum	**-99**	1,339.30
Matte Black	**-33**	1,004.40

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article **27 811 980** FF	FF	Euro
Chrome	**-000010**	744.00
Brushed Chrome	**-930010**	967.30
Platinum	**-080010**	1,190.50
Brushed Platinum	**-060010**	1,190.50
Light Gold (PVD)	**-260010**	1,116.00
Brushed Light Gold (PVD)	**-270010**	1,116.00
Champagne (22kt Gold)	**-470010**	1,785.60
Brushed Champagne (22kt Gold)	**-460010**	1,785.60
Brushed Gold (PVD)	**-370010**	1,116.00
Brushed Durabrass (23kt Gold)	**-280010**	1,785.60
Brushed Dark Brass (PVD)	**-390010**	1,190.50
Brushed Bronze (PVD)	**-420010**	1,190.50
Brushed Dark Bronze (PVD)	**-430010**	1,339.20
Dark Chrome	**-190010**	1,116.00
Brushed Dark Platinum	**-990010**	1,339.30
Matte Black	**-330010**	1,004.40

Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

27 818 980

Hand shower set with cover plate
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- cover plate 240 x 60 mm
- 1/2“ wall elbow
- 3/8“ shower outlet

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 818 980** FF	FF	Euro
Chrome		**-00**	884.50
Brushed Chrome		**-93**	1,150.10
Platinum		**-08**	1,415.70
Brushed Platinum		**-06**	1,415.10
Brushed Light Gold (PVD)		**-27**	1,327.00
Champagne (22kt Gold)		**-47**	2,122.80
Brushed Champagne (22kt Gold)		**-46**	2,122.80
Brushed Gold (PVD)		**-37**	1,326.80
Brushed Durabrass (23kt Gold)		**-28**	2,122.80
Brushed Dark Brass (PVD)		**-39**	1,415.30
Brushed Bronze (PVD)		**-42**	1,415.30
Brushed Dark Bronze (PVD)		**-43**	1,592.10
Dark Chrome		**-19**	1,327.00
Brushed Dark Platinum		**-99**	1,592.20
Matte Black		**-33**	1,194.20

Product alternative
- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**27 818 980** FF	FF	Euro
Chrome		**-000010**	884.50
Brushed Chrome		**-930010**	1,150.10
Platinum		**-080010**	1,415.70
Brushed Platinum		**-060010**	1,415.10
Brushed Light Gold (PVD)		**-270010**	1,327.00
Champagne (22kt Gold)		**-470010**	2,122.80
Brushed Champagne (22kt Gold)		**-460010**	2,122.80
Brushed Gold (PVD)		**-370010**	1,326.80
Brushed Durabrass (23kt Gold)		**-280010**	2,122.80
Brushed Dark Brass (PVD)		**-390010**	1,415.30
Brushed Bronze (PVD)		**-420010**	1,415.30
Brushed Dark Bronze (PVD)		**-430010**	1,592.10
Dark Chrome		**-190010**	1,327.00
Brushed Dark Platinum		**-990010**	1,592.20
Matte Black		**-330010**	1,194.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

36 515 979

WATER POINTS Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 120 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 515 979** FF	FF	Euro
Chrome		**-00**	577.30
Brushed Chrome		**-93**	750.40
Platinum		**-08**	923.20
Brushed Platinum		**-06**	923.20
Light Gold (PVD)		**-26**	865.90
Brushed Light Gold (PVD)		**-27**	865.90
Champagne (22kt Gold)		**-47**	1,385.50
Brushed Champagne (22kt Gold)		**-46**	1,385.50
Brushed Gold (PVD)		**-37**	866.00
Brushed Durabrass (23kt Gold)		**-28**	1,385.50
Brushed Dark Brass (PVD)		**-39**	923.70
Brushed Bronze (PVD)		**-42**	923.60
Brushed Dark Bronze (PVD)		**-43**	1,039.10
Dark Chrome		**-19**	866.00
Brushed Dark Platinum		**-99**	1,039.00
Matte Black		**-33**	779.10

Required miscellaneous

WATER POINTS Adapter plate

	12 305 970 FF	FF	Euro
• adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.	Accesories	**90**	37.90

For details and miscellaneous, see page 742

Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm • max. recess depth 110 mm	Concealed rough parts	**90**	234.20

For details and miscellaneous, see page 733

36 517 979

WATER BAR Concealed body spray
- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: 4.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 517 979** FF	FF	Euro
Chrome		**-00**	891.50
Brushed Chrome		**-93**	1,158.80
Platinum		**-08**	1,426.60
Brushed Platinum		**-06**	1,426.60
Light Gold (PVD)		**-26**	1,337.20
Brushed Light Gold (PVD)		**-27**	1,337.20
Champagne (22kt Gold)		**-47**	2,139.60
Brushed Champagne (22kt Gold)		**-46**	2,139.60
Brushed Gold (PVD)		**-37**	1,337.30
Brushed Durabrass (23kt Gold)		**-28**	2,139.60
Brushed Dark Brass (PVD)		**-39**	1,426.40
Brushed Bronze (PVD)		**-42**	1,426.40
Brushed Dark Bronze (PVD)		**-43**	1,604.70
Dark Chrome		**-19**	1,337.20
Brushed Dark Platinum		**-99**	1,604.30
Matte Black		**-33**	1,227.20

Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm • max. recess depth 173 mm	Concealed rough parts	**90**	316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
	Concealed rough parts	**90**	117.80

For details and miscellaneous, see page 743

36 514 979

WATER CURVE Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- Function from: 5.7 l/min
- with anti-scale system

Technical data:
- cover plate 120 x 60 mm
- 1/2“ connection

Notes:
- This product reduces water consumption by % (compared to requirements of EPAct ,92)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 514 979** FF	FF	Euro
Chrome		**-00**	1,160.00
Brushed Chrome		**-93**	1,508.00
Platinum		**-08**	1,856.10
Brushed Platinum		**-06**	1,856.10
Light Gold (PVD)		**-26**	1,740.10
Brushed Light Gold (PVD)		**-27**	1,740.10
Champagne (22kt Gold)		**-47**	2,784.00
Brushed Champagne (22kt Gold)		**-46**	2,784.00
Brushed Gold (PVD)		**-37**	1,740.00
Brushed Durabrass (23kt Gold)		**-28**	2,784.00
Brushed Dark Brass (PVD)		**-39**	1,856.10
Brushed Bronze (PVD)		**-42**	1,856.20
Brushed Dark Bronze (PVD)		**-43**	2,088.00
Dark Chrome		**-19**	1,740.00
Brushed Dark Platinum		**-99**	2,088.10
Matte Black		**-33**	1,565.80

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
	Concealed rough parts	**90**	128.90

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 732

36 513 979

WATER FAN vertical Concealed body spray
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 513 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Chrome		**-93**	1,125.10
Platinum		**-08**	1,385.20
Brushed Platinum		**-06**	1,385.20
Light Gold (PVD)		**-26**	1,298.10
Brushed Light Gold (PVD)		**-27**	1,298.10
Champagne (22kt Gold)		**-47**	2,077.00
Brushed Champagne (22kt Gold)		**-46**	2,077.00
Brushed Gold (PVD)		**-37**	1,298.10
Brushed Durabrass (23kt Gold)		**-28**	2,077.00
Brushed Dark Brass (PVD)		**-39**	1,384.60
Brushed Bronze (PVD)		**-42**	1,384.60
Brushed Dark Bronze (PVD)		**-43**	1,557.70
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60
Matte Black		**-33**	1,191.50

Product alternative
- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	**36 512 979** FF	FF	Euro
Chrome		**-00**	865.40
Brushed Chrome		**-93**	1,125.10
Platinum		**-08**	1,385.20
Brushed Platinum		**-06**	1,385.20
Light Gold (PVD)		**-26**	1,298.10
Brushed Light Gold (PVD)		**-27**	1,298.10
Champagne (22kt Gold)		**-47**	2,077.00
Brushed Champagne (22kt Gold)		**-46**	2,077.00
Brushed Gold (PVD)		**-37**	1,298.10
Brushed Durabrass (23kt Gold)		**-28**	2,077.00
Brushed Dark Brass (PVD)		**-39**	1,384.60
Brushed Bronze (PVD)		**-42**	1,384.60
Brushed Dark Bronze (PVD)		**-43**	1,557.70
Dark Chrome		**-19**	1,298.10
Brushed Dark Platinum		**-99**	1,557.60
Matte Black		**-33**	1,191.50

Required miscellaneous

Concealed wall installation box

35 206 970 FF | FF | Euro

- min. recess depth 100 mm
- max. recess depth 173 mm

Concealed rough parts | **90** | 316.80

For details and miscellaneous, see page 733

Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF | Euro

Concealed rough parts | **90** | 117.80

For details and miscellaneous, see page 743

13 415 979

WATER SHEET Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **150mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 415 979** FF	FF	Euro
Chrome		**-00**	1,194.80
Brushed Chrome		**-93**	1,553.30
Platinum		**-08**	1,911.60
Brushed Platinum		**-06**	1,911.60
Light Gold (PVD)		**-26**	1,792.20
Brushed Light Gold (PVD)		**-27**	1,792.20
Champagne (22kt Gold)		**-47**	2,867.50
Brushed Champagne (22kt Gold)		**-46**	2,867.50
Brushed Gold (PVD)			1,792.20
Brushed Durabrass (23kt Gold)		**-28**	2,867.50
Brushed Dark Brass (PVD)		**-39**	1,911.70
Brushed Bronze (PVD)		**-42**	1,911.70
Brushed Dark Bronze (PVD)		**-43**	2,150.60
Dark Chrome		**-19**	1,792.40
Brushed Dark Platinum		**-99**	2,150.60
Matte Black		**-33**	1,612.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 420 979



WATER FALL Cascade spout for wall mounting
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- Function from: 22.5 l/min
- with anti-scale system

Technical data:
- cover plate 240 x 60 mm
- **120mm projection**
- 1/2“ connection
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 420 979** FF	FF	Euro
Chrome		**-00**	1,706.90
Brushed Chrome		**-93**	2,219.10
Platinum		**-08**	2,731.60
Brushed Platinum		**-06**	2,731.60
Light Gold (PVD)		**-26**	2,560.40
Brushed Light Gold (PVD)		**-27**	2,560.40
Champagne (22kt Gold)		**-47**	4,096.60
Brushed Champagne (22kt Gold)		**-46**	4,096.60
Brushed Gold (PVD)		**-37**	2,560.40
Brushed Durabrass (23kt Gold)		**-28**	4,096.60
Brushed Dark Brass (PVD)		**-39**	2,731.20
Brushed Bronze (PVD)		**-42**	2,731.20
Brushed Dark Bronze (PVD)		**-43**	3,072.40
Dark Chrome		**-19**	2,560.50
Matte Black		**-33**	2,304.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

13 425 979

WATER FALL Cascade spout with individual jets for wall mounting
- PEARLSTREAM
- Max. flow rate 9.5 l/min (at 3 bar)
- Function from: 5.5 l/min
- with anti-scale system

Technical data:
- plate 240 mm x 60 mm
- **22mm projection**
- connection 1/2“, for shortening
- plug-link mounting

Notes:
- Fits CL.1, IMO, LISSÉ, LULU, MADISON, MEM, META, TARA, VAIA, SERIES-VARIOUS, CYO, COYA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**13 425 979** FF	FF	Euro
Chrome		**-00**	1,268.40
Brushed Chrome		**-93**	1,648.80
Platinum		**-08**	2,029.40
Brushed Platinum		**-06**	2,029.40
Light Gold (PVD)		**-26**	1,902.60
Brushed Light Gold (PVD)		**-27**	1,902.60
Champagne (22kt Gold)		**-47**	3,044.20
Brushed Champagne (22kt Gold)		**-46**	3,044.20
Brushed Gold (PVD)		**-37**	1,902.60
Brushed Durabrass (23kt Gold)		**-28**	3,044.20
Brushed Dark Brass (PVD)		**-39**	2,029.40
Brushed Bronze (PVD)		**-42**	2,029.40
Brushed Dark Bronze (PVD)		**-43**	2,283.10
Dark Chrome		**-19**	1,902.40
Brushed Dark Platinum		**-99**	2,282.80
Matte Black		**-33**	1,712.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 838 979

Affusion pipe with cover plate
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- inherently safe from back flow
- metal shower hose 1250mm with integrated anti-twist protection

Technical data:
- cover plate 240 x 60 mm
- 1/2“ connection
- 3/8“ shower outlet
- plug-link mounting

Notes:
- Fits IMO, MEM, CL.1, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**27 838 979** FF	FF	Euro
Chrome		**-00**	1,038.50
Brushed Chrome		**-93**	1,350.10
Platinum		**-08**	1,661.60
Brushed Platinum		**-06**	1,661.60
Brushed Light Gold (PVD)		**-27**	1,557.80
Champagne (22kt Gold)		**-47**	2,492.40
Brushed Champagne (22kt Gold)		**-46**	2,492.40
Brushed Gold (PVD)		**-37**	1,557.80
Brushed Durabrass (23kt Gold)		**-28**	2,492.40
Brushed Dark Brass (PVD)		**-39**	1,661.60
Brushed Bronze (PVD)		**-42**	1,661.60
Brushed Dark Bronze (PVD)		**-43**	1,869.30
Dark Chrome		**-19**	1,557.80
Brushed Dark Platinum		**-99**	1,869.30
Matte Black		**-33**	1,402.00

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 821 979 +
28 285 979

WATER TUBE Kneipp wall elbow
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2“ wall elbow
- hose nozzle with sleeve M33
- inherently safe from back flow

Notes:
- Fits CL.1, IMO, MEM, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Set	1x **27 821 979** FF max. flow 15 l/min FF	Euro	1x **28 285 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	719.60	**-00**	110.10	**829.70**
Brushed Chrome	**-93**	935.60	**-93**	143.10	**1,078.70**
Platinum	**-08**	1,151.30	**-08**	176.10	**1,327.40**
Brushed Platinum	**-06**	1,151.30	**-06**	176.20	**1,327.50**
Brushed Light Gold (PVD)	**-27**	1,079.40	**-27**	165.20	**1,244.60**
Champagne (22kt Gold)	**-47**	1,727.00	**-47**	264.20	**1,991.20**
Brushed Champagne (22kt Gold)	**-46**	1,727.00	**-46**	264.20	**1,991.20**
Brushed Gold (PVD)	**-37**	1,079.40	**-37**	165.20	**1,244.60**
Brushed Durabrass (23kt Gold)	**-28**	1,727.00	**-28**	264.20	**1,991.20**
Brushed Dark Brass (PVD)	**-39**	1,151.20	**-39**	176.20	**1,327.40**
Brushed Bronze (PVD)	**-42**	1,151.20	**-42**	176.20	**1,327.40**
Brushed Dark Bronze (PVD)	**-43**	1,295.30	**-43**	198.20	**1,493.50**
Dark Chrome	**-19**	1,079.40	**-19**	165.20	**1,244.60**
Brushed Dark Platinum	**-99**	1,295.40	**-99**	198.10	**1,493.50**
Matte Black	**-33**	971.40	**-33**	148.60	**1,120.00**

Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

28 286 979 FF	FF	Euro
Chrome	**-00**	110.10
Brushed Chrome	**-93**	143.10
Platinum	**-08**	176.10
Brushed Platinum	**-06**	176.20
Brushed Light Gold (PVD)	**-27**	165.20
Champagne (22kt Gold)	**-47**	264.20
Brushed Champagne (22kt Gold)	**-46**	264.20
Brushed Gold (PVD)	**-37**	165.20
Brushed Durabrass (23kt Gold)	**-28**	264.20
Brushed Dark Brass (PVD)	**-39**	176.20
Brushed Bronze (PVD)	**-42**	176.20
Brushed Dark Bronze (PVD)	**-43**	198.20
Dark Chrome	**-19**	165.20
Brushed Dark Platinum	**-99**	198.10
Matte Black	**-33**	148.60

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

27 823 979 +
28 285 979

WATER TUBE Kneipp wall elbow with hose holder with individual rosettes
- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: l/min
- with volume control
- inherently safe from back flow
- holder for Kneipp hose
- hose nozzle with sleeve M33

Technical data:
- rosette Ø 60 mm
- 1/2“ wall elbow

Notes:
- Fits LISSÉ, LULU, MADISON, META, TARA, VAIA, COYA

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

	1x **27 823 979** FF max. flow 15 l/min		1x **28 285 979** FF		**Total price:**
Set	FF	Euro	FF	Euro	Euro
Chrome	**-00**	619.00	**-00**	110.10	**729.10**
Brushed Chrome	**-93**	804.60	**-93**	143.10	**947.70**
Platinum	**-08**	990.40	**-08**	176.10	**1,166.50**
Brushed Platinum	**-06**	990.40	**-06**	176.20	**1,166.60**
Light Gold (PVD)	**-26**	928.50	**-26**	165.20	**1,093.70**
Brushed Light Gold (PVD)	**-27**	928.50	**-27**	165.20	**1,093.70**
Champagne (22kt Gold)	**-47**	1,485.60	**-47**	264.20	**1,749.80**
Brushed Champagne (22kt Gold)	**-46**	1,485.60	**-46**	264.20	**1,749.80**
Brushed Gold (PVD)	**-37**	928.50	**-37**	165.20	**1,093.70**
Brushed Durabrass (23kt Gold)	**-28**	1,485.60	**-28**	264.20	**1,749.80**
Brushed Dark Brass (PVD)	**-39**	990.40	**-39**	176.20	**1,166.60**
Brushed Bronze (PVD)	**-42**	990.50	**-42**	176.20	**1,166.70**
Brushed Dark Bronze (PVD)	**-43**	1,114.20	**-43**	198.20	**1,312.40**
Dark Chrome	**-19**	928.20	**-19**	165.20	**1,093.40**
Brushed Dark Platinum	**-99**	1,114.10	**-99**	198.10	**1,312.20**
Matte Black	**-33**	835.50	**-33**	148.60	**984.10**

Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

28 286 979 FF	FF	Euro
Chrome	**-00**	110.10
Brushed Chrome	**-93**	143.10
Platinum	**-08**	176.10
Brushed Platinum	**-06**	176.20
Light Gold (PVD)	**-26**	165.20
Brushed Light Gold (PVD)	**-27**	165.20
Champagne (22kt Gold)	**-47**	264.20
Brushed Champagne (22kt Gold)	**-46**	264.20
Brushed Gold (PVD)	**-37**	165.20
Brushed Durabrass (23kt Gold)	**-28**	264.20
Brushed Dark Brass (PVD)	**-39**	176.20
Brushed Bronze (PVD)	**-42**	176.20
Brushed Dark Bronze (PVD)	**-43**	198.20
Dark Chrome	**-19**	165.20
Brushed Dark Platinum	**-99**	198.10
Matte Black	**-33**	148.60

Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

35 085 970 FF	FF	Euro
Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

Accessories - Bathroom

ACC Dornbracht TRAPEZ
from page 699

WC flush plates
from page 703

Mirror
from page 662

Towel warmer
from page 705

Basin
from page 668

Shower-Bathtub
from page 715

Care products
from page 682

Bath fittings

Miscellaneous

26mm projection

36 243 970

integrated bath filling

26mm projection

36 247 970

83 030 976

Bath grip
- gauge 278 mm
- width 320mm
- Height: 35 mm
- 90mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 030 976** FF	FF	Euro
Chrome		**-00**	244.90
Brushed Chrome		**-93**	318.30
Brushed Platinum		**-06**	391.80
Brushed Light Gold (PVD)		**-27**	367.30
Brushed Gold (PVD)		**-37**	367.40
Brushed Dark Brass (PVD)		**-39**	391.80
Brushed Bronze (PVD)		**-42**	391.80
Dark Chrome		**-19**	367.30
Brushed Dark Platinum		**-99**	440.70
Matte Black		**-33**	330.50

83 060 976

Towel bar
- gauge 558 mm
- width 600mm
- Height: 33 mm
- 90mm projection

Standard article	**83 060 976** FF	FF	Euro
Chrome		**-00**	272.10
Brushed Chrome		**-93**	353.70
Brushed Platinum		**-06**	435.40
Brushed Light Gold (PVD)		**-27**	408.10
Brushed Gold (PVD)		**-37**	408.20
Dark Chrome		**-19**	408.10
Brushed Dark Platinum		**-99**	489.80
Matte Black		**-33**	367.40

Recommended miscellaneous

Attachment set for towel bar/tumbler mounting on one side with cover

	11 001 976 FF	FF	Euro
Chrome		**-00**	69.20
Brushed Chrome		**-93**	90.00
Brushed Platinum		**-06**	110.80
Brushed Light Gold (PVD)		**-27**	103.80
Brushed Gold (PVD)		**-37**	103.80
Dark Chrome		**-19**	103.80
Brushed Dark Platinum		**-99**	124.60
Matte Black		**-33**	93.50

83 080 976

Towel bar
- gauge 758 mm
- width 800mm
- Height: 35 mm
- 89mm projection

Standard article	**83 080 976** FF	FF	Euro
Chrome		**-00**	323.90
Brushed Chrome		**-93**	421.20
Brushed Platinum		**-06**	518.30
Brushed Light Gold (PVD)		**-27**	485.90
Brushed Gold (PVD)		**-37**	485.90
Dark Chrome		**-19**	485.90
Brushed Dark Platinum		**-99**	583.10
Matte Black		**-33**	437.20

Recommended miscellaneous

Attachment set for towel bar/tumbler mounting on one side with cover

	11 001 976 FF	FF	Euro
Chrome		**-00**	69.20
Brushed Chrome		**-93**	90.00
Brushed Platinum		**-06**	110.80
Brushed Light Gold (PVD)		**-27**	103.80
Brushed Gold (PVD)		**-37**	103.80
Dark Chrome		**-19**	103.80
Brushed Dark Platinum		**-99**	124.60
Matte Black		**-33**	93.50

Accessories - Bathroom

83 215 976

Towel bar
- gauge 358 mm
- width 35mm
- Height: 420 mm
- 89mm projection
- Holds up to 6 guest towels

Standard article	83 215 976 FF	FF	Euro
Chrome		**-00**	317.70
Brushed Chrome		**-93**	413.10
Brushed Platinum		**-06**	508.40
Brushed Light Gold (PVD)		**-27**	476.60
Brushed Gold (PVD)		**-37**	476.60
Dark Chrome		**-19**	476.60
Brushed Dark Platinum		**-99**	571.90
Matte Black		**-33**	428.90

83 211 976

Towel bar 1-piece non-swivel
- width 32mm
- Height: 80 mm
- 454mm projection

Standard article	83 211 976 FF	FF	Euro
Chrome		**-00**	231.20
Brushed Chrome		**-93**	300.50
Brushed Platinum		**-06**	370.00
Brushed Light Gold (PVD)		**-27**	346.80
Brushed Gold (PVD)		**-37**	346.80
Dark Chrome		**-19**	346.80
Brushed Dark Platinum		**-99**	416.10
Matte Black		**-33**	312.20

83 210 976

Towel bar in two parts non-swivel
- width 70mm
- Height: 32 mm
- 451mm projection

Standard article	83 210 976 FF	FF	Euro
Chrome		**-00**	289.20
Brushed Chrome		**-93**	375.90
Brushed Platinum		**-06**	462.60
Brushed Light Gold (PVD)		**-27**	433.80
Brushed Gold (PVD)		**-37**	433.80
Dark Chrome		**-19**	433.80
Brushed Dark Platinum		**-99**	520.50
Matte Black		**-33**	390.40

83 200 976

Towel ring
- width 220mm
- Height: 128 mm
- 66mm projection

Standard article	83 200 976 FF	FF	Euro
Chrome		**-00**	253.90
Brushed Chrome		**-93**	330.10
Brushed Platinum		**-06**	406.40
Brushed Light Gold (PVD)		**-27**	380.90
Brushed Gold (PVD)		**-37**	380.90
Dark Chrome		**-19**	380.90
Brushed Dark Platinum		**-99**	457.10
Matte Black		**-33**	342.80

83 250 976

Hooks
- width 32mm
- Height: 73 mm
- 43mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 250 976 FF	FF	Euro
Chrome		**-00**	50.80
Brushed Chrome		**-93**	66.00
Brushed Platinum		**-06**	81.40
Brushed Light Gold (PVD)		**-27**	76.20
Brushed Gold (PVD)		**-37**	76.20
Dark Chrome		**-19**	76.20
Brushed Dark Platinum		**-99**	91.50
Matte Black		**-33**	68.70

83 256 976

Hooks in two parts
- width 126mm
- Height: 46 mm
- 50mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	83 256 976 FF	FF	Euro
Chrome		**-00**	86.70
Brushed Chrome		**-93**	112.80
Brushed Platinum		**-06**	138.70
Brushed Light Gold (PVD)		**-27**	130.10
Brushed Gold (PVD)		**-37**	130.10
Dark Chrome		**-19**	130.10
Brushed Dark Platinum		**-99**	156.10
Matte Black		**-33**	117.10

83 400 976

Tumbler holder
- gauge 90 mm
- width 139mm
- Height: 149 mm
- 103mm projection
- crystal glass brush holder, matte

Standard article	**83 400 976** FF	FF	Euro
Chrome		**-00**	231.20
Brushed Chrome		**-93**	300.50
Brushed Platinum		**-06**	370.00
Brushed Light Gold (PVD)		**-27**	346.80
Brushed Gold (PVD)		**-37**	346.80
Brushed Dark Brass (PVD)		**-39**	369.90
Brushed Bronze (PVD)		**-42**	369.90
Dark Chrome		**-19**	346.80
Brushed Dark Platinum		**-99**	416.10
Matte Black		**-33**	312.20

83 410 976

Soap dish
- gauge 90 mm
- width 140mm
- Height: 67 mm
- 103mm projection
- crystal glass brush holder, matte

Standard article	**83 410 976** FF	FF	Euro
Chrome		**-00**	231.30
Brushed Chrome		**-93**	300.70
Brushed Platinum		**-06**	370.10
Brushed Light Gold (PVD)		**-27**	347.00
Brushed Gold (PVD)		**-37**	347.00
Brushed Dark Brass (PVD)		**-39**	370.10
Brushed Bronze (PVD)		**-42**	370.10
Dark Chrome		**-19**	347.00
Brushed Dark Platinum		**-99**	416.40
Matte Black		**-33**	312.40

83 433 976

Shelf
- width 303mm
- 122mm projection

Standard article	**83 433 976** FF	FF	Euro
Chrome		**-00**	420.80
Brushed Chrome		**-93**	547.10
Brushed Platinum		**-06**	673.40
Brushed Light Gold (PVD)		**-27**	631.30
Brushed Gold (PVD)		**-37**	631.20
Brushed Dark Brass (PVD)		**-39**	673.30
Brushed Bronze (PVD)		**-42**	673.30
Dark Chrome		**-19**	631.30
Brushed Dark Platinum		**-99**	757.50
Matte Black		**-33**	568.20

83 430 976

Lotion dispenser
- gauge 90 mm
- width 140mm
- Height: 130 mm
- 103mm projection
- Crystal glass container, frosted

Standard article	**83 430 976** FF	FF	Euro
Chrome		**-00**	266.20
Brushed Chrome		**-93**	346.00
Brushed Platinum		**-06**	425.90
Brushed Light Gold (PVD)		**-27**	399.30
Brushed Gold (PVD)		**-37**	399.30
Brushed Dark Brass (PVD)		**-39**	425.90
Brushed Bronze (PVD)		**-42**	425.90
Dark Chrome		**-19**	399.30
Brushed Dark Platinum		**-99**	479.10
Matte Black		**-33**	359.30

83 500 976

Tissue holder
- gauge 61 mm
- width 155mm
- Height: 37 mm
- 89mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 500 976** FF	FF	Euro
Chrome		**-00**	194.40
Brushed Chrome		**-93**	252.60
Brushed Platinum		**-06**	310.90
Brushed Light Gold (PVD)		**-27**	291.60
Brushed Gold (PVD)		**-37**	291.60
Brushed Dark Brass (PVD)		**-39**	311.00
Brushed Bronze (PVD)		**-42**	311.00
Dark Chrome		**-19**	291.60
Brushed Dark Platinum		**-99**	349.90
Matte Black		**-33**	262.40

Accessories - Bathroom

83 515 976

Tissue holder with shelf
- gauge 90 mm
- width 145mm
- Height: 73 mm
- 103mm projection

Standard article	**83 515 976** FF	FF	Euro
Chrome		**-00**	289.40
Brushed Chrome		**-93**	376.20
Brushed Platinum		**-06**	463.10
Brushed Light Gold (PVD)		**-27**	434.10
Brushed Gold (PVD)		**-37**	434.10
Brushed Dark Brass (PVD)		**-39**	463.00
Brushed Bronze (PVD)		**-42**	463.00
Dark Chrome		**-19**	434.10
Brushed Dark Platinum		**-99**	521.00
Matte Black		**-33**	390.70

83 525 976

Tissue holder
- gauge 230 mm
- width 285mm
- Height: 73 mm
- 103mm projection

Standard article	**83 525 976** FF	FF	Euro
Chrome		**-00**	451.50
Brushed Chrome		**-93**	587.10
Brushed Platinum		**-06**	722.40
Brushed Light Gold (PVD)		**-27**	677.40
Brushed Gold (PVD)		**-37**	677.30
Brushed Dark Brass (PVD)		**-39**	722.40
Brushed Bronze (PVD)		**-42**	722.40
Dark Chrome		**-19**	677.40
Brushed Dark Platinum		**-99**	812.70
Matte Black		**-33**	609.50

83 590 976

Reserve tissue holder
- gauge 61 mm
- width 90mm
- Height: 155 mm
- 130mm projection

Standard article	**83 590 976** FF	FF	Euro
Chrome		**-00**	196.70
Brushed Chrome		**-93**	255.60
Brushed Platinum		**-06**	314.60
Brushed Light Gold (PVD)		**-27**	294.90
Brushed Gold (PVD)		**-37**	295.10
Brushed Dark Brass (PVD)		**-39**	314.70
Brushed Bronze (PVD)		**-42**	314.70
Dark Chrome		**-19**	294.90
Brushed Dark Platinum		**-99**	353.90
Matte Black		**-33**	265.40

83 900 976

Toilet brush set
- gauge 61 mm
- width 100mm
- Height: 467 mm
- 135mm projection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**83 900 976** FF	FF	Euro
Chrome		**-00**	277.60
Brushed Chrome		**-93**	360.90
Brushed Platinum		**-06**	444.20
Brushed Light Gold (PVD)		**-27**	416.50
Brushed Gold (PVD)		**-37**	416.40
Brushed Dark Brass (PVD)		**-39**	444.20
Brushed Bronze (PVD)		**-42**	444.20
Dark Chrome		**-19**	416.50
Brushed Dark Platinum		**-99**	499.80
Matte Black		**-33**	374.70

12 660 979

Cover plate for the concealed WC cistern made by TeCe
- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:
- TECEprofil dry wall construction, article numbers:
- 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers:
- 9370300, 9375300, 9371300

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 660 979** FF	FF	Euro
Chrome		**-00**	894.90
Brushed Chrome		**-93**	1,163.50
Platinum		**-08**	1,432.20
Brushed Platinum		**-06**	1,432.20
Light Gold (PVD)		**-26**	1,342.40
Brushed Light Gold (PVD)		**-27**	1,342.40
Champagne (22kt Gold)		**-47**	2,147.80
Brushed Champagne (22kt Gold)		**-46**	2,147.80
Brushed Gold (PVD)		**-37**	1,342.40
Brushed Durabrass (23kt Gold)		**-28**	2,147.80
Brushed Dark Brass (PVD)		**-39**	1,431.90
Brushed Bronze (PVD)		**-42**	1,432.00
Brushed Dark Bronze (PVD)		**-43**	1,610.80
Dark Chrome		**-19**	1,342.30
Brushed Dark Platinum		**-99**	1,611.00
Matte Black		**-33**	1,208.10

12 665 979

Flush plate for concealed WC cisterns made by Geberit round
- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Not compatible with GEBERIT Duo Fresh module

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 665 979** FF	FF	Euro
Chrome		**-00**	509.60
Brushed Chrome		**-93**	662.60
Platinum		**-08**	815.30
Brushed Platinum		**-06**	815.30
Light Gold (PVD)		**-26**	764.40
Brushed Light Gold (PVD)		**-27**	764.40
Champagne (22kt Gold)		**-47**	1,223.00
Brushed Champagne (22kt Gold)		**-46**	1,223.00
Brushed Gold (PVD)		**-37**	764.40
Durabrass (23kt Gold)		**-09**	1,223.00
Brushed Durabrass (23kt Gold)		**-28**	1,223.00
Brushed Dark Brass (PVD)		**-39**	815.30
Brushed Bronze (PVD)		**-42**	815.30
Brushed Dark Bronze (PVD)		**-43**	917.30
Dark Chrome		**-19**	764.40
Brushed Dark Platinum		**-99**	917.30
Matte Black		**-33**	688.00

12 665 980

Flush plate for concealed WC cisterns made by Geberit angular
- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Not compatible with GEBERIT Duo Fresh module

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 665 980** FF	FF	Euro
Chrome		**-00**	509.60
Brushed Chrome		**-93**	662.60
Platinum		**-08**	815.30
Brushed Platinum		**-06**	815.30
Light Gold (PVD)		**-26**	764.40
Brushed Light Gold (PVD)		**-27**	764.40
Champagne (22kt Gold)		**-47**	1,223.00
Brushed Champagne (22kt Gold)		**-46**	1,223.00
Durabrass (23kt Gold)		**-09**	1,223.00
Brushed Durabrass (23kt Gold)		**-28**	1,223.00
Brushed Dark Brass (PVD)		**-39**	815.30
Brushed Bronze (PVD)		**-42**	815.30
Brushed Dark Bronze (PVD)		**-43**	917.30
Dark Chrome		**-19**	764.40
Brushed Dark Platinum		**-99**	917.30
Matte Black		**-33**	688.00

Accessories - Bathroom

83 150 979

Lighted mirror round
- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 979** FF	FF	Euro
Matte White		**-10**	1,855.40
Matte Black		**-33**	1,855.40

83 151 979

Lighted mirror round
- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 979** FF	FF	Euro
Matte White		**-10**	2,168.30
Matte Black		**-33**	2,168.30

83 150 980

Lighted mirror angular
- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 150 980** FF	FF	Euro
Matte White		**-10**	1,734.60
Matte Black		**-33**	1,734.60

83 151 980

Lighted mirror angular
- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material
- Contains energy efficiency class bulbs

Standard article	**83 151 980** FF	FF	Euro
Matte White		**-10**	2,048.60
Matte Black		**-33**	2,048.60

36 390 980

Electronic control elements for towel warmer
- rosette 80 x 80 mm
- Control element for towel warmer: 833XX980-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	**36 390 980** FF	FF	Euro
Chrome		**-00**	525.00
Brushed Chrome		**-93**	682.50
Brushed Champagne (22kt Gold)		**-46**	1,260.00
Dark Chrome		**-19**	787.50
Brushed Dark Platinum		**-99**	945.00
Matte Black		**-33**	708.80

36 390 979

Electronic control elements for towel warmer
- rosette Ø 80 mm
- Control element for towel warmer: 833XX979-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	**36 390 979** FF	FF	Euro
Chrome		**-00**	525.00
Brushed Chrome		**-93**	682.50
Brushed Champagne (22kt Gold)		**-46**	1,260.00
Dark Chrome		**-19**	787.50
Brushed Dark Platinum		**-99**	945.00
Matte Black		**-33**	708.80

83 304 979

Towel warmer, 4-fold, projection left, without control element
- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 304 979** FF	FF	Euro
Chrome		**-00**	1,848.00
Brushed Chrome		**-93**	2,402.40
Brushed Champagne (22kt Gold)		**-46**	4,435.20
Dark Chrome		**-19**	2,772.00
Brushed Dark Platinum		**-99**	3,326.40
Matte Black		**-33**	2,494.80

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	772.50

For details and miscellaneous, see page 739

83 304 980

Towel warmer, 4-fold, projection left, without control element
- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 304 980** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Chrome		**-93**	3,603.60
Brushed Champagne (22kt Gold)		**-46**	6,652.80
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60
Matte Black		**-33**	3,742.20

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	772.50

For details and miscellaneous, see page 739

83 306 979

Towel warmer, 6-fold, projection left, without control element
- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

This appliance is a stationary electric space heater and, in order to comply with the mandatory ecodesign requirements of Commission Regulation (EU) 2024/1103, must be equipped with at least one control with control function TW(f2).

Standard article	**83 306 979** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Chrome		**-93**	3,603.60
Brushed Champagne (22kt Gold)		**-46**	6,652.80
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60
Matte Black		**-33**	3,742.20

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,030.00

For details and miscellaneous, see page 739

83 306 980

Towel warmer, 6-fold, projection left, without control element
- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

This appliance is a stationary electric space heater and, in order to comply with the mandatory ecodesign requirements of Commission Regulation (EU) 2024/1103, must be equipped with at least one control with control function TW(f2).

Standard article	**83 306 980** FF	FF	Euro
Chrome		**-00**	4,158.00
Brushed Chrome		**-93**	5,405.40
Brushed Champagne (22kt Gold)		**-46**	9,979.20
Dark Chrome		**-19**	6,237.00
Brushed Dark Platinum		**-99**	7,484.40
Matte Black		**-33**	5,613.30

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,030.00

For details and miscellaneous, see page 739

83 314 979

Towel warmer, 4-fold, projection right, without control element
- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 314 979** FF	FF	Euro
Chrome		**-00**	1,848.00
Brushed Chrome		**-93**	2,402.40
Brushed Champagne (22kt Gold)		**-46**	4,435.20
Dark Chrome		**-19**	2,772.00
Brushed Dark Platinum		**-99**	3,326.40
Matte Black		**-33**	2,494.80

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	772.50

For details and miscellaneous, see page 739

83 314 980

Towel warmer, 4-fold, projection right, without control element
- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 314 980** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Chrome		**-93**	3,603.60
Brushed Champagne (22kt Gold)		**-46**	6,652.80
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60
Matte Black		**-33**	3,742.20

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, without control element

	35 311 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	772.50

For details and miscellaneous, see page 739

83 316 979

Towel warmer, 6-fold, projection right, without control element
- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 316 979** FF	FF	Euro
Chrome		**-00**	2,772.00
Brushed Chrome		**-93**	3,603.60
Brushed Champagne (22kt Gold)		**-46**	6,652.80
Dark Chrome		**-19**	4,158.00
Brushed Dark Platinum		**-99**	4,989.60
Matte Black		**-33**	3,742.20

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,030.00

For details and miscellaneous, see page 739

83 316 980

Towel warmer, 6-fold, projection right, without control element
- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	**83 316 980** FF	FF	Euro
Chrome		**-00**	4,158.00
Brushed Chrome		**-93**	5,405.40
Brushed Champagne (22kt Gold)		**-46**	9,979.20
Dark Chrome		**-19**	6,237.00
Brushed Dark Platinum		**-99**	7,484.40
Matte Black		**-33**	5,613.30

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, without control element

	35 313 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	1,030.00

For details and miscellaneous, see page 739

83 304 979 + 36 390 979

Towel warmer, 4-fold, projection left, with control element
- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 304 979** FF FF	Euro	1x **36 390 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,848.00	**-00**	525.00	**2,373.00**
Brushed Chrome	**-93**	2,402.40	**-93**	682.50	**3,084.90**
Brushed Champagne (22kt Gold)	**-46**	4,435.20	**-46**	1,260.00	**5,695.20**
Dark Chrome	**-19**	2,772.00	**-19**	787.50	**3,559.50**
Brushed Dark Platinum	**-99**	3,326.40	**-99**	945.00	**4,271.40**
Matte Black	**-33**	2,494.80	**-33**	708.80	**3,203.60**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

	35 312 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	875.50

For details and miscellaneous, see page 739

83 304 980 + 36 390 980

Towel warmer, 4-fold, projection left, with control element
- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 304 980** FF FF	Euro	1x **36 390 980** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Chrome	**-93**	3,603.60	**-93**	682.50	**4,286.10**
Brushed Champagne (22kt Gold)	**-46**	6,652.80	**-46**	1,260.00	**7,912.80**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**
Matte Black	**-33**	3,742.20	**-33**	708.80	**4,451.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

	35 312 970 FF	FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts	**90**	875.50

For details and miscellaneous, see page 739

83 306 979 +
36 390 979

Towel warmer, 6-fold, projection left, with control element
- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 306 979** FF FF	Euro	1x **36 390 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Chrome	**-93**	3,603.60	**-93**	682.50	**4,286.10**
Brushed Champagne (22kt Gold)	**-46**	6,652.80	**-46**	1,260.00	**7,912.80**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**
Matte Black	**-33**	3,742.20	**-33**	708.80	**4,451.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF FF	Euro
Concealed rough parts	**90**	1,133.00

- min. recess depth 70 mm
- max. recess depth 100 mm

For details and miscellaneous, see page 739

83 306 980 +
36 390 980

Towel warmer, 6-fold, projection left, with control element
- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 306 980** FF FF	Euro	1x **36 390 980** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	4,158.00	**-00**	525.00	**4,683.00**
Brushed Chrome	**-93**	5,405.40	**-93**	682.50	**6,087.90**
Brushed Champagne (22kt Gold)	**-46**	9,979.20	**-46**	1,260.00	**11,239.20**
Dark Chrome	**-19**	6,237.00	**-19**	787.50	**7,024.50**
Brushed Dark Platinum	**-99**	7,484.40	**-99**	945.00	**8,429.40**
Matte Black	**-33**	5,613.30	**-33**	708.80	**6,322.10**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF FF	Euro
Concealed rough parts	**90**	1,133.00

- min. recess depth 70 mm
- max. recess depth 100 mm

For details and miscellaneous, see page 739

83 314 979 +
36 390 979

Towel warmer, 4-fold, projection right, with control element
- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 314 979** FF FF	Euro	1x **36 390 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	1,848.00	**-00**	525.00	**2,373.00**
Brushed Chrome	**-93**	2,402.40	**-93**	682.50	**3,084.90**
Brushed Champagne (22kt Gold)	**-46**	4,435.20	**-46**	1,260.00	**5,695.20**
Dark Chrome	**-19**	2,772.00	**-19**	787.50	**3,559.50**
Brushed Dark Platinum	**-99**	3,326.40	**-99**	945.00	**4,271.40**
Matte Black	**-33**	2,494.80	**-33**	708.80	**3,203.60**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

	35 312 970 FF FF	Euro
Concealed rough parts	**90**	875.50

- min. recess depth 70 mm
- max. recess depth 100 mm

For details and miscellaneous, see page 739

83 314 980 +
36 390 980

Towel warmer, 4-fold, projection right, with control element
- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 314 980** FF FF	Euro	1x **36 390 980** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Chrome	**-93**	3,603.60	**-93**	682.50	**4,286.10**
Brushed Champagne (22kt Gold)	**-46**	6,652.80	**-46**	1,260.00	**7,912.80**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**
Matte Black	**-33**	3,742.20	**-33**	708.80	**4,451.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 4-fold, with control element

	35 312 970 FF FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts **90**	875.50

For details and miscellaneous, see page 739

83 316 979 +
36 390 979

Towel warmer, 6-fold, projection right, with control element
- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 316 979** FF FF	Euro	1x **36 390 979** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	2,772.00	**-00**	525.00	**3,297.00**
Brushed Chrome	**-93**	3,603.60	**-93**	682.50	**4,286.10**
Brushed Champagne (22kt Gold)	**-46**	6,652.80	**-46**	1,260.00	**7,912.80**
Dark Chrome	**-19**	4,158.00	**-19**	787.50	**4,945.50**
Brushed Dark Platinum	**-99**	4,989.60	**-99**	945.00	**5,934.60**
Matte Black	**-33**	3,742.20	**-33**	708.80	**4,451.00**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts **90**	1,133.00

For details and miscellaneous, see page 739

83 316 980 +
36 390 980

Towel warmer, 6-fold, projection right, with control element
- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Output per towel bar: 15 watts
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Set	1x **83 316 980** FF FF	Euro	1x **36 390 980** FF FF	Euro	**Total price:** Euro
Chrome	**-00**	4,158.00	**-00**	525.00	**4,683.00**
Brushed Chrome	**-93**	5,405.40	**-93**	682.50	**6,087.90**
Brushed Champagne (22kt Gold)	**-46**	9,979.20	**-46**	1,260.00	**11,239.20**
Dark Chrome	**-19**	6,237.00	**-19**	787.50	**7,024.50**
Brushed Dark Platinum	**-99**	7,484.40	**-99**	945.00	**8,429.40**
Matte Black	**-33**	5,613.30	**-33**	708.80	**6,322.10**

Required miscellaneous

Concealed wall installation box for towel warmer, 6-fold, with control element

	35 314 970 FF FF	Euro
• min. recess depth 70 mm • max. recess depth 100 mm	Concealed rough parts **90**	1,133.00

For details and miscellaneous, see page 739

Accessories - Bathroom

22 900 360

Angle valve
- rosette Ø 60 mm
- porcelain insert COLD

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 900 360** FF	FF	Euro
Chrome		**-00**	224.80
Platinum		**-08**	359.80
Brushed Platinum		**-06**	359.80
Durabrass (23kt Gold)		**-09**	539.50
Brushed Durabrass (23kt Gold)		**-28**	539.50
Brushed Dark Brass (PVD)		**-39**	359.70
Brushed Bronze (PVD)		**-42**	359.70
Brushed Dark Bronze (PVD)		**-43**	404.60
Brushed Dark Platinum		**-99**	404.60

22 900 361

Angle valve
- rosette Ø 60 mm
- porcelain insert HOT

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 900 361** FF	FF	Euro
Chrome		**-00**	224.80
Platinum		**-08**	359.80
Brushed Platinum		**-06**	359.80
Durabrass (23kt Gold)		**-09**	539.50
Brushed Durabrass (23kt Gold)		**-28**	539.50
Brushed Dark Brass (PVD)		**-39**	359.70
Brushed Bronze (PVD)		**-42**	359.70
Brushed Dark Bronze (PVD)		**-43**	404.60
Brushed Dark Platinum		**-99**	404.60

22 901 782

Angle valve
- rosette 60 x 60 mm
- hose covering 200mm, for shortening
- 1/2“ connection

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 901 782** FF	FF	Euro
Chrome		**-00**	225.90
Brushed Chrome		**-93**	293.50
Platinum		**-08**	361.40
Brushed Platinum		**-06**	361.40
Brushed Light Gold (PVD)		**-27**	338.70
Champagne (22kt Gold)		**-47**	542.20
Brushed Champagne (22kt Gold)		**-46**	542.20
Brushed Gold (PVD)		**-37**	338.90
Brushed Durabrass (23kt Gold)		**-28**	542.20
Brushed Dark Brass (PVD)		**-39**	361.30
Brushed Bronze (PVD)		**-42**	361.30
Brushed Dark Bronze (PVD)		**-43**	406.60
Dark Chrome		**-19**	338.80
Brushed Dark Platinum		**-99**	406.70
Matte Black		**-33**	305.10

22 901 979

Angle valve
- rosette Ø 55 mm
- hose covering 200mm, for shortening

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 901 979** FF	FF	Euro
Chrome		**-00**	198.00
Brushed Chrome		**-93**	257.50
Platinum		**-08**	316.80
Brushed Platinum		**-06**	316.80
Light Gold (PVD)		**-26**	297.00
Brushed Light Gold (PVD)		**-27**	297.00
Champagne (22kt Gold)		**-47**	475.20
Brushed Champagne (22kt Gold)		**-46**	475.20
Brushed Gold (PVD)		**-37**	297.00
Durabrass (23kt Gold)		**-09**	475.20
Brushed Durabrass (23kt Gold)		**-28**	475.20
Brushed Dark Brass (PVD)		**-39**	316.80
Brushed Bronze (PVD)		**-42**	316.80
Brushed Dark Bronze (PVD)		**-43**	356.40
Dark Chrome		**-19**	296.90
Brushed Dark Platinum		**-99**	356.30
Matte Black		**-33**	267.30

22 900 892

Angle valve
- rosette Ø 55 mm
- hose covering 200mm, for shortening

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**22 900 892** FF	FF	Euro
Chrome		**-00**	216.40
Platinum		**-08**	346.20
Brushed Platinum		**-06**	346.20
Champagne (22kt Gold)		**-47**	519.40
Brushed Champagne (22kt Gold)		**-46**	519.40
Brushed Durabrass (23kt Gold)		**-28**	519.40
Brushed Dark Brass (PVD)		**-39**	346.30
Brushed Bronze (PVD)		**-42**	346.30
Brushed Dark Bronze (PVD)		**-43**	389.50
Dark Chrome		**-19**	324.70
Brushed Dark Platinum		**-99**	389.70
Matte Black		**-33**	292.20

12 715 970

Cover for tap hole

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 715 970** FF	FF	Euro
Chrome		**-00**	45.20
Brushed Chrome		**-93**	58.70
Platinum		**-08**	72.10
Brushed Platinum		**-06**	72.10
Light Gold (PVD)		**-26**	67.70
Brushed Light Gold (PVD)		**-27**	67.70
Champagne (22kt Gold)		**-47**	108.50
Brushed Champagne (22kt Gold)		**-46**	108.50
Brushed Gold (PVD)		**-37**	67.80
Durabrass (23kt Gold)		**-09**	108.50
Brushed Durabrass (23kt Gold)		**-28**	108.50
Brushed Dark Brass (PVD)		**-39**	72.10
Brushed Bronze (PVD)		**-42**	72.10
Brushed Dark Bronze (PVD)		**-43**	81.40
Dark Chrome		**-19**	67.60
Brushed Dark Platinum		**-99**	81.30
Matte Black		**-33**	60.90

10 300 970

Basin Waste 1 1/4“
- length of knee lever 185 mm
- **european pop-up waste**

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 300 970** FF	FF	Euro
Chrome		**-00**	82.50
Brushed Chrome		**-93**	107.20
Platinum		**-08**	132.20
Brushed Platinum		**-06**	132.20
Light Gold (PVD)		**-26**	123.70
Brushed Light Gold (PVD)		**-27**	123.70
Champagne (22kt Gold)		**-47**	198.00
Brushed Champagne (22kt Gold)		**-46**	198.00
Brushed Gold (PVD)		**-37**	123.80
Durabrass (23kt Gold)		**-09**	198.00
Brushed Durabrass (23kt Gold)		**-28**	198.00
Brushed Dark Brass (PVD)		**-39**	132.10
Brushed Bronze (PVD)		**-42**	132.10
Brushed Dark Bronze (PVD)		**-43**	148.50
Dark Chrome		**-19**	123.80
Brushed Dark Platinum		**-99**	148.50
Matte Black		**-33**	111.50

10 125 970

Basin Waste with push fastening 1 1/4“
- for closing

Only suitable for basins with an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	10 125 970 FF	FF	Euro
Chrome		-00	94.00
Brushed Chrome		-93	122.20
Platinum		-08	150.60
Brushed Platinum		-06	150.60
Light Gold (PVD)		-26	141.00
Brushed Light Gold (PVD)		-27	141.00
Champagne (22kt Gold)		-47	225.60
Brushed Champagne (22kt Gold)		-46	225.60
Brushed Gold (PVD)		-37	141.00
Durabrass (23kt Gold)		-09	225.60
Brushed Durabrass (23kt Gold)		-28	225.60
Brushed Dark Brass (PVD)		-39	150.40
Brushed Bronze (PVD)		-42	150.40
Brushed Dark Bronze (PVD)		-43	169.20
Dark Chrome		-19	141.20
Brushed Dark Platinum		-99	169.40
Matte Black		-33	126.80

10 126 970

Basin Waste without press-closing 1 1/4“
- min. bath/basin thickness 5/8“
- not for closing

Only suitable for sinks without an overflow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	10 126 970 FF	FF	Euro
Chrome		-00	94.60
Brushed Chrome		-93	123.00
Platinum		-08	151.30
Brushed Platinum		-06	151.30
Light Gold (PVD)		-26	142.00
Brushed Light Gold (PVD)		-27	142.00
Champagne (22kt Gold)		-47	227.00
Brushed Champagne (22kt Gold)		-46	227.00
Brushed Gold (PVD)		-37	141.90
Durabrass (23kt Gold)		-09	227.00
Brushed Durabrass (23kt Gold)		-28	227.00
Brushed Dark Brass (PVD)		-39	151.40
Brushed Bronze (PVD)		-42	151.40
Brushed Dark Bronze (PVD)		-43	170.30
Dark Chrome		-19	141.90
Brushed Dark Platinum		-99	170.40
Matte Black		-33	127.80

10 040 970

Siphon for basin 1 1/4“
- rosette Ø 80 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	10 040 970 FF	FF	Euro
Chrome		-00	512.30
Platinum		-08	819.40
Brushed Platinum		-06	819.40
Champagne (22kt Gold)		-47	1,229.50
Brushed Champagne (22kt Gold)		-46	1,229.50
Durabrass (23kt Gold)		-09	1,229.50
Brushed Durabrass (23kt Gold)		-28	1,229.50
Brushed Dark Brass (PVD)		-39	819.60
Brushed Bronze (PVD)		-42	819.60
Brushed Dark Bronze (PVD)		-43	922.10
Dark Chrome		-19	768.50
Brushed Dark Platinum		-99	922.20

10 060 780

Siphon for basin 1 1/4“
- rosette 78 x 78 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 060 780** FF	FF	Euro
Chrome		**-00**	406.80
Brushed Chrome		**-93**	528.80
Platinum		**-08**	650.90
Brushed Platinum		**-06**	650.90
Brushed Light Gold (PVD)		**-27**	610.20
Champagne (22kt Gold)		**-47**	976.30
Brushed Champagne (22kt Gold)		**-46**	976.30
Brushed Gold (PVD)		**-37**	610.20
Brushed Durabrass (23kt Gold)		**-28**	976.30
Brushed Dark Brass (PVD)		**-39**	650.90
Brushed Bronze (PVD)		**-42**	650.80
Brushed Dark Bronze (PVD)		**-43**	732.20
Dark Chrome		**-19**	610.20
Brushed Dark Platinum		**-99**	732.20
Matte Black		**-33**	549.40

10 060 970

Siphon for basin
- rosette Ø 70 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 060 970** FF	FF	Euro
Chrome		**-00**	355.50
Brushed Chrome		**-93**	462.20
Platinum		**-08**	569.00
Brushed Platinum		**-06**	569.00
Light Gold (PVD)		**-26**	533.40
Brushed Light Gold (PVD)		**-27**	533.40
Champagne (22kt Gold)		**-47**	853.20
Brushed Champagne (22kt Gold)		**-46**	853.20
Brushed Gold (PVD)		**-37**	533.30
Durabrass (23kt Gold)		**-09**	853.20
Brushed Durabrass (23kt Gold)		**-28**	853.20
Brushed Dark Brass (PVD)		**-39**	568.80
Brushed Bronze (PVD)		**-42**	568.90
Brushed Dark Bronze (PVD)		**-43**	639.90
Dark Chrome		**-19**	533.30
Brushed Dark Platinum		**-99**	640.00
Matte Black		**-33**	480.10

10 100 970

Grated waste 1 1/4“

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 100 970** FF	FF	Euro
Chrome		**-00**	46.50
Brushed Chrome		**-93**	60.60
Platinum		**-08**	74.20
Brushed Platinum		**-06**	74.20
Light Gold (PVD)		**-26**	69.80
Brushed Light Gold (PVD)		**-27**	69.80
Champagne (22kt Gold)		**-47**	111.60
Brushed Champagne (22kt Gold)		**-46**	111.60
Brushed Gold (PVD)		**-37**	69.80
Durabrass (23kt Gold)		**-09**	111.60
Brushed Durabrass (23kt Gold)		**-28**	111.60
Brushed Dark Brass (PVD)		**-39**	74.40
Brushed Bronze (PVD)		**-42**	74.60
Brushed Dark Bronze (PVD)		**-43**	83.70
Dark Chrome		**-19**	69.90
Brushed Dark Platinum		**-99**	83.80

Accessories - Bathroom

10 105 970

Grated waste 1 1/4“

Only suitable for basins with an overflow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 105 970** FF	FF	Euro
Chrome		**-00**	61.30
Brushed Chrome		**-93**	79.70
Platinum		**-08**	98.00
Brushed Platinum		**-06**	98.00
Light Gold (PVD)		**-26**	92.10
Brushed Light Gold (PVD)		**-27**	92.10
Champagne (22kt Gold)		**-47**	147.10
Brushed Champagne (22kt Gold)		**-46**	147.10
Brushed Gold (PVD)		**-37**	92.00
Durabrass (23kt Gold)		**-09**	147.10
Brushed Durabrass (23kt Gold)		**-28**	147.10
Brushed Dark Brass (PVD)		**-39**	98.10
Brushed Bronze (PVD)		**-42**	98.20
Brushed Dark Bronze (PVD)		**-43**	110.30
Dark Chrome		**-19**	92.10
Brushed Dark Platinum		**-99**	110.30
Matte Black		**-33**	82.70

10 110 970

Grated waste 1 1/4“

Only suitable for sinks without an overflow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 110 970** FF	FF	Euro
Chrome		**-00**	61.30
Brushed Chrome		**-93**	79.70
Platinum		**-08**	98.00
Brushed Platinum		**-06**	98.00
Light Gold (PVD)		**-26**	92.10
Brushed Light Gold (PVD)		**-27**	92.10
Champagne (22kt Gold)		**-47**	147.10
Brushed Champagne (22kt Gold)		**-46**	147.10
Brushed Gold (PVD)		**-37**	92.00
Durabrass (23kt Gold)		**-09**	147.10
Brushed Durabrass (23kt Gold)		**-28**	147.10
Brushed Dark Brass (PVD)		**-39**	98.10
Brushed Bronze (PVD)		**-42**	98.20
Brushed Dark Bronze (PVD)		**-43**	110.30
Dark Chrome		**-19**	92.10
Brushed Dark Platinum		**-99**	110.30
Matte Black		**-33**	82.70

28 490 660

Wall elbow with integrated shower holder
- 3/8“ shower outlet
- rosette Ø 60 mm
- 1/2“ connection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 490 660** FF	FF	Euro
Chrome		**-00**	236.30
Brushed Chrome		**-93**	307.00
Platinum		**-08**	377.60
Brushed Platinum		**-06**	377.60
Light Gold (PVD)		**-26**	354.30
Brushed Light Gold (PVD)		**-27**	354.30
Champagne (22kt Gold)		**-47**	567.10
Brushed Champagne (22kt Gold)		**-46**	567.10
Brushed Gold (PVD)		**-37**	354.50
Brushed Durabrass (23kt Gold)		**-28**	567.10
Brushed Dark Brass (PVD)		**-39**	377.90
Brushed Bronze (PVD)		**-42**	378.00
Brushed Dark Bronze (PVD)		**-43**	425.30
Dark Chrome		**-19**	354.20
Brushed Dark Platinum		**-99**	424.50
Matte Black		**-33**	318.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 490 970

Wall elbow with integrated shower holder
- 3/8“ shower outlet
- rosette 60 x 60 mm
- 1/2“ connection

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 490 970** FF	FF	Euro
Chrome		**-00**	250.20
Brushed Chrome		**-93**	325.40
Platinum		**-08**	400.80
Brushed Platinum		**-06**	400.80
Brushed Light Gold (PVD)		**-27**	375.50
Champagne (22kt Gold)		**-47**	600.50
Brushed Champagne (22kt Gold)		**-46**	600.50
Brushed Gold (PVD)		**-37**	375.30
Brushed Durabrass (23kt Gold)		**-28**	600.50
Brushed Dark Brass (PVD)		**-39**	400.40
Brushed Bronze (PVD)		**-42**	400.40
Brushed Dark Bronze (PVD)		**-43**	450.40
Dark Chrome		**-19**	375.60
Brushed Dark Platinum		**-99**	450.10
Matte Black		**-33**	337.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 450 845

Wall elbow
- 3/8“ shower outlet
- rosette 60 x 78 mm
- 1/2“ connection

Intrinsic protection against back flow.

Fits LISSÉ

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 450 845** FF	FF	Euro
Chrome		**-00**	126.40
Brushed Chrome		**-93**	164.40
Brushed Platinum		**-06**	202.20
Light Gold (PVD)		**-26**	189.70
Brushed Light Gold (PVD)		**-27**	189.60
Brushed Bronze (PVD)		**-42**	202.20
Dark Chrome		**-19**	189.60
Brushed Dark Platinum		**-99**	227.50
Matte Black		**-33**	170.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

Accessories - Bathroom

28 450 710

Wall elbow
- 3/8“ shower outlet
- rosette 78 x 55 mm
- 1/2“ connection

Intrinsic protection against back flow.

Fits LULU

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 450 710** FF	FF	Euro
Chrome		**-00**	181.20
Brushed Platinum		**-06**	289.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 450 410

Wall elbow
- 1/2“ shower outlet
- rosette Ø 55 mm
- 1/2“ connection

Intrinsic protection against back flow.

Fits MADISON

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 450 410** FF	FF	Euro
Chrome		**-00**	112.10
Platinum		**-08**	179.40
Brushed Platinum		**-06**	179.40
Durabrass (23kt Gold)		**-09**	269.00
Brushed Durabrass (23kt Gold)		**-28**	269.00
Brushed Dark Brass (PVD)		**-39**	179.40
Brushed Bronze (PVD)		**-42**	179.40
Brushed Dark Bronze (PVD)		**-43**	201.80
Brushed Dark Platinum		**-99**	201.90

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 450 809

Wall elbow
- 3/8“ shower outlet
- rosette Ø 60 mm
- 1/2“ connection

Fits VAIA

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 450 809** FF	FF	Euro
Chrome		**-00**	141.00
Platinum		**-08**	225.40
Brushed Platinum		**-06**	225.00
Champagne (22kt Gold)		**-47**	338.40
Brushed Champagne (22kt Gold)		**-46**	338.40
Brushed Gold (PVD)		**-37**	211.50
Brushed Durabrass (23kt Gold)		**-28**	338.40
Brushed Dark Brass (PVD)		**-39**	225.60
Brushed Bronze (PVD)		**-42**	225.60
Brushed Dark Bronze (PVD)		**-43**	253.80
Dark Chrome		**-19**	211.40
Brushed Dark Platinum		**-99**	253.60

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 450 625

Wall elbow
- 3/8“ shower outlet
- rosette Ø 55 mm
- 1/2“ connection

Intrinsic protection against back flow.

Fits META, TARA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 450 625** FF	FF	Euro
Chrome		**-00**	121.50
Brushed Chrome		**-93**	157.90
Platinum		**-08**	194.50
Brushed Platinum		**-06**	194.50
Light Gold (PVD)		**-26**	182.30
Brushed Light Gold (PVD)		**-27**	182.30
Champagne (22kt Gold)		**-47**	291.60
Brushed Champagne (22kt Gold)		**-46**	291.60
Brushed Gold (PVD)		**-37**	182.30
Brushed Durabrass (23kt Gold)		**-28**	291.60
Brushed Dark Brass (PVD)		**-39**	194.40
Brushed Bronze (PVD)		**-42**	194.40
Brushed Dark Bronze (PVD)		**-43**	218.70
Dark Chrome		**-19**	182.30
Brushed Dark Platinum		**-99**	218.70
Matte Black		**-33**	163.70

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 450 980

Wall elbow
- 3/8“ shower outlet
- rosette 60 x 60 mm
- 1/2“ connection

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 450 980** FF	FF	Euro
Chrome		**-00**	173.40
Brushed Chrome		**-93**	225.50
Platinum		**-08**	277.60
Brushed Platinum		**-06**	277.60
Light Gold (PVD)		**-26**	260.10
Brushed Light Gold (PVD)		**-27**	260.10
Champagne (22kt Gold)		**-47**	416.20
Brushed Champagne (22kt Gold)		**-46**	416.20
Brushed Gold (PVD)		**-37**	260.10
Brushed Durabrass (23kt Gold)		**-28**	416.20
Brushed Dark Brass (PVD)		**-39**	277.40
Brushed Bronze (PVD)		**-42**	277.40
Brushed Dark Bronze (PVD)		**-43**	312.10
Dark Chrome		**-19**	260.30
Brushed Dark Platinum		**-99**	312.30
Matte Black		**-33**	234.20

Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm	Concealed rough parts	**90**	128.90

For details and miscellaneous, see page 732

28 050 845

Wall bracket
- rosette 60 x 78 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 050 845** FF	FF	Euro
Chrome		**-00**	162.90
Brushed Chrome		**-93**	211.70
Brushed Platinum		**-06**	260.40
Brushed Light Gold (PVD)		**-27**	244.20
Dark Chrome		**-19**	244.20
Brushed Dark Platinum		**-99**	293.10
Matte Black		**-33**	219.80

Accessories - Bathroom

28 050 892

Wall bracket
- rosette Ø 55 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 050 892** FF	FF	Euro
Chrome		**-00**	194.70
Brushed Chrome		**-93**	253.20
Platinum		**-08**	311.60
Brushed Platinum		**-06**	311.60
Champagne (22kt Gold)		**-47**	467.30
Brushed Champagne (22kt Gold)		**-46**	467.30
Brushed Durabrass (23kt Gold)		**-28**	467.30
Brushed Dark Brass (PVD)		**-39**	311.40
Brushed Bronze (PVD)		**-42**	311.40
Brushed Dark Bronze (PVD)		**-43**	350.50
Dark Chrome		**-19**	292.00
Brushed Dark Platinum		**-99**	350.40
Matte Black		**-33**	262.80

28 050 809

Wall bracket
- rosette Ø 60 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 050 809** FF	FF	Euro
Chrome		**-00**	214.00
Platinum		**-08**	342.40
Brushed Platinum		**-06**	343.10
Champagne (22kt Gold)		**-47**	513.60
Brushed Champagne (22kt Gold)		**-46**	513.60
Brushed Durabrass (23kt Gold)		**-28**	513.60
Brushed Dark Brass (PVD)		**-39**	342.40
Brushed Bronze (PVD)		**-42**	342.40
Brushed Dark Bronze (PVD)		**-43**	385.20
Dark Chrome		**-19**	321.00
Brushed Dark Platinum		**-99**	385.60

28 050 625

Wall bracket
- rosette Ø 55 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 050 625** FF	FF	Euro
Chrome		**-00**	169.70
Brushed Chrome		**-93**	220.50
Brushed Platinum		**-06**	271.50
Light Gold (PVD)		**-26**	254.50
Brushed Light Gold (PVD)		**-27**	254.50
Champagne (22kt Gold)		**-47**	407.30
Brushed Champagne (22kt Gold)		**-46**	407.30
Brushed Gold (PVD)		**-37**	254.60
Brushed Durabrass (23kt Gold)		**-28**	407.30
Brushed Dark Brass (PVD)		**-39**	271.40
Brushed Bronze (PVD)		**-42**	271.40
Brushed Dark Bronze (PVD)		**-43**	305.50
Dark Chrome		**-19**	254.40
Brushed Dark Platinum		**-99**	305.20
Matte Black		**-33**	229.20

28 050 980

Wall bracket
- rosette 60 x 60 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 050 980** FF	FF	Euro
Chrome		**-00**	225.10
Brushed Chrome		**-93**	292.60
Platinum		**-08**	360.60
Brushed Platinum		**-06**	360.60
Brushed Light Gold (PVD)		**-27**	337.80
Champagne (22kt Gold)		**-47**	540.20
Brushed Champagne (22kt Gold)		**-46**	540.20
Brushed Gold (PVD)		**-37**	337.70
Brushed Durabrass (23kt Gold)		**-28**	540.20
Brushed Dark Brass (PVD)		**-39**	360.30
Brushed Bronze (PVD)		**-42**	360.30
Brushed Dark Bronze (PVD)		**-43**	405.20
Dark Chrome		**-19**	337.80
Brushed Dark Platinum		**-99**	405.20
Matte Black		**-33**	304.00

28 060 970

Wall bracket swivel
- pivotable 75°

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 060 970** FF	FF	Euro
Chrome		**-00**	207.70
Brushed Chrome		**-93**	270.00
Platinum		**-08**	332.40
Brushed Platinum		**-06**	332.40
Light Gold (PVD)		**-26**	311.30
Brushed Light Gold (PVD)		**-27**	311.30
Champagne (22kt Gold)		**-47**	498.50
Brushed Champagne (22kt Gold)		**-46**	498.50
Brushed Gold (PVD)		**-37**	311.60
Brushed Durabrass (23kt Gold)		**-28**	498.50
Brushed Dark Brass (PVD)		**-39**	332.20
Brushed Bronze (PVD)		**-42**	332.10
Brushed Dark Bronze (PVD)		**-43**	373.90
Dark Chrome		**-19**	311.40
Brushed Dark Platinum		**-99**	373.90
Matte Black		**-33**	280.60

36 243 970

Pop-up waste and overflow
- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 243 970** FF	FF	Euro
Chrome		**-00**	232.10
Brushed Chrome		**-93**	301.80
Platinum		**-08**	371.60
Brushed Platinum		**-06**	371.60
Light Gold (PVD)		**-26**	348.20
Brushed Light Gold (PVD)		**-27**	348.20
Champagne (22kt Gold)		**-47**	557.00
Brushed Champagne (22kt Gold)		**-46**	557.00
Brushed Gold (PVD)		**-37**	348.20
Durabrass (23kt Gold)		**-09**	557.00
Brushed Durabrass (23kt Gold)		**-28**	557.00
Brushed Dark Brass (PVD)		**-39**	371.40
Brushed Bronze (PVD)		**-42**	371.30
Brushed Dark Bronze (PVD)		**-43**	417.80
Dark Chrome		**-19**	348.30
Brushed Dark Platinum		**-99**	417.70
Matte Black		**-33**	313.60

Required miscellaneous

Pop-up waste and overflow

	35 227 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	188.20

36 247 970

Bath spout with pop-up waste and overflow
- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**36 247 970** FF	FF	Euro
Chrome		**-00**	351.10
Brushed Chrome		**-93**	456.50
Platinum		**-08**	561.90
Brushed Platinum		**-06**	561.90
Light Gold (PVD)		**-26**	526.80
Brushed Light Gold (PVD)		**-27**	526.80
Champagne (22kt Gold)		**-47**	842.60
Brushed Champagne (22kt Gold)		**-46**	842.60
Brushed Gold (PVD)		**-37**	526.70
Durabrass (23kt Gold)		**-09**	842.60
Brushed Durabrass (23kt Gold)		**-28**	842.60
Brushed Dark Brass (PVD)		**-39**	561.90
Brushed Bronze (PVD)		**-42**	561.90
Brushed Dark Bronze (PVD)		**-43**	632.00
Dark Chrome		**-19**	526.80
Brushed Dark Platinum		**-99**	631.90
Matte Black		**-33**	473.90

Required miscellaneous

Vacuum breaker

	36 150 970 FF	FF	Euro
	Chrome	**-00**	96.30
	Brushed Chrome	**-93**	125.30
	Platinum	**-08**	154.00
	Brushed Platinum	**-06**	154.00
	Light Gold (PVD)	**-26**	144.50
	Brushed Light Gold (PVD)	**-27**	144.50
	Champagne (22kt Gold)	**-47**	231.10
	Brushed Champagne (22kt Gold)	**-46**	231.10
	Brushed Gold (PVD)	**-37**	144.50
	Durabrass (23kt Gold)	**-09**	231.10
	Brushed Durabrass (23kt Gold)	**-28**	231.10
	Brushed Dark Brass (PVD)	**-39**	154.00
	Brushed Bronze (PVD)	**-42**	154.10
	Brushed Dark Bronze (PVD)	**-43**	173.10
	Dark Chrome	**-19**	144.40
	Brushed Dark Platinum	**-99**	173.10
	Matte Black	**-33**	130.10

Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	**90**	518.30

12 202 979

Adapter for shower outlet 3/8“ x 1/2“
- adapter M 20 x 1 female thread x 1/2“ male thread for the connection of a shower hose 1/2“ female thread

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**12 202 979** FF	FF	Euro
Chrome		**-00**	52.60
Platinum		**-08**	84.50
Brushed Platinum		**-06**	84.50
Brushed Durabrass (23kt Gold)		**-28**	126.20
Brushed Dark Platinum		**-99**	94.70
Matte Black		**-33**	71.00

28 104 970

Metal shower hose 1/2“ x 1/2“ x 1250 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 104 970** FF	FF	Euro
Chrome		**-00**	110.00
Brushed Chrome		**-93**	403.00
Platinum		**-08**	456.00
Brushed Platinum		**-06**	203.00
Light Gold (PVD)		**-26**	524.00
Brushed Light Gold (PVD)		**-27**	286.00
Champagne (22kt Gold)		**-47**	998.00
Brushed Champagne (22kt Gold)		**-46**	939.00
Durabrass (23kt Gold)		**-09**	906.00
Brushed Durabrass (23kt Gold)		**-28**	933.00
Brushed Dark Brass (PVD)		**-39**	274.00
Brushed Bronze (PVD)		**-42**	278.00
Dark Chrome		**-19**	388.00
Brushed Dark Platinum		**-99**	323.00
Matte Black		**-33**	196.00

28 204 970

Metal shower hose 1/2“ x 1/2“ x 1750 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 204 970** FF	FF	Euro
Chrome		**-00**	127.00
Brushed Chrome		**-93**	385.00
Platinum		**-08**	524.00
Brushed Platinum		**-06**	227.00
Light Gold (PVD)		**-26**	646.00
Brushed Light Gold (PVD)		**-27**	406.00
Champagne (22kt Gold)		**-47**	1,049.00
Brushed Champagne (22kt Gold)		**-46**	1,247.00
Durabrass (23kt Gold)		**-09**	991.00
Brushed Durabrass (23kt Gold)		**-28**	981.00
Brushed Dark Brass (PVD)		**-39**	393.00
Brushed Bronze (PVD)		**-42**	668.00
Dark Chrome		**-19**	659.00
Brushed Dark Platinum		**-99**	357.00
Matte Black		**-33**	207.00

28 304 970

Metal shower hose 1/2“ x 3/8“ x 1500 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**28 304 970** FF	FF	Euro
Chrome		**-00**	165.40
Brushed Chrome		**-93**	215.00
Platinum		**-08**	265.40
Brushed Platinum		**-06**	265.40
Light Gold (PVD)		**-26**	248.10
Brushed Light Gold (PVD)		**-27**	248.10
Champagne (22kt Gold)		**-47**	397.00
Brushed Champagne (22kt Gold)		**-46**	397.00
Brushed Gold (PVD)		**-37**	248.10
Durabrass (23kt Gold)		**-09**	397.00
Brushed Durabrass (23kt Gold)		**-28**	397.00
Brushed Dark Brass (PVD)		**-39**	264.50
Brushed Bronze (PVD)		**-42**	264.50
Brushed Dark Bronze (PVD)		**-43**	297.70
Dark Chrome		**-19**	248.20
Brushed Dark Platinum		**-99**	298.10
Matte Black		**-33**	223.20

28 322 970

Metal shower hose 1/2“ x 3/8“ x 1750 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 322 970 FF	FF	Euro
Chrome		-00	181.00
Brushed Chrome		-93	385.00
Platinum		-08	534.00
Brushed Platinum		-06	290.00
Light Gold (PVD)		-26	570.00
Brushed Light Gold (PVD)		-27	371.00
Champagne (22kt Gold)		-47	965.00
Brushed Champagne (22kt Gold)		-46	997.00
Durabrass (23kt Gold)		-09	968.00
Brushed Durabrass (23kt Gold)		-28	1,054.00
Brushed Dark Brass (PVD)		-39	376.00
Brushed Bronze (PVD)		-42	395.00
Dark Chrome		-19	399.00
Brushed Dark Platinum		-99	347.00
Matte Black		-33	247.00

12 540 970 NEW

Slide unit
- for pipe diameter 18 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	12 540 970 FF	FF	Euro
Chrome		-00	143.90
Brushed Chrome		-93	187.00
Platinum		-08	230.20
Brushed Platinum		-06	230.20
Light Gold (PVD)		-26	215.80
Brushed Light Gold (PVD)		-27	215.80
Champagne (22kt Gold)		-47	345.40
Brushed Champagne (22kt Gold)		-46	345.40
Brushed Gold (PVD)		-37	215.90
Durabrass (23kt Gold)		-09	345.40
Brushed Durabrass (23kt Gold)		-28	345.40
Brushed Dark Brass (PVD)		-39	230.20
Brushed Bronze (PVD)		-42	230.20
Brushed Dark Bronze (PVD)		-43	259.00
Dark Chrome		-19	215.80
Brushed Dark Platinum		-99	258.90
Matte Black		-33	194.30

12 550 970 NEW

Slide unit
- Pipe diameter 20 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	12 550 970 FF	FF	Euro
Chrome		-00	143.90
Brushed Chrome		-93	187.00
Platinum		-08	230.20
Brushed Platinum		-06	230.20
Light Gold (PVD)		-26	215.80
Brushed Light Gold (PVD)		-27	215.80
Champagne (22kt Gold)		-47	345.40
Brushed Champagne (22kt Gold)		-46	345.40
Brushed Gold (PVD)		-37	215.90
Durabrass (23kt Gold)		-09	345.40
Brushed Durabrass (23kt Gold)		-28	345.40
Brushed Dark Brass (PVD)		-39	230.20
Brushed Bronze (PVD)		-42	230.20
Brushed Dark Bronze (PVD)		-43	259.00
Dark Chrome		-19	215.80
Brushed Dark Platinum		-99	258.90
Matte Black		-33	194.30

28 101 970 NEW

Plastic shower hose 1/2“ x 1/2“ x 1250 mm
- 1/2“ x 1/2“ double conical joint

Standard article	28 101 970 FF	FF	Euro
Chrome		-00	64.70
Brushed Chrome		-93	109.80
Light Gold (PVD)		-26	109.80
Brushed Light Gold (PVD)		-27	109.80
Brushed Bronze (PVD)		-42	109.80
Dark Chrome		-19	109.80
Brushed Dark Platinum		-99	109.80
Matte Black		-33	109.80

28 102 970 NEW **Plastic shower hose 1/2“ x 1/2“ x 1750 mm**
- 1/2“ x 1/2“ double conical joint

Standard article	28 102 970 FF	FF	Euro
Chrome		-00	64.70
Brushed Chrome		-93	109.80
Light Gold (PVD)		-26	109.80
Brushed Light Gold (PVD)		-27	109.80
Brushed Bronze (PVD)		-42	109.80
Dark Chrome		-19	109.80
Brushed Dark Platinum		-99	109.80
Matte Black		-33	109.80

28 324 970 NEW **Plastic shower hose 1/2“ x 3/8“ x 1750 mm**
- 1/2“ conical joint x 3/8“ male thread

Standard article	28 324 970 FF	FF	Euro
Chrome		-00	64.70
Brushed Chrome		-93	109.80
Light Gold (PVD)		-26	109.80
Brushed Light Gold (PVD)		-27	109.80
Brushed Bronze (PVD)		-42	109.80
Dark Chrome		-19	109.80
Brushed Dark Platinum		-99	109.80
Matte Black		-33	109.80

28 325 970 NEW **Plastic shower hose 1/2“ x 3/8“ x 1250 mm**
- 1/2“ conical joint x 3/8“ male thread

Standard article	28 325 970 FF	FF	Euro
Chrome		-00	64.70
Brushed Chrome		-93	109.80
Light Gold (PVD)		-26	109.80
Brushed Light Gold (PVD)		-27	109.80
Brushed Bronze (PVD)		-42	109.80
Dark Chrome		-19	109.80
Brushed Dark Platinum		-99	109.80
Matte Black		-33	109.80

28 404 970 **Metal shower hose extending 1/2“ x 3/8“ x 1250 mm**
- 1/2“ conical joint x 3/8“ male thread
- max. extension 1650 mm

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	28 404 970 FF	FF	Euro
Chrome		-00	183.00
Brushed Chrome		-93	286.00
Brushed Platinum		-06	453.00
Durabrass (23kt Gold)		-09	567.00
Dark Chrome		-19	609.00
Brushed Dark Platinum		-99	459.00
Matte Black		-33	281.00

Accessories - Bathroom

12 410 970

Dornbracht Care Faucet cleaner for daily use
- Content: 500 ml
- Practical spray bottle
- Gentle on surfaces
- **Read the label and product information before use**
- **Note: Always apply cleaner first to the cloth and never directly to the fitting.**
- **After cleaning, rinse thoroughly with clear water!**
- **Note: Different conditioning.**

Standard article	**12 410 970** FF	FF	Euro
Accesories		**90**	31.50

12 411 970 **NEW**

Dornbracht Care Citrus Cleaner
- Content: 500 ml
- For removing stubborn limescale deposits
- Contains citric acid
- Practical spray bottle
- **Read the label and product information before use**
- **Note: Always apply cleaner first to the cloth and never directly to the fitting.**
- **After cleaning, rinse thoroughly with clear water!**
- **Note: Different conditioning.**

Standard article	**12 411 970** FF	FF	Euro
Accesories		**90**	31.50

12 420 970 **NEW**

Dornbracht Care Cleaning cloth
- 40cm x 40cm
- Cleans without streaks and smears
- Fine, highly absorbent and gentle
- **Note: Different conditioning.**

Standard article	**12 420 970** FF	FF	Euro
Accesories		**90**	9.50

12 430 970 **NEW**

Dornbracht Care Starter Set
- Contents:
- 100ml Dornbracht Care tap cleaner
- 100ml Dornbracht Care citrus cleaner
- 1 x Dornbracht Care cleaning cloth
- **Note: Always apply cleaner first to the cloth and never directly to the fitting.**
- **After cleaning, rinse thoroughly with clear water!**
- **Note: Different conditioning.**

Standard article	**12 430 970** FF	FF	Euro
Accesories		**90**	78.80

Concealed articles

Miscellaneous
from page 686

Concealed articles

Two-handle fittings

Spout in the middle	variable positioning
35 700 970	35 720 970

Single-lever mixer

Single point attachment		1-way	2-way	
with rosette	without rosette	for wall mounting	with safety combination	without safety combination
35 003 970	35 050 970	35 860 970	35 021 970	35 020 970

Thermostats

UP thermostat				xTool	
1 and 2-way with pre-shutoff	1 and 2-way without pre-shutoff	3-way with pre-shutoff	3-way without pre-shutoff	without valves	1 valve
35 426 970	35 425 970	35 428 970	35 427 970	35 503 970	35 511 970

xTool			
2 valves, vertical	2 valves, horizontal	3 valves, vertical	3 valves, horizontal
35 521 970	35 524 970	35 531 970	35 534 970

Concealed bodies

Valves		diverter		Floor connection	
1/2“ valve	3/4“ valve	Two ways	Three-way	for single-lever bath mixers and inlets	for two-handle bath mixers
35 607 970	35 608 970	35 202 970	35 203 970	35 944 970	35 945 970

Concealed articles

Wall installation boxes

Wall angle

35 085 970

for WATER POINTS

35 205 970

for WATER MODULES

35 206 970

Ceiling boxes

for round rain shower

35 033 970

for square rain shower

35 043 970

for square rain shower with light

35 044 970

Ceiling boxes

for round rain shower with light

35 034 970

with ceiling fixing

35 041 970

with ceiling connection with light

35 042 970

for RAINMOON

35 610 970

for RAINMOON with colored light

35 615 970

for AQUAMOON with colored light

35 620 970

Ceiling boxes

for AQUAMOON

35 625 970

for AQUAMOON EMBRACE

35 630 970

for AQUAHALO

35 750 970

for rain panel

35 770 970

for rain panel with light

35 771 970

for rain panel

35 780 970

Ceiling boxes

for rain panel with light

35 781 970

Towel warmer

4-way, without control element

35 311 970

4-way, with control element

35 312 970

6-way without control element

35 313 970

6-way, with control element

35 314 970

xGrid

for drywall construction

12 340 970

xGrid

Single set

12 360 970

Set of two

12 370 970

Set of three

12 380 970

Concealed articles

35 700 970

Concealed wall-mounted mixer centred spout
- 3x dust cover
- 2x female thread 1/2“ connections
- 1x female thread 1/2“ outlet
- 3x sealing plug 1/2“
- gauge 100 mm

Standard article	35 700 970 FF	FF	Euro
Concealed rough parts		90	203.00

35 720 970

Concealed wall-mounted mixer variable positioning
- red brass, lead-free
- 1/2“ connection
- 3x sealing plug 1/2“
- 3x dust cover

Standard article	35 720 970 FF	FF	Euro
Concealed rough parts		90	161.90

35 003 970

Concealed wall mounting
- red brass, lead-free
- 2x female thread 1/2“ connections
- dust cover
- anti-water packing
- soundproofing

Can only be combined with exposed trim parts 26 024 661-FF / 36 013 660-FF / 36 045 660-FF / 36 013 970-FF / 36 045 970-FF / 36 804 661-FF.

Standard article	35 003 970 FF	FF	Euro
Concealed rough parts		90	336.80

35 050 970

Concealed wall mounting
- red brass, lead-free
- 2x female thread 1/2“ connections
- dust cover
- anti-water packing
- soundproofing

This product can be combined with the xGrid track.

Standard article	35 050 970 FF	FF	Euro
Concealed rough parts		90	336.80

Recommended miscellaneous

Extension **25** mm

	12 055 970 FF	FF	Euro
	Accesories	90	173.30

For details and miscellaneous, see page 742

35 860 970

Concealed wall-mounted single-lever mixer
- 2x female thread 1/2“ connections
- 1x female thread 1/2“ outlet for wall spout
- 1x female thread 1/2“ outlet
- 2x dust cover
- anti-water packing
- soundproofing
- gauge 100 mm

Standard article	35 860 970 FF	FF	Euro
Concealed rough parts		90	235.80

Recommended miscellaneous

Extension **20** mm

	12 869 970 FF	FF	Euro
	Accesories	90	165.00

- Not suitable for combining with META PURE (36 86X 664-FF).

For details and miscellaneous, see page 742

Recommended miscellaneous

Extension **20** mm

	12 870 970 FF	FF	Euro
	Accesories	90	223.20

- Can only be combined with exposed trim parts 36 86X 664-FF.

For details and miscellaneous, see page 742

35 021 970

Concealed single-lever mixer with backflow preventor
- lead-free, dezincification resistant
- safety combination
- 2x back flow preventer
- 2x male thread 1/2“ connection
- 3x outlet G 1/2“
- dust cover
- anti-water packing
- sound and thermal insulation
- 2x integrated supply stop
- gauge 60 mm

This product can be combined with the xGrid track.

Standard article	**35 021 970** FF	FF	Euro
Concealed rough parts		**90**	355.40

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

Recommended miscellaneous

Extension **25** mm

	12 190 970 FF	FF	Euro
• for concealed single-lever shower and bath mixer 36 02X SSS-FF For details and miscellaneous, see page 742	Accesories	**90**	189.30

35 020 970

Concealed single-lever mixer
- lead-free, dezincification resistant
- 2x back flow preventer
- 3x outlet G 1/2“
- 2x female thread 1/2“ connections
- 2x integrated supply stop
- dust cover
- anti-water packing
- sound and thermal insulation
- gauge 60 mm

This product can be combined with the xGrid track.

Standard article	**35 020 970** FF	FF	Euro
Concealed rough parts		**90**	248.70

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

Recommended miscellaneous

Extension **25** mm

	12 190 970 FF	FF	Euro
• for concealed single-lever shower and bath mixer 36 02X SSS-FF For details and miscellaneous, see page 742	Accesories	**90**	189.30

35 426 970

Concealed thermostat with built-in isolators
- pre-seal
- lead-free, dezincification resistant
- 2x back flow preventer
- 2x female thread 1/2“ connections
- 3x outlet G 1/2“
- dust cover
- anti-water packing
- sound and thermal insulation
- suitable for xGRID (when using installation track + 12 mm recess depth)
- gauge 70 mm

This product can be combined with the xGrid track.

Standard article	**35 426 970** FF	FF	Euro
Concealed rough parts		**90**	480.60

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	118.70

35 425 970

Concealed thermostat
- lead-free, dezincification resistant
- 2x back flow preventer
- 2x female thread 1/2“ connections
- 3x outlet G 1/2“
- dust cover
- anti-water packing
- sound and thermal insulation
- suitable for xGRID (when using installation track + 12 mm recess depth)
- gauge 70 mm

This product can be combined with the xGrid track.

Standard article	**35 425 970** FF	FF	Euro
Concealed rough parts		**90**	457.60

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	118.70

Concealed articles

35 428 970

Concealed thermostat with built-in isolators
- pre-seal
- lead-free, dezincification resistant
- 2x back flow preventer
- 3x outlet G 1/2“
- 2x female thread 1/2“ connections
- dust cover
- anti-water packing
- sound and thermal insulation
- gauge 70 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

Can only be combined with exposed trim parts 36 427 SSS-FF

This product can be combined with the xGrid track.

Standard article	**35 428 970** FF	FF	Euro
Concealed rough parts		**90**	503.00

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	118.70

35 427 970

Concealed thermostat
- lead-free, dezincification resistant
- 2x back flow preventer
- 2x female thread 1/2“ connections
- 3x outlet G 1/2“
- dust cover
- anti-water packing
- sound and thermal insulation
- gauge 70 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

Can only be combined with exposed trim parts 36 427 SSS-FF

This product can be combined with the xGrid track.

Standard article	**35 427 970** FF	FF	Euro
Concealed rough parts		**90**	479.40

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	118.70

35 503 970

xTOOL Concealed thermostat module without volume control
- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4“ connections
- 2x female thread 3/4“ outlet for additional valves
- dust cover
- anti-water packing
- soundproofing
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track.

Standard article	**35 503 970** FF	FF	Euro
Concealed rough parts		**90**	907.90

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	118.70

35 511 970

xTOOL Concealed thermostat module with 1 valve
- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4“ connections
- 1x female thread 3/4“ outlet for additional valves
- 1x female thread 3/4“ outlet, right/left alternatively
- 2x dust cover
- 2x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track.

Standard article	**35 511 970** FF	FF	Euro
Concealed rough parts		**90**	743.70

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	**90**	118.70

35 521 970

xTOOL Concealed thermostat module with 2 valves
- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4“ connections
- 1x female thread 3/4“ outlet for additional valves
- 2x female thread 3/4“ outlet, right/left alternatively
- 3x dust cover
- 3x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track.

Standard article	35 521 970 FF	FF	Euro
Concealed rough parts		90	1,239.70

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	90	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	90	118.70

35 524 970

xTOOL Concealed thermostat module with 2 valves
- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4“ connections
- 1x female thread 3/4“ outlet for additional valves
- 2x female thread 3/4“ outlet
- 4x dust cover
- 4x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track.

Standard article	35 524 970 FF	FF	Euro
Concealed rough parts		90	1,226.10

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	90	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	90	118.70

35 531 970

xTOOL Concealed thermostat module with 3 valves
- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4“ connections
- 1x female thread 3/4“ outlet for additional valves
- 3x female thread 3/4“ outlet, right/left alternatively
- 4x dust cover
- 4x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track.

Standard article	35 531 970 FF	FF	Euro
Concealed rough parts		90	1,332.30

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	90	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	90	118.70

35 534 970

xTOOL Concealed thermostat module with 3 valves
- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4“ connections
- 1x female thread 3/4“ outlet for additional valves
- 3x female thread 3/4“ outlet
- 4x dust cover
- 4x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track.

Standard article	35 534 970 FF	FF	Euro
Concealed rough parts		90	1,443.30

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	90	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	90	118.70

Concealed articles

35 607 970

Wall valve 1/2“
- red brass, lead-free
- female thread 1/2“ connection
- 1x female thread 1/2“ outlet
- dust cover
- anti-water packing
- soundproofing
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track.

Standard article	**35 607 970** FF	FF	Euro
Concealed rough parts		**90**	95.40

35 608 970

Wall valve 3/4“
- red brass, lead-free
- female thread 3/4“ connection
- 1x female thread 3/4“ outlet
- dust cover
- anti-water packing
- soundproofing
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track.

Standard article	**35 608 970** FF	FF	Euro
Concealed rough parts		**90**	125.20

35 202 970

Concealed two-way diverter
- red brass, lead-free
- 1x male 1/2“ connector
- 2x female thread 1/2“ outlet
- cut-to-length spindle and sleeve
- dust cover
- anti-water packing
- soundproofing

Standard article	**35 202 970** FF	FF	Euro
Concealed rough parts		**90**	310.70

35 203 970

Concealed three-way diverter
- red brass, lead-free
- 1x female thread 1/2“ connections
- 3x female thread 1/2“ outlet
- cut-to-length spindle and sleeve
- dust cover
- anti-water packing
- soundproofing

Standard article	**35 203 970** FF	FF	Euro
Concealed rough parts		**90**	378.40

35 944 970

Concealed floor mounting
- stainless steel
- 2x 1/2“ connection angle
- gauge 150 mm
- 2x anti-water packing
- 2x dust cover
- soundproofing

Standard article	**35 944 970** FF	FF	Euro
Concealed rough parts		**90**	564.80

35 945 970

Concealed floor mounting
- red brass, lead-free
- 2x female thread 1/2“ connections
- dust cover
- anti-water packing

Standard article	**35 945 970** FF	FF	Euro
Concealed rough parts		**90**	882.10

35 085 970

Concealed wall elbow
- red brass, lead-free
- female thread 1/2“ connection
- 1x female thread 1/2“ outlet
- dust cover
- anti-water packing
- soundproofing

For wall-mounted spouts and wall outlet elbows with 1/2“ connection.

Standard article	**35 085 970** FF	FF	Euro
Concealed rough parts		**90**	128.90

35 205 970

Concealed wall installation box
- female thread 1/2“ connection
- dust cover
- anti-water packing

Standard article	35 205 970 FF	FF	Euro
Concealed rough parts		90	234.20

Required miscellaneous

WATER POINTS Adapter plate

	12 305 970 FF	FF	Euro
• adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.	Accesories	90	37.90

For details and miscellaneous, see page 742

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	90	117.80

35 206 970

Concealed wall installation box
- female thread 1/2“ connection
- dust cover
- anti-water packing

This product can be combined with the xGrid track.

Standard article	35 206 970 FF	FF	Euro
Concealed rough parts		90	316.80

Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	90	117.80

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
For details and miscellaneous, see page 743	Concealed rough parts	90	118.70

35 087 970

POT FILLER Concealed wall elbow
- female thread 1/2“ connection
- anti-water packing
- soundproofing
- dust cover
- min. recess depth 80 mm
- max. recess depth 125 mm

Standard article	35 087 970 FF	FF	Euro
Concealed rough parts		90	281.00

35 741 970

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings
- lead-free
- 2x male thread 1/2“ connection
- 2x back flow preventer
- 2x integrated supply stop
- concealed installation
- min. recess depth 90 mm
- max. recess depth 125 mm

Can be combined with spouts from the Vaia, Lissé, CL.1, IMO, Tara., Tara Logic, Meta.02, Deque, Supernova, Symetrics, LULU and MEM series

Cannot be combined with spouts with a pull-rod pop-up waste.
Please combine with item no. 10 126 970-FF

Other series and finishes on request (x-TRA SERVICE)

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Standard article	35 741 970 FF	FF	Euro
Concealed rough parts		90	329.40

Concealed articles

35 740 970

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings
- lead-free
- 2x back flow preventer
- 2x male thread 1/2“ connection
- outlet with high-pressure hose
- surface-mounted installation

Can be combined with spouts from the Vaia, Lissé, CL.1, IMO, Tara., Tara Logic, Meta.02, Deque, Supernova, Symetrics, LULU and MEM series

Cannot be combined with spouts with a pull-rod pop-up waste.
Please combine with item no. 10 126 970-FF

Not suitable for combination with steel basins.

Other series and finishes on request (x-TRA SERVICE)

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Standard article	**35 740 970** FF	FF	Euro
Concealed rough parts		**90**	329.40

42 765 970

eSET Touchfree Basin mixer with temperature setting
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Use with top-mounted basins is excluded.

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Standard article	**42 765 970** FF	FF	Euro
Concealed rough parts		**90**	721.90

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 734	Concealed rough parts	**90**	329.40

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

	35 741 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 125 mm For details and miscellaneous, see page 733	Concealed rough parts	**90**	329.40

12 614 970

Perfecto installation kit
- height adjustable
- 1/2“ connection
- retaining screws and plugs
- 2x 1/2“ x 1/2“ x 600mm high pressure hose
- brass washers
- assembly kit with installation plate
- spacer posts
- installation plate 566 x 144 mm
- angle valves, variable in height and laterally

for deck-mounted tub/shower sets for tile mounting

Standard article	**12 614 970** FF	FF	Euro
Concealed rough parts		**90**	1,883.80

35 033 970

Concealed ceiling installation box for recessed ceiling installation
- concealed rough parts
- 2x female thread 1/2“ connections
- flush-mounted installation box Ø 360 mm RAL 9003 signal white
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Pre-assembly kit for three-way diverter included

Standard article	**35 033 970** FF	FF	Euro
Concealed rough parts		**90**	1,098.10

35 043 970

Concealed ceiling installation box for recessed ceiling installation
- concealed rough parts
- 2x female thread 1/2“ connections
- flush-mounted RAL 9003 signal white light reflection box 310 x 250 mm
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Pre-assembly kit for three-way diverter included

Standard article	**35 043 970** FF	FF	Euro
Concealed rough parts		**90**	1,098.10

35 044 970

Concealed ceiling installation box for recessed ceiling installation with light
- concealed rough parts
- 2x female thread 1/2“ connections
- flush-mounted installation box 360x 300 mm RAL 9003 signal white
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Separate LED power supply
- Input LED power supply
- Electricity supply: 100-240 V AC, 50-60 Hz, 20 W
- Output LED power supply
- 12V DC (CV)
- Output specification LED power supply
- SELV (Safety Extra Low Voltage)
- Class 2
- Ceiling module power supply
- 12V DC (CV)
- Supply pipe 7 m

Activation:
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Pre-assembly kit for three-way diverter included

Standard article	35 044 970 FF	FF	Euro
Concealed rough parts		90	1,648.60

35 034 970

Concealed ceiling installation box for recessed ceiling installation with light
- concealed rough parts
- 2x female thread 1/2“ connections
- flush-mounted reflection box Ø 360 mm RAL 9003 signal white
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Separate LED power supply
- Input LED power supply
- Electricity supply: 100-240 V AC, 50-60 Hz, 20 W
- Output LED power supply
- 12V DC (CV)
- Output specification LED power supply
- SELV (Safety Extra Low Voltage)
- Class 2
- Ceiling module power supply
- 12V DC (CV)
- Supply pipe 7 m

Activation:
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Pre-assembly kit for three-way diverter included

Standard article	35 034 970 FF	FF	Euro
Concealed rough parts		90	1,648.60

35 041 970

Concealed ceiling installation box with ceiling fixing
- concealed rough parts
- 2x female thread 1/2“ connections
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Pre-assembly kit for three-way diverter included

Standard article	35 041 970 FF	FF	Euro
Concealed rough parts		90	572.60

Concealed articles

35 042 970

Concealed ceiling installation box for surface-mounted ceiling installation with light

- concealed rough parts
- 2x female thread 1/2“ connections
- Separate LED power supply
- Input LED power supply
- Input 100-240V AC 50-60Hz
- Output LED power supply
- 350mA (CC)
- Output specification LED power supply
- SELV (Safety Extra Low Voltage)
- Class 2
- Ceiling module power supply
- 350mA (CC)
- Supply pipe 7 m
- Provided by customer: Light switch

Environment:

- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Pre-assembly kit for three-way diverter included

Standard article	**35 042 970** FF	FF	Euro
Concealed rough parts		**90**	860.20

35 610 970

RAINMOON Concealed ceiling installation box

- concealed rough parts
- Rain panel with 2 different spray modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 6.8 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 5 l/min (at 3 bar)
- Ceiling installation enclosure 1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- Ceiling construction with adequate structural strength for the permanent attachment of the device (weight: 57.5 kg / 127 lbs. (US)). M8 threaded bolts (minimum strength: 2000 N) are required to secure the ceiling module
- Input LED power supply
- Connector, 220-240V AC 50Hz power supply
- Output LED power supply
- 12V DC (CV)
- Output specification LED power supply
- SELV (Safety Extra Low Voltage)
- Provided by customer: Light switch

Environment:

- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Pre-assembly kit for three-way diverter included

Standard article	**35 610 970** FF	FF	Euro
Concealed rough parts		**90**	8,589.50

35 615 970

RAINMOON Concealed ceiling installation box with color light

- concealed rough parts
- Rain panel with 2 different spray modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 6.8 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 5 l/min (at 3 bar)
- Ceiling installation enclosure 1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- Ceiling construction with adequate structural strength for the permanent attachment of the device (weight: 57.5 kg / 127 lbs. (US)). M8 threaded bolts (minimum strength: 2000 N) are required to secure the ceiling module
- Separate LED power supply
- Input LED power supply
- Electricity supply: 100-240 V AC, 50-60 Hz, 20 W
- Output LED power supply
- 12V DC (CV)
- Output specification LED power supply
- SELV (Safety Extra Low Voltage)
- Class 2
- Ceiling module power supply
- 12V DC (CV)
- Supply pipe 7 m

Activation:

- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway

Environment:

- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Pre-assembly kit for three-way diverter included

Standard article	35 615 970 FF	FF	Euro
Concealed rough parts		**90**	8,589.50

35 620 970

AQUAMOON Concealed ceiling installation box

- concealed rough parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 12 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 10 l/min (at 3 bar)
- Queen's Collar: rounded cascade, max. 24 l/min
- Ceiling installation enclosure 1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- Ceiling construction with adequate structural strength for the permanent attachment of the device (weight: 57.5 kg / 127 lbs. (US)). M8 threaded bolts (minimum strength: 2000 N) are required to secure the ceiling module
- Input LED power supply
- Connector, 220-240V AC 50Hz power supply
- Output LED power supply
- 12V DC (CV)
- Output specification LED power supply
- SELV (Safety Extra Low Voltage)
- Provided by customer: Light switch

Environment:

- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Standard article	35 620 970 FF	FF	Euro
Concealed rough parts		**90**	9,146.90

Concealed articles

35 625 970

AQUAMOON Concealed ceiling installation box with color light
- concealed rough parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 12 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 10 l/min (at 3 bar)
- QUEEN‘S COLLAR CASCADE: Rounded cascade, max. flow rate 24 l/min (at 3 bar)
- Ceiling installation enclosure 1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- Ceiling construction with adequate structural strength for the permanent attachment of the device (weight: 57.5 kg / 127 lbs. (US)). M8 threaded bolts (minimum strength: 2000 N) are required to secure the ceiling module
- Separate LED power supply
- Input LED power supply
- Electricity supply: 100-240 V AC, 50-60 Hz, 20 W
- Output LED power supply
- 12V DC (CV)
- Output specification LED power supply
- SELV (Safety Extra Low Voltage)
- Class 2
- Ceiling module power supply
- 12V DC (CV)
- Supply pipe 7 m

Activation:
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Standard article	**35 625 970** FF	FF	Euro
Concealed rough parts		**90**	9,146.90

35 630 970

AQUAMOON EMBRACE Concealed ceiling installation box with color light
- concealed rough parts

1x **rain panel for ceiling installation**
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 12 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 10 l/min (at 3 bar)
- Queen‘s Collar: rounded cascade, max. 23 l/min
- Embrace: rounded cascade, max. 60 l/min
- Ceiling installation enclosure 1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- Ceiling construction with adequate structural strength for the permanent attachment of the device (weight: 57.5 kg / 127 lbs. (US)). M8 threaded bolts (minimum strength: 2000 N) are required to secure the ceiling module
- Separate LED power supply
- Input LED power supply
- Electricity supply: 100-240 V AC, 50-60 Hz, 20 W
- Output LED power supply
- 12V DC (CV)
- Output specification LED power supply
- SELV (Safety Extra Low Voltage)
- Class 2
- Ceiling module power supply
- 12V DC (CV)
- Supply pipe 7 m

Activation:
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Standard article	**35 630 970** FF	FF	Euro
Concealed rough parts		**90**	9,146.90

35 311 970

Concealed wall installation box for towel warmer, 4-fold, without control element
- 4x dust cover
- 4x anti-water packing
- min. recess depth 70 mm
- max. recess depth 105 mm
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	35 311 970 FF	FF	Euro
Concealed rough parts		**90**	772.50

35 312 970

Concealed wall installation box for towel warmer, 4-fold, with control element
- 5 x dust covers
- 5 x pipe collars (water ingress protection)
- min. recess depth 70 mm
- max. recess depth 105 mm
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	35 312 970 FF	FF	Euro
Concealed rough parts		**90**	875.50

35 313 970

Concealed wall installation box for towel warmer, 6-fold, without control element
- 6 x dust covers
- 6 x pipe collars (water ingress protection)
- min. recess depth 70 mm
- max. recess depth 105 mm
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	35 313 970 FF	FF	Euro
Concealed rough parts		**90**	1,030.00

35 314 970

Concealed wall installation box for towel warmer, 6-fold, with control element
- 7 x dust covers
- 7 x pipe collars (water ingress protection)
- min. recess depth 70 mm
- max. recess depth 105 mm
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	35 314 970 FF	FF	Euro
Concealed rough parts		**90**	1,133.00

Concealed articles

35 750 970

AQUAHALO Concealed ceiling installation box
- concealed rough parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 14 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 9 l/min (at 3 bar)
- DIAMOND RAIN: Ring of rain, max. flow rate 6.8 l/min (at 3 bar)
- Ceiling installation enclosure 605 x 605 x 95 mm
- Weight: 10 kg
- min. recess depth 110 mm
- max. recess depth 150 mm
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Separate LED power supply
- Input LED power supply
- Input 100-240V AC 50-60Hz
- Output LED power supply
- 350mA (CC)
- Output specification LED power supply
- SELV (Safety Extra Low Voltage)
- Class 2
- Ceiling module power supply
- 350mA (CC)
- Supply pipe 7 m
- Spot lighting
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Technology: LED, not dimmable
- Provided by customer: Light switch

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Pre-assembly kit for three-way diverter included

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**35 750 970** FF	FF	Euro
Chrome		**-00**	5,424.40
Brushed Platinum		**-06**	5,424.40
Champagne (22kt Gold)		**-47**	5,424.40
Brushed Champagne (22kt Gold)		**-46**	5,424.40
Matte Black		**-33**	5,424.40

Required miscellaneous

AQUAHALO Rain panel

For details and miscellaneous, see page 664

	41 750 979 FF	FF	Euro
Chrome		**-00**	6,217.10
Brushed Platinum		**-06**	9,947.20
Champagne (22kt Gold)		**-47**	14,921.00
Brushed Champagne (22kt Gold)		**-46**	14,921.00
Matte Black		**-33**	8,393.00

35 770 970

SERENITY SKY Concealed ceiling installation box
- concealed rough parts
- flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White
- max. recess depth 590 mm
- min. recess depth 150 mm
- 2x female thread 1/2“ connections
- weight 15kg
- Recommended control element: xTool
- Not suitable for use in a steam room.

Standard article	**35 770 970** FF	FF	Euro
Concealed rough parts		**90**	2,145.00

35 771 970

SERENITY SKY Concealed ceiling installation box with light
- concealed rough parts
- flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White
- 2x female thread 1/2“ connections
- min. recess depth 150 mm
- max. recess depth 590 mm
- weight 15kg
- Separate LED power supply
- Input LED power supply
- Electricity supply: 100-240 V AC, 50-60 Hz, 20 W
- Output LED power supply
- 24V DC (CV)
- Output specification LED power supply
- SELV (Safety Extra Low Voltage)
- Class 2
- Ceiling module power supply
- 24V DC (CV)
- Supply pipe 7 m

Activation:
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Standard article	35 771 970 FF	FF	Euro
Concealed rough parts		**90**	2,860.00

35 780 970

SERENITY SKY+ Concealed ceiling installation box
- concealed rough parts
- flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White
- max. recess depth 590 mm
- min. recess depth 150 mm
- 5x 1/2” female connector
- weight 15kg
- Recommended control element: xTool
- Not suitable for use in a steam room.

Standard article	35 780 970 FF	FF	Euro
Concealed rough parts		**90**	2,860.00

35 781 970

SERENITY SKY+ Concealed ceiling installation box with light
- concealed rough parts
- 5x 1/2” female connector
- flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White
- min. recess depth 150 mm
- max. recess depth 590 mm
- weight 15kg
- Separate LED power supply
- Input LED power supply
- Electricity supply: 100-240 V AC, 50-60 Hz, 20 W
- Output LED power supply
- 24V DC (CV)
- Output specification LED power supply
- SELV (Safety Extra Low Voltage)
- Class 2
- Ceiling module power supply
- 24V DC (CV)
- Supply pipe 7 m

Activation:
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway

Environment:
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Standard article	35 781 970 FF	FF	Euro
Concealed rough parts		**90**	3,571.30

Concealed articles

Miscellaneous

12 880 970

Adapter for reversed water connections

for 35 860 970 90

Not suitable for combining with META PURE (36 86X 664-FF).

Standard article	**12 880 970** FF	FF	Euro
Accesories		**90**	223.20

12 869 970

Extension 20 mm
- up to 20 mm: 1 x 12 869 970 90
- 21 mm - 40 mm: 2 x 12 869 970 90

for 35 860 970 90

Not suitable for combining with META PURE (36 86X 664-FF).

Standard article	**12 869 970** FF	FF	Euro
Accesories		**90**	165.00

12 870 970

Extension 20 mm
- up to 20 mm: 1 x 12 870 970 90
- 21 mm - 40 mm: 2 x 12 870 970 90

for 35 860 970 90

Can only be combined with exposed trim parts 36 86X 664-FF.

Standard article	**12 870 970** FF	FF	Euro
Accesories		**90**	223.20

12 055 970 NEW

Extension 25 mm

for 35 050 970 90

Standard article	**12 055 970** FF	FF	Euro
Accesories		**90**	173.30

12 190 970

Extension 25 mm
- up to 25 mm: 1 x 12 190 970 90
- 26 mm - 50 mm: 2 x 12 190 970 90

for concealed single-lever shower and bath mixer 36 02X SSS-FF

Standard article	**12 190 970** FF	FF	Euro
Accesories		**90**	189.30

12 191 970

Extension 25 mm
- up to 25 mm: 1 x 12 191 970 90
- 26 mm - 50 mm: 2 x 12 191 970 90

for concealed single-lever shower and bath mixer 36 12X SSS-FF

Standard article	**12 191 970** FF	FF	Euro
Accesories		**90**	194.70

12 177 970

Extension 28 mm

for xTOOL thermostat modules 35 503 / 511 / 521 / 531 / 524 / 534 970 90

Standard article	**12 177 970** FF	FF	Euro
Accesories		**90**	64.20

12 178 970

Extension 46 mm

for xTOOL thermostat modules 35 503 / 511 / 521 / 531 / 524 / 534 970 90

Standard article	**12 178 970** FF	FF	Euro
Accesories		**90**	64.20

12 305 970

WATER POINTS Adapter plate
- width 135mm
- height 135 mm
- depth 33 mm

Adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.

Standard article	**12 305 970** FF	FF	Euro
Accesories		**90**	37.90

12 340 970

xGRID Attachment set for integrating in the dry wall construction
- width 135mm
- height 135 mm
- depth 33 mm
- variable across the range

More about integrating xGRID in the dry wall construction can be found in the Shower Book brochure

Standard article	12 340 970 FF	FF	Euro
Concealed rough parts		**90**	118.70

12 360 970

xGRID Installation track 555 mm
- width 555mm
- height 135 mm
- depth 12 mm
- retaining screws and plugs

More about the xGRID installation track can be found in the Shower Book brochure

Standard article	12 360 970 FF	FF	Euro
Concealed rough parts		**90**	117.80

12 370 970

xGRID Installation track set
- width 555mm
- height 135 mm
- depth 12 mm
- retaining screws and plugs

This set contains 2 xGrid installation tracks and includes fixing material

More about the xGRID installation track can be found in the Shower Book brochure

Standard article	12 370 970 FF	FF	Euro
Concealed rough parts		**90**	206.00

12 380 970

xGRID Installation track set
- width 555mm
- height 135 mm
- depth 12 mm
- retaining screws and plugs

This set contains 3 xGrid installation tracks and includes fixing material

More about the xGRID installation track can be found in the Shower Book brochure

Standard article	12 380 970 FF	FF	Euro
Concealed rough parts		**90**	294.60

Single-lever mixer

Sieger Design

LOT
from page 747

MEM
from page 706

META SQUARE
from page 708

TARA
from page 710

TARA ULTRA
from page 714

VAIA
from page 716

Single-lever mixer Sieger Design

Kitchen fittings

Single-lever mixer

236mm projection

33 800 680

201mm projection

33 800 682

241mm projection

33 815 682

200mm projection

33 800 861

235mm projection

33 815 861

201mm projection

33 800 888

Single-lever mixer

236mm projection

33 815 888

201mm projection

33 800 875

241mm projection

33 816 875

241mm projection

33 816 809

Two-hole mixer

235mm projection

32 815 680

241mm projection

32 815 682

Two-hole mixer

235mm projection

32 815 861

236mm projection

32 816 888

241mm projection

32 815 875

Single-hole mixer

235mm projection

22 815 892

Pivot

552mm projection

33 845 875

33 800 680

LOT **Single-lever mixer**
- **236mm projection**
- pivotable spout 360°
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.



Standard article	**33 800 680** FF	FF	Euro
Chrome		**-00**	1,516.10
Platinum		**-08**	2,425.70
Brushed Platinum		**-06**	2,425.70
Champagne (22kt Gold)		**-47**	3,638.60
Brushed Champagne (22kt Gold)		**-46**	3,638.60
Brushed Durabrass (23kt Gold)		**-28**	3,638.60
Brushed Bronze (PVD)		**-42**	2,425.70
Dark Chrome		**-19**	2,274.10
Brushed Dark Platinum		**-99**	2,274.10

Recommended miscellaneous
Dispenser with rosette

	82 439 970 FF	FF	Euro
Chrome		**-00**	358.80
Platinum		**-08**	562.70
Brushed Platinum		**-06**	562.70
Champagne (22kt Gold)		**-47**	861.10
Brushed Champagne (22kt Gold)		**-46**	861.10
Brushed Durabrass (23kt Gold)		**-28**	861.10
Brushed Bronze (PVD)		**-42**	573.90
Dark Chrome		**-19**	538.10
Brushed Dark Platinum		**-99**	645.90

32 815 680

LOT **Two-hole mixer with individual rosettes**
- **235mm projection**
- pivoting spout 360°
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Operating unit can be positioned freely.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.



Standard article	**32 815 680** FF	FF	Euro
Chrome		**-00**	1,868.60
Platinum		**-08**	2,989.80
Brushed Platinum		**-06**	2,989.80
Champagne (22kt Gold)		**-47**	4,484.60
Brushed Champagne (22kt Gold)		**-46**	4,484.60
Brushed Durabrass (23kt Gold)		**-28**	4,484.60
Brushed Bronze (PVD)		**-42**	2,989.80
Dark Chrome		**-19**	2,803.00
Brushed Dark Platinum		**-99**	2,803.00

Recommended miscellaneous
Dispenser with rosette

	82 439 970 FF	FF	Euro
Chrome		**-00**	358.80
Platinum		**-08**	562.70
Brushed Platinum		**-06**	562.70
Champagne (22kt Gold)		**-47**	861.10
Brushed Champagne (22kt Gold)		**-46**	861.10
Brushed Durabrass (23kt Gold)		**-28**	861.10
Brushed Bronze (PVD)		**-42**	573.90
Dark Chrome		**-19**	538.10
Brushed Dark Platinum		**-99**	645.90

Single-lever mixer

Sieger Design

33 800 682 **MEM**



Single-lever mixer
- **201 mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 6.3 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 800 682** FF	FF	Euro
Chrome		**-00**	1,078.10
Brushed Chrome		**-93**	1,401.60
Platinum		**-08**	1,725.20
Brushed Platinum		**-06**	1,725.20
Champagne (22kt Gold)		**-47**	2,587.40
Brushed Champagne (22kt Gold)		**-46**	2,587.40
Brushed Durabrass (23kt Gold)		**-28**	2,587.40
Brushed Bronze (PVD)		**-42**	1,725.00
Dark Chrome		**-19**	1,617.30
Brushed Dark Platinum		**-99**	1,617.30
Matte Black		**-33**	1,455.60

Recommended miscellaneous
Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome		**-00**	203.00
Brushed Chrome		**-93**	263.90
Platinum		**-08**	324.70
Brushed Platinum		**-06**	324.70
Champagne (22kt Gold)		**-47**	487.20
Brushed Champagne (22kt Gold)		**-46**	487.20
Brushed Durabrass (23kt Gold)		**-28**	487.20
Brushed Bronze (PVD)		**-42**	324.80
Dark Chrome		**-19**	304.40
Brushed Dark Platinum		**-99**	304.30
Matte Black		**-33**	274.20

Recommended miscellaneous
Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome		**-00**	287.90
Brushed Chrome		**-93**	374.30
Platinum		**-08**	460.60
Brushed Platinum		**-06**	460.60
Champagne (22kt Gold)		**-47**	691.00
Brushed Champagne (22kt Gold)		**-46**	691.00
Brushed Durabrass (23kt Gold)		**-28**	691.00
Brushed Bronze (PVD)		**-42**	460.70
Dark Chrome		**-19**	432.00
Brushed Dark Platinum		**-99**	518.20
Matte Black		**-33**	388.60

33 815 682 **MEM**



Single-lever mixer
- **241 mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 6.3 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 815 682** FF	FF	Euro
Chrome		**-00**	1,101.00
Brushed Chrome		**-93**	1,431.40
Platinum		**-08**	1,761.70
Brushed Platinum		**-06**	1,761.70
Champagne (22kt Gold)		**-47**	2,642.40
Brushed Champagne (22kt Gold)		**-46**	2,642.40
Brushed Durabrass (23kt Gold)		**-28**	2,642.40
Brushed Bronze (PVD)		**-42**	1,761.80
Dark Chrome		**-19**	1,651.50
Brushed Dark Platinum		**-99**	1,651.50
Matte Black		**-33**	1,486.30

Recommended miscellaneous
Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome		**-00**	203.00
Brushed Chrome		**-93**	263.90
Platinum		**-08**	324.70
Brushed Platinum		**-06**	324.70
Champagne (22kt Gold)		**-47**	487.20
Brushed Champagne (22kt Gold)		**-46**	487.20
Brushed Durabrass (23kt Gold)		**-28**	487.20
Brushed Bronze (PVD)		**-42**	324.80
Dark Chrome		**-19**	304.40
Brushed Dark Platinum		**-99**	304.30
Matte Black		**-33**	274.20

Recommended miscellaneous
Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome		**-00**	287.90
Brushed Chrome		**-93**	374.30
Platinum		**-08**	460.60
Brushed Platinum		**-06**	460.60
Champagne (22kt Gold)		**-47**	691.00
Brushed Champagne (22kt Gold)		**-46**	691.00
Brushed Durabrass (23kt Gold)		**-28**	691.00
Brushed Bronze (PVD)		**-42**	460.70
Dark Chrome		**-19**	432.00
Brushed Dark Platinum		**-99**	518.20
Matte Black		**-33**	388.60

32 815 682



MEM **Two-hole mixer with individual rosettes**

- **241mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 6.3 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Operating unit can be positioned freely.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **32 815 682** FF	FF	Euro
Chrome	**-00**	1,419.80
Brushed Chrome	**-93**	1,845.80
Platinum	**-08**	2,271.80
Brushed Platinum	**-06**	2,271.80
Champagne (22kt Gold)	**-47**	3,407.50
Brushed Champagne (22kt Gold)	**-46**	3,407.50
Brushed Durabrass (23kt Gold)	**-28**	3,407.50
Brushed Bronze (PVD)	**-42**	2,271.70
Dark Chrome	**-19**	2,129.80
Brushed Dark Platinum	**-99**	2,129.80
Matte Black	**-33**	1,916.90

Recommended miscellaneous

Strainer waste with control handle

10 710 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Champagne (22kt Gold)	**-47**	487.20
Brushed Champagne (22kt Gold)	**-46**	487.20
Brushed Durabrass (23kt Gold)	**-28**	487.20
Brushed Bronze (PVD)	**-42**	324.80
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30
Matte Black	**-33**	274.20

Recommended miscellaneous

Dispenser with rosette

82 444 970 FF	FF	Euro
Chrome	**-00**	313.60
Brushed Chrome	**-93**	407.70
Platinum	**-08**	501.80
Brushed Platinum	**-06**	501.80
Champagne (22kt Gold)	**-47**	752.60
Brushed Champagne (22kt Gold)	**-46**	752.60
Brushed Durabrass (23kt Gold)	**-28**	752.60
Brushed Bronze (PVD)	**-42**	501.80
Dark Chrome	**-19**	470.50
Brushed Dark Platinum	**-99**	470.50
Matte Black	**-33**	423.40

Single-lever mixer

Sieger Design

33 800 861 **META SQUARE**



Single-lever mixer

- **200mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 800 861** FF	FF	Euro
Chrome		**-00**	807.30
Brushed Chrome		**-93**	1,049.60
Platinum		**-08**	1,291.70
Brushed Platinum		**-06**	1,291.70
Champagne (22kt Gold)		**-47**	1,937.50
Brushed Champagne (22kt Gold)		**-46**	1,937.50
Brushed Durabrass (23kt Gold)		**-28**	1,937.50
Brushed Dark Brass (PVD)		**-39**	1,291.70
Brushed Bronze (PVD)		**-42**	1,291.70
Brushed Dark Bronze (PVD)		**-43**	1,453.10
Dark Chrome		**-19**	1,211.20
Brushed Dark Platinum		**-99**	1,211.20
Matte Black		**-33**	1,090.00

Recommended miscellaneous

Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome		**-00**	203.00
Brushed Chrome		**-93**	263.90
Platinum		**-08**	324.70
Brushed Platinum		**-06**	324.70
Champagne (22kt Gold)		**-47**	487.20
Brushed Champagne (22kt Gold)		**-46**	487.20
Brushed Durabrass (23kt Gold)		**-28**	487.20
Brushed Dark Brass (PVD)		**-39**	324.80
Brushed Bronze (PVD)		**-42**	324.80
Brushed Dark Bronze (PVD)		**-43**	365.40
Dark Chrome		**-19**	304.40
Brushed Dark Platinum		**-99**	304.30
Matte Black		**-33**	274.20

Recommended miscellaneous

Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome		**-00**	287.90
Brushed Chrome		**-93**	374.30
Platinum		**-08**	460.60
Brushed Platinum		**-06**	460.60
Champagne (22kt Gold)		**-47**	691.00
Brushed Champagne (22kt Gold)		**-46**	691.00
Brushed Durabrass (23kt Gold)		**-28**	691.00
Brushed Dark Brass (PVD)		**-39**	460.60
Brushed Bronze (PVD)		**-42**	460.70
Brushed Dark Bronze (PVD)		**-43**	518.20
Dark Chrome		**-19**	432.00
Brushed Dark Platinum		**-99**	518.20
Matte Black		**-33**	388.60

33 815 861 **META SQUARE**



Single-lever mixer

- **235mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**33 815 861** FF	FF	Euro
Chrome		**-00**	833.80
Brushed Chrome		**-93**	1,084.10
Platinum		**-08**	1,334.10
Brushed Platinum		**-06**	1,334.10
Champagne (22kt Gold)		**-47**	2,001.10
Brushed Champagne (22kt Gold)		**-46**	2,001.10
Brushed Durabrass (23kt Gold)		**-28**	2,001.10
Brushed Dark Brass (PVD)		**-39**	1,334.10
Brushed Bronze (PVD)		**-42**	1,334.10
Brushed Dark Bronze (PVD)		**-43**	1,500.80
Dark Chrome		**-19**	1,250.90
Brushed Dark Platinum		**-99**	1,250.90
Matte Black		**-33**	1,125.70

Recommended miscellaneous

Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome		**-00**	203.00
Brushed Chrome		**-93**	263.90
Platinum		**-08**	324.70
Brushed Platinum		**-06**	324.70
Champagne (22kt Gold)		**-47**	487.20
Brushed Champagne (22kt Gold)		**-46**	487.20
Brushed Durabrass (23kt Gold)		**-28**	487.20
Brushed Dark Brass (PVD)		**-39**	324.80
Brushed Bronze (PVD)		**-42**	324.80
Brushed Dark Bronze (PVD)		**-43**	365.40
Dark Chrome		**-19**	304.40
Brushed Dark Platinum		**-99**	304.30
Matte Black		**-33**	274.20

Recommended miscellaneous

Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome		**-00**	287.90
Brushed Chrome		**-93**	374.30
Platinum		**-08**	460.60
Brushed Platinum		**-06**	460.60
Champagne (22kt Gold)		**-47**	691.00
Brushed Champagne (22kt Gold)		**-46**	691.00
Brushed Durabrass (23kt Gold)		**-28**	691.00
Brushed Dark Brass (PVD)		**-39**	460.60
Brushed Bronze (PVD)		**-42**	460.70
Brushed Dark Bronze (PVD)		**-43**	518.20
Dark Chrome		**-19**	432.00
Brushed Dark Platinum		**-99**	518.20
Matte Black		**-33**	388.60

32 815 861 **META SQUARE**



Two-hole mixer with individual rosettes
- **235mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- lead-free
- WRAS

Operating unit can be positioned freely.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **32 815 861** FF	FF	Euro
Chrome	**-00**	1,030.40
Brushed Chrome	**-93**	1,339.50
Platinum	**-08**	1,648.50
Brushed Platinum	**-06**	1,648.50
Champagne (22kt Gold)	**-47**	2,473.00
Brushed Champagne (22kt Gold)	**-46**	2,473.00
Brushed Durabrass (23kt Gold)	**-28**	2,473.00
Brushed Dark Brass (PVD)	**-39**	1,648.60
Brushed Bronze (PVD)	**-42**	1,648.50
Brushed Dark Bronze (PVD)	**-43**	1,854.70
Dark Chrome	**-19**	1,545.50
Brushed Dark Platinum	**-99**	1,545.50
Matte Black	**-33**	1,390.90

Recommended miscellaneous
Strainer waste with control handle

10 710 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Champagne (22kt Gold)	**-47**	487.20
Brushed Champagne (22kt Gold)	**-46**	487.20
Brushed Durabrass (23kt Gold)	**-28**	487.20
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30
Matte Black	**-33**	274.20

Recommended miscellaneous
Dispenser with rosette

82 444 970 FF	FF	Euro
Chrome	**-00**	313.60
Brushed Chrome	**-93**	407.70
Platinum	**-08**	501.80
Brushed Platinum	**-06**	501.80
Champagne (22kt Gold)	**-47**	752.60
Brushed Champagne (22kt Gold)	**-46**	752.60
Brushed Durabrass (23kt Gold)	**-28**	752.60
Brushed Dark Brass (PVD)	**-39**	501.80
Brushed Bronze (PVD)	**-42**	501.80
Brushed Dark Bronze (PVD)	**-43**	564.50
Dark Chrome	**-19**	470.50
Brushed Dark Platinum	**-99**	470.50
Matte Black	**-33**	423.40

Single-lever mixer

Sieger Design

33 800 888 **TARA**



Single-lever mixer

- **201 mm projection**
- pivotable spout 360°
- air-enriched flow
- max. flow 7 l/min at 3 bar flow pressure
- lead-free
- WRAS
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **33 800 888** FF	FF	Euro
Chrome	**-00**	860.90
Brushed Chrome	**-93**	1,119.10
Platinum	**-08**	1,377.50
Brushed Platinum	**-06**	1,377.50
Champagne (22kt Gold)	**-47**	2,066.20
Brushed Champagne (22kt Gold)	**-46**	2,066.20
Durabrass (23kt Gold)	**-09**	2,066.20
Brushed Durabrass (23kt Gold)	**-28**	2,066.20
Brushed Dark Brass (PVD)	**-39**	1,377.40
Brushed Bronze (PVD)	**-42**	1,377.40
Brushed Dark Bronze (PVD)	**-43**	1,549.60
Dark Chrome	**-19**	1,291.30
Brushed Dark Platinum	**-99**	1,291.50
Matte Black	**-33**	1,162.20

Recommended miscellaneous

Strainer waste with control handle

10 710 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Champagne (22kt Gold)	**-47**	487.20
Brushed Champagne (22kt Gold)	**-46**	487.20
Durabrass (23kt Gold)	**-09**	487.20
Brushed Durabrass (23kt Gold)	**-28**	487.20
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30
Matte Black	**-33**	274.20

Recommended miscellaneous

Dispenser with rosette

82 444 970 FF	FF	Euro
Chrome	**-00**	313.60
Brushed Chrome	**-93**	407.70
Platinum	**-08**	501.80
Brushed Platinum	**-06**	501.80
Champagne (22kt Gold)	**-47**	752.60
Brushed Champagne (22kt Gold)	**-46**	752.60
Durabrass (23kt Gold)	**-09**	752.60
Brushed Durabrass (23kt Gold)	**-28**	752.60
Brushed Dark Brass (PVD)	**-39**	501.80
Brushed Bronze (PVD)	**-42**	501.80
Brushed Dark Bronze (PVD)	**-43**	564.50
Dark Chrome	**-19**	470.50
Brushed Dark Platinum	**-99**	470.50
Matte Black	**-33**	423.40

33 815 888



TARA **Single-lever mixer**

- **236mm projection**
- pivotable spout 360°
- air-enriched flow
- max. flow 7 l/min at 3 bar flow pressure
- lead-free
- WRAS
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **33 815 888** FF	FF	Euro
Chrome	**-00**	911.50
Brushed Chrome	**-93**	1,185.00
Platinum	**-08**	1,458.50
Brushed Platinum	**-06**	1,458.50
Champagne (22kt Gold)	**-47**	2,187.60
Brushed Champagne (22kt Gold)	**-46**	2,187.60
Durabrass (23kt Gold)	**-09**	2,187.60
Brushed Durabrass (23kt Gold)	**-28**	2,187.60
Brushed Dark Brass (PVD)	**-39**	1,458.40
Brushed Bronze (PVD)	**-42**	1,458.50
Brushed Dark Bronze (PVD)	**-43**	1,640.70
Dark Chrome	**-19**	1,367.30
Brushed Dark Platinum	**-99**	1,367.40
Matte Black	**-33**	1,230.50

Recommended miscellaneous

Strainer waste with control handle

10 710 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Champagne (22kt Gold)	**-47**	487.20
Brushed Champagne (22kt Gold)	**-46**	487.20
Durabrass (23kt Gold)	**-09**	487.20
Brushed Durabrass (23kt Gold)	**-28**	487.20
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30
Matte Black	**-33**	274.20

Recommended miscellaneous

Dispenser with rosette

82 444 970 FF	FF	Euro
Chrome	**-00**	313.60
Brushed Chrome	**-93**	407.70
Platinum	**-08**	501.80
Brushed Platinum	**-06**	501.80
Champagne (22kt Gold)	**-47**	752.60
Brushed Champagne (22kt Gold)	**-46**	752.60
Durabrass (23kt Gold)	**-09**	752.60
Brushed Durabrass (23kt Gold)	**-28**	752.60
Brushed Dark Brass (PVD)	**-39**	501.80
Brushed Bronze (PVD)	**-42**	501.80
Brushed Dark Bronze (PVD)	**-43**	564.50
Dark Chrome	**-19**	470.50
Brushed Dark Platinum	**-99**	470.50
Matte Black	**-33**	423.40

Single-lever mixer

Sieger Design

32 816 888

TARA **Two-hole mixer with individual rosettes**

- **236mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 8.3 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Operating unit can be positioned freely.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.



Standard article **32 816 888** FF	FF	Euro
Chrome	**-00**	1,127.20
Brushed Chrome	**-93**	1,465.30
Platinum	**-08**	1,803.40
Brushed Platinum	**-06**	1,803.40
Champagne (22kt Gold)	**-47**	2,705.30
Brushed Champagne (22kt Gold)	**-46**	2,705.30
Durabrass (23kt Gold)	**-09**	2,705.30
Brushed Durabrass (23kt Gold)	**-28**	2,705.30
Brushed Dark Brass (PVD)	**-39**	1,803.50
Brushed Bronze (PVD)	**-42**	1,803.40
Brushed Dark Bronze (PVD)	**-43**	2,029.00
Dark Chrome	**-19**	1,690.70
Brushed Dark Platinum	**-99**	1,690.70
Matte Black	**-33**	1,521.70

Recommended miscellaneous

Strainer waste with control handle

10 710 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Champagne (22kt Gold)	**-47**	487.20
Brushed Champagne (22kt Gold)	**-46**	487.20
Durabrass (23kt Gold)	**-09**	487.20
Brushed Durabrass (23kt Gold)	**-28**	487.20
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30
Matte Black	**-33**	274.20

Recommended miscellaneous

Dispenser with rosette

82 444 970 FF	FF	Euro
Chrome	**-00**	313.60
Brushed Chrome	**-93**	407.70
Platinum	**-08**	501.80
Brushed Platinum	**-06**	501.80
Champagne (22kt Gold)	**-47**	752.60
Brushed Champagne (22kt Gold)	**-46**	752.60
Durabrass (23kt Gold)	**-09**	752.60
Brushed Durabrass (23kt Gold)	**-28**	752.60
Brushed Dark Brass (PVD)	**-39**	501.80
Brushed Bronze (PVD)	**-42**	501.80
Brushed Dark Bronze (PVD)	**-43**	564.50
Dark Chrome	**-19**	470.50
Brushed Dark Platinum	**-99**	470.50
Matte Black	**-33**	423.40

22 815 892



TARA **Single-hole mixer**

- **235mm projection**
- pivotable spout 360°
- air-enriched flow
- max. flow 7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **22 815 892** FF	FF	Euro
Chrome	**-00**	640.20
Brushed Chrome	**-93**	832.20
Platinum	**-08**	1,024.30
Brushed Platinum	**-06**	1,024.30
Champagne (22kt Gold)	**-47**	1,536.50
Brushed Champagne (22kt Gold)	**-46**	1,536.50
Durabrass (23kt Gold)	**-09**	1,536.50
Brushed Durabrass (23kt Gold)	**-28**	1,536.50
Brushed Dark Brass (PVD)	**-39**	1,024.30
Brushed Bronze (PVD)	**-42**	1,024.20
Brushed Dark Bronze (PVD)	**-43**	1,152.40
Dark Chrome	**-19**	960.20
Brushed Dark Platinum	**-99**	960.20
Matte Black	**-33**	864.30

Recommended miscellaneous

Strainer waste with control handle

10 710 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Champagne (22kt Gold)	**-47**	487.20
Brushed Champagne (22kt Gold)	**-46**	487.20
Durabrass (23kt Gold)	**-09**	487.20
Brushed Durabrass (23kt Gold)	**-28**	487.20
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30
Matte Black	**-33**	274.20

Recommended miscellaneous

Dispenser with rosette

82 444 970 FF	FF	Euro
Chrome	**-00**	313.60
Brushed Chrome	**-93**	407.70
Platinum	**-08**	501.80
Brushed Platinum	**-06**	501.80
Champagne (22kt Gold)	**-47**	752.60
Brushed Champagne (22kt Gold)	**-46**	752.60
Durabrass (23kt Gold)	**-09**	752.60
Brushed Durabrass (23kt Gold)	**-28**	752.60
Brushed Dark Brass (PVD)	**-39**	501.80
Brushed Bronze (PVD)	**-42**	501.80
Brushed Dark Bronze (PVD)	**-43**	564.50
Dark Chrome	**-19**	470.50
Brushed Dark Platinum	**-99**	470.50
Matte Black	**-33**	423.40

Single-lever mixer

Sieger Design

33 800 875 **TARA ULTRA**

Single-lever mixer
- **201mm projection**
- pivotable spout 360°
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.



Standard article	**33 800 875** FF	FF	Euro
Chrome		**-00**	747.90
Brushed Chrome		**-93**	972.30
Platinum		**-08**	1,196.90
Brushed Platinum		**-06**	1,196.90
Champagne (22kt Gold)		**-47**	1,795.00
Brushed Champagne (22kt Gold)		**-46**	1,795.00
Brushed Durabrass (23kt Gold)		**-28**	1,795.00
Brushed Dark Brass (PVD)		**-39**	1,196.60
Brushed Bronze (PVD)		**-42**	1,196.80
Brushed Dark Bronze (PVD)		**-43**	1,346.20
Dark Chrome		**-19**	1,121.80
Brushed Dark Platinum		**-99**	1,121.80
Matte Black		**-33**	1,009.70

Recommended miscellaneous
Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome		**-00**	203.00
Brushed Chrome		**-93**	263.90
Platinum		**-08**	324.70
Brushed Platinum		**-06**	324.70
Champagne (22kt Gold)		**-47**	487.20
Brushed Champagne (22kt Gold)		**-46**	487.20
Brushed Durabrass (23kt Gold)		**-28**	487.20
Brushed Dark Brass (PVD)		**-39**	324.80
Brushed Bronze (PVD)		**-42**	324.80
Brushed Dark Bronze (PVD)		**-43**	365.40
Dark Chrome		**-19**	304.40
Brushed Dark Platinum		**-99**	304.30
Matte Black		**-33**	274.20

Recommended miscellaneous
Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome		**-00**	287.90
Brushed Chrome		**-93**	374.30
Platinum		**-08**	460.60
Brushed Platinum		**-06**	460.60
Champagne (22kt Gold)		**-47**	691.00
Brushed Champagne (22kt Gold)		**-46**	691.00
Brushed Durabrass (23kt Gold)		**-28**	691.00
Brushed Dark Brass (PVD)		**-39**	460.60
Brushed Bronze (PVD)		**-42**	460.70
Brushed Dark Bronze (PVD)		**-43**	518.20
Dark Chrome		**-19**	432.00
Brushed Dark Platinum		**-99**	518.20
Matte Black		**-33**	388.60

33 816 875 **TARA ULTRA**

Single-lever mixer
- **241mm projection**
- pivotable spout 360°
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.



Standard article	**33 816 875** FF	FF	Euro
Chrome		**-00**	767.60
Brushed Chrome		**-93**	997.80
Platinum		**-08**	1,228.10
Brushed Platinum		**-06**	1,228.10
Champagne (22kt Gold)		**-47**	1,842.20
Brushed Champagne (22kt Gold)		**-46**	1,842.20
Brushed Durabrass (23kt Gold)		**-28**	1,842.20
Brushed Dark Brass (PVD)		**-39**	1,228.20
Brushed Bronze (PVD)		**-42**	1,228.10
Brushed Dark Bronze (PVD)		**-43**	1,381.70
Dark Chrome		**-19**	1,151.30
Brushed Dark Platinum		**-99**	1,151.30
Matte Black		**-33**	1,036.40

Recommended miscellaneous
Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome		**-00**	203.00
Brushed Chrome		**-93**	263.90
Platinum		**-08**	324.70
Brushed Platinum		**-06**	324.70
Champagne (22kt Gold)		**-47**	487.20
Brushed Champagne (22kt Gold)		**-46**	487.20
Brushed Durabrass (23kt Gold)		**-28**	487.20
Brushed Dark Brass (PVD)		**-39**	324.80
Brushed Bronze (PVD)		**-42**	324.80
Brushed Dark Bronze (PVD)		**-43**	365.40
Dark Chrome		**-19**	304.40
Brushed Dark Platinum		**-99**	304.30
Matte Black		**-33**	274.20

Recommended miscellaneous
Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome		**-00**	287.90
Brushed Chrome		**-93**	374.30
Platinum		**-08**	460.60
Brushed Platinum		**-06**	460.60
Champagne (22kt Gold)		**-47**	691.00
Brushed Champagne (22kt Gold)		**-46**	691.00
Brushed Durabrass (23kt Gold)		**-28**	691.00
Brushed Dark Brass (PVD)		**-39**	460.60
Brushed Bronze (PVD)		**-42**	460.70
Brushed Dark Bronze (PVD)		**-43**	518.20
Dark Chrome		**-19**	432.00
Brushed Dark Platinum		**-99**	518.20
Matte Black		**-33**	388.60

32 815 875 **TARA ULTRA** **Two-hole mixer with individual rosettes**

- **241mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Operating unit can be positioned freely.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.



Standard article	**32 815 875** FF	FF	Euro
Chrome		**-00**	1,006.60
Brushed Chrome		**-93**	1,308.60
Platinum		**-08**	1,610.60
Brushed Platinum		**-06**	1,610.60
Champagne (22kt Gold)		**-47**	2,415.80
Brushed Champagne (22kt Gold)		**-46**	2,415.80
Brushed Durabrass (23kt Gold)		**-28**	2,415.80
Brushed Dark Brass (PVD)		**-39**	1,610.60
Brushed Bronze (PVD)		**-42**	1,610.70
Brushed Dark Bronze (PVD)		**-43**	1,811.90
Dark Chrome		**-19**	1,510.00
Brushed Dark Platinum		**-99**	1,510.00
Matte Black		**-33**	1,358.90

Recommended miscellaneous
Strainer waste with control handle

10 710 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Champagne (22kt Gold)	**-47**	487.20
Brushed Champagne (22kt Gold)	**-46**	487.20
Brushed Durabrass (23kt Gold)	**-28**	487.20
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30
Matte Black	**-33**	274.20

Recommended miscellaneous
Dispenser with rosette

82 444 970 FF	FF	Euro
Chrome	**-00**	313.60
Brushed Chrome	**-93**	407.70
Platinum	**-08**	501.80
Brushed Platinum	**-06**	501.80
Champagne (22kt Gold)	**-47**	752.60
Brushed Champagne (22kt Gold)	**-46**	752.60
Brushed Durabrass (23kt Gold)	**-28**	752.60
Brushed Dark Brass (PVD)	**-39**	501.80
Brushed Bronze (PVD)	**-42**	501.80
Brushed Dark Bronze (PVD)	**-43**	564.50
Dark Chrome	**-19**	470.50
Brushed Dark Platinum	**-99**	470.50
Matte Black	**-33**	423.40

33 845 875 **TARA ULTRA** **PIVOT Single-lever mixer**

- **552mm projection**
- pivotable spout 360°
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.



Standard article	**33 845 875** FF	FF	Euro
Chrome		**-00**	1,449.30
Brushed Chrome		**-93**	1,884.10
Platinum		**-08**	2,318.80
Brushed Platinum		**-06**	2,318.80
Champagne (22kt Gold)		**-47**	3,478.30
Brushed Champagne (22kt Gold)		**-46**	3,478.30
Brushed Durabrass (23kt Gold)		**-28**	3,478.30
Brushed Dark Brass (PVD)		**-39**	2,318.90
Brushed Bronze (PVD)		**-42**	2,318.90
Brushed Dark Bronze (PVD)		**-43**	2,608.70
Dark Chrome		**-19**	2,173.90
Brushed Dark Platinum		**-99**	2,174.00

Recommended miscellaneous
Strainer waste with control handle

10 710 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Champagne (22kt Gold)	**-47**	487.20
Brushed Champagne (22kt Gold)	**-46**	487.20
Brushed Durabrass (23kt Gold)	**-28**	487.20
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30

Recommended miscellaneous
Dispenser with rosette

82 444 970 FF	FF	Euro
Chrome	**-00**	313.60
Brushed Chrome	**-93**	407.70
Platinum	**-08**	501.80
Brushed Platinum	**-06**	501.80
Champagne (22kt Gold)	**-47**	752.60
Brushed Champagne (22kt Gold)	**-46**	752.60
Brushed Durabrass (23kt Gold)	**-28**	752.60
Brushed Dark Brass (PVD)	**-39**	501.80
Brushed Bronze (PVD)	**-42**	501.80
Brushed Dark Bronze (PVD)	**-43**	564.50
Dark Chrome	**-19**	470.50
Brushed Dark Platinum	**-99**	470.50

Single-lever mixer

Sieger Design

33 816 809



VAIA **Single-lever mixer**

- **241mm projection**
- pivotable spout 360°
- air-enriched flow
- max. flow 7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **33 816 809** FF	FF	Euro
Chrome	**-00**	948.60
Brushed Chrome	**-93**	1,233.20
Platinum	**-08**	1,517.70
Brushed Platinum	**-06**	1,517.70
Champagne (22kt Gold)	**-47**	2,276.60
Brushed Champagne (22kt Gold)	**-46**	2,276.60
Durabrass (23kt Gold)	**-09**	2,276.60
Brushed Durabrass (23kt Gold)	**-28**	2,276.60
Brushed Dark Brass (PVD)	**-39**	1,517.80
Brushed Bronze (PVD)	**-42**	1,517.80
Brushed Dark Bronze (PVD)	**-43**	1,707.50
Dark Chrome	**-19**	1,423.00
Brushed Dark Platinum	**-99**	1,423.00
Matte Black	**-33**	1,280.60

Recommended miscellaneous

Dispenser with rosette

82 434 809 FF	FF	Euro
Chrome	**-00**	323.90
Brushed Chrome	**-93**	421.10
Platinum	**-08**	518.30
Brushed Platinum	**-06**	518.30
Champagne (22kt Gold)	**-47**	777.40
Brushed Champagne (22kt Gold)	**-46**	777.40
Durabrass (23kt Gold)	**-09**	777.40
Brushed Durabrass (23kt Gold)	**-28**	777.40
Brushed Dark Brass (PVD)	**-39**	518.20
Brushed Bronze (PVD)	**-42**	518.30
Brushed Dark Bronze (PVD)	**-43**	583.00
Dark Chrome	**-19**	485.80
Brushed Dark Platinum	**-99**	485.80
Matte Black	**-33**	437.20

Single-lever mixer Pull-down/Pull-out

Sieger Design

ELIO
from page 761

META SQUARE
from page 720

SYNC
from page 763

TARA
from page 765

TARA ULTRA
from page 724

VAIA
from page 767

Single-lever mixer Pull-down/Pull-out Sieger Design

Kitchen fittings

Pull-out single-lever mixer

235mm projection

33 840 790

Pull-out single-lever mixer with spray function

219mm projection

33 871 790

Pull-down single-lever mixer with spray function

240mm projection

33 870 861

240mm projection

33 870 895

240mm projection

33 875 895

240mm projection

33 870 888

Pull-down single-lever mixer with spray function

240mm projection

33 870 875

240mm projection

33 870 809

33 840 790 **ELIO** **Single-lever mixer Pull-out**

- **235mm projection**
- pivotable spout 360°
- air-enriched flow
- fabric braided hose 1500 mm
- max. flow 8.8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.



Standard article	**33 840 790** FF	FF	Euro
Chrome		**-00**	876.20
Brushed Chrome		**-93**	1,139.10
Platinum		**-08**	1,402.20
Brushed Platinum		**-06**	1,402.20
Champagne (22kt Gold)		**-47**	2,102.90
Brushed Champagne (22kt Gold)		**-46**	2,102.90
Brushed Durabrass (23kt Gold)		**-28**	2,102.90
Brushed Dark Brass (PVD)		**-39**	1,401.90
Brushed Bronze (PVD)		**-42**	1,402.00
Brushed Dark Bronze (PVD)		**-43**	1,577.20
Dark Chrome		**-19**	1,314.40
Brushed Dark Platinum		**-99**	1,314.60

Recommended miscellaneous
Strainer waste with control handle

10 712 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Champagne (22kt Gold)	**-47**	487.20
Brushed Champagne (22kt Gold)	**-46**	487.20
Brushed Durabrass (23kt Gold)	**-28**	487.20
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30

Recommended miscellaneous
Dispenser without rosette

82 424 970 FF	FF	Euro
Chrome	**-00**	287.90
Brushed Chrome	**-93**	374.30
Platinum	**-08**	460.60
Brushed Platinum	**-06**	460.60
Champagne (22kt Gold)	**-47**	691.00
Brushed Champagne (22kt Gold)	**-46**	691.00
Brushed Durabrass (23kt Gold)	**-28**	691.00
Brushed Dark Brass (PVD)	**-39**	460.60
Brushed Bronze (PVD)	**-42**	460.70
Brushed Dark Bronze (PVD)	**-43**	518.20
Dark Chrome	**-19**	432.00
Brushed Dark Platinum	**-99**	518.20

33 871 790 **ELIO** **Single-lever mixer Pull-out with spray function**

- **219mm projection**
- pivoting spout 360°
- air-enriched flow and spray flow
- fabric braided hose 1500 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.



Standard article	**33 871 790** FF	FF	Euro
Chrome		**-00**	921.90
Brushed Chrome		**-93**	1,198.40
Platinum		**-08**	1,474.90
Brushed Platinum		**-06**	1,474.90
Champagne (22kt Gold)		**-47**	2,212.60
Brushed Champagne (22kt Gold)		**-46**	2,212.60
Brushed Durabrass (23kt Gold)		**-28**	2,212.60
Brushed Dark Brass (PVD)		**-39**	1,475.00
Brushed Bronze (PVD)		**-42**	1,474.90
Brushed Dark Bronze (PVD)		**-43**	1,659.40
Dark Chrome		**-19**	1,382.90
Brushed Dark Platinum		**-99**	1,382.90

Recommended miscellaneous
Strainer waste with control handle

10 712 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Champagne (22kt Gold)	**-47**	487.20
Brushed Champagne (22kt Gold)	**-46**	487.20
Brushed Durabrass (23kt Gold)	**-28**	487.20
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30

Recommended miscellaneous
Dispenser without rosette

82 424 970 FF	FF	Euro
Chrome	**-00**	287.90
Brushed Chrome	**-93**	374.30
Platinum	**-08**	460.60
Brushed Platinum	**-06**	460.60
Champagne (22kt Gold)	**-47**	691.00
Brushed Champagne (22kt Gold)	**-46**	691.00
Brushed Durabrass (23kt Gold)	**-28**	691.00
Brushed Dark Brass (PVD)	**-39**	460.60
Brushed Bronze (PVD)	**-42**	460.70
Brushed Dark Bronze (PVD)	**-43**	518.20
Dark Chrome	**-19**	432.00
Brushed Dark Platinum	**-99**	518.20

Single-lever mixer Pull-down/Pull-out Sieger Design

33 870 861 **META SQUARE**



Single-lever mixer Pull-down with spray function

- **240mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 823 970 90
- laminar and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **33 870 861** FF	FF	Euro
Chrome	**-00**	969.60
Brushed Chrome	**-93**	1,260.50
Platinum	**-08**	1,551.20
Brushed Platinum	**-06**	1,551.20
Champagne (22kt Gold)	**-47**	2,327.00
Brushed Champagne (22kt Gold)	**-46**	2,327.00
Brushed Durabrass (23kt Gold)	**-28**	2,327.00
Brushed Dark Brass (PVD)	**-39**	1,551.40
Brushed Bronze (PVD)	**-42**	1,551.30
Brushed Dark Bronze (PVD)	**-43**	1,745.30
Dark Chrome	**-19**	1,454.40
Brushed Dark Platinum	**-99**	1,454.40
Matte Black	**-33**	1,308.80

Recommended miscellaneous

Strainer waste with control handle

10 712 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Champagne (22kt Gold)	**-47**	487.20
Brushed Champagne (22kt Gold)	**-46**	487.20
Brushed Durabrass (23kt Gold)	**-28**	487.20
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30
Matte Black	**-33**	274.20

Recommended miscellaneous

Dispenser without rosette

82 424 970 FF	FF	Euro
Chrome	**-00**	287.90
Brushed Chrome	**-93**	374.30
Platinum	**-08**	460.60
Brushed Platinum	**-06**	460.60
Champagne (22kt Gold)	**-47**	691.00
Brushed Champagne (22kt Gold)	**-46**	691.00
Brushed Durabrass (23kt Gold)	**-28**	691.00
Brushed Dark Brass (PVD)	**-39**	460.60
Brushed Bronze (PVD)	**-42**	460.70
Brushed Dark Bronze (PVD)	**-43**	518.20
Dark Chrome	**-19**	432.00
Brushed Dark Platinum	**-99**	518.20
Matte Black	**-33**	388.60

33 870 895 **SYNC** **Single-lever mixer Pull-down with spray function**

- **240mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- laminar and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.



Standard article	**33 870 895** FF	FF	Euro
Chrome		**-00**	1,018.80
Brushed Chrome		**-93**	1,324.40
Platinum		**-08**	1,629.70
Brushed Platinum		**-06**	1,629.70
Champagne (22kt Gold)		**-47**	2,445.10
Brushed Champagne (22kt Gold)		**-46**	2,445.10
Brushed Durabrass (23kt Gold)		**-28**	2,445.10
Brushed Dark Brass (PVD)		**-39**	1,630.10
Brushed Bronze (PVD)		**-42**	1,630.00
Brushed Dark Bronze (PVD)		**-43**	1,833.80
Dark Chrome		**-19**	1,528.20
Brushed Dark Platinum		**-99**	1,528.20
Matte Black		**-33**	1,375.40

Recommended miscellaneous

Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome		**-00**	203.00
Brushed Chrome		**-93**	263.90
Platinum		**-08**	324.70
Brushed Platinum		**-06**	324.70
Champagne (22kt Gold)		**-47**	487.20
Brushed Champagne (22kt Gold)		**-46**	487.20
Brushed Durabrass (23kt Gold)		**-28**	487.20
Brushed Dark Brass (PVD)		**-39**	324.80
Brushed Bronze (PVD)		**-42**	324.80
Brushed Dark Bronze (PVD)		**-43**	365.40
Dark Chrome		**-19**	304.40
Brushed Dark Platinum		**-99**	304.30
Matte Black		**-33**	274.20

Recommended miscellaneous

Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome		**-00**	287.90
Brushed Chrome		**-93**	374.30
Platinum		**-08**	460.60
Brushed Platinum		**-06**	460.60
Champagne (22kt Gold)		**-47**	691.00
Brushed Champagne (22kt Gold)		**-46**	691.00
Brushed Durabrass (23kt Gold)		**-28**	691.00
Brushed Dark Brass (PVD)		**-39**	460.60
Brushed Bronze (PVD)		**-42**	460.70
Brushed Dark Bronze (PVD)		**-43**	518.20
Dark Chrome		**-19**	432.00
Brushed Dark Platinum		**-99**	518.20
Matte Black		**-33**	388.60

Single-lever mixer Pull-down/Pull-out Sieger Design

33 875 895 **SYNC**



Single-lever mixer Pull-down with spray function

- **240mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- laminar and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **33 875 895** FF	FF	Euro
Chrome	**-00**	1,018.80
Brushed Chrome	**-93**	1,324.40
Platinum	**-08**	1,629.70
Brushed Platinum	**-06**	1,629.70
Champagne (22kt Gold)	**-47**	2,445.10
Brushed Champagne (22kt Gold)	**-46**	2,445.10
Brushed Durabrass (23kt Gold)	**-28**	2,445.10
Brushed Dark Brass (PVD)	**-39**	1,630.10
Brushed Bronze (PVD)	**-42**	1,630.00
Brushed Dark Bronze (PVD)	**-43**	1,833.80
Dark Chrome	**-19**	1,528.20
Brushed Dark Platinum	**-99**	1,528.20
Matte Black	**-33**	1,375.40

Recommended miscellaneous

Strainer waste with control handle

10 712 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Champagne (22kt Gold)	**-47**	487.20
Brushed Champagne (22kt Gold)	**-46**	487.20
Brushed Durabrass (23kt Gold)	**-28**	487.20
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30
Matte Black	**-33**	274.20

Recommended miscellaneous

Dispenser without rosette

82 424 970 FF	FF	Euro
Chrome	**-00**	287.90
Brushed Chrome	**-93**	374.30
Platinum	**-08**	460.60
Brushed Platinum	**-06**	460.60
Champagne (22kt Gold)	**-47**	691.00
Brushed Champagne (22kt Gold)	**-46**	691.00
Brushed Durabrass (23kt Gold)	**-28**	691.00
Brushed Dark Brass (PVD)	**-39**	460.60
Brushed Bronze (PVD)	**-42**	460.70
Brushed Dark Bronze (PVD)	**-43**	518.20
Dark Chrome	**-19**	432.00
Brushed Dark Platinum	**-99**	518.20
Matte Black	**-33**	388.60

33 870 888 **TARA** **Single-lever mixer Pull-down with spray function**



- **240mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 823 970 90
- laminar and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **33 870 888** FF	FF	Euro
Chrome	**-00**	1,059.90
Brushed Chrome	**-93**	1,377.80
Platinum	**-08**	1,695.80
Brushed Platinum	**-06**	1,695.80
Champagne (22kt Gold)	**-47**	2,543.80
Brushed Champagne (22kt Gold)	**-46**	2,543.80
Durabrass (23kt Gold)	**-09**	2,543.80
Brushed Durabrass (23kt Gold)	**-28**	2,543.80
Brushed Dark Brass (PVD)	**-39**	1,695.80
Brushed Bronze (PVD)	**-42**	1,695.80
Brushed Dark Bronze (PVD)	**-43**	1,907.80
Dark Chrome	**-19**	1,589.80
Brushed Dark Platinum	**-99**	1,589.80
Matte Black	**-33**	1,430.80

Recommended miscellaneous

Strainer waste with control handle

10 710 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Champagne (22kt Gold)	**-47**	487.20
Brushed Champagne (22kt Gold)	**-46**	487.20
Durabrass (23kt Gold)	**-09**	487.20
Brushed Durabrass (23kt Gold)	**-28**	487.20
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30
Matte Black	**-33**	274.20

Recommended miscellaneous

Dispenser with rosette

82 444 970 FF	FF	Euro
Chrome	**-00**	313.60
Brushed Chrome	**-93**	407.70
Platinum	**-08**	501.80
Brushed Platinum	**-06**	501.80
Champagne (22kt Gold)	**-47**	752.60
Brushed Champagne (22kt Gold)	**-46**	752.60
Durabrass (23kt Gold)	**-09**	752.60
Brushed Durabrass (23kt Gold)	**-28**	752.60
Brushed Dark Brass (PVD)	**-39**	501.80
Brushed Bronze (PVD)	**-42**	501.80
Brushed Dark Bronze (PVD)	**-43**	564.50
Dark Chrome	**-19**	470.50
Brushed Dark Platinum	**-99**	470.50
Matte Black	**-33**	423.40

Single-lever mixer Pull-down/Pull-out Sieger Design

33 870 875 **TARA ULTRA**



Single-lever mixer Pull-down with spray function

- **240mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 823 970 90
- laminar and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **33 870 875** FF	FF	Euro
Chrome	**-00**	921.90
Brushed Chrome	**-93**	1,198.40
Platinum	**-08**	1,474.80
Brushed Platinum	**-06**	1,474.80
Champagne (22kt Gold)	**-47**	2,212.60
Brushed Champagne (22kt Gold)	**-46**	2,212.60
Brushed Durabrass (23kt Gold)	**-28**	2,212.60
Brushed Dark Brass (PVD)	**-39**	1,475.00
Brushed Bronze (PVD)	**-42**	1,474.90
Brushed Dark Bronze (PVD)	**-43**	1,659.40
Dark Chrome	**-19**	1,383.00
Brushed Dark Platinum	**-99**	1,382.60
Matte Black	**-33**	1,244.70

Recommended miscellaneous

Strainer waste with control handle

10 712 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Champagne (22kt Gold)	**-47**	487.20
Brushed Champagne (22kt Gold)	**-46**	487.20
Brushed Durabrass (23kt Gold)	**-28**	487.20
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30
Matte Black	**-33**	274.20

Recommended miscellaneous

Dispenser without rosette

82 424 970 FF	FF	Euro
Chrome	**-00**	287.90
Brushed Chrome	**-93**	374.30
Platinum	**-08**	460.60
Brushed Platinum	**-06**	460.60
Champagne (22kt Gold)	**-47**	691.00
Brushed Champagne (22kt Gold)	**-46**	691.00
Brushed Durabrass (23kt Gold)	**-28**	691.00
Brushed Dark Brass (PVD)	**-39**	460.60
Brushed Bronze (PVD)	**-42**	460.70
Brushed Dark Bronze (PVD)	**-43**	518.20
Dark Chrome	**-19**	432.00
Brushed Dark Platinum	**-99**	518.20
Matte Black	**-33**	388.60

33 870 809 **VAIA** **Single-lever mixer Pull-down with spray function**



- **240mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 823 970 90
- air-enriched flow and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **33 870 809** FF	FF	Euro
Chrome	**-00**	1,140.10
Brushed Chrome	**-93**	1,482.20
Platinum	**-08**	1,824.20
Brushed Platinum	**-06**	1,824.20
Champagne (22kt Gold)	**-47**	2,736.20
Brushed Champagne (22kt Gold)	**-46**	2,736.20
Durabrass (23kt Gold)	**-09**	2,736.20
Brushed Durabrass (23kt Gold)	**-28**	2,736.20
Brushed Dark Brass (PVD)	**-39**	1,824.20
Brushed Bronze (PVD)	**-42**	1,824.20
Brushed Dark Bronze (PVD)	**-43**	2,052.20
Dark Chrome	**-19**	1,710.10
Brushed Dark Platinum	**-99**	1,710.10
Matte Black	**-33**	1,539.10

Recommended miscellaneous

Swivel limitation set

12 823 970 FF	FF	Euro
Accesories	**90**	78.90

Recommended miscellaneous

Dispenser with rosette

82 434 809 FF	FF	Euro
Chrome	**-00**	323.90
Brushed Chrome	**-93**	421.10
Platinum	**-08**	518.30
Brushed Platinum	**-06**	518.30
Champagne (22kt Gold)	**-47**	777.40
Brushed Champagne (22kt Gold)	**-46**	777.40
Durabrass (23kt Gold)	**-09**	777.40
Brushed Durabrass (23kt Gold)	**-28**	777.40
Brushed Dark Brass (PVD)	**-39**	518.20
Brushed Bronze (PVD)	**-42**	518.30
Brushed Dark Bronze (PVD)	**-43**	583.00
Dark Chrome	**-19**	485.80
Brushed Dark Platinum	**-99**	485.80
Matte Black	**-33**	437.20

Profi single-lever mixer

Sieger Design

SYNC
from page 771

TARA
from page 730

TARA ULTRA
from page 773

Profi single-lever mixer Sieger Design

Kitchen fittings

Single-lever mixer profi

200mm projection	200mm projection	240mm projection
33 865 895	**33 880 888**	**33 860 875**

33 865 895



SYNC **Profi single-lever mixer**

- **200mm projection**
- Flexible silicone hose with large operating range of up to 350 mm
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- air-enriched flow and spray flow
- sprayface with anti-scaling system
- max. flow 9.5 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **33 865 895** FF	FF	Euro
Chrome	**-00**	1,558.20
Brushed Chrome	**-93**	1,721.90
Platinum	**-08**	2,119.10
Brushed Platinum	**-06**	2,119.10
Champagne (22kt Gold)	**-47**	3,739.70
Brushed Champagne (22kt Gold)	**-46**	3,739.70
Brushed Durabrass (23kt Gold)	**-28**	3,739.70
Brushed Dark Brass (PVD)	**-39**	2,493.10
Brushed Bronze (PVD)	**-42**	2,493.20
Brushed Dark Bronze (PVD)	**-43**	2,804.80
Dark Chrome	**-19**	1,986.80
Brushed Dark Platinum	**-99**	1,986.50
Matte Black	**-33**	1,788.20

Recommended miscellaneous

Strainer waste with control handle

10 712 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Champagne (22kt Gold)	**-47**	487.20
Brushed Champagne (22kt Gold)	**-46**	487.20
Brushed Durabrass (23kt Gold)	**-28**	487.20
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30
Matte Black	**-33**	274.20

Recommended miscellaneous

Dispenser without rosette

82 424 970 FF	FF	Euro
Chrome	**-00**	287.90
Brushed Chrome	**-93**	374.30
Platinum	**-08**	460.60
Brushed Platinum	**-06**	460.60
Champagne (22kt Gold)	**-47**	691.00
Brushed Champagne (22kt Gold)	**-46**	691.00
Brushed Durabrass (23kt Gold)	**-28**	691.00
Brushed Dark Brass (PVD)	**-39**	460.60
Brushed Bronze (PVD)	**-42**	460.70
Brushed Dark Bronze (PVD)	**-43**	518.20
Dark Chrome	**-19**	432.00
Brushed Dark Platinum	**-99**	518.20
Matte Black	**-33**	388.60

Profi single-lever mixer Sieger Design

33 880 888



TARA **Profi single-lever mixer**
- **200mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article **33 880 888** FF	FF	Euro
Chrome	**-00**	1,891.70
Brushed Chrome	**-93**	2,459.10
Platinum	**-08**	3,026.70
Brushed Platinum	**-06**	3,026.70
Brushed Dark Brass (PVD)	**-39**	3,026.70
Brushed Bronze (PVD)	**-42**	3,026.70
Brushed Dark Bronze (PVD)	**-43**	3,405.10
Dark Chrome	**-19**	2,837.20
Brushed Dark Platinum	**-99**	2,837.20

Recommended miscellaneous
Strainer waste with control handle

10 710 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30

Recommended miscellaneous
Dispenser with rosette

82 444 970 FF	FF	Euro
Chrome	**-00**	313.60
Brushed Chrome	**-93**	407.70
Platinum	**-08**	501.80
Brushed Platinum	**-06**	501.80
Brushed Dark Brass (PVD)	**-39**	501.80
Brushed Bronze (PVD)	**-42**	501.80
Brushed Dark Bronze (PVD)	**-43**	564.50
Dark Chrome	**-19**	470.50
Brushed Dark Platinum	**-99**	470.50

33 860 875 **TARA ULTRA** **Profi single-lever mixer**

- **240mm projection**
- pivotable 360°
- air-enriched flow and spray flow
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Custom manufacturing options for this product can be found on the product details page of our website.



Standard article **33 860 875** FF	FF	Euro
Chrome	**-00**	1,593.90
Brushed Chrome	**-93**	2,072.20
Platinum	**-08**	2,550.10
Brushed Platinum	**-06**	2,550.10
Brushed Dark Brass (PVD)	**-39**	2,550.20
Brushed Bronze (PVD)	**-42**	2,550.20
Brushed Dark Bronze (PVD)	**-43**	2,869.00
Dark Chrome	**-19**	2,390.40
Brushed Dark Platinum	**-99**	2,390.40

Recommended miscellaneous

Strainer waste with control handle

10 712 970 FF	FF	Euro
Chrome	**-00**	203.00
Brushed Chrome	**-93**	263.90
Platinum	**-08**	324.70
Brushed Platinum	**-06**	324.70
Brushed Dark Brass (PVD)	**-39**	324.80
Brushed Bronze (PVD)	**-42**	324.80
Brushed Dark Bronze (PVD)	**-43**	365.40
Dark Chrome	**-19**	304.40
Brushed Dark Platinum	**-99**	304.30

Recommended miscellaneous

Dispenser without rosette

82 424 970 FF	FF	Euro
Chrome	**-00**	287.90
Brushed Chrome	**-93**	374.30
Platinum	**-08**	460.60
Brushed Platinum	**-06**	460.60
Brushed Dark Brass (PVD)	**-39**	460.60
Brushed Bronze (PVD)	**-42**	460.70
Brushed Dark Bronze (PVD)	**-43**	518.20
Dark Chrome	**-19**	432.00
Brushed Dark Platinum	**-99**	518.20

Accessories - Kitchen

Miscellaneous

from page 734

Accessories - Kitchen

82 424 970



Dispenser without rosette
- **124mm projection**
- 500 ml bottle
- can be filled from the top
- rotating pump head
- width 30mm

Fits ELIO, ENO, MEM, META SQUARE, SYNC and TARA ULTRA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**82 424 970** FF	FF	Euro
Chrome		**-00**	287.90
Brushed Chrome		**-93**	374.30
Platinum		**-08**	460.60
Brushed Platinum		**-06**	460.60
Champagne (22kt Gold)		**-47**	691.00
Brushed Champagne (22kt Gold)		**-46**	691.00
Brushed Durabrass (23kt Gold)		**-28**	691.00
Brushed Dark Brass (PVD)		**-39**	460.60
Brushed Bronze (PVD)		**-42**	460.70
Brushed Dark Bronze (PVD)		**-43**	518.20
Dark Chrome		**-19**	432.00
Brushed Dark Platinum		**-99**	518.20
Matte Black		**-33**	388.60

82 444 970

mm [inches]



Dispenser with rosette
- **124mm projection**
- 500 ml bottle
- can be filled from the top
- rotating pump head

Fits ELIO, ENO, MEM, META SQUARE, SYNC, TARA and TARA ULTRA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**82 444 970** FF	FF	Euro
Chrome		**-00**	313.60
Brushed Chrome		**-93**	407.70
Platinum		**-08**	501.80
Brushed Platinum		**-06**	501.80
Champagne (22kt Gold)		**-47**	752.60
Brushed Champagne (22kt Gold)		**-46**	752.60
Durabrass (23kt Gold)		**-09**	752.60
Brushed Durabrass (23kt Gold)		**-28**	752.60
Brushed Dark Brass (PVD)		**-39**	501.80
Brushed Bronze (PVD)		**-42**	501.80
Brushed Dark Bronze (PVD)		**-43**	564.50
Dark Chrome		**-19**	470.50
Brushed Dark Platinum		**-99**	470.50
Matte Black		**-33**	423.40

82 439 970



Dispenser with rosette
- **124mm projection**
- 500 ml bottle
- can be filled from the top
- rotating pump head

Fits LOT

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**82 439 970** FF	FF	Euro
Chrome		**-00**	358.80
Platinum		**-08**	562.70
Brushed Platinum		**-06**	562.70
Champagne (22kt Gold)		**-47**	861.10
Brushed Champagne (22kt Gold)		**-46**	861.10
Brushed Durabrass (23kt Gold)		**-28**	861.10
Brushed Bronze (PVD)		**-42**	573.90
Dark Chrome		**-19**	538.10
Brushed Dark Platinum		**-99**	645.90

10 712 970



Strainer waste with control handle
- control for single basin
- including adapter for Bowden cable

Not compatible with brushed stainless steel kitchen sinks 38 XXX 004-86.

Fits ELIO, ENO, MEM, META SQUARE, SYNC and TARA ULTRA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 712 970** FF	FF	Euro
Chrome		**-00**	203.00
Brushed Chrome		**-93**	263.90
Platinum		**-08**	324.70
Brushed Platinum		**-06**	324.70
Champagne (22kt Gold)		**-47**	487.20
Brushed Champagne (22kt Gold)		**-46**	487.20
Durabrass (23kt Gold)		**-09**	487.20
Brushed Durabrass (23kt Gold)		**-28**	487.20
Brushed Dark Brass (PVD)		**-39**	324.80
Brushed Bronze (PVD)		**-42**	324.80
Brushed Dark Bronze (PVD)		**-43**	365.40
Dark Chrome		**-19**	304.40
Brushed Dark Platinum		**-99**	304.30
Matte Black		**-33**	274.20

10 710 970



Strainer waste with control handle
- control for single basin
- including adapter for Bowden cable

Not compatible with brushed stainless steel kitchen sinks 38 XXX 004-86.

Fits ELIO, ENO, MEM, META SQUARE, SYNC, TARA and TARA ULTRA

Custom-made options
- Custom manufacturing options for this product can be found on the product details page of our website.

Standard article	**10 710 970** FF	FF	Euro
Chrome		**-00**	203.00
Brushed Chrome		**-93**	263.90
Platinum		**-08**	324.70
Brushed Platinum		**-06**	324.70
Champagne (22kt Gold)		**-47**	487.20
Brushed Champagne (22kt Gold)		**-46**	487.20
Durabrass (23kt Gold)		**-09**	487.20
Brushed Durabrass (23kt Gold)		**-28**	487.20
Brushed Dark Brass (PVD)		**-39**	324.80
Brushed Bronze (PVD)		**-42**	324.80
Brushed Dark Bronze (PVD)		**-43**	365.40
Dark Chrome		**-19**	304.40
Brushed Dark Platinum		**-99**	304.30
Matte Black		**-33**	274.20

12 820 970

Swivel limitation set
- optional limiting, pivoting 30°
- optional limiting pivoting at 30°, the zero position is at 45° for corner installations
- optional limiting, pivoting 60°
- optional limiting, pivoting 110°

Fits 33800861, 33805861, 33815861, 33826861, 32815861, 32815875, 32816888, 33805682, 33800682, 33815682, 32815682

Standard article	**12 820 970** FF	FF	Euro
Accesories		**90**	80.60

12 821 970

Swivel limitation set
- optional limiting, pivoting 30°
- optional limiting, pivoting 60°
- optional limiting, pivoting 110°

Fits 33875895, 33870895, 33865895

Standard article	**12 821 970** FF	FF	Euro
Accesories		**90**	67.50

12 823 970



Swivel limitation set
- optional limiting, pivoting 60°
- optional limiting, pivoting 110°

Fits 33870875, 33870888, 33870861

Standard article	**12 823 970** FF	FF	Euro
Accesories		**90**	78.90

Dornbracht Atelier

Infinite design freedom thanks to tailor-made design solutions from a quantity of one: Dornbracht Atelier stands for individual design in outstanding manufacturing quality. With 75 years of experience and uncompromising standards in craftsmanship, workmanship and design, we reliably and stylishly realise your wishes and visions – from technical adjustments and exclusive handle variants to the production of unique pieces based on your own designs.

An overview of the Atelier Service and how it can assist you is inside.

Tailored solutions starting at one piece

Whether you are looking for individual fittings, an exclusive shower or a completely customised collection, we will work with you to develop a solution that precisely meets your architectural and aesthetic goals. Form, function, materials and surfaces are tailored exactly to your wishes.

Detailed product information on our Atelier Service and how it can assist you can be found at dornbracht.com/Atelier. You are also welcome to phone or e-mail our customer service.

PERFECT FIT

Customise the dimensions and functions of your tap – for a perfect fit and optimum performance.

INFINITY OF FINISHES

Whatever colour, surface or structure you desire – we will implement it precisely according to your specifications.

EXPRESSIVE ACCENTS

Unique handle and lever designs offer almost limitless design freedom in terms of material selection and surface texture.

ADD YOUR SIGNATURE

Personalise your fittings with engravings of initials, logos or symbols.

ATELIER EDITIONS

Fine materials and customised surfaces: our Exclusive Editions make a statement that goes beyond the ordinary.



TAILORED LUXURY

Your vision – realised by us. From the initial design to the finest detail. Tailor-made and unique.

Dornbracht GmbH & Co. KG
Köbbingser Mühle 6
D-58640 Iserlohn
mail@dornbracht.com
dornbracht.com

04.2026