KLUDI

Product Specification Book 2025

 \sim

THE SHAPE OF WATER

KLUDI is a contemporary high-end brand for sophisticated bathrooms and high-quality kitchens. A perfect combination of almost 100 year tradition as a German fittings specialist and water expert with pioneering innovations and perfectly formed design.
KLUDI solutions convince through:
German engineering and premium quality, high reliability in their function and sustainability in their use, an incomparable and timeless elegance in design and tangible sensuality in water experience.

KLUDI gives shape to your ideas through research and attention to detail, improving people's quality of life.



BATHROOM	FITTINGS		KLUDI-ZENTA SL	76
	KLUDI-NOVA FONTE	8	KLUDI-PURE&STYLE	92
	KLUDI-DECUS	20	KLUDI-PURE&SOLID	100
	KLUDI-SOUNA	28	KLUDI-PURE&EASY	108
	KLUDI-RENON	38	KLUDI-1926	118
	KLUDI-BALANCE	44	KLUDI-OBJEKTA	128
	KLUDI-AMEO	56	KLUDI-X1	134
	KLUDI-BOZZ	66		
	SLIM.BOXX & PRE-INSTALLATIO	N SETS	KLUDI-FLEXX.BOXX	143
	KLUDI-SLIM.BOXX	142	Pre-installation sets	144
	THERMOSTAT		Thermostat surface-mounted	157
	KLUDI-TRONIC	156	Thermostat concealed	158
	BATHROOM ACCESSORIES			
	KLUDI-VELA C	166	KLUDI-VELA S	178
	KLUDI-VELA R	172		
SHOWERS	FITTINGS		KLUDI-FRESHLINE	212
	KLUDI-ASANA	186	KLUDI-LOGO	220
	KLUDI-COCKPIT	192	KLUDI-1926	232
	KLUDI-NOVA FONTE	196	KLUDI-A-QA	236
	KLUDI-DIVE X	202	Shower hoses & accessories	246
	WASTES			
	KLUDI-ROTEXA	254	Bath- and shower wastes	265
	Washbasin and bidet wastes	260		
KITCHEN	FITTINGS		L-LINE	
	M-LINE		KLUDI-E-GO	284
	KLUDI-MIX	272	KLUDI-QORD	285
	KLUDI-M2	275	KLUDI-L STEEL	286
	KLUDI-M3	276	KLUDI-L-INE S	287
	KLUDI-STEEL	277	C-LINE	
	KLUDI-OBJEKTA	278	KLUDI-E-GO VOICE	290
	KLUDI-SCOPE	280	KLUDI-E-GO	291
	KLUDI-LOGO NEO	281	KLUDI-QORD	292
			KLUDI-REEF	293
			KLUDI-AUREA	294
			KLUDI-BINGO STAR	295
ELECTRONIC	BATH		KITCHEN	
FITTINGS	KLUDI-BALANCE E	48-49	KLUDI-E-GO	284, 291
	KLUDI-ZENTA SL E	83-86	KLUDI-E-GO VOICE	290
HOSPITAL & CARE	KLUDI-MEDI CARE	300		
HOUFHAL & VARE				

Content

SANITARY	WASHBASINS			
	KLUDI-RESA			
	KLUDI-RESA COUNTER TOP	308	KLUDI-RESA UNDER COUNTER	310
	KLUDI-RESA WALL HUNG	309	KLUDI-RESA FREESTANDING	311
	SMART TOILET			
	KLUDI-CLEANTRONIC	312		
	WCS & BIDETS			
	KLUDI-RESA S	318	KLUDI-RESA R	326
	KLUDI-RESA D	322	KLUDI-RESA C	328
	PUSH PLATES & CONCEALED CIS	STERNS		
	KLUDI-UNIFIX	336		
	BATHTUBS			
	KLUDI-RESA S	342	KLUDI-ELIN	344
	KLUDI-RESA O	342		
	SHOWER TRAYS			
	KLUDI-TERRA			
	70 CM	350	90 CM	353
	80 CM	351	100 CM	355
	URINALS & PARTITION			
	KLUDI-IVO	360	KLUDI-UNIFIX	362
BATH FURNITURE	FURNITURE			
	KLUDI-ICOS	366		
	MIRRORS			
	KLUDI-LUMA ORGANIC	374	KLUDI-LUMA RECTANGULAR	376
	KLUDI-LUMA ROUND	375		

General terms and conditions of sale 378

ம

BATHROOM FITTINGS LIVING IN STYLE

Enhance your bathroom with a touch of sophistication. Explore a diverse range of refined options for bathroom design, tailored to suit various aesthetic preferences. KLUDI's bathroom fittings showcase top-tier design trends, characterized by superior quality materials and finishes. Discover the unique KLUDI touch to elevate your space.


KLUDI-NOVA FONTE COMBINES A UNIQUE SOPHISTICATION WITH AN APPEALING LIGHTNESS AND SUBTLETY



Ω




reddot winner 2022






KLUDI-NOVA FONTE PURA



Product		Product description	Surface	Item No.
	90 90 90 90 90 90 90 90 90 90 90 90 90 9	KLUDI-NOVA FONTE Pura Single lever washbowl mixer DN 15 wing handle, metal single hole mounted ceramic cartridge caché s-pointer-aerator M 18,5 x 1 flow rate 4,3 l/min at 3 bar without pop-up waste flexible hoses G 3/8 with shank fastening spout height lower edge 240 mm	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel Matt Dove Matt Light Dove Matt Teal Blue Matt Vermilion FIXT FIXT 	202980515 202983915 202985315 20298N015 20298N15 20298N515 20298N515 202980215 202980215 202980315 202980315 202980415 202980515
Y		KLUDI-NOVA FONTE Pura Concealed two hole wall mounted basin mixer trim set wing handle, metal caché s-pointer-aerator M 18,5 x 1 flow rate 4,3 I/min at 3 bar projection wall spout 180 mm Required Accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	 Chrome Matt Black Matt Uhite Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel Matt Dove Matt Light Dove Matt Light Blue Matt Vermilion 	202450515 202453915 202455315 20245N015 20245N15 20245N15 20245N15 20245015 20245015 202450215 202450315 202450415 202450515 38242
Y		KLUDI-NOVA FONTE Pura Concealed two hole wall mounted basin mixer trim set wing handle, metal caché s-pointer-aerator M 18,5 x 1 flow rate 4,3 l/min at 3 bar projection wall spout 220 mm Required Accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel Matt Dove Matt Light Dove Matt Teal Blue Matt Light Blue Matt Vermilion 	202440515 202443915 202443015 20244N015 20244N15 20244N215 20244N215 20244015 20244015 20244015 202440315 202440415 202440515 38242
Bidet	936 936 937 90 921 921 921 921 921 921 921 921 921 921	KLUDI-NOVA FONTE Pura Single lever bidet mixer DN 15 wing handle, metal single hole mounted ceramic cartridge caché s-pointer-aerator M 18,5 x 1 flow rate 4,3 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 with shank fastening spout height lower edge 80 mm	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel Matt Dove Matt Light Dove Matt Light Blue Matt Vermilion 	202160515 202163915 202165315 20216N015 20216N115 20216N155 20216N515 20216015 202160215 202160315 202160415 202160515

KLUDI-NOVA FONTE PURISTIC



Product	Р	roduct description	Surface	Item No.
Bath	120 P B W W W W W W W W W W W W W W W W W W	viristic Bath and shower mixer DN 15 ving handles, metal Soft-Start ceramic headpart 90° vall fastening nutom. diverter shower/bathtub rotected against back flow low regulator s-pointer M 24 x 1 low rate 23 l/min at 3 bar	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel Matt Dove Matt Light Dove Matt Light Blue Matt Vermilion 	205400515 205403915 205405315 20540N015 20540N15 20540N215 20540N515 205400115 205400215 205400315 205400415 205400515
	к		Chrome	205900515
	B ir W S S ff ff d P K C C K K C C	Puristic Sath and shower mixer DN 15 hstallation for free standing bathtub wing handles, metal Soft-Start ceramic headpart 90° low regulator s-pointer M 24 x 1 low rate 27 l/min at 3 bar nutom. diverter shower/bathtub rortected against back flow (LUDI SUPARAFLEX SILVER-hose anti wist & 1/2 x G 1/2 x 1250 mm hand shower KLUDI-NOVA FONTE Required Accessories: (LUDI FLEXX.BOXX honcealed unit DN 20	• Matt Black	205903915 88088
	P B ir s c li ff ff ff ff ff g 32.5 t	Furistic Bath and shower mixer DN 15 Installation for free standing bathtub olid lever eramic cartridge with hot water	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	385900515 385903915 385905315 38590N015 38590N115 38590N215 38590N515
730 81 Ø5	115 K	i J/2 x G J/2 x I250 mm vith KLUDI handshower 1Shand shower (LUDI-NOVA FONTE Required Accessories: (LUDI FLEXX.BOXX ioncealed unit DN 20		88088

KLUDI-NOVA FONTE PURISTIC

Product	Product description	Surface	Item No.
	 KLUDI-NOVA FONTE Puristic Bath and shower mixer DN 15 four hole tiles deck mounted installation stand assembly wing handles, metal Soft-Start ceramic headpart 90° flow regulator s-pointer M 24 x 1 flow rate 271/min at 3 bar autom. diverter shower/bathtub protected against back flow pull-out hand shower shower hose 1500 mm flexible high pressure supply hose G 1/2 x G 1/2 x 400 mm projection 215 mm Required Accessories: mounting plate pre-installation set for four hole mixer 7614846-00 KLUDI ROTEXA bath rim assembly kit 		204250515 204253915
	KLUDI-NOVA FONTE Puristic concealed single lever bath and shower mixer conceeded valve with functional	Chrome Matt Black Matt White Brushed Gold	207590515 207593915 207595315 20759N015 20759N015

Puristic concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 29 I/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20	 Gritoffie Matt Black Matt Black Brushed Gold Brushed Bronze Brushed Nickel Matt Dove Matt Light Dove Matt Teal Blue Matt Vermilion 	207593915 207593915 207595315 20759N015 20759N15 20759N215 207590215 207590215 207590315 207590315 207590415 207590515
KLUDI-NOVA FONTE Puristic concealed single lever bath and show- er mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 25 l/min at 3 bar Shower flow rate 23 l/min at 3 bar diverter shower/bathtub with PUSH & SWITCH Button intrinsically safe against backflow according to DIN EN 1717	 Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	20763N015 20763N115 20763N215 20763N515
Required Accessories: KLUDI SLIM.BOXX concealed body DN 20		88022

roduct	Product description	Surface	Item No.
217 217	KLUDI-NOVA FONTE Puristic Concealed single lever bath and shower mixer concealed valve with functiona unit solid lever wall fastening ceramic cartridge with hot wate limitation flow rate 29 l/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20	l er	206590515 206593915 206595315 88011
21 21	50 KLUDI-NOVA FONTE Puristic Concealed bath filler and showe Thermostat fitting Fine construction set with funct unit with ceramic shut-off valve Flow rate tub 28 l/min at 3 bar Shower flow rate 24 l/min at 3 bar Shower flow rate 24 l/min at 3 bar Shower flow rate s a rotary valv for 2 consumers Hot water lock 40 °C Hot water lock 40 °C	ional ar	208100515
	Required Accessories: KLUDI SLIM.BOXX concealed body DN 20		88022
<u></u>	Required Accessories:	\frown	208300515
	KLUDI FLEXX.BOXX concealed body DN 20		88011
	KLUDI-NOVA FONTE Puristic concealed thermostatic shower n concealed valve with functional u with ceramic shut-off valve hot water safety device 40 °C flow rate 20 l/min at 3 bar P-IX 18444/IICC Required Accessories:		208350515 208353915 208355315
<u>Ø170</u>	Kequired Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011


KLUDI-NOVA FONTE PURISTIC

Product	Product description	Surface	ltem No.
Shower	KLUDI-NOVA FONTE Puristic Shower mixer DN 15 wing handles, metal Soft-Start ceramic headpart 90° wall fastening protected against back flow flow rate 21 I/min at 3 bar shower outlet G 1/2 s-connections	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Mickel Matt Dove Matt Light Dove Matt Light Blue Matt Vermilion 	207100515 207103915 207105315 20710N015 20710N115 20710N215 20710N515 207100215 207100215 207100315 207100415 207100515
	KLUDI-NOVA FONTE Puristic Concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation Flow rate 28 l/min at 3 bar	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Mickel Matt Dove Matt Light Dove Matt Light Blue Matt Vermilion 	207550515 207553915 207555315 20755N15 20755N15 20755N215 20755N515 207550215 207550215 207550315 207550415 207550515
	Required Accessories: KLUDI SLIM.BOXX concealed body DN 20		88022
	KLUDI-NOVA FONTE Puristic Concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation Flow rate 25 I/min at 3 bar	 Chrome Matt Black Matt White 	206550515 206553915 206555315
	Required Accessories: KLUDI SLIM.BOXX concealed body DN 20		88011

KLUDI-NOVA FONTE CLASSIC

Product		Product description	Surface	Item No.
Washbasin		KLUDI-NOVA FONTE Classic three-hole basin mixer DN 15 Cross handles, metal three hole assembling Aerator M 18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5.6 I / min at 3 bar swivelling (150°/ 360°) or lockable spout flexible pressure hoses G 3/8 with shank fastening metal pop-up waste G 1 1/4 spout height lower edge 185 mm	Chrome	201430520
		KLUDI-NOVA FONTE Classic Basin mixer DN 15 for concealed installation projection wall spout 240 mm cross handles, metal Aerator M 18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5.6 I / min at 3 bar pre-installation set and trim set	Chrome	201180520
		KLUDI-NOVA FONTE Classic wall mounted basin mixer DN 15 for concealed installation projection wall spout 240 mm cross handles, metal Aerator M 18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5.6 I / min at 3 bar pre-installation set and trim set	Chrome	201460520
		KLUDI-NOVA FONTE Classic wall mounted basin mixer DN 15 For concealed installation projection wall spout 180 mm cross handles, metal Aerator M 18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5.6 I / min at 3 bar pre-installation set and trim set	Chrome	201440520
Bidet	220 1-30 326 M344.1.5 033 033 033 033 033 033 035 033 035 035	KLUDI-NOVA FONTE Classic bidet mixer DN 15 single hole mounted cross handles, metal Soft-Start ceramic headpart 90° Aerator M 18,5 x 1 PCA laminar with ball joint flow rate 6,2 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 with shank fastening spout height lower edge 155 mm	Chrome	203130520

KLUDI-NOVA FONTE CLASSIC




Product		Product description	Surface	Item No.
Shower	150 ±14	KLUDI-NOVA FONTE Classic Shower mixer DN 15 cross handles, metal Soft-Start ceramic headpart 90° wall fastening protected against back flow flow rate 21 l/min at 3 bar shower outlet G 1/2 s-connections	Chrome	207100520




KLUDI-DECUS

PURITY IN FORM: THE TIMELESS AESTHETIC OF MODERN DESIGN

KLUDI-DECUS






KLUDI-DECUS single lever basin mixer 85 DN 15 single hole mounted solid lever s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation EcoPlus centre position cold water flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved rapid installation set PUSH-OPEN waste G 1 1/4

Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	542670575 542673975 542675375 54267N075 54267N175 54267N175 54267N275 54267N575





KLUDI-DECUS single lever basin mixer 110 DN 15 single hole mounted solid lever s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved rapid installation set PUSH-OPEN waste G 1 1/4

542880575 Chrome 0 Matt Black 542883975 Ó Õ Matt White 542885375 Brushed Gold PVD 54288N075 ŏ Brushed Bronze PVD 54288N175 ŏ Brushed Gunmetal PVD 54288N275 Brushed Nickel PVD 54288N575



Product	Product description	Surface Item No.
	KLUDI-DECUS single lever basin mixer 110 DN 15 single hole mounted solid lever s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approve rapid installation set without pop-up waste	Chrome 54282057 Matt Black 54282397 Matt White 54282337 Brushed Gold PVD 54282N07 Brushed Bronze PVD 54282N17 Brushed Gunmetal PVD 54282N27 Brushed Nickel PVD 54282N57 d
	KLUDI-DECUS single lever basin mixer 110 DN 15 single hole mounted solid lever s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation EcoPlus centre position cold water flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approve rapid installation set PUSH-OPEN waste G 1 1/4	Chrome 54289057 Matt Black 54289397 Matt White 5428937 Brushed Gold PVD 54289N07 Brushed Bronze PVD 54289N17 Brushed Gunmetal PVD 54289N57 Brushed Nickel PVD 54289N57
	KLUDI-DECUS single lever washbowl mixer DN 15 single hole mounted solid lever s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approve rapid installation set without pop-up waste spout height lower edge 240 mm	Chrome 54298057 Matt Black 54298397 Matt White 54298397 Brushed Gold PVD 54298N07 Brushed Bronze PVD 54298N17 Brushed Gunmetal PVD 54298N15 Brushed Nickel PVD 54298N57 Total State PVD 54298N57


KLUDI-DECUS

Product		Product description	Surface	ltem No.
Washbasin		KLUDI-DECUS Concealed two hole wall mounted basin mixer 210mm spout caché s-pointer-aerator M 18,5 x 1 flow rate 4,5 l/min at 3 bar Required Accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	542440575 542443975 542445375 54244075 54244075 54244075 542440275 542440575 542440575 38242
		KLUDI-DECUS Concealed two hole wall mounted basin mixer 240mm spout caché s-pointer-aerator M 18,5 x 1 flow rate 4,5 l/min at 3 bar Required Accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	542450575 542453975 542455375 54245N075 54245N175 54245N275 54245N575 38242
	0150 114 0170 0150 114 0170 012 012 012 012 012 012 012 012 012 01	KLUDI-DECUS single lever bath and shower mixer wall fastening solid lever flow regulator M 24 x 1 ceramic cartridge with hot water limitation flow rate bath 20 I/min at 3 bar, flow rate 18 I/min at 3 bar protected against back flow autom. diverter shower/bathtub shower outlet G 1/2 s-connections G 1/2 x G 3/4	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	546910575 546913975 546915375 54691N075 54691N175 54691N275 54691N575
	150 ± 14 070 01 70 70 75 100	KLUDI-DECUS single lever shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow rate 23 l/min at 3 bar protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	548310575 548313975 548315375 54831N075 54831N175 54831N275 54831N575

Product	Product description	Surface	Item No.
Bidet	KLUDI-DECUS single lever bidet mixer DN 15 single hole mounted solid lever PCA aerator M 16 with ball joint ceramic cartridge with hot water limitation flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved rapid installation set metal pop-up waste G 1 1/4	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	542170575 542173975 542175375 54217N075 54217N175 54217N175 54217N275 54217N575
Bath and Shower	KLUDI-DECUS concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button required accessories: KLUDI-SLIM.BOXX concealed body DN 20	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	547590575 547593975 547595375 54759N075 54759N175 54759N275 54759N575
-	KLUDI-DECUS concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow rate 28 I/min at 3 bar required accessories: KLUDI-SLIM.BOXX concealed body DN 20	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	547550575 547553975 547555375 54755N075 54755N175 54755N275 54755N575 88022

KLUDI-DECUS

Product



Product description

KLUDI-DECUS

concealed thermostatic mixer concealed valve with functional unit without shut-off valve cylindrical handle, metal temperature control handle with hot water safety device 40 °C flow rate 40 I/min at 3 bar suitable to KLUDI SLIM.BOXX 88022

required accessories: KLUDI-SLIM.BOXX

concealed body DN 20

Surface	Item No.
 Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD 	547390575 547393975 547395375 54739N075 54739N075 54739N175 54739N275 54739N575



KLUDI-DECUS concealed thermostatic shower mixer

concealed valve with functional unit

for 1 consumer with ceramic shut-off valve hot water safety device 40 °C flow rate 28 I/min at 3 bar suitable to KLUDI SLIM.BOXX 88022 with integrated back flow preventer

required accessories: KLUDI-SLIM.BOXX concealed body DN 20

	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	548850575 548853975 548855375 54885N075 54885N075 54885N175 54885N275 54885N575
(I	

88022

0150

KLUDI-DECUS

concealed thermostatic bath and shower mixer concealed valve with functional unit with ceramic shut-off valve flow rate bath 28 I/min at 3 bar, flow rate handshower 24 I/min at 3 bar and diverter as rotary valve for 2 consumers hot water safety device 40 °C suitable to KLUDI SLIM.BOXX 88022

required accessories: KLUDI-SLIM.BOXX

concealed body DN 20

Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	548100575 548103975 548105375 54810N075 54810N175 54810N275 54810N575



M24x1 60	KLUDI-DECUS concealed valve concealed trim-set without pre-installation set cylindrical handle, metal variable installation depth with push-on rosette 80 mm required accessories: concealed valve DN 15 connection G 1/2 concealed valve DN 20 connection G 3/4 concealed valve DN 20 soldered connection 22 mm	 Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVE Brushed Nickel PVD 	548160575 548163975 548165375 54816N075 54816N175 54816N275 54816N575 29809 29809
	connection G 1/2 concealed valve DN 20 connection G 3/4 concealed valve DN 20		
	connection G 3/4 concealed valve DN 20		29811
			29911
	concealed valve DN 20 connection G 3/4		53811
<u>M24x1</u> 60	KLUDI-DECUS three-way diverter trim set without pre-installation set cylindrical handle, metal with push-on rosette 80 mm variable installation depth	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVI Brushed Nickel PVD	548460575 548463975 548465375 54846N075 54846N075 54846N175 54846N275 54846N575
80	required accessories: three-way diverter DN 15 set 1 – pre-installation		29757
M24x1	KLUDI-DECUS two-way diverter trim set without pre-installation set	 Chrome Matt Black Matt White Brushed Gold PVD 	548470575 548473975 548475375 54847N075
	cylindrical handle, metal with push-on rosette 80 mm variable installation depth required accessories:		54847N175 54847N275 54847N575 29747
	M24x1	M24x1 60 tim set Without pre-installation set vithout pre-installation depth Huge 80 tim set Without pre-installation set vithout pre-installation depth Huge 80 tim set Without pre-installation set vithout pre-installation depth Huge 80 tim set Without pre-installation depth tim set Huge 1 pre-installation Huge 1 pre-installation Without pre-installation tim set tim set Without pre-installation set vithout pre-installation set vithout pre-installation set Without pre-installation depth tim set tim set tim set Without pre-installation depth tim set tim set tim set Without pre-installation depth tim set tim set tim set Without pre-installation depth tim set tim set tim set Without pre-installation depth tim set tim set tim set Without pre-installation depth tim set tim set tim set Without pre-installation depth <	 three-way diverter trim set without pre-installation set cylindrical handle, metal with push-on rosette 80 mm variable installation three-way diverter DN 15 set 1 - pre-installation

KLUDI-SOUNA PERFECT FOR INTRODUCING SUBTLE ACCENTS TO THE BATHROOM.




KLUDI-SOUNA

Product	Product description	Surface	ltem No.
Basin	KLUDI-SOUNA single lever basin mixer 85 DN 15 1-hole mounted solid lever, metal aerator M18,5 PCA ceramic cartridge with hot water safety device flow rate at 3 bar 4,5 l/min. flexible hoses G3/8 DVGW approved rapid installation set push open waste G1 1/4 for washbasin with overflow		462660575 462663975 46266N075 46266N575
	KLUDI-SOUNA single lever basin mixer 85 DN 15 1-hole mounted solid lever, metal aerator M18,5 PCA ceramic cartridge with hot water safety device flow rate at 3 bar 4,5 l/min. flexible hoses G3/8 DVGW approved rapid installation set	Chrome Matt Black Brushed Gold PVD Brushed Nickel PVD	462900575 462903975 46290N075 46290N575
	KLUDI-SOUNA single lever basin mixer 110 DN 15 1-hole mounted solid lever, metal aerator M18,5 PCA ceramic cartridge with hat water safety device flow rate at 3 bar 4,5 l/min. flexible hoses G3/8 DVGW approved rapid installation set push open waste G1 1/4 for washbasin with overflow	Chrome Matt Black Brushed Gold PVD Brushed Nickel PVD	462880575 462883975 46288N075 46288N575
	KLUDI-SOUNA single lever basin mixer 110 DN 15 1-hole mounted solid lever, metal aerator M18,5 PCA ceramic cartridge with hot water safety device flow rate at 3 bar 4,5 l/min. flexible hoses G3/8 DVGW approved rapid installation set	Chrome Matt Black Brushed Gold PVD Brushed Nickel PVD	462820575 462823975 46282N075 46282N575
	KLUDI-SOUNA washbowl mixer DN 15 1-hole mounted solid lever, metal aerator M18,5 PCA ceramic cartridge with hot water safety device flow rate at 3 bar 4,5 I/min. flexible hoses G3/8 DVGW approved rapid installation set	Chrome Matt Black Brushed Gold PVD Brushed Nickel PVD	462980575 462983975 46298N075 46298N575

Product		Product description		Surface	ltem No.
	55, 235 60 215 <u>042</u>	KLUDI-SOUNA single lever basin mixer DN 15 floor standing for free standing basin single lever mixer trim set without pre-installation set solid lever, metal aerator, S-Pointer M24 PCA ceramic cartridge with hot water safety device flow rate at 3 bar 5I/min. fixed spout		Chrome Matt Black Brushed Gold PVD Brushed Nickel PVD	465950575 465953975 46595N075 46595N575
<u>Ø</u> 1	980-1050	Required Accessories: KLUDI FLEXX BOXX concealed unit DN 20			88088
		KLUDI-SOUNA concealed single lever basin mixer DN 15 projection 210mm wall mounted solid lever, metal aerator, S-Pointer M18,5 PCA flow rate at 3 bar 4,5 l/min. fixed spout Required Accessories: installation set DN 15 for concealed two hole wall mounted		Chrome Matt Black Brushed Gold PVD Brushed Nickel PVD	462440575 462443975 46244N075 46244N575 86244N575
	210	basin mixer KLUDI-SOUNA	0	Chrome	462450575
		projection 240mm wall mounted solid lever, metal aerator, S-Pointer M18,5 PCA flow rate at 3 bar 4,5 I/min. fixed spout	-	Matt Black Brushed Gold PVD Brushed Nickel PVD	462453975 46245N075 46245N575
A	220 B 240	Required Accessories: installation set DN 15 for concealed two hole wall mounted basin mixer			38228


KLUDI-SOUNA



oduct	Product description	Surface	Item No.
	KLUDI-SOUNA concealed single lever bath-and shower mixer single lever mixer trim set without pre-installation set trim set with functional unit wall mounted PUSH&SWITCH diverter automatic diverter: shower/bath solid lever, metal ceramic cartridge with hot water safety device flow rate bath at 3 bar 28 I/min. flow rate shower at 3 bar 24 I/min.	 Chrome Matt Black Brushed Gold PVD Brushed Nickel PVD 	46759057 46759397 46759N07 46759N57
	Required Accessories: KLUDI SLIM.BOXX 88022 concealed unit DN 20		88022
	KLUDI-SOUNA concealed single lever	 Chrome Matt Black 	46763397
			46763057 46763397 46763N07 46763N57

KLUDI-SOUNA


Product description	Surface	Item No.
KLUDI-SOUNA single lever bath-and shower DN 15 single lever mixer trim set without pre-installati with shower holder automatic diverter: shower/bo solid lever, metal aerator, S-Pointer M24 protected against back flow shower outlet G1/2 ceramic cartridge with hot water safety device flow rate bath at 3 bar 22 l/mi flow rate shower at 3 bar 13 l/ fixed spout hand shower and shower hose hand shower l S 1 spray pattern volumen with cleaning system sieve seal shower hose plastic coated with conical nuts anti twist G1/2 x G1/2 x 1250mm Required Accessories:	 Brushed Gold PVD Brushed Nickel PVE ath n. min.	465900575 465903975 46590N075 46590N575
KLUDI FLEXX.BOXX concealed unit DN 20		88088
KLUDI-SOUNA concealed thermostatic bath-shower mixer trim set with functional unit wall mounted with ceramic shut-off valve 9 temperature handle with hot at 40°C optional temperature limiter at 43°C included flow rate bath at 3 bar 28 l/m flow rate shower at 3 bar 24 l/ with integrated back flow prev	water safety in. 'min.	468100575 468103975 46810N075 46810N575



Product descriptio		
trim set without pre-i cylindricity handle, me variable installation d with push-on rosette	nstallation set etal Brush epth	
cylindricity handle, me variable installation d	• Matt l • Brush etal • Brush	
cylindricity handle, mo variable installation d	 Matt I Brush Brush 	
single lever mixer wall mounted solid lever, metal protected against bar shower outlet G1/2 ceramic cartridge with hot water safety flow rate at 3 bar 23 J	xer DN 15 Matt Brush Brush ck flow device (min.	
single lever mixer trim set without pre-i trim set with function wall mounted solid lever, metal ceramic cartridge with hot water safety flow rate at 3 bar 28 l Required Accessories	r shower mixer Matt I Brush al unit device /min.	
	Image: With push-on rosette Image: With push-on rosette <td>Image: With push-on rosette 80mm x 80mm Image: With push-</td>	Image: With push-on rosette 80mm x 80mm Image: With push-

KLUDI-SOUNA

Product	Product description	Surface	ltem No.
	KLUDI-SOUNA concealed thermostatic shower mixer trim set with functional unit wall mounted with ceramic shut-off valve 90° temperature handle with hot water safety at 40°C flow rate at 3 bar 28 l/min. with integrated back flow preventer	Chrome Matt Black Brushed Gold PVD Brushed Nickel PVD	468850575 468853975 46885N075 46885N575
	Required Accessories: KLUDI SLIM.BOXX concealed unit DN 20		88022
	KLUDI-SOUNA bath-and shower mixer DN 15 single lever mixer 3-hole mounted solid lever, metal aerator, S-Pointer M24 protected against back flow ceramic cartridge with hot water safety device flow rate bath at 3 bar 23 I/min. flow rate shower at 3 bar 13 I/min. fixed spout shank-fixing extractable hoses M15 x 1500mm	Chrome Matt Black Brushed Gold PVD Brushed Nickel PVD	464480575 464483975 46448N075 46448N575



KLUDI-RENON Harmonious fusion of form and function



KLUDI-RENON

Product

Washbasin KLUDI-RENON 422660575 Chrome single lever basin mixer 85 DN 15 Matt Black 422663975 Ó single hole mounted 0 Matt White 422665375 Brushed Gold PVD Brushed Bronze PVD Ō solid lever 42266N075 PCA Caché aerator M 18,5 x 1 ceramic cartridge with hot water limitation flow rate 5 l/min. at 3 bar ŏ 42266N175 ŏ Brushed Gunmetal PVD 42266N275 Brushed Nickel PVD 42266N575 flexible pressure hoses G 3/8 DVGW approved rapid installation set PUSH-OPEN waste G 1 1/4 G¾ KLUDI-RENON Chrome 422900575 single lever basin mixer 85 DN 15 Ō Matt Black 422903975 single hole mounted 0 Matt White 422905375 Brushed Gold PVD solid lever 42290N075 PCA Caché aerator M 18,5 x 1 ceramic cartridge with hot water limitation ŏ Brushed Bronze PVD 42290N175 Õ Brushed Gunmetal PVD 42290N275 flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved Brushed Nickel PVD 42290N575 rapid installation set without pop-up waste G¾ KLUDI-RENON Chrome Matt Black 422670575 single lever basin mixer 85 DN 15 ŏ 422673975 422675375 single hole mounted õ Matt White 0 solid lever Õ Brushed Gold PVD 4226N0975 PCA Caché aerator M 18,5 x 1 Brushed Bronze PVD 4226N1375 ŏ Brushed Gunmetal PVD ceramic cartridge with hot water limitation 4226N2575 Brushed Nickel PVD õ EcoPlus centre position cold water 4226N5575 flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved rapid installation set PUSH-OPEN waste G 1 1/4 G1½ G3/4 KLUDI-RENON Chrome 422880575 single lever basin mixer 110 DN 15 0 Matt Black 422883975 Matt White single hole mounted 422885375 ŏ Brushed Gold PVD 42288N075 solid lever PCA Caché aerator M 18,5 x 1 õ Brushed Bronze PVD 42288N175 ceramic cartridge with hot water limitation Brushed Gunmetal PVD 42288N275 ò Brushed Nickel PVD flow rate 5 I/min. at 3 bar 42288N575 flexible pressure hoses G 3/8 DVGW approved

rapid installation set PUSH-OPEN waste G 1 1/4

515

<u>G1¼</u> G¾ Product description



Surface

Item No.

Product	Product description	Surface	Item No.
	KLUDI-RENON single lever basin mixer 110 DN 15 single hole mounted solid lever PCA Caché aerator M 18,5 x 1 ceramic cartridge with hot water limitati flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW app rapid installation set without pop-up waste	on Brushed (Brushed)	te 422825375
	KLUDI-RENON single lever basin mixer 110 DN 15 single hole mounted solid lever PCA Caché aerator M 18,5 x 1 ceramic cartridge with hot water limitati EcoPlus centre position cold water flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW app rapid installation set PUSH-OPEN waste G 1 1/4	on Brushed (Brushed N	te 422895375
	KLUDI-RENON single lever washbowl mixer DN 15 single hole mounted solid lever PCA Caché aerator M 18,5 x 1 ceramic cartridge with hot water limitati flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW app rapid installation set without pop-up waste spout height lower edge 240 mm	on Brushed (Brushed N	te 422985375
Valve	KLUDI-RENON pillar valve DN 15 single hole mounted solid lever PCA Caché aerator M 18,5 x 1 ceramic headpart 90° flow rate 4,5 l/min at 3 bar without fitting connection pressure hose or copper pipe Ø 10mm (KLUDI item no.	 Brushed C Brushed N 	te 421185375

KLUDI-RENON

	Product	Product description	Surface	ltem No.
	Bidet		Brushed Gold PVD	422160575 422163975 422165375 42216N075 42216N175 42216N275 42216N575
	Washbasin	KLUDI-RENON concealed single lever basin mixer concealed two hole wall mounted basin mixer wall fastening PCA Caché aerator M 18,5 x 1 flow rate at 3 bar 4,5 l/min. Required Accessories: installation set DN 15 for concealed two hole wall mounted basin mixer		422440575 422443975 422445375 42244N075 42244N175 42244N175 42244N575 38242
42		KLUDI-RENON concealed single lever basin mixer concealed two hole wall mounted basin mixer wall fastening PCA Caché aerator M 18,5 x 1 flow rate at 3 bar 4,5 l/min. Required Accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	Matt Black	422450575 422453975 422455375 42245N075 42245N175 42245N275 42245N575 38242
	Bath and Shower	KLUDI-RENON single lever bath and shower mixer wall fastening solid lever flow regulator M 24 x 1 ceramic cartridge with hot water limitation flow rate bath 20 l/min at 3 bar, flow rate 18 l/min at 3 bar protected against back flow autom. diverter shower/bathtub shower outlet G 1/2 s-connections G 1/2 x G 3/4	Brushed Gold PVD Brushed Bronze PVD	426910575 426913975 426915375 42691N075 42691N175 42691N275 42691N575

Product	Product description	Surface	ltem No.
210 150 ±14 GV2 070 GV2 10	KLUDI-RENON single lever shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow rate 23 l/min at 3 bar protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4	 Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD 	428310575 428313975 428315375 42831N075 42831N175 42831N275 42831N575
	KLUDI-RENON concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 28 l/min at 3 bar	 Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD 	427550575 427553975 42755375 42755N075 42755N175 42755N275 42755N575
	 required accessories: KLUDI-SLIM.BOXX concealed body 		88022
-85. 0	KLUDI-RENON concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate bath 28 I/min at 3 bar, flow rate handshower 24 I/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button	 Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PV Brushed Nickel PVD 	42759057 42759397 42759307 42759N07 42759N07 42759N17 0 42759N57 42759N57
	required accessories: KLUDI-SLIM.BOXX concealed body		88022
	KLUDI-SLIM.BOXX concealed body	● Chrome ● Matt Black	427630575
	KLUDI-SLIM.BOXX concealed body	 Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD 	427630575 427633975 427635375 42763N075 42763N175



KLUDI @


KLUDI-BALANCE PERFECT HARMONY

KLUDI-BALANCE




Product		Product description		Surface	ltem No.
	205 100 175 210 235 270 0-40	KLUDI-BALANCE single lever washbowl mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation caché s-pointer-Laminar-flow- regulator M 24 x 1 flow rate 5 l/min. at 3 bar without pop-up waste rapid installation set flexible hoses G 3/8 noise level l spout height lower edge 210 mm	Ō	Chrome White/Chrome Matt Black/Chrome	522960575 522969175 522968775
	205 205 205 205 205 205 205 205	KLUDI-BALANCE single lever washbowl mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation caché s-pointer-Laminar-flow- regulator M 24 x 1 flow rate 5 l/min. at 3 bar without pop-up waste rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 270 mm	•	Chrome White/Chrome Matt Black/Chrome	522980575 522989175 522988775
		KLUDI-BALANCE concealed two hole wall mounted basin mixer trim set solid lever flow rate 5 l/min. at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 235 mm Required Accessories: installation set DN 15 for concealed two hole wall mounted basin mixer		Chrome Matt Black/Chrome	522470575 522478775 38243
	<u>200</u> <u>045</u> <u>70</u> <u>185</u> <u>210</u>	KLUDI-BALANCE concealed two hole wall mounted basin mixer trim set solid lever flow rate 5 l/min. at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 185 mm Required Accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	0	Chrome White/Chrome Matt Black/Chrome	522460575 522469175 522468775 38243

KLUDI-BALANCE




Chrome 5210005WR **KLUDI-BALANCE E** Washbsin electronic controlled basin mixer DN 15 single hole mounted flow rate 1,9 l/min at 3 bar PCA cascade aerator M 24 x 1 with antitheft device magnet-cartridge unit with presetable temperature control handle with optional hygienic flushing every 12 or 24 hours optical object-detection electronic unit with battery control device 6 V lithium battery CR-P2, anti theft backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level l protected against vandalism spout height lower edge 105 mm




Product	Product description	Surface	ltem No.
	with anti-theft device magnet-cartridge unit with presetable temperature control	Chrome White/Chrome	5220005 5220091
	KLUDI-BALANCE E electronic controlled basin mixer DN 15 single hole mounted flow rate 1,9 l/min at 3 bar PCA cascade aerator M 24 x 1 with anti-theft device magnet-cartridge unit with presetable temperature control handle optical object-detection with optional hygienic flushing every 12 or 24 hours electronic unit with control device electric power supply via 230 V main adapter backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism spout height lower edge 105 mm	Chrome	5220005WR
	KLUDI-BALANCE E electronic controlled basin mixer DN 15 single hole mounted flow rate 5 l/min. at 3 bar PCA cascade aerator M 24 x 1 with anti- theft device magnet-cartridge unit with presetable temperature control handle with optional hygienic flushing every 12 or 24 hours optical object-detection electronic unit with battery control device 6 V lithium battery CR-P2, anti theft backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism spout height lower edge 105 mm		5210005 5210091

KLUDI-BALANCE

Product	Product description		Surface	ltem No.
	 KLUDI-BALANCE single lever bath- and shower mixer D stand assembly solid lever three hole tiles deck mounted installe flow class D/B flexible high pressure supply hoses G 1/2 × G 1/2 × 600 mm s-pointer aerator M 24 × 1 ceramic cartridge with hot water limit autom. diverter shower/bathtub protected against back flow retractable hand shower shower hose 1500 mm high pressure supply hose 500 mm projection 220 mm noise level I P-IX 7505/IDB Required Accessories: 	tion	Chrome	524470575
	mounting plate pre-installation set for three hole mix	ər	Chrome	7614946-00
205 85 min.655 952 0150	KLUDI-BALANCE single lever bath- and shower mixer DN 15 installation for free standing ba- thtub solid lever ceramic cartridge with hot water limitation caché s-pointer-Laminar-flow- regulator M 24 x 1 flow class B/B autom. diverter shower/bathtub protected against back flow KLUDI SUPRAFLEX hose G 1/2 x G 1/2 x 1250 mm with KLUDI FIZZ handshower 1S	•	Chrome White/Chrome Matt Black/Chrome	525900575 525909175 525908775
Y	Required Accessories: KLUDI FLEXX.BOXX concealed unit DN 20			88088
G% 260	KLUDI-BALANCE bath filler DN 20 wall fastening projection 170 mm	Ō) Chrome) White/Chrome) Matt Black/Chrome	5250305 5250391 5250387
	flow class C s-pointer aerator M 24 x 1C separate connector G 3/4 for pre-installation			





KLUDI-BALANCE

Product		Product description		Surface	ltem No.
(The second sec	0 0150 -85	KLUDI-BALANCE concealed single lever bath and shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limi- tation flow rate bath 28 I/min at 3 bar, flow rate bath 28 I/min at 3 bar, flow rate handshower 24 I/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20	Ō	Chrome White/Chrome Matt Black/Chrome	527590575 527599175 527598775
		KLUDI-BALANCE concealed single lever bath and sho- wer mixer concealed valve with functional unit solid lever ceramic cartridge with hot water li- mitation flow rate bath 25 l/min at 3 bar, flow rate bath 25 l/min at 3 bar, flow rate bath 25 l/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button according to DIN EN 1717 Required Accessories: KLUDI FLEXX.BOXX Chrome concealed body DN 20	•	Chrome	88011
					88011
C		KLUDI-BALANCE concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limita- timitation flow rate 29 l/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20	•	Chrome	526590575
		KLUDI-BALANCE concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 25 l/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		Chrome	526630575 88011

roduct	Product description	Surface	Item No.
<u>2150</u>	KLUDI-BALANCE concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow rate 28 I/min at 3 bar Required Accessories: KLUDI SLIM.BOXX concealed body DN 20	 Chrome White/Chrome Matt Black/Chrome 	527550575 527559175 527558775 88022
	KLUDI-BALANCE concealed thermostatic bath and shower mixer concealed valve with functional unit with ceramic shut-off valve flow rate bath 28 l/min at 3 bar, flow rate bandshower 24 l/min at 3 b and diverter as rotary valve hot water safety device 40 °C hot water safety device 40 °C Mequired Accessories: KLUDI FLEXX.BOXX concealed body DN 20		528100575 528109175 528108775
0170	 KLUDI-BALANCE concealed thermostatic bath and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve cylindrical handle, metal hot water safety device 38 °C flow class B P-IX 18444/IICC Required Accessories: KLUDI FLEXX.BOXX 	Chrome Matt Black/Chrome	528300575 528308775 88011

KLUDI-BALANCE

Product		Product description	Surface	ltem No.
	<u>0150</u> -85	KLUDI-BALANCE concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve cylindrical handle, metal hot water safety device 38 °C flow rate 40 l/min at 3 bar Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20	Chrome	527390575 88011
		KLUDI-BALANCE concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve cylindrical handle, metal hot water safety device 38 °C flow rate 40 l/min at 3 bar Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20	Chrome	527290575 88011
	M24x1 Ø100	KLUDI-BALANCE three-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette cylindrical handle Required Accessories: three-way diverter DN 15 set 1 – pre-installation	Chrome	528460575 29757
	M24x1 Ø100	KLUDI-BALANCE two-way diverter trim set set 2 – trim set consisting of: handle, sleeve, rosette cylindrical handle Required Accessories: two-way diverter DN 15 set 1 – pre-installation	Chrome	528470575 29747
	M24x1 Ø100	KLUDI-BALANCE concealed valve concealed trim-set consisting of: handle, sleeve, rosette adjustable extension Required Accessories: concealed valve DN 20 connection G 3/4	Chrome	528150575

KLUDI-AMEO A DASH OF LUXURY

4-1

(IIII)




KLUDI-AMEO

Product		Product description	Surface	Item No.
Washbasin	1135 115 115 0-40 0-40 0-40 0-40 0-40 0-40 0-40 0-4	KLUDI-AMEO single lever basin mixer XL DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 5 l/min at 3 bar pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 95 mm	Chrome	410230575
	135 115 155 0.40 370 055	KLUDI-AMEO single lever basin mixer XL DN 15 solid lever single hole mounted flow rate 5 I/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 95 mm	Chrome	410260575
	135 115 0-40 390 0-20 0-40 0-40 0-40 0-40 0-40 0-40 0-4	KLUDI-AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 75 mm	Chrome	410280575
	380 63%	KLUDI-AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 I/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 75 mm	Chrome	410290575
		KLUDI AMEO single lever basin mixer XL DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 3,8 l/min at 3 bar pop-up waste G 11/4 flexible hoses G 3/8 rapid installation set spout height lower edge 95 mm	Chrome	410230575R

Product		Product description	Surface	ltem No.
	200 170 195 195 57 440 63%	KLUDI-AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 I/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation PUSH-OPEN waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 195 mm	Chrome	410250575
	200 170 80 85 220 195 0-40 85 85 85 85 85 85 85 85 85 85 85 85 85	KLUDI-AMEO single lever basin mixer DN 15 solid lever single hole mounted flow rate 6 I/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste flexible hoses G 3/8	Chrome	410240575
	448, 170 0-40 270 255 M34x1.5 335	KLUDI-AMEO single lever washbowl mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 5 l/min at 3 bar without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 270 mm	Chrome	412980575
	448 0-40 270 255 M34x15 255 C25	KLUDI-AMEO single lever washbowl mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 3,8 l/min at 3 bar without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 270 mm	Chrome	412980575R
	48 48 0-40	KLUDI-AMEO single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 5 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 205 mm	Chrome	412960575

KLUDI-AMEO

Product		Product description	Surface	ltem No.
	200 65 65 70 70 85	KLUDI-AMEO concealed two hole wall mounted basin mixerr trim set solid lever flow rate 5 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 235 mm Required Accessories: installation set DN 15	Chrome	412450575 38243
	235 260	for concealed two hole wall mounted basin mixer installation set DN 15 for concealed two hole wall mounted basin mixer		38242



KLUDI-AMEO concealed two hole wall mounted basin mixer trim set solid lever flow rate 5 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 185 mm	Chrome	412440575
Required Accessories: installation set DN 15 for concealed two hole wall mounted basin mixer		38243
installation set DN 15 for concealed two hole wall mounted basin mixer		38242
KLUDI-AMEO three-hole basin mixer DN 15 solid lever three hole assembling flow rate 5 l/min at 3 bar PCA s-pointer aerator M 24 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 pop-up waste G 1 1/4 spout height lower edge 135 mm	Chrome	413930575

Product	Product description	Surface	Item No.
Bidet	KLUDI-AMEO single lever bidet mixer DN 15 cylindric handles three hole assembling flow rate 5 l/min at 3 bar PCA s-pointer aerator M 24 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 pop-up waste G 11/4 spout height lower edge 135 mm	Chrome	412160575
Bath	KLUDI-AMEO single lever bath and shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation flow regulator s-pointer M 24 x 1 flow rate bath 20 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4	Chrome	414450575
	KLUDI-AMEO single lever bath and shower mixer DN 15 solid lever vertically and horizontally adjustable wall fastening flow regulator s-pointer M 24 x 1 flow rate bath 20 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar ceramic cartridge with hot water limitation protected against back flow autom. diverter shower/bathtub shower outlet G 1/2 s-connections	Chrome	416710575
	KLUDI-AMEO single lever bath and shower mixer DN 15 stand assembly solid lever three hole tiles deck mounted installation flow regulator s-pointer M 24 x 1 flow rate bath 24 I/min at 3 bar, flow rate handshower 13 I/min at 3 bar ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow pull-out hand shower shower hose 1500 mm high pressure supply hose 500 mm projection 220 mm	• Chrome	414470575

KLUDI-AMEO

Product	Product description	Surface	ltem No.
°	KLUDI-AMEO concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 28 I/min at 3 bar flow rate 24 I/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button	Chrome	417590575
	Required Accessories: KLUDI FLEXX.BOXX Concealed body DN 20 KLUDI SLIM.BOXX Unterputz-Körper DN 20		88022
C C	KLUDI-AMEO concealed single lever bath and shower mixer cconcealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limi- tation flow rate 29 I/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button	Chrome	416590575
	Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
C	KLUDI-AMEO concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 25 l/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button intrinsically safe against backflow according to DIN EN 1717	Chrome	416630575
	Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011

Product	Product description	Surface	Item No.
	KLUDI-AMEO concealed thermostatic bath and shower mixer concealed valve with functional unit with ceramic shut-off valve flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar hot water safety device 40 °C for 2 consumers hot water safety device 40 °C Required Accessories: KLUDI SLIM.BOXX concealed body DN 20	Chrome	418100575 88022
	KLUDI-AMEO concealed thermostatic bath and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20	Chrome	418300575 88011
	KLUDI-AMEO bath filler DN 20 wall fastening projection 170 mm s-pointer aerator M 24 x 1C flow rate 28 I/min at 3 bar separate connector G 3/4 for pre-installation	Chrome	4150505
Shower	KLUDI-AMEO single lever shower mixer DN 15 solid lever flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections	Chrome	417100575
	KLUDI-AMEO single lever shower mixer DN 15 solid lever vertically and horizontally adjustable flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections	Chrome	416750575

KLUDI-AMEO

Product description	Surface	ltem No.
KLUDI-AMEO concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20	Chrome	416550575 88011
KLUDI-AMEO concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve flow rate 28 I/min at 3 bar hot water safety device 40 °C Required Accessories: KLUDI SLIM.BOXX concealed body DN 20	Chrome	418850575 88022
KLUDI-AMEO concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20	Chrome	418350575 88011
	<image/> <image/> <image/> <complex-block><complex-block></complex-block></complex-block>	<image/> Choice and the second of the s

KLUDI-BOZZ PURISM IN ITS PUREST FORM



KLUDI-BOZZ

Product		Product description	Surface	ltem No.
Washbasin	140 125 180 1-30 048 0 055 50 055	KLUDI-BOZZ single lever basin mixer 75 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation caché s-pointer-aerator M 18,5 x 1 flow rate 5 l/min. at 3 bar flexible hoses G 3/8 rapid installation set metal pop-up waste G 1 1/4 spout height lower edge 75 mm	Chrome	382700576
		KLUDI-BOZZ single lever basin mixer 75 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation caché s-pointer-aerator M 18,5 x 1 flow rate 5 l/min. at 3 bar flexible hoses G 3/8 rapid installation set PUSH-OPEN waste G 11/4 spout height lower edge 75 mm	 Chrome Matt Black Matt White Brushed Gold Brushed Nickel 	382660576 382663976 382665376 38266N076 38266N576
	140 125 100 027 027 027 75 110 360 035	KLUDI-BOZZ single lever basin mixer 75 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation caché s-pointer-aerator M 18,5 x 1 flow rate 5 l/min. at 3 bar flexible hoses G 3/8 rapid installation set without pop-up waste spout height lower edge 75 mm	 Chrome Matt Black Brushed Gold Brushed Nickel 	382720576 382723976 38272N076 38272N576
		KLUDI-BOZZ single lever basin mixer 75 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation caché s-pointer-aerator M 18,5 x 1 flow rate 5 l/min. at 3 bar flexible hoses G 3/8 rapid installation set metal pop-up waste G 1 1/4 spout height lower edge 75 mm	Chrome	382770576
		KLUDI-BOZZ single lever basin mixer 75 DN 15 single hole mounted solid lever EcoPlus centre position cold water ceramic cartridge with hot water limitation caché s-pointer-aerator M 18,5 x 1 flow rate 5 l/min. at 3 bar flexible hoses G 3/8 rapid installation set metal pop-up waste G 1 1/4 spout height lower edge 75 mm	 Chrome Matt Black Construction <li< td=""><td>382630576 382633976</td></li<>	382630576 382633976

Product		Product description	Surface	ltem No.
	140 125 100 027 027 027 027 75 110 360 036	KLUDI-BOZZ single lever basin mixer 75 DN 15 single hole mounted solid lever EcoPlus centre position cold water ceramic cartridge with hot water limitation caché s-pointer-aerator M 18,5 x 1 flow rate 3,8 l/min at 3 bar flexible hoses G 3/8 rapid installation set without pop-up waste spout height lower edge 75 mm	Chrome Matt Black	383890576WR4 383893976
	135 135 100 027 027 027 027 027 027 027 027 027 0	KLUDI-BOZZ single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitati caché s-pointer-aerator M 18,5 x 1 flow rate 5 l/min. at 3 bar flexible hoses G 3/8 rapid installation set metal pop-up waste G 1 1/4 spout height lower edge 100 mm	Chrome On	382800576
A A	135 135 135 135 135 135 135 135 100 135 100 135 100 135 100 135 100 135 100 135 100 135 100 135	KLUDI-BOZZ single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation caché s-pointer-aerator M 18,5 x 1 flow rate 5 l/min. at 3 bar flexible hoses G 3/8 rapid installation set PUSH-OPEN waste G 1 1/4 spout height lower edge 100 mm	 Chrome Matt Black Matt White Brushed Gold Brushed Nickel 	382880576 382883976 382885376 38288N076 38288N576
	150 135 100 027 0027 0027 0027 0048 100 135 495	KLUDI-BOZZ single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation caché s-pointer-aerator M 18,5 x 1 flow rate 5 l/min. at 3 bar flexible hoses G 3/8 rapid installation set without pop-up waste spout height lower edge 100 mm	 Chrome Matt Black Brushed Gold Brushed Nickel 	382820576 382823976 38282N076 38282N576
	150 135 100 027 027 028 027 027 027 027 027 027 027 027 027 027	KLUDI-BOZZ single lever basin mixer 75 DN 15 single hole mounted solid lever EcoPlus centre position cold water ceramic cartridge with hot water limitation caché s-pointer-aerator M 18,5 x 1 flow rate 5 l/min. at 3 bar flexible hoses G 3/8 rapid installation set without pop-up waste spout height lower edge 75 mm	 Chrome Matt Black Control Cont	381980576WR4 381983976

KLUDI-BOZZ

Product		Product description	Surface	Item No.
	150 135 185 185 00 048 048 003 100 135 495 003 100 135 50 0127 50 0127	KLUDI-BOZZ single lever basin mixer 100 DN 15 single hole mounted solid lever EcoPlus centre position cold water ceramic cartridge with hot water limitation caché s-pointer-aerator M 18,5 x 1 flow rate 3,8 l/min at 3 bar flexible hoses G 3/8 rapid installation set metal pop-up waste G 1 1/4 spout height lower edge 100 mm	 Chrome Matt Black Matt Black Matt Black 	382930576WR4 382933976
	80 9024 1-35 905 90 90 90 90 90 90 90 90 90 90	KLUDI-BOZZ single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 I/min. at 3 bar ceramic cartridge with hot water limitation swivelling spout rapid installation set with shank fastening flexible hoses G 3/8 metal pop-up waste G 1 1/4 spout height lower edge 185 mm	Chrome	380270576
	024 1-30 048 048 050 050 050 050 050 050 050 05	KLUDI-BOZZ single lever basin mixer DN 15 solid lever single hole mounted flow rate 5 I/min. at 3 bar ceramic cartridge with hot water limitation swivelling spout rapid installation set with shank fastening flexible hoses G 3/8 without pop-up waste spout height lower edge 185 mm	 Chrome Matt Black Matt White Fix^m 	
		KLUDI-BOZZ single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA caché-aerator M 16,5 x 1 flow rate 7 l/min at 3 bar swivelling spout rapid installation set flexible hoses G 3/8 noise level l pop-up waste G 1 1/4 spout height lower edge 235 mm	Chrome	382940576
	325 140 325 325 325 325 325 325 320 240 275 355 355 355	KLUDI-BOZZ single lever washbowl mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation caché s-pointer-aerator M 18,5 x 1 flow rate 5 l/min. at 3 bar flexible hoses G 3/8 rapid installation set without pop-up waste spout height lower edge 240 mm	 Chrome Matt Black Matt White Brushed Go Brushed Nie 	382865376 old 38286N076

Product	Product description	Surface	Item No.
	KLUDI-BOZZ concealed two hole wall mounted basin mixer trim set solid lever flow rate 5 l/min. at 3 bar caché s-pointer-aerator M 24 x 1 rosette diameter 70 mm projection wall spout 230 mm Required Accessories:: installation set DN 15 for concealed two hole wall mounted basin mixer	 Chrome Matt Black Matt White Brushed Gold Brushed Nickel 	382450576 382453976 382455376 38245N076 38245N576 38245N576
	KLUDI-BOZZ concealed two hole wall mounted basin	 Chrome Matt Black Matt White Brushed Gold Brushed Nickel 	382440576 382443976 382445376 38244N076 38244N576 38244N576
	KLUDI-BOZZ pillar valve single hole mounted shank fastening G 1/2 spout height lower edge 75 mm	 Chrome Matt Black 	381180576 381183976
	KLUDI-BOZZ pillar tap with head part control unit DN 15 single hole mounted actuation by stick special headpart with spindle outlet aerator M 21,5 x 1 flow rate 4,3 l/min at 3 bar shank fastening G 1/2	Chrome	380160530

KLUDI-BOZZ

Product		Product description	Surface	ltem No.
Bidet	125 140 045 063 063 00 011/2 50	KLUDI-BOZZ single lever bidet mixer DN 15 solid lever single hole mounted flow rate 6 l/min at 3 bar ball joint-aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set	Chrome Matt Black Matt White Brushed Gold Brushed Nickel	385330576 385333976 385335376 38533N076 38533N576
Bath	<u>C3%</u> 200 150 ± 14 05/2 070 05/2 070 05/2	KLUDI-BOZZ single lever bath and shower mixer DN 15 solid lever wall fastening aerator M 24 x 1 flow rate 22 l/min at 3 bar ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4	Chrome Matt Black Matt White Brushed Gold Brushed Nickel	386910576 386913976 386915376 38691N076 38691N576
	105 225 032.5 730 85 70 210 760-830	KLUDI-BOZZ bath and shower mixer DN 15 installation for free standing bathtub solid lever ceramic cartridge with hot water limitation flow regulator s - pointer M 24 x 1 flow rate 22 l/min at 3 bar autom. diverter shower/bathtub protected against back flow KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1250 mm with hand shower	Chrome Matt Black Brushed Gold Brushed Nickel	385900576 385903976 38590N076 38590N576
	Ø150	Required Accessories: KLUDI FLEXX.BOXX concealed unit DN 20		88088

Product	Product description	Surface	Item No.
	KLUDI-BOZZ single lever bath and shower mixer DN 15 stand assembly three hole tiles deck mounted installation solid lever flow rate 24 l/min at 3 bar s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow projection 220 mm	• Chrome	384480576
<u>G34</u> <u>070</u> <u>026</u> 65	KLUDI-BOZZ bath filler DN 20 wall fastening projection 160 mm s-pointer aerator M 24 x 1 flow rate 25 I/min at 3 bar with push-on rosette	 Chrome Matt Black Matt White Brushed Gold Brushed Nickel 	3850505 3850539 3850553 38505N0 38505N5
Shower	KLUDI-BOZZ single lever shower mixer DN 15 solid lever wall fastening flow rate 28 l/min at 3 bar ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4	 Chrome Matt Black Matt White Brushed Gold Brushed Nickel 	388310576 388313976 388315376 38831N076 38831N576
	KLUDI-BOZZ thermostatic shower mixer DN 15 wall fastening temperature control handle with hot water safety device 38° C With optional temperature limit stop at 43° C with shut-off valve flow rate 22 l/min at 3 bar protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4 dirt catcher sieves P-IX 8049/IB	 Chrome Matt Black Matt White Brushed Gold Brushed Nickel 	352030538 352033938 352035338 35203N038 35203N538

KLUDI-BOZZ

Product description	Surface	ltem No.
KLUDI-BOZZ concealed single lever bath and shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button	 Chrome Matt Black Matt White Brushed Gold Brushed Nickel 	387590576 387593976 387595376 38759N076 38759N576
Required Accessories: KLUDI SLIM.BOXX concealed unit DN 20		88022
	KLUDI-BOZZ concealed single lever bath and shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow rate bath 28 I/min at 3 bar, flow rate handshower 24 I/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button Required Accessories: KLUDI SLIM.BOXX	KLUDI-BOZZ concealed single lever bath and shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button Required Accessories: KLUDI SLIM.BOXX







Product	Product description	Surfac	e Item No.
	KLUDI-BOZZ concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow rate 25 l/min at 3 bar		ick 386553976
<u>9170</u>	Required Accessories: KLUDI FLEXX BOXX concealed body DN 20		88011
	KLUDI-BOZZ concealed single lever shower mixer concealed valve with functional unit		ick 387553976
	concealed single lever shower mixer	Matt Blo	ack 387553976 hite 38755376 Gold 38755N076

KLUDI-ZENTA SL SERENITY IN YOUR INTERIOR DESIGN






Product		Product description	Surface	ltem No.
	360 300 36 75 95 1-30 75 95 135 50 G12 50 G12	KLUDI-ZENTA SL single lever basin mixer 75 DN 15 single hole mounted solid lever EcoPlus centre position cold water ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 75 mm		482630565 482633965
	1-30 95 75 95 135 390 G%		Chrome Matt Black	483890565WR4 483893965
		KLUDI-ZENTA SL single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	Chrome Matt Black	482900565 482903965
	1-30 246 375 G%	KLUDI-ZENTA SL single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	Chrome	482920565



Product		Product description	Surface	ltem No.
	200 180 15 140 240 265 300 385 <u>G%</u>	KLUDI-ZENTA SL single lever washbowl mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 3,8 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 240 mm	Chrome	482560565WR5
	200 180 85 240 240 265 300 385 <u>385</u> <u>385</u> <u>385</u>	KLUDI-ZENTA SL single lever washbowl mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 I/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 240 mm	Chrome Matt Black	482560565 482563965
		KLUDI-ZENTA SL single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min at 3 bar swivelling spout (360°) metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 220 mm	Chrome Matt Black	₩ 480270565 480273965
	175 160 180 85 220 245 385 6%	KLUDI-ZENTA SL single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min at 3 bar swivelling spout (360°) without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 220 mm	Chrome	480280565

Product	Product description	Surface	Item No.
	KLUDI-ZENTA SL basin mixer DN 15 solid lever three hole assembling flow rate 5 I/min at 3 bar PCA s-pointer aerator M 24 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 spout height lower edge 155 mm	Chrome	483930565
	KLUDI-ZENTA SL concealed two hole wall mounted basin mixer trim set Two-part rosette solid lever flow regulator M 24 x 1 flow rate 5 I/min at 3 bar projection wall spout 230 mm Required Accessories:	Chrome	482450565
7	installation set DN 15 for concealed two hole wall mounted basin mixer		38243
	installation set DN 15 for concealed two hole wall mounted basin mixer		38242
	KLUDI-ZENTA SL concealed two hole wall mounted basin mixer trim set One-piece rosette solid lever flow regulator M 24 x 1 flow rate 5 I/min at 3 bar projection wall spout 180 mm	 Chrome Matt Black 	482470565 482473965
180 205	Required Accessories: installation set DN 15 for concealed two hole wall mounted basin mixer		38243
	installation set DN 15 for concealed two hole wall mounted basin mixer		38242
	KLUDI-ZENTA SL concealed two hole wall mounted basin mixer trim set One-piece rosette solid lever flow regulator M 24 x 1 flow rate 5 l/min at 3 bar projection wall spout 230 mm	Chrome	482480565
230 240	Required Accessories: installation set DN 15 for concealed two hole wall mounted		38243
	basin mixer installation set DN 15 for concealed two hole wall mounted basin mixer		38242

roduct	Product description	Surface	Item No.
	KLUDI-ZENTA SL E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar optical object-detection projection 240 mm	 chrome chrome	3840005
	required accessories: Service remote control for electronic mixer	neutral	7679000-00
	concealed electronic body DN 15 pre-installation set		38001
	concealed electronic body DN 15 pre-installation set		38002
	KLUDI-ZENTA SL E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar optical object-detection projection 190 mm required accessories:	 chrome chrome	3850005
	Service remote control for electronic mixer	neutral	7679000-00
	concealed electronic body DN 15 pre-installation set		38001




KLUDI-ZENTA SL E electronic controlled basin mixer DN 15 trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar optical object-detection projection 240 mm	chrome children ch	3840205
required accessories: Service remote control for electronic mixer	neutral	7679000-00
concealed electronic body DN 15 pre-installation set		38003
concealed electronic body DN 15 pre-installation set		38004


Product

Product description Surface Item No. chrome KLUDI-ZENTA SL E 3850205 electronic controlled basin mixer DN 15 G½ P trim set trim set soft-edge escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 I/min. at 3 bar actively binet data stime optical object-detection projection 190 mm **required accessories:** Service remote control neutral 7679000-00 for electronic mixer concealed electronic body DN 15 pre-installation set 38003 38004 concealed electronic body DN 15 pre-installation set

pre-installation set



KLUDI-ZENTA SL E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar optical object-detection projection 240 mm	 chrome chrome	3840105
required accessories: Service remote control for electronic mixer	neutral	7679000-00
concealed electronic body DN 15 pre-installation set		38001
concealed electronic body DN 15		38002




KLUDI-ZENTA SL E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar optical object-detection projection 190 mm	 chrome chrome	3850105
required accessories: Service remote control for electronic mixer	neutral	7679000-00
concealed electronic body DN 15 pre-installation set		38001
concealed electronic body DN 15 pre-installation set		38002

Product	Product description	Surface	Item No.
	KLUDI-ZENTA SL E electronic controlled basin mixer DN 2 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 × 1 flow rate 5 l/min. at 3 bar optical object-detection projection 240 mm	15 chrome	3840305
	required accessories: Service remote control for electronic mixer	neutral	7679000-00
	concealed electronic body DN 15 pre-installation set		38003
	concealed electronic body DN 15 pre-installation set		38004



KLUDI-ZENTA SL E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar optical object-detection projection 190 mm	 chrome chrome	3850305
required accessories: Service remote control for electronic mixer	neutral	7679000-00
concealed electronic body DN 15 pre-installation set		38003
concealed electronic body DN 15 pre-installation set		38004



KLUDI-ZENTA SL E electronic controlled basin mixer DN 15 trim set round escutcheon powered by 230 V mains supply or 6 V lithium battery CR-P2 wall fastening temperature control handle flow regulator M 24 x 1 flow rate 1,9 l/min at 3 bar optical object-detection projection 240 mm	 chrome chrome	3840105WR
required accessories: Service remote control for electronic mixer	neutral	7679000-00
concealed electronic body DN 15 pre-installation set		38001
concealed electronic body DN 15 pre-installation set		38002

Product	Product description	Surface	Item No.
	Service remote control for electronic mixer KLUDI-ZENTA SL features: adjustable range of the sensor (100 - 350 r Regulation of water drainage time after taking objectsout of the working range of the sensor (0 - 10 s) Turn off the battery, for example. during washing of the basin Test of the mixer settings Reset mixer settings	neutral	7679000-00
Bidet	KLUDI-ZENTA SL single lever bidet mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation s-pointer eco-aerator M 24 x 1 flow rate 6 l/min at 3 bar metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 70 mm	 Chrome Matt Black 	485300565 485303965
Both	KLUDI-ZENTA SL bath and shower mixer DN 15 four hole tiles deck mounted installation stand assembly solid lever flow rate 27 I/min at 3 bar s-pointer aerator M 24 x 1 ceramic headpart 90° automatic diverter: shower/spray retractable hand shower protected against back flow flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm projection 220 mm	Chrome	484240565
	Required Accessories: mounting plate pre-installation set for four hole mixer		7614846-00
	KLUDI ROTEXA bath rim assembly kit	Chrome	7878205-00
	KLUDI-ZENTA SL single lever bath and shower mixer DN 15 stand assembly three hole tiles deck mounted installation solid lever flow rate 24 l/min at 3 bar s-pointer aerator M 24 × 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 × G 1/2 × 600 mm protected against back flow projection 220 mm	Chrome	484480565
	Required Accessories: mounting plate pre-installation set for three hole mixer		7614946-00
	KLUDI ROTEXA bath rim assembly kit	Chrome	7878205-00

Product		Product description	Surface	Item No.
	G1/2 Ø65	KLUDI-ZENTA SL bath filler DN 15 projection 170 mm wall fastening flow regulator M 24 x 1 flow rate 28 l/min at 3 bar fixed spout connection G 1/2 with wall flange (escutcheon)	Chrome	4860005
	235 90 052 052 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	KLUDI-ZENTA SLbath and shower mixer DN 15installation for free standing bathtubsolid leverceramic cartridge with hot water limitationflow regulator s-pointer M 24 x 1flow rate 22 l/min at 3 barautom. diverter shower/bathtubprotected against back flowKLUDI SUPARAFLEX SILVER-hose anti twistG 1/2 x G 1/2 x 1250 mmhand shower KLUDI-A-QA 3910005-00Required Accessories:	Chrome	485900565
	<u>0150</u> <80	KLUDI FLEXX.BOXX concealed unit DN 20		88088
	150 ±14 070 070 055 145 170 00 00 00 00 00 00 00 00 00		 Chrome Matt Black 	486700565 486703965
Shower	185 150 ±17 070 05 85 105	KLUDI-ZENTA SL single lever shower mixer DN 15 solid lever wall fastening flow rate 28 I/min at 3 bar ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4	 Chrome Matt Black 	488700565 488703965

Product	Product description	Surface	ltem No.
Thermostat surface-mounted	KLUDI-ZENTA SL thermostatic shower mixer DN 15 wall fastening temperature control handle with hot water safety device 38° C with shut-off valve flow rate 25 I/min at 3 bar protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4 dirt catcher sieves PA-IX 18064/IB	Chrome Matt Black	351000538 351003938
51/2 51/2	KLUDI-ZENTA SL thermostatic bath and shower mixer DN 15 wall fastening aerator M 24 x 1/B temperature control handle with hot water safety device 38° C ceramic headpart 90° flow rate bath 25,2 l/min at 3 bar, flow rate 17 l/min at 3 bar autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4 dirt catcher sieves	Chrome Matt Black	351010538 351013938
	KLUDI-ZENTA SL concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 29 I/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button Required Accessories: KLUDI FLEX.BOXX center and bady UN 20	Chrome	486590565 88011
	concealed body DN 20 KLUDI-ZENTA SL concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 25 I/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button protected against back flow according to DIN EN 1717 Required Accessories:	Chrome	486630565
	KLÚDI FLEXX.BOXX concealed body DN 20 KLUDI-ZENTA SL concealed single lever bath and shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow rate bath 25 l/min at 3 bar, flow rate handshower 23 l/min bei 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button protected against back flow according to DIN EN 1717	Chrome	88011 487630565

Product	Product description	Surface	Item No.
	KLUDI-ZENTA SL concealed single lever bath and shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button	Chrome Matt Black	487590565 487593965
	KLUDI-ZENTA SL concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow rate 28 l/min at 3 bar Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20	Matt Black	487553965 88011
	KLUDI-ZENTA SL concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow rate 25 l/min at 3 bar Required Accessories: KLUDI FLEXXBOXX concealed body DN 20	Chrome	486550565 88011
		Chrome Matt Black	388850545 388853945 88022
	concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C With optional temperature limit stop at 43 ° P-IX 18444/IICC	C C C	388350545
Ø170	Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011

Product	Product description	Surface	Item No.
() () () () () () () () () () () () () (KLUDI-ZENTA SL concealed thermostatic bath and shower mixer concealed valve with functional unit with ceramic shut-off valve flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 b and diverter as rotary valve for 2 consumers hot water safety device 40 °C	٢	388100545 388103945
	Required Accessories: KLUDI SLIMBOXX concealed body DN 20		88022
2170	KLUDI-ZENTA SL concealed thermostatic bath and shower mixer concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C With optional temperature limit stop flow class B P-IX 18444/IICC		388300545
	Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011




KLUDI-PURE&STYLE elegant, linear and convenient

1


93

KLUDI-PURE&STYLE



Product		Product description	Surface	ltem No.
		KLUDI-PURE&STYLE single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 × 1 flow rate 5 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	Chrome Matt Black	402900575 402903975
	1-30 1-30 048 365 035 035 035 035 035 035 035 03	KLUDI-PURE&STYLE single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	Chrome Matt Black	402920575 402923975
		KLUDI-PURE&STYLE single lever basin mixer 100 DN 15 single hole mounted solid lever EcoPlus centre position cold water ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 3,8 I/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	Chrome	402930575WR4
	1-30 048 048 05 05 05 05 05 05 05 05 05 05	KLUDI-PURE&STYLE single lever basin mixer 100 DN 15 single hole mounted solid lever EcoPlus centre position cold water ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 3,8 I/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	Chrome Matt Black	401980575WR4 401983975
	1-30 048 200 75 100 135 390 310 0263 50 011/2 50 01/2 50	KLUDI-PURE&STYLE Single lever basin mixer 75 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 3,8 I/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 75 mm	Chrome	403820575WR5

KLUDI-PURE&STYLE



Product		Product description	Surface	Item No.
Bidet		KLUDI-PURE&STYLE single lever bidet mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 65 mm	Chrome	402160575
Bath	150 ± 14 51/2 0	KLUDI-PURE&STYLE single lever bath and shower mixer DN 15 wall fastening solid lever flow class C/B flow regulator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections	Chrome Matt Black	406810575 406813975
		KLUDI-PURE&STYLE concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate bath 28 I/min at 3 bar, flow rate handshower 24 I/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button	Chrome Matt Black	407590575 407593975
		Required Accessories: KLUDI SLIM.BOXX concealed body DN 20		88022

KLUDI-PURE&STYLE


Product		Product description		Surface	ltem No.
		KLUDI-PURE&STYLE concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 29 I/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button	•	Chrome Matt Black	406590575 406593975
		Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20			88011
		KLUDI-PURE&STYLE concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limi- tation flow rate 25 I/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button protected against back flow according to DIN EN 1717	•	Chrome	406630575
		Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20			88011
Shower	190 150±17 070 00 00 00 00 00 00 00 00 00 00 00 0	KLUDI-PURE&STYLE single lever shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow rate 28 l/min at 3 bar shower outlet G 1/2 protected against back flow s-connections	•	Chrome Matt Black	408410575 408413975
		KLUDI-PURE&STYLE concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 28 l/min at 3 bar	•	Matt Black	407553975
		Required Accessories: KLUDI SLIM.BOXX concealed body DN 20			88022

Product		Product description		Surface	ltem No.
5		KLUDI-PURE&STYLE concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C	•	Chrome Matt Black	406550575 406553975
	95	Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20			88011

KLUDI-PURE&SOLID ROBUST, CONSTANT AND CONSISTENT




KLUDI-PURE&SOLID



Product		Product description	Surface	ltem No.
	115 125 1130 048 063 75 95 395 310 0112 055	KLUDI-PURE&SOLID single lever basin mixer 75 DN 15 single hole mounted solid lever EcoPlus centre position cold water ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 3,8 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 75 mm	Chrome	343880575WR4
	115 135 1-30 248 335 335	KLUDI-PURE&SOLID single lever basin mixer 75 DN 15 single hole mounted solid lever EcoPlus centre position cold water ceramic cartridge with hot water limitation flow regulator M 24 × 1 flow rate 3,8 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 75 mm	Chrome	343890575WR4
	100 115 100 115 100 115 100 100 115 100 100	KLUDI-PURE&SOLID single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	Chrome	342900575
	130 115 100 1-30 048 370 035	KLUDI-PURE&SOLID single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	Chrome	342920575
	130 115 100 140 140 140 140 140 100 115 50 50 50	KLUDI-PURE&SOLID single lever basin mixer 100 DN 15 single hole mounted solid lever EcoPlus centre position cold water ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 3,8 l/min at 3 bar metal pop-up waste G 11/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	Chrome	342930575WR4

KLUDI-PURE&SOLID



Product		Product description	Surface	Item No.
Bath		KLUDI-PURE&SOLID single lever bath and shower mixer DN 15 wall fastening solid lever flow class C/B flow regulator M 24 x 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections	Chrome	346810575
		KLUDI-PURE&SOLID concealed single lever bath and shower mixe concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate bath 28 I/min at 3 bar, flow rate handshower 24 I/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button	Chrome	347590575
		Required Accessories: KLUDI SLIM.BOXX concealed body DN 20		88022
		KLUDI-PURE&SOLID concealed single lever bath and shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow rate bath 25 I/min at 3 bar, flow rate bath 25 I/min at 3 bar, flow rate handshower 23 I/min bei 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button protected against back flow according to DIN EN 1717	Chrome	347630575
		Required Accessories: KLUDI SLIM.BOXX concealed body DN 20		88022

 Image: Non-State State State

KLUDI-PURE&SOLID

Product		Product description	Surface	Item No.
Shower	6½ 10±17 070 0½ 10±17 0 01/2 0 10 10	KLUDI-PURE&SOLID single lever shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow s-connections	Chrome	348410575
		KLUDI-PURE&SOLID concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 28 I/min at 3 bar Required Accessories: KLUDI SLIM.BOXX concealed body DN 20	Chrome	347550575 88022
	0170	KLUDI-PURE&SOLID concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20	Chrome	346550575 88011


KLUDI-PURE&EASY SMART, CLEAR AND DYNAMIC





	Product		Product description	Surface	Item No.
	Washbasin		KLUDI-PURE&EASY single lever basin mixer 60 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar plastic pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 60 mm	Chrome	372850565
			KLUDI-PURE&EASY single lever basin mixer 60 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 60 mm	Chrome	373850565
110		120 110 95 046 00 80 355 046	KLUDI-PURE&EASY single lever basin mixer 60 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 60 mm	Chrome	373870565
		145 120 100 046 003 70 100 70 100 310 005 50 0100	KLUDI-PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 70 mm	Chrome	373820565

Product		Product description	Surface	ltem No.
	145 145 145 145 145 100 70 100 70 100 70 100	KLUDI-PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 70 mm	Chrome	370280565
	145 145 100 046 063 70 100 310 000 50 50	KLUDI-PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 3,8 I/min at 3 bar metal pop-up waste G 11/4 flexible hoses G 3/8 rapid installation set spout height lower edge 70 mm	Chrome	373820565WR5
	125 120 145 130 046 06 05 070 100 050 011/2 000 000 000 000 000 000 000 000 000 0	KLUDI-PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever ceramic cartridge with hot water limi- tation flow regulator M 24 x 1 flow rate 3,8 l/min at 3 bar plastic pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 70 mm	Chrome	372820565R
	145 145 120 145 120 120 120 120 120 120 120 120 120 120	KLUDI-PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever EcoPlus centre position cold water flow rate 5 l/min. at 3 bar flow regulator M 24 x 1 metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 70 mm	Chrome	372890565
F		KLUDI-PURE&EASY single lever basin mixer 70 DN 15 single hole mounted solid lever EcoPlus centre position cold water ceramic cartridge with hot water limitation PCA aerator M 24 x 1 flow rate 3,8 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 70 mm	Chrome	373880565WR4



Product		Product description	Surface	ltem No.	
	130 120 105 105 105 105 100 115 00 065 100 115 00 50	KLUDI-PURE&EASY single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar plastic pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	Chrome	371900565	
		KLUDI-PURE&EASY single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	Chrome	372900565	
	130 120 105 105 00 105 100 115 355 0%	KLUDI-PURE&EASY single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	Chrome	372920565	113
		KLUDI-PURE&EASY single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 3,8 //min at 3 bar plastic pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	Chrome	371900565WR5	
	130 105 160 155 160 105 100 115 063 100 115 005 005 005 005 005 005 005 005	KLUDI-PURE&EASY single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 × 1 flow rate 3,8 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	Chrome	372900565WR5	

Product		Product description	Surface	ltem No.
		KLUDI-PURE&EASY single lever basin mixer 100 DN 15 single hole mounted solid lever EcoPlus centre position cold water flow rate 3,8 l/min at 3 bar flow regulator M 24 x 1 metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 100 mm	Chrome	372930565WR4
	120 105 100 100 100 115 00 115 00 115 00 115 00 115	KLUDI-PURE&EASY single lever basin mixer 100 DN 15 single hole mounted solid lever EcoPlus centre position cold water flow rate 3,8 l/min at 3 bar flow regulator M 24 x 1 without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 100 mm	Chrome	371980565WR4
		KLUDI-PURE&EASY single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge PCA aerator M 18 x 1 flow rate 5 l/min. at 3 bar swivelling spout metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 205 mm	Chrome	370230565
		KLUDI-PURE&EASY single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge PCA aerator M 18 x 1 flow rate 5 l/min. at 3 bar swivelling spout without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 205 mm	Chrome	370240565
Bidet		KLUDI-PURE&EASY single lever bidet mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 65 mm	Chrome	375330565

Product		Product description	Surface	Item No.
		KLUDI-PURE&EASY single lever bidet mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 3,8 l/min at 3 bar metal pop-up waste G 11/4 flexible hoses G 3/8 rapid installation set spout height lower edge 65 mm	Chrome	375330565R
Bath	180 150 ± 14 070 070 055 145 165	KLUDI-PURE&EASY single lever bath and shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow class C/B autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections	Chrome	376810565
		KLUDI-PURE&EASY single lever bath and shower mixer DN 15 wall fastening solid lever distance from center to center 45 mm ceramic cartridge with hot water limitation swivelling spout 250 mm aerator M 24 × 1/B flow class B/A autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections	• Chrome	375910565
		KLUDI-PURE&EASY concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button	Chrome	377590565
		Required Accessories: KLUDI SLIM.BOXX concealed body DN 20		88022

Product	Product description	Surface	Item No.
	KLUDI-PURE&EASY concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 25 l/min at 3 bar autom. diverter shower/bathtub	Chrome	376590565
	Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
Shower	KLUDI-PURE&EASY single lever shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow s-connections	Chrome	378410565
	KLUDI-PURE&EASY concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 28 l/min at 3 bar Required Accessories:	Chrome	377550565
	KLŪDI SLIMBOXX concealed body DN 20		88022
	KLUDI-PURE&EASY concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C	Chrome	376550565
	Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011

KLUDI-1926 FASCINATING LUXURY

15

C-

TINKIN TO THE REAL PROPERTY AND THE REAL PRO



KLUDI-1926

	Product description		Surface	Item No.
	KLUDI-1926 basin mixer DN 15 cross handles single hole mounted flow rate 5 I/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° pop-up waste G 1 1/4 copper tubes 10 mm			510120520 510124520
370 330 0-35 0-35 0-35 0-35 0-35 0-35 0-35	KLUDI-1926 basin mixer DN 15 cross handles single hole mounted flow class A cascade aerator M 24 x 1 ceramic headpart 180° pop-up waste G 1 1/4 copper tubes 10 mm			510100520 510104520
	KLUDI-1926 basin mixer DN 15 cross handles three hole assembling flow rate 5 l/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm pop-up waste G 1 1/4 projection 140 mm			510460520 510464520
	KLUDI-1926 basin mixer DN 15 cross handles three hole assembling flow rate 12,2 I/min at 3 bar cascade aerator M 24 x 1 ceramic headpart 180° flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm pop-up waste G 1 1/4 projection 145 mm			510430520 510434520
		KUDI-1926 basin mixer DN 15 cross handles single hole mounted flow rate 51/min at 3 bar cooper tubes 10 mmImage: Construction of the second seco	Image: State of the state	Image: State in the set of the seto

Product		Product description		Surface	Item No.
Washbasin		KLUDI-1926 pillar valve DN 15 cross handle single hole mounted ceramic headpart 180° flow rate 15 I/min at 3 bar marking: COLD	•	Chrome	510140520
Bidet		KLUDI-1926 bidet mixer DN 15 cross handles single hole mounted flow rate 15 I/min at 3 bar ball joint-cascade-aerator M 24 x 1 ceramic headpart 180° pop-up waste G 1 1/4 copper tubes 10 mm	•	Chrome Gold Plated 23	512110520 512114520
Bath	5% 970 90 165 190	KLUDI-1926 bath and shower mixer DN 15 cross handles wall fastening flow class B/B cascade aerator M 28 × 1 ceramic headpart 180° manual diverter shower/bathtub s-connections G 1/2 x G 3/4 with shower set	•	Chrome Gold Plated 23	514410520 514414520
*		KLUDI-1926 bath and shower mixer DN 15 stand assembly four hole tiles deck mounted installation cross handles flow class B/B cascade aerator M 28 x 1 ceramic headpart 180° autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 400 mm protected against back flow		Chrome Gold Plated 23 Carat	515250520 515254520

KLUDI-1926

Product		Product description		Surface	Item No.
T		KLUDI-1926 bath and shower mixer DN 15 stand assembly four hole tiles deck mounted installation cross handles flow class B/B cascade aerator M 28 x 1 ceramic headpart 180° autom. diverter shower/bathtub retractable hand shower shower hose G 1/2 x G 1/2 x 1500 mm flexible high pressure supply hoses G 1/2 x G 1/2 x 400 mm protected against back flow	•	Chrome Gold Plated 23 Carat	515240520 515244520
	Ø56 G ³ /4 G ¹ /2 G ¹ /2	KLUDI-1926 angle valve DN 15 cross handle stand assembly ceramic headpart 180° flow class B marking: COLD	•	Chrome Gold Plated 23 Carat	518170520 518174520
	Ø56 G ³ /4 G ¹ /2 G ¹ /2	KLUDI-1926 angle valve DN 15 cross handle stand assembly ceramic headpart 180° flow class B marking: HOT		Chrome Gold Plated 23 Carat	518180520 518184520
	256 30 65 65 65 65 65 65 65 65 65 65 65	KLUDI-1926 two-way diverter DN 15 cross handle stand assembly head part 360° flow class C/B marking: neutral tub spout G 3/4 shower outlet G 1/2 2 connections G 1/2		Chrome Gold Plated 23 Carat	518480520 518484520

Product	Product description	Surface	Item No.
G ³ /4 Ø85 165	KLUDI-1926 bath filler DN 20 wall fastening flow class B cascade aerator M 28 x 1 seperate DN 20 connector for pre-installation	Chrome	5140705
Shower	KLUDI-1926 shower mixer DN 15 cross handles wall fastening flow class B ceramic headpart 180° s-connections G 1/2 x G 3/4 shower outlet G 1/2	 Chrome Gold Plated 23 Carat 	516100520 516104520
	KLUDI-1926 concealed thermostatic mixer concealed trim-set hot water safety device 40 °C without shut-off valve Required Accessories: Thermostat concealed thermostatic mixer DN 15	Chrome Gold Plated 23 Carat	517190520 517194520 35158
	KLUDI-1926 concealed thermostatic mixer concealed trim-set hot water safety device 40 °C with shut-off valve required accessories Thermostat concealed thermostatic mixer DN 15	Chrome Gold Plated 23 Carat	517200520 517204520 35156

KLUDI-1926

Product		Product description		Surface	Item No.
	G ³ /4 Ø56	KLUDI-1926 concealed valve, trim set set 2 – trim set cross handle consisting of: handle, sleeve, rosette adjustable extension marking: COL	•	Chrome Gold Plated 23 Carat	518150520 518154520
	Ŭ	Required Accessories concealed valve DN 15 connection G 1/2			29809
		concealed valve DN 20 connection G 3/4			29811
		concealed valve DN 20 soldered connection 22 mm			29911
	<u>G¾</u> <u>Ø56</u> 65	KLUDI-1926 concealed valve, trim set set 2 - trim set cross handle consisting of: handle, sleeve, rosette adjustable extension marking: HOT		Chrome Gold Plated 23 Carat	518160520 518164520
		Required Accessories concealed valve DN 15 connection G 1/2			29809
		concealed valve DN 20 connection G 3/4			29811
		concealed valve DN 20 soldered connection 22 mm			29911






KLUDI-1926 connection angle DN 15 Cover rosette Ø 56 mm ChromeGold Plated23 Carat


1210105 1210145

Product		Product description		Surface	Item No.
	47 056	KLUDI-1926 concealed valve, trim set set 2 – trim set cross handle consisting of: handle, sleeve, rosette adjustable extension marking: neutral	•		518030520 518034520
6	67	Required Accessories concealed valve DN 15 connection G 1/2			29809
		concealed valve DN 20 connection G 3/4			29811
		concealed valve DN 20 soldered connection 22 mm			29911



KLUDI-1926








KLUDI 1926 head shower DN 15 Ø 200 mm quick and easy cleaning system with boll joint connection G 1/2 without shower arm ChromeGold Plated23 Carat

2751005 2751045



KLUDI-OBJEKTA SIMPLE AS THE BEST CHOICES


KLUDI-OBJEKTA



Product		Product description	Surface	Item No.
	020 036 1-40 365 050 60 60	KLUDI-OBJEKTA single lever basin mixer DN 15 solid lever single hole mounted flow rate 4,3 I/min at 3 bar flow regulator M 18 x 1 ceramic cartridge swivelling spout rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 205 mm	Chrome	320240575
Bidet		KLUDI-OBJEKTA single lever bidet mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation ball joint caché aerator M 18,5 x 1 flow rate 7,4 l/min at 3 bar rapid installation set flexible hoses G 3/8 pop-up waste G 1 1/4	Chrome	324160575
Bath	200 90 90 90 90 90 90 90 90 90 90 90 90 9	KLUDI-OBJEKTA single lever bath and shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water lim- itation s-pointer aerator M 24 x 1 flow class C/B autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4	Chrome	326530575
	285 150 : 17 010 00 00 00 00 00 00 00 00 0	KLUDI-OBJEKTA thermostatic bath and shower mixer DN 15 thermostatic bath and shower mixer DN 15 wall fastening temperature control handle with hot water safety device 38° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 bath rotary valve to the rear Shower. Rotary valve forward flow regulator M 28 x 1 flow rate bath 23,8 l/min at 3 bar flow rate handshower 18,7 l/min bei 3 bar protected against back flow dirt catcher sieves s-connections	Chrome	352010538

KLUDI-OBJEKTA


Product	Product description	Surface	ltem No.
	KLUDI-OBJEKTA single lever bath and shower mixer DN 15 vertical bath/ shower mixer solid lever wall fastening ceramic cartridge with hot water limitation aerator M 28 × 1 flow class B/B autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4 distance from center to center 75 m	• Chrome	364890575



KLUDI-OBJEKTA	Chrome	326500575
	Chiome	320300373
concealed single lever bath and		
shower mixer		
concealed valve with functional unit		
solid lever		
wall fastening		
ceramic cartridge with hot water		
limitation		
flow class D/C		
autom. diverter shower/bathtub		
PA-IX 18967/IDC		

KLUDI FLEXX.BOXX concealed body DN 20

88011



KLUDI-OBJEKTA single lever shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation flow dags C

Wall fastening ceramic cartridge with hot water limitation flow class C shower outlet G 1/2protected against back flow s-connections G $1/2 \ge 3/4$ Chrome

Product		Product description	Surface	Item No.
	280 150 ±17 070 80 105 6½ 6½ 6½ 6½	KLUDI-OBJEKTA thermostatic shower mixer DN 15 wall fastening flow class B temperature control handle with hot water safety device 38° C With optional temperature limit stop at 43 ° C with shut-off valve 50 % water consumption regulation flow rate 22 /min at 3 bar protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4 dirt catcher sieves P-IX 8049/IB DIN-DVGW-BM-0037	Chrome	352000538
		KLUDI-OBJEKTA single lever shower mixer DN 15 vertical bath/ shower mixer solid lever wall fastening ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4 distance from center to center 75 mm	Chrome	366510575
F	<u>9170</u> 90	KLUDI-OBJEKTA concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class C PA-IX 18967/IDC Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20	Chrome	326550575 88011

KLUDI-X1 Functional, economical, reliable





KLUDI-X1

Product		Product description		Surface	ltem No.
Basin	024 1155 85 025 025 025 025 025 025 025 025 025 02	KLUDI-X1 single lever basin mixer 1-hole mounted solid lever, metal lateral actuation swivel spout (360°) aerator M18,5 PCA ceramic cartridge flow rate at 3 bar 4,5 l/min. flexible hoses G3/8 DVGW approved shank-fixingw	•	Chrome Matt Black	320280575 320283975
	1-30 00 00 00 00 00 00 00 00 00	KLUDI-X1 single lever basin mixer 1-hole mounted solid lever, metal swivel spout (360°) lateral actuation aerator M18,5 PCA ceramic cartridge flow rate at 3 bar 4,5 I/min. flexible hoses G3/8 DVGW approved shank-fixing pop up waste set G1 1/4 metal	•	Chrome Matt Black	320270575 320273975
	125 85 145 145 110 35 445	KLUDI-X1 single lever basin mixer 75 1-hole mounted solid lever, metal aerator M24 PCA ceramic cartridge flow rate at 3 bar 4,5 l/min. flexible hoses G3/8 DVGW approved rapid installation set	•	Chrome Matt Black	322900575 322903975
	445 300 (3½)	KLUDI-X1 single lever basin mixer 75 1-hole mounted solid lever, metal aerotor M24 PCA ceramic cartridge flow rate at 3 bar 4,5 l/min. flexible hoses G3/8 DVGW approved rapid installation set pop up waste set G1 1/4 metal	•	Chrome Matt Black	322660575 322663975
	125 85 95 95 115 165 425 63%	KLUDI-X1 single lever basin mixer 100 DN 15 1-hole mounted solid lever, metal aerator M24 PCA ceramic cartridge flow rate at 3 bar 4,5 l/min. flexible hoses G3/8 DVGW approved rapid installation set	•	Chrome Matt Black	322820575 322823975

Product		Product description		Surface	Item No.
	425 300 G125 85 95 145 95 115 165 55 G124	KLUDI-X1 single lever basin mixer 100 1-hole mounted solid lever, metal aerator M24 ceramic cartridge flow rate at 3 bar 5 l/min. flexible hoses G3/8 DVGW approved rapid installation set pop up waste set G1 1/4 metal	•	Chrome Matt Black	322760575 322763975
	425 300 GY	KLUDI-X1 single lever basin mixer 100 basin mixer single lever mixer 1-hole mounted solid lever, metal aerator M24 PCA ceramic cartridge flow rate at 3 bar 4,5 l/min. flexible hoses G3/8 DVGW approved rapid installation set pop up waste set G1 1/4 metal	•	Chrome Matt Black	322880575 322883975
	1-35 305 032 145	KLUDI-X1 single lever basin mixer 1-hole mounted solid lever, metal aerator, M24 PCA ceramic cartridge flow rate at 3 bar 4,5 l/min. fixed spout flexible hoses G3/8 DVGW approved shank-fixing without pop up waste	•	Chrome Matt Black	322980575 322983975
Bath	150 ±14 056 050 120 120 120 185	KLUDI-X1 single lever bath- and shower mixer wall mounted automatic diverter: shower/bath solid lever, metal aerator M24 protected against back flow shower outlet G1/2 ceramic cartridge flow rate bath at 3 bar 20 l/min. flow rate shower at 3 bar 18 l/min. S-unions G1/2 x G3/4	•	Chrome Matt Black	326910575 326913975

KLUDI-X1


Product	Product description	Surface	Item No.
	KLUDI-X1 concealed single lever bath-and shower mixer trim set with functional unit wall mounted PUSH&SWITCH diverter automatic diverter: shower/bath solid lever, metal protected against back flow ceramic cartridge with hot water safety device flow rate bath at 3 bar 25 l/min. flow rate shower at 3 bar 23 l/min	 Chrome Matt Black 	327630575 327633975
	Required Accessories: KLUDI SLIMBOXX pre-installation set		88022



Product		Product description		Surface	Item No.
Shower	0150	KLUDI-X1 concealed single lever shower mixer trim set with functional unit wall mounted solid lever, metal ceramic cartridge with hot water safety device flow rate at 3 bar 28 l/min. Required Accessories: KLUDI SLIM.BOXX pre-installation set	•	Chrome Matt Black	327550575 327553975 88022
af	150 ±14 050 060 150 ±14 050 050 050 050 050 050 050 05	KLUDI-X1 single lever shower mixer wall mounted solid lever, metal protected against back flow shower outlet G1/2 ceramic cartridge flow rate at 3 bar 23 l/min. S-unions G1/2 x G3/4	•	Chrome Matt Black	328310575 328313975



KLUDI-SLIM.BOXX AND PRE-INSTALLATION SETS



KLUDI-SLIM.BOXX

Product	Product description	Surface	Item No.
SLIM.BOXX	KLUDI SLIM.BOXX concealed body DN 20 pre-installation set without trim set without functional unit in-wall installation with one-piece elastomere- coating with protection cap for skeleton with additional tight gasket with flushing set dezincification resistant brass P-IX 19310/ICB		88022*

*Compatible with the trim-sets of the series: KLUDI-NOVA FONTE PURA, KLUDI-BALANCE, KLUDI-AMEO, KLUDI-BOZZ, KLUDI-LOUVA, ZENTA SL, KLUDI-PURE&STYLE, KLUDI-PURE&SOLID, KLUDI-PURE&EASY

KLUDI-FLEXX.BOXX


Product	Product description	Surface	ltem No.	
FLEXX.BOXX	 KLUDI FLEXX.BOXX concealed body DN 20 pre-installation set without trim set without functional unit in-wall installation with one-piece elastomere-coating with protection cap for skeleton with additional tight gasket with flushing set dezincification resistant brass P-IX 19310/IC 		88011	
	<pre>concealed extension set for trim set suitable to KLUDI-FLEXX.BOXX 88011 L = 30 mm dezincification resistant brass DIN 50930-6</pre>	neutral	7300600-00	
	adaptor for wrong installed function part for KLUDI-FLEXX.BOXX single lever variants (reserved cold and hot water supply) dezincification resistant brass for KLUDI-FLEXX.BOXX 88011	neutral	7458000-00	143
	adaptor for wrong installed function part for KLUDI-FLEXX.BOXX THM variants (reserved cold and hot water supply) dezincification resistant brass for KLUDI-FLEXX.BOXX 88011 for trim set till 02/2018	neutral	7400100-00	
	adaptor for wrong installed function part for KLUDI-FLEXX.BOXX THM variants (reserved cold and hot water supply) dezincification resistant brass for KLUDI-FLEXX.BOXX 88011 for trim set from 03/2018	neutral	7653900-00	

PRE-INSTALLATION SETS

Product		Product description	Surface	Item No.
		KLUDI-FLEXX.BOXX concealed unit DN 20 for freestanding bath- and shower mixer for floor mounting with one-piece elastomere-coating dezincification resistant brass with protection cap for skeleton with self-sealing sleeve with flushing set without stand fitting without extension set		88088
Pre-installation sets	9 <u>10</u> <u>16</u> <u>78</u>	KLUDI angle valve DN 15 G 1/2 × G 1/2 cylindrical handle wall fastening flow class B ceramic headpart 90° without marking rosette diameter Ø 50 mm	Chrome	1584305-00
		KLUDI angle valve DN 15 G 1/2 × G 1/2 cylindrical handle wall fastening flow class B Classical lift-cone headpart G 1/2 without marking rosette diameter Ø 50 mm	Chrome	1584405-00
	36 6 6 7 6 7 6 7 6 7 6 7 7 8 7 8 7 8	angle valve DN 15 G 1/2 x G 3/8 x Ø 10 mm cylindrical handle wall fastening flow class B ceramic headpart 90° without marking rosette diameter Ø 50 mm	Chrome	1584505-00
E		angle valve DN 15 G 1/2 x G 3/8 x Ø 10 mm cylindrical handle wall fastening flow class D Classical lift-cone headpart G 1/2 without marking rosette diameter Ø 50 mm	Chrome	1584605-00


Product		Product description	Surface	Item No.
		installation set DN 15 for concealed two hole wall mounted basin mixer for concealed installation ceramic cartridge with hot water limitation flow rate 25 I/min at 3 bar with protection cap for skeleton mounting-depth-compensation 30 mm connection G 1/2 without trim set		38242
	45 0240 10 10 10	installation set DN 15 for concealed two hole wall mounted basin mixer for concealed installation ceramic cartridge with hot water limitation flow rate 25 l/min at 3 bar with protection cap for skeleton mounting-depth-compensation 30 mm connection G 1/2 without trim set		38243
		concealed mixer DN 15 pre-installation set without trim set in-wall installation flow class B/B ceramic cartridge with hot water limitation with self-sealing sleeve for concealed dry-installation P-IX 9734/IBB		33434
	$\begin{bmatrix} & & & \\ & & & & \\ & & & \\ & & & & $	KLUDI for concealed body 33434 30 mm length 30 mm length	Chrome	7423305-00
	X > 87 mm (3 89) > 70 mm (3 89) Y = 10 mm (3 89)	concealed assembly set for pre-wall installation for concealed body 33434, 35424, 33424	neutral	7642400-00

PRE-INSTALLATION SETS




Product		Product description	Surface	ltem No.
	Ø35 30 30	extension for concealed two hole wall mounted basin mixer for pre-installation set 38242	neutral	7357500-00
	035 044 030 030 044 044 044 044 044	extension 38636, 38828 for pre-installation set DN 15	neutral	7666100-00
	63 - 83 61/2 - 46 61/2 - 46 61	Thermostat concealed thermostatic mixer DN 15 pre-installation set without trim set in-wall installation flow class B with therm E-cartridge with shut-off valve dirt catcher sieves PA-IX 8409/IB		35156
	0 0 0 0 0 0 0 0 0 0 0 0 0 0	extension for concealed thermostatic mixer with shut-off valve 35156 30 mm length	Chrome	7573105-00
	G ^{1/2} G ^{1/2} G ^{1/2} B ⁷ B ⁷ B ⁷ B ⁷ B ⁷ B ⁷ B ⁷ B ⁷	Thermostat concealed thermostatic mixer DN 15 pre-installation set without trim set in-wall installation flow class B with therm E-cartridge without shut-off valve dirt catcher sieves P-IX 8410/II		35158

PRE-INSTALLATION SETS



Product		Product description	Surface	Item No.
	55-100 6½ <u>G½</u>	concealed valve DN 15, classic connection G 1/2 set 1 – pre-installation connection G 1/2 classic headpart sleeve PA-IX 9923/I		29209
		concealed valve DN 20, classic connection G 3/4 set 1 – pre-installation connection G 3/4 classic headpart sleeve PA-IX 2427/I		29211
	55-100 6½ 6½	concealed valve DN 15, ceramic connection G 1/2 pre-installation set ceramic headpart sleeve noise level I		29809
	65-110 90 67/ 67/ 67/ 67/ 67/ 67/	concealed valve DN 20, ceramic connection G 3/4 pre-installation set ceramic headpart sleeve noise level I		29811
	65-110 90 674 674	concealed valve DN 20, ceramic connection G 3/4 set 1 – pre-installation ceramic headpart 90° sleeve		53811

PRE-INSTALLATION SETS



Product	Product description	Surface	Item No.
20 50-595 50-595 10 10 10 22 40 072 40 072 040 050	KLUDI-ROTEXA MULTI bath rim assembly kit pre-installation set and trim set for 3-hole fittings to be covered by tiles or with visible mounting plate with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection with leak water container incl. back flow preventer with connecting hose incl. hose clamps bath filling, waste and overflow set G 1 1/2 with dripping water adapter without screw-kit 7615600 without visible mounting plate art. no 160240		7880205-00
	KLUDI-ROTEXA bath rim assembly kit pre-installation set and trim set for 3-hole fittings to be covered by tiles or with visible mounting plate with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection with leak water container incl. back flow preventer with connecting hose incl. hose clamps pop-up and overflow set G 1 1/2 with dripping water adapter without screw-kit 7615600 without visible mounting plate art. no 160240		7881205-00
	mounting plate pre-installation set for four hole mixer with frame anchor to be covered by tiles with 2 pressure hoses G 1/2 x G 1/2 x 400 mm for angle valve connection without screw-kit 7615600		7614846-00
	visible mounting plate for combination with mounting plate 76149 and assembly package 74662, 74794	Chrome Gold Plated 23 carat	1602105 1602145
58 33 700 572 125	mounting plate pre-installation set for three hole mixer with frame anchor to be covered by tiles with 2 pressure hoses $G 1/2 \times G 1/2 \times 400$ mm for angle valve connection without screw-kit 7615600		7614946-00

PRE-INSTALLATION SETS


Product	Product description	Surface	ltem No.
	visible mounting plate for combination with mounting plate 76148 and assembly package 74802, 75802) Chrome	1602405
	screw set trim set for mounting plate 76148, 76149 and assembly package 74662, 74802, 75802, 74794	Chrome	7615605-00

CONCEALED SHOWER SOLUTIONS AND THERMOSTATS ELEGANCE MEETS PRECISION

Our concealed shower solutions and thermostats combine minimalist design with maximum comfort. Seamlessly integrated, they create a clean aesthetic and deliver the perfect shower experience – precise, intuitive, and stylish.

KLUDI-TRONIC

Product




Product description	Surface	Item No.
Product description KLUDI-TOUCHTRONIC electronic concealed thermostatic fitting pre-installation set with Touchdisplay Touchdisplay IP65 to control temperature and flow rate wall fastening concecled plastic housing with additional tight gasket sealing according to DIN18534 Power supply 12 volts (cable from water connection box) Water connection box IP54 powered by 230 V mains supply CE marking with WIFI module control via touch display with option for APP control Connection of 1 to 3 consumers (G 1/2) possible Safety function at 38°C Temperature limitation 44°C Thermal disinfection max. 70°C possible Start temperature individually adjustable start- flow rate individually adjustable	Polycarbonat	38310G1-00

0

 (\mathbf{F})






electronic concealed thermostatic fitting pre-installation set with Trim-set trim set IP65 to control temperature and flow rate 1 x rotating and push button for 2 x rotating and push buttons for quantity adjustment and on/off wall fastening concealed plastic housing with additional tight gasket sealing according to DIN18534 Power supply 12 volts (cable from water connection box) Water connection box IP54 electric power supply via 230 V main adapter CE marking with WIFI module Operation via trim set with option for APP control Connection cold water/ hot water G 1/2 Connection of 1 to 2 consumers (G 1/2) possible simultaneous use of 2 consumers possible dirt cleaner sieve protected against back flow Safety function at 38°C Temperature limitation 44°C Thermal disinfection max. 70°C possible Start temperature individually adjustable Start- flow rate individually adjustable warm up" function"

KLUDI-PUSHTRONIC

Chrome	3830005-00
Matt Black	3830039-00
Matt White	3830053-00
Brushed Gold	38300N0-00
Brushed Bronze	38300N1-00
Brushed Gunmetal	38300N2-00
Brushed Nickel	38300N5-00


THERMOSTAT SURFACE-MOUNTED



THERMOSTAT CONCEALED

Product	Product description		Surface	Item No.
Thermostat concealed	KLUDI-NOVA FONTE Puristic concealed thermostatic bath- and shower mixer concealed valve with functional unit wall fastening with ceramic shut-off valve and diverter as rotary valve for 2 consumers	C	Chrome Matt Black Matt White	208100515 208103915 208105315
	hot water safety device 40 °C flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar			
	required accessories: KLUDI-SLIM.BOXX concealed body DN 20			88022





roduct		Product description		Surface	Item No.
AL RE	<u>9170</u>	KLUDI-NOVA FONTE Puristic concealed thermostatic shower mixer concealed valve with functional unit wall fastening with ceramic shut-off valve for 1 consumer flow rate 20 l/min at 3 bar hot water safety device 40 °C with integrated back flow preventer without pre-installation set	•	Chrome Matt Black Matt White	208350515 208353915 208355315
		required accessories: KLUDI-FLEXX.BOXX concealed body DN 20			88011
	<u>2150</u>	KLUDI-BALANCE concealed thermostatic bath- and shower mixer concealed valve with functional unit wall fastening with ceramic shut-off valve and diverter as rotary valve for 2 consumers hot water safety device 40 °C hot water safety device 40 °C flow rate handshower 24 l/min at 3 bar	Ō	Chrome Matt Black/Chrome White/Chrome	528100575 528108775 528109175
	~85	required accessories: KLUDI-SLIM.BOXX concealed body DN 20			88022
Res of the second secon		KLUDI-BALANCE concealed thermostatic bath- and shower mixer concealed valve with functional unit wall fastening with ceramic shut-off valve and diverter as rotary valve for 2 consumers temperature control handle with hot water safety device 40 °C cylindrical handle, metal flow rate 20 l/min at 3 bar with integrated back flow preventer P-IX 18444/IICC		Chrome Matt Black/Chrome	528300575 528308775
		required accessories: KLUDI-FLEXX.BOXX concealed body DN 20			8801
		KLUDI-BALANCE concealed thermostatic mixer DN 20 concealed valve with functional unit wall fastening	•	Chrome	527390575
	<u>Ø150</u>	without shut-off valve cylindrical handle, metal temperature control handle with hot water safety device 40 °C flow rate 40 l/min at 3 bar			


required accessories: KLUDI-SLIM.BOXX concealed body DN 20

25

88022

THERMOSTAT CONCEALED


Product	Product description	Surface	Item No.
	KLUDI-BALANCE concealed thermostatic mixer I concealed valve with functiona wall fastening without shut-off valve cylindrical handle, metal temperature control handle witi safety device 40 °C flow rate 40 I/min at 3 bar required accessories: KLUDI-FLEXX.BOXX concealed body DN 20	l unit	527290575 88011
	KLUDI-AMEO concealed thermostatic bath- shower mixer concealed valve with functiona wall fastening with ceramic shut-off valve and diverter as rotary valve for 2 consumers hot water safety device 40 °C flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min of	l unit	418100575
	~85 required accessories: KLUDI-SLIM.BOXX concealed body DN 20		88022
	KLUDI-AMEO concealed thermostatic bath- shower mixer concealed valve with functional wall fastening with ceramic shut-off valve and diverter as rotary valve for 2 consumers flow rate 20 I/min at 3 bar temperature control handle with hot water safety device 40 With optional temperature limit with integrated back flow preve P-IX 18444/IICC	ll unit D °C t stop at 43 ° C	418300575
	required accessories: KLUDI-FLEXX.BOXX concealed body DN 20		88011



Product		Product description	Surface	ltem No.
N. C.		KLUDI-AMEO concealed thermostatic shower mixer concealed valve with functional unit wall fastening with ceramic shut-off valve for 1 consumer flow rate 20 I/min at 3 bar temperature control handle with hot water safety device 40 °C with integrated back flow preventer P-IX 38649/IC required accessories:	Chrome	418350575
		KLUDI-FLEXX.BOXX concealed body DN 20		88011
	67-87	KLUDI-1926 concealed thermostatic mixer concealed trim-set cross handle wall fastening hot water safety device 40 °C without shut-off valve	 Chrome gold plated 23 carat 	517190520 517194520
	0168	required accessories: Thermostat concealed thermostatic mixer DN 15		35158
	150	KLUDI-1926 concealed thermostatic mixer concealed trim-set cross handle wall fastening hot water safety device 40 °C with shut-off valve	 Chrome gold plated 23 carat 	517200520 517204520
(Red.	215	required accessories: Thermostat concealed thermostatic mixer DN 15		35156
		KLUDI-AMBA concealed thermostatic bath- and shower mixer concealed valve with functional unit wall fastening with ceramic shut-off valve and diverter as rotary valve for 2 consumers hot water safety device 40 °C flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar	Chrome	538100575
	~85	required accessories: KLUDI-SLIM.BOXX concealed body DN 20		88022

THERMOSTAT CONCEALED

Product	Product description	Surface	ltem No.
-	KLUDI-AMBA concealed thermostatic bath- and shower mixer concealed valve with functional unit wall fastening with ceramic shut-off valve and diverter as rotary valve for 2 consumers temperature control handle with hot water safety device 40 °C cylindrical handle, metal flow rate 20 l/min at 3 bar with integrated back flow preventer P-IX 18444/IICC	Chrome	538300575
	required accessories: KLUDI-FLEXX.BOXX concealed body DN 20		88011



Product		Product description	Surface	Item No.
		KLUDI-PUSH concealed thermostatic mixer concealed valve with functional unit wall fastening with push-button on/off control for two hot water safety device 40 °C flow rate 28 I/min at 3 bar round escutcheon	Chrome	389120538
G	<u>Ø150</u>	required accessories: KLUDI-FLEXX.BOXX concealed body DN 20		88011

ACCESSORIES

Bathroom accessories serve not only as functional items but also add to the overall look and feel of the bathroom design. They must be a perfect combination of excellent functionality and modern and flawlessly shaped designs.

KLUDI-VELA C GEOMETRIC FORMS OF EXQUISITE CLARITY




KLUDI-VELA C

Product	Product description	Surface	ltem No.
	KLUDI-VELA C hand towel holder L = 300mm fixed will mounted with fixing material wall holder metall	Matt Black Matt White Brushed Gold	3196205 3196239 3196253 31962N0 31962N1 31962N2 31962N5
	KLUDI-VELA C hand towel holder L= 450mm fixed wall mounted with fixing material wall holder metall	Matt Black Matt White Brushed Gold	3198005 3198039 3198053 31980N0 31980N1 31980N2 31980N5
	KLUDI-VELA C bath towel holder L = 600mm fixed wall mounted with fixing material wall holder metall	Matt Black	3197905 3197939 3197953 31979N0 31979N1 31979N2 31979N5
	KLUDI-VELA C bath towel holder L= 800mm fixed wall mounted with fixing material wall holder metall	Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal	3196105 3196139 3196153 31961N0 31961N1 31961N2 31961N5
	KLUDI-VELA C bath towel holder L= 600m 2-armed fixed wall mounted with fixing material wall holder metall	Matt Black	3198805 3198839 3198853 31988N0 31988N1 31988N2 31988N5

Product	Product description	Surface	Item No.
		 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	3197705 3197739 3197753 31977N0 31977N1 31977N2 31977N5
	KLUDI-VELA C tumbler holder fixed wall mounted with fixing material wall holder metall glas transparent	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	3197505 3197539 3197553 31975N0 31975N1 31975N2 31975N5
	KLUDI-VELA C soap dish fixed wall mounted with fixing material wall holder metall glas bowl transparent	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	3198505 3198539 3198553 31985N0 31985N1 31985N2 31985N5
	KLUDI-VELA C liquid soap dispenser fixed wall mounted with fixing material wall holder metall glass container 150ml press from below	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	3197605 3197639 3197653 31976N0 31976N1 31976N2 31976N5
	KLUDI-VELA C toilet brush holder with toilet brush satin glass container wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	3197405 3197439 3197453 31974N0 31974N1 31974N2 31974N5

KLUDI-VELA C






KLUDI-VELA R PERFECT YOUR OASIS OF WELL-BEING WITH CIRCULAR AND COZY DESIGN





KLUDI-VELA R



oduct	Product description	Surface	Item No.
	KLUDI-VELA R tumbler holder tumbler holder fixed wall mounted with fixing material wall holder metall glas transparent	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	5897505 5897539 5897553 58975N0 58975N1 58975N2 58975N5
S	KLUDI-VELA R soap dish soap dish fixed wall mounted with fixing material wall holder metall glas bowl transparent	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	5898505 5898539 5898553 58985N0 58985N1 58985N5 58985N5
	KLUDI-VELA R liquid soap dispenser liquid soap dispenser fixed wall mounted with fixing material wall holder metall glass container 150ml press from below	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	5897605 5897639 5897653 58976N0 58976N1 58976N5
	KLUDI-VELA R toilet brush holder "hand towel holder L = 300mm fixed wall mounted with fixing materia wall holder metall"	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	5897405 5897439 5897453 58974N0 58974N1 58974N2 58974N5
N.	KLUDI-VELA R robe hook robe hook fixed wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	5898405 5898439 5898453 58984N0 58984N1 58984N1 58984N2 58984N5

KLUDI-VELA R

Product	Product description	Surface	ltem No.
	KLUDI-VELA R towel ring towel ring wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	5897805 5897839 5897853 58978N0 58978N1 58978N2 58978N5
	KLUDI-VELA R paper holder paper holder with shelf fixed wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	5897105 5897139 5897153 58971N0 58971N1 58971N2 58971N5
	KLUDI-VELA R reserve roll holder for 1 role wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	5897205 5897239 5897253 58972N0 58972N1 58972N2 58972N5
	KLUDI-VELA R glass shelf glass shelf wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	5897305 5897339 5897353 58973N0 58973N1 58973N2 58973N5
	KLUDI-VELA R bath grab bar 300mm bath grab bar 280mm fixed wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	5898105 5898139 5898153 58981N0 58981N1 58981N2 58981N5
	KLUDI-VELA R towel shelf with bath towel holder towel shelf with bath towel holder wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	5898905 5898939 5898953 58989N0 58989N1 58989N2 58989N5

Product	Product description	Surface	ltem No.
	KLUDI-VELA R LED cosmetic mirror LED cosmetic mirror standing model material: mirror glass material frame: metal mirror one - sided 2 changeable color temperature 3000K oder 5700K switch on the back 3 x magnification lighting LED 4,5W input voltage:200 - 240 V / AC 50- 60 Hz output voltage: 12V - DC degree of protection: IP20 with cable, black, length 200 cm plug in power supply with transformer, black CE checked protection class 2 Energy efficiency class E concealed fastening with fixing material	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	5899505F 5899539F 5899553F 58995N0F 58995N2F 58995N2F 58995N5F
	KLUDI-VELA R LED cosmetic mirror LED cosmetic mirror wall mounted material: mirror glass material frame: metal mirror one-sided swiveled on a double-jointed arm 2 changeable color temperature 3000K oder 5700K switch on the back 3 x magnification lighting LED 4,5W input voltage:200 - 240 V / AC 50- 60 Hz output voltage: 12V - DC degree of protection: IP44 connection: direct CE checked protection class 1 Energy efficiency class E concealed fastening with fixing material	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	5899505W 5899553W 5899553W 58995N0W 58995N1W 58995N2W 58995N2W

KLUDI-VELA-S A MIX OF SOFT LINES FOR YOUR PERSONAL BATHROOM IDEA





KLUDI-VELA S

Product	Product description	Surface	ltem No.
	KLUDI-VELA S hand towel holder hand towel holder L= 300mm fixed wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	2596205 2596239 2596253 25962N0 25962N1 25962N1 25962N2 25962N5
	KLUDI-VELA S hand towel holder hand towel holder L= 450mm fixed wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	2598005 2598039 2598053 25980N0 25980N1 25980N2 25980N5
	KLUDI-VELA S bath towel holder bath towel holder L= 600mm fixed wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	2597905 2597939 2597953 25979N0 25979N1 25979N2 25979N5
	KLUDI-VELA S bath towel holder bath towel holder L= 800mm fixed wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	2596105 2596139 2596153 25961N0 25961N1 25961N2 25961N5
	KLUDI-VELA S hand towel holder L= 450mm 2-armed adjustable wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	25977058 25977398 25977538 25977N08 25977N18 25977N28 25977N58

oduct	Product description	Surface	Item No.
	KLUDI-VELA S tumbler holder tumbler holder fixed wall mounted with fixing material wall holder metall glas transparent	Matt Black	2597505 2597539 2597553 25975N0 25975N0 25975N2 25975N2
	KLUDI-VELA S soap dish soap dish fixed wall mounted with fixing material wall holder metall glas bowl transparent	Matt Black	2598505 2598539 2598553 25985N0 25985N1 25985N2 25985N5
	KLUDI-VELA S liquid soap dispenser liquid soap dispenser fixed wall mounted with fixing material wall holder metall glass container 150ml press from below	Matt Black	2597605 2597639 2597653 25976N0 25976N1 25976N2 25976N5
	KLUDI-VELA S hand towel holder L= 300mm fixed wall mounted with fixing materia wall holder metall"	Matt Black Matt White Brushed Gold	2597405 2597439 2597453 25974N0 25974N1 25974N2 25974N5
s.	KLUDI-VELA S robe hook robe hook fixed wall mounted with fixing material wall holder metall		2598405 2598439 2598453 25984N0 25984N1 25984N2 25984N5

KLUDI-VELA S

Product	Product description	Surface	ltem No.
Ö	KLUDI-VELA S towel ring towel ring wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	2597805 2597839 2597853 25978N0 25978N1 25978N2 25978N5
	KLUDI-VELA S paper holder paper holder with shelf fixed wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	2597105 2597139 2597153 25971N0 25971N1 25971N2 25971N5
182	KLUDI-VELA S glass shelf glass shelf wall mounted with fixing material wall holder metall	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	2597305 2597339 2597353 25973N0 25973N1 25973N2 25973N5
R.	KLUDI-VELA S Paper holder	 Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	2598205 2598239 2598253 25982N0 25982N1 25982N2 25982N5



SHOWER DREAMS YOUR PERSONAL EXPERIENCE

Head showers, hand showers and shower systems are small technical masterpieces with the intention of making shower dreams come true. An experience that refreshes all senses and at the same time allows a moment of "release".



KLUDI-ASANA WELLNESS PROGRAM


KLUDI-ASANA

Product	Product description	Surface	ltem No.
9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	KLUDI-ASANA 340x340 mm head shower with Summer rain) Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD	6940005-00 6940039-00 6940053-00 69400N0-00 69400N1-00 69400N2-00 69400N5-00
9 G ^{1/2} 0 0 0 0 0 0 0 0 0 0 0 0 0	KLUDI-ASANA 440x440 mm head shower with Summer rain) Matt White Brushed Gold PVD Brushed Bronze PVD	6941005-00 6941039-00 6941053-00 69410N0-00 69410N1-00 69410N2-00 69410N5-00
	KLUDI-ASANA 440x440 mm head shower with Summer rain and with Clean jet	Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD	6942005-00 6942039-00 6942053-00 69420N0-00 69420N1-00 69420N2-00 69420N5-00
	KLUDI-ASANA 440x440 mm head shower with Summer rain and Atmolight	 Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD 	6943005-00 6943039-00 69430N0-00 69430N1-00 69430N2-00 69430N5-00

Product	Product description	Surface	Item No.
	KLUDI-ASANA 440x440 mm head shower with Summer rain, Clean jet and Atmolight	 Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD 	6944005-00 6944039-00 6944053-00 69440N0-00 69440N1-00 69440N2-00 69440N5-00
20 <u>G½</u>	KLUDI-ASANA 600x300 mm head shower with Summer rain and Waterfall	 Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD 	6945005-00 6945039-00 6945053-00 69450N0-00 69450N1-00 69450N2-00 69450N5-00
	KLUDI-ASANA 600x300 mm head shower with Summer rain, Waterfall and Atmolight	 Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD 	6946005-00 6946039-00 6946053-00 69460N0-00 69460N1-00 69460N2-00
		Brushed Nickel PVD	69460N5-00

KLUDI-ASANA

Product	Product description	Surface	ltem No.
	KLUDI-ASANA 325x325 mm h30 mm head shower	 Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal P Brushed Nickel PVD 	6920005-00 6920039-00 6920053-00 69200N0-00 69200N1-00 //D 69200N2-00 69200N5-00
	KLUDI-ASANA Tube flex adjustable wall mounted mini cilindric head shower	Chrome Matt Black Matt White	6921005-00 6921039-00 6921053-00



Tube flex adjustable wall mounte mini cilindric head shower 440x440 mm head shower with Summer rain

	Chrome	6921005-00
	Matt Black	6921039-00
0	Matt White	6921053-00
	Brushed Gold PVD	69210N0-00
	Brushed Bronze PVD	69210N1-00
	Brushed Gunmetal PVD	69210N2-00
	Brushed Nickel PVD	69210N5-00

Product	Product description	Surface	ltem No.
		Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD	6950005-00 6950039-00 6950053-00 69500N0-00 69500N1-00 69500N2-00 69500N5-00
		Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD	6951005-00 6951039-00 69510N0-00 69510N1-00 69510N2-00 69510N5-00






KLUDI-COCKPIT

Product	Product description		Surface	ltem No.
Shower systems	KLUDI-COCKPIT Discovery Thermostat Dual Shower System DN 15 shelf 550 mm wall fastening KLUDI-FRESHLINE shower hook 645520 adjustable in the angle of inclination (75 temperature control handle with hot water safety device 40 °C with ceramic shut-off valve shower outlet G 1/2 hand shower rotary valve left shower outlet G 1/2 hand shower rotary valve right protected against back flow KLUDI-SUPARAFLEX SILVER hose 6107205-00 with KLUDI-FRESHLINE head shower 6440005-00 flow rate 171/min at 3 bar with KLUDI-FRESHLINE handshower CL 6450005-00 flow rate 14 I/min at 3 bar with mounting material	°)		8020091-00

KLUDI-COCKPIT Chrome 8005005-00 Ø18 Explorer Thermostat Dual Shower System DN 15 5 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider temperature control handle 1 C with hot water safety device 40 °C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve left shower outlet shower outlet head shower rotary valve right protected against back flow dirt catcher sieves KLUDI-SUPARAFLEX SILVER hose 6107205-00 with KLUDI-FRESHLINE head shower 6445005-00 flow rate handshower 20 l/min bei 3 bar with KLUDI-FRESHLINE handshower CL 1S 6450005-00 flow rate handshower 14 l/min bei 3 bar with mounting material







KLUDI-COCKPIT shelf 100 x 200 mm for COCKPIT Explorer 8005005-00


6410110-00

-00









Classic bath shower set 1S hand shower DN 15 with spray mode: volume flow rate 11 l/min at 3 bar quick and easy cleaning system KLUDI-SUPARAFLEX hose anti twist G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts fixed wall shower hook with screws and dowels wall fastening Chrome

199

2085005-25


	Product description	Surfo	ice	ltem No.
058 058 02 040	KLUDI-NOVA FONTE Puristic shower hook for hoses with conical nut with mounting material for rigid wall mounting	 Matt E Matt V 	Black White	2055205-15 2055239-15 2055253-15 20552N0-15
060 72 040	KLUDI-NOVA FONTE Classic shower hook for hoses with conical nut with mounting material for rigid wall mounting	Chron	ne	2055205-25
<u>958</u> <u>62</u> <u>62</u>	KLUDI-NOVA FONTE Puristic wall supply DN 15 protected against back flow according to DIN EN 1717 connection G 1/2 for rigid wall mounting	 Matt E Matt V 	Black White	2054305-15 2054339-15 2054353-15 20543N0-15
<u>G%</u> <u>Ø60</u> G%	KLUDI-NOVA FONTE Classic wall supply DN 15 protected against back flow according to DIN EN 1717 connection G 1/2 for rigid wall mounting	Chron	ne	2054305-25
		<image/> <image/> <image/> <image/> <image/> <image/> <table-row><table-row><table-container><table-container><table-container><table-row><table-row><table-row><table-row><table-row></table-row></table-row></table-row></table-row></table-row></table-container></table-container></table-container></table-row></table-row>	State State <td< td=""><td>KLUDI-NOVA FONTE • Chrome Or hoese with conical nut with mounting material for rigid wall mounting • Chrome Image: State of the set of</td></td<>	KLUDI-NOVA FONTE • Chrome Or hoese with conical nut with mounting material for rigid wall mounting • Chrome Image: State of the set of





KLUDI-DIVE DIVE INTO INSPIRING SHOWER WORLDS





duct	Product description	Surface	Item No.
	KLUDI-DIVE Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts hand shower DIVE S 3S with three spray patterns: Body/Hair/Skin with push-button switch quick and easy cleaning system head shower DN 15 Ø 250 mm with one spray mode quick and easy cleaning system connection G 1/2 with ball joint dirt cleaner sieve	Chrome Chrome	6808005-00












Product	Product description	Surface	Item No.
	KLUDI-DIVE hand shower DIVE S 1S with one spray mode quick and easy cleaning system flow rate 15 I/min at 3 bar connection G 1/2 dirt cleaner sieve	 Chrome Matt Black Matt Black 	6881005-00 6881039-00
		 Chrome Matt Black Matt Black 	6883005-00 6883039-00
	KLUDI-DIVE bath shower set DIVE S hand shower DIVE S 1S with one spray mode flow rate 15 I/min at 3 bar quick and easy cleaning system connection G 1/2 dirt cleaner sieve shower hose G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts shower hook for rigid wall mounting	Chrome Matt Black	6885005-00 6885039-00




KLUDI-FRESHLINE

KLUDI-FRESHLINE



Product	Product description	Surface	Item No.
	60 KLUDI-FRESHLINE shower set 1S L = 900 mm horizontal and vertical adjustable slider KLUDI FRESHLINE handshower RS 1S with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system KLUDI SUPARAFLEX hose G 1/2 × G 1/2 × 1600 mm plastic - coated with conical nuts with dirt catcher sieves with mounting material	Chrome	6783005-00
-960-1260	KLUDI-FRESHLINE Thermostat Dual Shower System DN 15 will fastening with horizontally and vertically adjustable horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C With optional temperature limit stop at 43 with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve protected against back flow KLUDI SUPARAFLEX SILVER hose 6107201 with KLUDI FRESHLINE head shower 67512 00 flow rate 16,4 l/min at 3 bar with KLUDI FRESHLINE handshower RL 3S 6790005-00 flow rate 13,6 l/min (booster) / 10,9 l/min (smooth) / 17,1 l/min (volumen) at 3 bar with draining function with mounting material	€° C () 5-00 105-	6709205-00
-960-1260	KLUDI-FRESHLINE Thermostat Dual Shower System DN 15 wall fastening with horizontal and vertically adjustable horizontal and vertical adjustable slider temperature control handle with hot water safety device 38° C With optional temperature limit stop at 43 with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve protected against back flow KLUDI SUPARAFLEX SILVER hose 6107200 with KLUDI FRESHLINE head shower 67512 00 flow rate 8 I/min at 3 bar with KLUDI FRESHLINE handshower RL 38 6790005-00 flow rate 8 I/min at 3 bar with draining function with mounting material	€°C () 5-00 105-	6709205-00WR


KLUDI-FRESHLINE






Product		Product description		Surface	Item No.
	265 0256 65	KLUDI-FRESHLINE bathshower set 3S wall fastening KLUDI-FRESHLINE handshower RL 3S adjustable to three spray patterns: booster, smooth, volume flow rate 15 I/min (booster) / 10 I/min (smooth) / 18,8 I/min (volumen) at 3 bar quick and easy cleaning system with draining function KLUDI SUPARAFLEX hose G 1/2 x G 1/2 x 1250 mm plastic-coated with metal-effect with conical nuts with screws and dowels		Chrome White/Chrome	6795005-00 6795091-00
	250 250 056 65 0 0 120	KLUDI-FRESHLINE bath shower set 1S wall fastening KLUDI-FRESHLINE handshower RS 1S with spray mode: volume flow rate 23 I/min at 3 bar quick and easy cleaning system KLUDI SUPARAFLEX hose G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts with screws and dowels	۰	Chrome	6785005-00
		KLUDI-FRESHLINE bath shower set 1S KLUDI-FRESHLINE handshower RS 1S with spray mode: volume flow rate 19 I/min at 3 bar KLUDI SUPARAFLEX hose G $1/2 \times G 1/2 \times 1250$ mm with conical nuts wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G $1/2$ with conical nuts noise level I	0	Chrome	6787005-00

KLUDI-FRESHLINE



Product	Product description	Surface	Item No.
	KLUDI FRESHLINE head shower DN 15 Ø 250 mm flow rate 23 l/min at 3 bar quick and easy cleaning system with ball joint without shower arm connection G 1/2	Chrome	6751105-00
	KLUDI FRESHLINE head shower DN 15 300 x 220 mm with spray mode: volume flow rate 20 I/min at 3 bar quick and easy cleaning system pre-installed dirt cleaner sieve without shower arm connection G 1/2	Chrome	6445005-00
Kopfbrausen	KLUDI FRESHLINE head shower DN 15 400 x 260 mm with spray mode: volume flow rate 34 I/min at 3 bar quick and easy cleaning system pre-installed dirt cleaner sieve without shower arm connection G 1/2	Chrome	6440005-00
	KLUDI-FRESHLINE shower hook for hoses with conical nut with screws and dowels	Chrome	6455205-00





Product	Product description	Surface	ltem No.
	KLUDI-LOGO Thermostat Dual Shower System DN 15 with horizontally and vertically adjustable tube horizontal and vertical adjustable slider wall fastening temperature control handle with hot water safety device 40° C With optional temperature limit stop at 43 ° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet head shower rotary valve dirt catcher sieves protected against back flow KLUDI-SUPARAFLEX SILVER hose 6107205-00 G 1/2 × G 1/2 × 1600 mm anti twist with KLUDI-A-QA headshower Ø 200 mm flow rate 16 I/min at 3 bar with KLUDI-LOGO 1S hand shower DN 15 6810005-00 flow rate 21 I/min at 3 bar with mounting material	Chrome Chrome	6809505-00
	KLUDI-LOGO Thermostat Dual Shower System DN 15 Riser pipe can be swiveled in 6 specified steps / not height adjustable horizontal and vertical adjustable slider wall fastening temperature control handle with hot water safety device 40° C with ceramic shut-off valve as rotary valve 90°/90° shower outlet G 1/2 hand shower rotary valve shower outlet U head shower rotary valve to the rear dirt catcher sieves protected against back flow KLUDI-SUPARAFLEX SILVER hose 6107205-00 G 1/2 × G 1/2 × 1600 mm anti twist with conical nuts with KLUDI-A-QA headshower Ø 200 mm flow rate 16 I/min at 3 bar with KLUDI-LOGO 1S hand shower DN 15 6810005-00 flow rate 21 I/min at 3 bar with mounting material	Chrome Chrome	6809405-00

Product	Product description	Surface	ltem No.
	KLUDI-LOGO single lever mixer Dual Shower System DN 15 solid lever wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider ceramic cartridge with hot water limitation shower outlet G 1/2 90° adjustable rotary valve for the control of head and hand shower shower outlet protected against back flow KLUDI-SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm with KLUDI-A-QA headshower Ø 200 mm flow rate 18 l/min at 3 bar with KLUDI-A-QA headshower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 10,5 l/min (booster) / 10,7 l/min (smooth) / 17 l/min (volumen) at 3 bar with draining function with mounting material	Chrome Chrome	6808505-00





KLUDI-LOGO single lever mixer Dual Shower System DN 15 with bath filler solid lever wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider ceramic cartridge with hot water limitation shower outlet G 1/2 120° adjustable rotary valve for the control of head-, hand shower and bath filler shower outlet protected against back flow KLUDI-SUPARAFLEX SILVER hose 6107205-00 G 1/2 x G 1/2 x 1600 mm with KLUDI-A-QA headshower Ø 200 mm flow rate 21 l/min at 3 bar with KLUDI-LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 10,5 l/min (booster) / 10,71/min (smooth) / 17 l/min (volumen) at 3 bar with draining function with draining function	•	Chrome Chrome
with draining function with mounting material		


6808305-00


duct	Product description	Surface	Item No.
	KLUDI-LOGO single lever mixer Dual Shower System DN 15 with bath filler solid lever wall fastening with horizontally and vertically adjustable tube horizontal and vertical adjustable slider ceramic cartridge with hot water limitation shower outlet G 1/2 120° adjustable rotary valve for the control of head-, hand shower and bath filler shower outlet protected against back flow KLUDI-SUPARAFLEX SILVER hose 6107205-00 G 1/2 × G 1/2 × 1600 mm with KLUDI-A-QA headshower Ø 200 mm flow rate 8 l/min at 3 bar with KLUDI-LOGO hand shower 3S 6830005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 8 l/min at 3 bar with draining function with mounting material	Chrome Chrome	6808305-00WR9
980-1290 55.	KLUDI-LOGO Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tub horizontal and vertical adjustable slider two-way ceramic diverter	Chrome	6809105-00




















Product	Product description	Surface	Item No.
	 KLUDI-LOGO bath-shower set 3S KLUDI-LOGO 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume flow rate 13 l/min (booster) / 10 l/min (sr / 15 l/min (volumen) at 3 bar quick and easy cleaning system with draining function KLUDI-LOGOFLEX shower hose G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts fixed wall shower hook with screws and dowels 	Chrome	6803005-00




KLUDI-1926



KLUDI-1926



Product		Product description		Surface	Item No.
	<u><u>G½</u> <u>Ø56</u> <u>G½</u></u>	KLUDI-1926 connection angle DN 15 Cover rosette Ø 56 mm	•	Chrome Gold Plated 23 carat	1210105-00 1210145-00




Product	Product description	Surface	Item No.
	KLUDI-A-QA head shower DN 15 250 x 250 mm with spray mode: volume flow rate 42 l/min at 3 bar quick and easy cleaning system connection G 1/2 without shower arm noise level l	Chrome	6653105-00
	KLUDI-A-QA head shower DN 15 250 x 250 mm with spray mode: volume flow rate 9 l/min at 3 bar quick and easy cleaning system connection G 1/2 without shower arm noise level l	Chrome	6654105-00
	KLUDI-A-QA head shower DN 15 200 x 200 mm with spray mode: volume flow rate 25,8 l/min at 3 bar quick and easy cleaning system connection G 1/2 without shower arm noise level l	Chrome	6653005-00
	KLUDI-A-QA head shower DN 15 quick and easy cleaning system with one spray mode: rainshower flow rate 18 l/min at 3 bar suitable for water heater with a flow capacity for a minimum of 13 l/min without shower arm with ball joint	Chrome	6219105-00

Product		Product description	Surface	Item No.
HEAD SHOWERS		KLUDI-A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette 58 x 58 mm	Chrome	6654405-00
		KLUDI-A-QA shower arm DN 15 for head shower DN 15 projection 250 mm with push-on rosette 58 x 58 mm	 Chrome Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel 	6654305-00 66543N0-00 66543N1-00 66543N2-00 66543N5-00
		KLUDI-A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm	 Chrome Matt Black Matt White Matt Black/Chrome White Brushed Gold Brushed Bronze Brushed Ronze Brushed Nickel Matt Dove Matt Light Dove Matt Teal Blue Matt Light Blue Matt Light Blue Matt Vermilion 	6651405-00 6651439-00 6651453-00 6651487-00 6651491-00 66514N1-00 66514N2-00 66514N2-00 66514N5-00 6651402-00 6651403-00 6651404-00 6651405-00
<u>س</u>	G1/2 025.4 025.4 00 00 00 00	KLUDI-A-QA shower arm DN 15 for head shower DN 15 projection 250 mm with push-on rosette diameter 55 mm	Chrome	6651305-00
		KLUDI-A-QA shower arm DN 15 for head shower DN 15 projection 250 mm with push-on rosette 61 x 61 mm	Chrome	6653305-00
G	G1/2 020.5 020.5 020.5 40 130 130	KLUDI-A-QA shower arm DN 15 for head shower 1S and 3S without ball joint projection 130 mm	Chrome	6235305-00


Product	Product description	Surface	ltem No.
	KLUDI-A-QA head shower DN 15 Ø 400 mm metal head shower with spray mode: volume flow rate 23 I/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm pressure stabilizer at 1 Bar	 Chrome Matt Black/Chrome 	6434005-00 6434087-00
	KLUDI-A-QA head shower DN 15 Ø 400 mm metal head shower with spray mode: volume flow rate 8 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm pressure stabilizer at 1 Bar	Chrome	6434005-00WR9
	KLUDI-A-QA head shower DN 15 250 x 250 mm metal head shower with spray mode: volume flow rate 23 I/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm	Chrome	6442505-00
	KLUDI-A-QA head shower DN 15 250 x 250 mm metal head shower with spray mode: volume flow rate 8 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm	Chrome	6442505-00WR9
	KLUDI-A-QA head shower DN 15 300 x 300 mm metal head shower with spray mode: volume flow rate 23 I/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm	Chrome	6443005-00


roduct	Product description		Surface	ltem No.
	KLUDI-A-QA head shower DN 15 Ø 200 mm metal head shower with spray mode: volume flow rate 23 I/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm	0	Chrome	6432005-00
	KLUDI-A-QA head shower DN 15 Ø 250 mm wital head shower with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm		Chrome White/Chrome Matt Black/Chrome	6432505-00 6432591-00 6432587-00
	KLUDI-A-QA head shower DN 15 Ø 250 mm metal head shower with spray mode: volume flow rate 23 I/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm	•	Chrome	6432505-00WR9
	KLUDI-A-QA head shower DN 15 Ø 300 mm metal head shower with spray mode: volume flow rate 23 I/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm	•		6433005-00 6433091-00 6433087-00
	KLUDI-A-QA Tellerkopfbrause DN 15 Ø 300 mm metal head shower	•	Chrome	6433005-00WR9
	with spray mode: volume flow rate 8 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm			




Product		Product description	Su	ırface	Item No.
		KLUDI-A-QA head shower DN 15 metal head shower wall fastening headshower Ø 250 mm with spray mode: volume quick and easy cleaning system flow rate 24,5 I/min at 3 bar	• Ch	rome	6487005-00
		KLUDI-A-QA head shower DN 15 metal head shower wall fastening headshower Ø 250 mm with spray mode: volume with flood spray quick and easy cleaning system flow rate volume spray: 24,5 l/min at 3 bar flow rate flood spray: 27 l/min at 3 bar Control of 2 spray types via 2 valves or one changeover valve with 2 outlets		nite/Chrome hite/Chrome htt black/Chrome	6488005-00 6488091-00 6488087-00
	G35 G35 G35 G35 G35 G35 G35	KLUDI-A-QA wall supply DN 15 with wall-compensation ring	Ch	irome	6554005-00
	<u>9%</u>	KLUDI-A-QA wall supply DN 15 protected against back flow according to DIN EN 1717 with wall-compensation ring	Ch	urome	6554305-00
T	50	KLUDI-A-QA fixed wall shower hook for hoses with conical nut with screws and dowels	• Ch	irome	6555105-00

Product	Product description		Surface	ltem No.
	KLUDI-A-QA wall supply with shower holder DN 15 for hoses with conical nut shower outlet G 1/2 protected against back flow according to DIN EN 1717 with wall-compensation ring with mounting material	•	Chrome	6556005-00
	KLUDI-A-QA wall supply with shower holder DN 15 with ceramic shut-off valve wall fastening for hoses with conical nut shower outlet G 1/2 protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material	۰	Chrome	6556205-00
Ceiling arms	KLUDI-A-QA ceiling arm DN 15 for head shower DN 15 projection 150 mm with push-on rosette 58 x 58 mm		Chrome Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel	6654505-00 66545N0-00 66545N1-00 66545N2-00 66545N5-00
	KLUDI-A-QA ceiling arm DN 15 for head shower DN 15 projection 150 mm with push-on rosette diameter 55 mm		Matt Black Matt Black/Chrome Brushed Gold Brushed Bronze	6651505-00 6651539-00 6651587-00 6651581-00 6651581-00 6651585-00 6651502-00 6651502-00 6651502-00 6651503-00 6651504-00 6651505-00
	KLUDI-A-QA ceiling arm DN 15 for head shower DN 15 projection 150 mm with push-on rosette 61 x 61 mm	•	Chrome Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel	6653505-00 66535N0-00 66535N1-00 66535N2-00 66535N5-00





KLUDI-A-QA wall rail L = 955 mm





Chrome

6564105-00

HOSES AND ACCESSORIES HIGH-QUALITY HOSES AND ACCESSORIES FOR A VARIETY OF APPLICATIONS

HOSES AND ACCESSORIES





HOSES AND ACCESSORIES



Product		Product description		Surface	Item No.
	5 22 50	KLUDI-A-QA s tile compensation washer for wall rail	۰	Chrome	93099005-00

DRAINS & BOTTLE TRAPS THE IDEAL COMPLETION OF KLUDI'S BATHROOM OFFERT


Refined siphons add a touch of sophistication to bathroom decor. Kludi offers traps crafted from chrome-plated ABS, stainless steel, or polypropylene, seamlessly blending with Kludi's wall-hung washbasins or bidets, enhancing the visual appeal without compromising aesthetics.

KLUDI-ROTEXA THE ESSENTIAL COMPLEMENT



KLUDI-ROTEXA

Product	Product description	Surface	ltem No.
	KLUDI-ROTEXA Click-Clack Pop-Up drain	Chrome	1047005-00
	KLUDI-ROTEXA Click-Clack Pop-Up drain Ceramic cover	 Glossy White Matt White Matt Light Dove Matt Black 	1047043-00 1047053-00 1047002-00 1047039-00
	KLUDI-ROTEXA Always open drain	Chrome	1047105-00
Ť	KLUDI-ROTEXA Always open drain Ceramic cover	 Glossy White Matt White Matt Light Dove Matt Black 	1047143-00 1047153-00 1047102-00 1047139-00



KLUDI-ROTEXA

Product	Product description	Surface	ltem No.
Bath	KLUDI-ROTEXA MULTI filling, waste and overflow trim set flow class C s-pointer aerator M 24 x 1 filling unit with fastening screws and plug with big valve disc noise level I	Chrome	7182605-00
	KLUDI-ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre-installation set for water intake connection G 1/2 incl. sink-kit with attached bottle-trap 2 swivel-joints 50 mm water seal height without trim set with DN 40/50 connector with Excenter set noise level I without trim set	neutral	2131500-00
	KLUDI-ROTEXA 2000 pop-up and overflow set G 1 1/2 with bowden cable for bath- and and deep showertubs with attached bottle-trap 2 swivel-joints 50 mm water seal height according to DIN EN 274 with DN 40/50 connector with Excenter set	Chrome	2140605-00
	KLUDI-ROTEXA 2000 pop-up and overflow set G 1 1/2 with bottle trap with bowden cable with flexible overflow tube for fitted dimensions up to 450 mm with valve - head part	Chrome	2130005N-00
	KLUDI-ROTEXA 2000 pop-up and overflow set G 1 1/2 with bowden cable for bath- and deep showertubs with flexible overflow tube with attached bottle-trap 2 swivel-joints 50 mm water seal height according to DIN EN 274 with trim set with Excenter set	Chrome	2140705-00

Product		Product description	Surface	Item No.
		KLUDI-ROTEXA 2000 pop-up and overflow set G 1 1/2 with bottle trap with bowden cable for bathtubs and deep showertubs for fitted dimensions up to 450 mm with valve - head part with valve - head part according to DIN EN 274 approved acc. to DIN EN 274 without connector with trim set waste hole diameter Ø 52 mm with Excenter set	Chrome	2140805-00
		KLUDI-ROTEXA 2000 pop-up and overflow set G 1 1/2 bowden cable 850 mm long with flexible overflow tube 760 mm for special tubs with attached bottle-trap 2 swivel-joints with valve - head part without connector with trim set eto with Excenter set 	Chrome	2140905-00
	42 10 10 10 10 10 10 10 10 10 10 10 10 10	KLUDI-ROTEXA 2000 pop-up and overflow set G 1 1/2 pre-installation set with bowden cable for bathtubs and deep showertubs with attached bottle-trap 2 swivel-joints 50 mm water seal height according to DIN EN 274 with DN 40/50 connector without trim set end with Excenter set	neutral	2108000-00


WASHBASIN AND BIDET WASTES

Product		Product description		Surface	ltem No.
Basin	Ø63,5 Ø62 Ø50 G11/4	PUSH-OPEN waste G 1 1/4 lockable plug G 1 1/4 for wash basin with overflow waste flow rate >32 l/min waste flow rate >32 l/min	٢	Chrome	1042405-00
	065 SW46 G114	KLUDI PUSH-OPEN waste G 1 1/4 lockable plug G 1 1/4 for wash basin with overflow		Matt Black	1042605-00 1042639-00 1042653-00 10426N0-00
	15-35 G11/4	KLUDI shank valve with waste cap G 1 1/4 for wash basin without overflow not lockable		Chrome	1042805-00
	→ Ø 63→ max 50 → G 11/4	KLUDI shank valve G 1 1/4 without ball chain and chainholder without ball chain and chainholder	0	Chrome	1042705-00
	G 11/4	KLUDI valve sieve made of chrome Ø 63 mm thread sub-frame brass nickel-plated thread sub-frame brass nickel-plated		chromium nickel steel	1041135-00

Product		Product description	Surface	Item No.
		design-bow lever G 1 1/4 bottle trap G 1 1/4 with discharge-tube Ø 32 x 290 mm with push-on rosette diameter 65 mm adjustable drain pipe up to 120 mm with locker for cleaning according to DIN EN 274 according to DIN EN 274	 Chrome Matt Black Brushed Gold 	1002005-00 1002039-00 10020N0-00
I		KLUDI bottle trap G 1 1/4 with discharge-tube Ø 32 x 200 mm with wall flange (escutcheon) Ø 65 mm according to DIN EN 274 according to DIN EN 274	Chrome	1010505-00
I	€	KLUDI G 1 1/4 x 32 mm, standard model with bent outlet Ø 32 x 200 mm with wall flange (escutcheon) Ø 65 mm according to DIN EN 274 with wall flange (escutcheon) according to DIN EN 274	Chrome	1025005-00
		P-trap G 11/4 G 1 1/4 x 32 mm adjustable drain pipe up to 120 mm with wall flange (escutcheon) Ø 80 mm according to DIN EN 274 according to DIN EN 274	Chrome	1026505-00
- J		KLUDI place-saving bottle trap with wall flange (escutcheon) Ø 65 mm with bent outlet Ø 32 mm according to DIN EN 274 according to DIN EN 274	Chrome	1025505-00

WASHBASIN AND BIDET WASTES

Product		Product description	Surface	ltem No.
Bidet		KLUDI G 1 1/4 x 32 mm with bent outlet Ø 32 x 200 mm with wall flange (escutcheon) Ø 65 mm according to DIN EN 274 according to DIN EN 274	Chrome	1031105-00
Accessories	Ø 32	KLUDI with 2 threads for tube connection with 32 mm diameter for tube connection according to DIN EN 274	Chrome	1043205-00
	G 11/4 200	KLUDI hose thread G 3/4 for connection of the drain hose from washing machines G 1 1/4 x 200 mm according to DIN EN 274	Chrome	1046205-00
		KLUDI with o-ring for extension of adjustable and outlet pipes Ø 32 x 125 mm according to DIN EN 274	Chrome	1049905-00
	200 Ø32	outlet tube straight with flanged rim Ø 32 x 200 mm	Chrome	84501605-00



WASHBASIN AND BIDET WASTES

Product		Product description	Surface	Item No.
	← Ø 24 ←	Plug G 1/2 to seal connections not in use involved with rosette	Chrome	7034605-00

BATH- AND SHOWER WASTES

Product		Product description	Surface	Item No.
	C % C %	KLUDI Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm hot water resistant	neutral	6115000-00
		KLUDI pop-up and overflow set trim set rosette plate and plug with big valve disc	Chrome	7108005-00
Shower		KLUDI-TASSO 90 pop-up waste trim set according to DIN EN 274 approved according to LGA-Bayern according to DIN EN 274	Chrome	7137005-00
		KLUDI-TASSO 90 pop-up waste pre-installation set with removable bottle trap cleanable with removable bottle trap approved according to LGA-Bayern	neutral	2109100-00
	Ø70	KLUDI-TASSO 50 pop-up waste trim set according to DIN EN 274 approved according to LGA-Bayern	Chrome	7152005-00

BATH- AND SHOWER WASTES

Product		Product description		Surface	ltem No.
	90 90 90 90 95 95 95 95 95 95 95 95 95	KLUDI-TASSO 50 pop-up waste pre-installation set waste hole diameter Ø 52 mm with removable bottle trap with removable bottle trap approved according to LGA-Bayern	0	neutral	2152000-00

KITCHEN THE KITCHEN COMPETENCE

KLUDI is a brand synonymous with unparalleled expertise in both design and functionality when it comes to kitchen fittings. The "Kitchen Competence" concept embodies this commitment, seamlessly integrating cutting-edge functionality with a streamlined, intuitive product range that prioritizes ease and convenience for you.

M-LINE

A CLEAR AND HARMONIOUS DESIGN AS THEIR FEATURES.



KLUDI-MIX

Product		Product description	Surface	Item No.
Sink	240 220 115 100 475 475 6%	KLUDI-MIX single lever sink mixer DN 15 open ring lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 12 l/min at 3 bar swivelling spout (360°) with shank fastening flexible hoses G 3/8	Chrome Φο ^π FIX ^π	329040562
	220 220 115 120 15 15 165 190 475 0 <u>%</u>	KLUDI-MIX single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 12 l/min at 3 bar swivelling spout (360°) with shank fastening flexible hoses G 3/8	Dor FIXT	329040575 329043975
		KLUDI-MIX multi single lever sink mixer DN 15 open ring lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 12 l/min at 3 bar swivelling spout (360°) one connection for washing machine or dishwasher with shank fastening flexible hoses G 3/8	Chrome Chrome Corr Fixrr	329060562
F		KLUDI-MIX multi single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 × 1 flow rate 12 l/min at 3 bar swivelling spout (360°) one connection for washing machine or dishwasher with shank fastening flexible hoses G 3/8		329060575 329063975
	220 220 220 220 255 20 20 20 20 20 20 20 20 20 20 20 20 20	KLUDI-MIX single lever sink mixer bayonette DN 15 open ring lever single hole mounted flow rate 9 l/min at 3 bar flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm with shank fastening flexible hoses G 3/8	Chrome Don FIXT	329340562

Product		Product description	Surface	ltem No.	
F	220 220 055 1-40 1-40 165 190 63%	KLUDI-MIX single lever sink mixer bayonette DN 15 solid lever single hole mounted flow rate 9 l/min at 3 bar flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm with shank fastening flexible hoses G 3/8	Chrome	329340575	
F	220 220 220 220 220 535 420 535 420 535 6%	KLUDI-MIX single lever sink mixer DN 15 open ring lever single hole mounted flow rate 9 l/min at 3 bar flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling (110°) pull-out spout with quick coupling protected against back flow with shank fastening flexible hoses G 3/8	Chrome CLIPT CLICKT DOT FIXT	329430562	
E	220 220 115 220 140 535 420 655 655 655 655	KLUDI-MIX single lever sink mixer DN 15 solid lever single hole mounted flow rate 9 l/min at 3 bar flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling (110°) pull-out spout with quick coupling protected against back flow with shank fastening flexible hoses G 3/8	Chrome Matt Blac	329430575 k 329433975	273
FI	220 220 115 140 225 116 140 190 535 535 535 535 535 535 535 535 535 53	KLUDI-MIX single lever sink mixer DN 15 open ring lever single hole mounted flow regulator M 24 × 1 flow rate 9 l/min at 3 bar ceramic cartridge with hot water limitation swivelling spout (110°) pull-out hand spray automatic diverter: shower/spray with quick coupling protected against back flow with shank fastening flexible hoses G 3/8	Chrome CLIPT CLIPT CLICKT DOT FIXT	329410562	
F	220 220 425 1.40 425 535 6½ 6½ 6½	KLUDI-MIX single lever sink mixer DN 15 solid lever single hole mounted flow regulator M 24 x 1 flow rate 9 l/min at 3 bar ceramic cartridge with hot water limitation swivelling spout (110°) pull-out hand spray automatic diverter: shower/spray with quick coupling protected against back flow with shank fastening flexible hoses G 3/8	Chrome Matt Blac	329410575 k 329413975	

KLUDI-MIX

Product	Product description	Surface	Item No.
	KLUDI-MIX multi single lever sink mixer DN 15 open ring lever flow regulator M 24 x 1 flow rate 9 l/min at 3 bar ceramic cartridge with hot water limitation swivelling spout (110°) pull-out hand spray automatic diverter: shower/spray with quick coupling one connection for washing machine or dishwasher protected against back flow with shank fastening copper tubes 10 mm	Chrome	329450562
	KLUDI-MIX multi single lever sink mixer DN 15 solid lever flow regulator M 24 x 1 flow rate 9 l/min at 3 bar ceramic cartridge with hot water limitation swivelling spout (110°) pull-out hand spray automatic diverter: shower/spray with quick coupling one connection for washing machine or dishwasher protected against back flow with shank fastening copper tubes 10 mm	Chrome	329450575

KLUDI-M2

Product	Product description	Surface	Item No.
Sink	single lever sink mixer DN 15 solid lever single hole mounted flow rate 12 l/min at 3 bar flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°)	Chrome Do ⁿ FIX ^{II}	595740575
	KLUDI-M2 single lever sink mixer bayonette DN 15 solid lever single hole mounted flow regulator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) protected against back flow for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 with shank fastening	Chrome Do" FIXT	595780575

275

KLUDI-M3

Product	Product description		Surface	ltem No.
Sink	KLUDI-M3 Single-lever sink mixer DN 15 1-hole installation solid lever, metal aerator M24 Ceramic cartridge with hot water safety device Flow rate at 3 bar 9 l/min. swivel spout (360°) flexible hoses G3/8 DVGW approved shank-fixing	•	Chrome Matt Black	585740575 585743975
	KLUDI-M3 Single-lever sink mixer DN 15 1-hole installation Extractable hand spray automatic diverter: jet/aerator quick connect solid lever, metal aerator M24 protected against backflow Ceramic cartridge Flow rate at 3 bar 9 l/min. swivel spout (110°) flexible hoses G3/8 DVGW approved Shank-fixing	•	Chrome Matt Black	585810575 585813975

KLUDI-STEEL

Product		Product description	Surface	Item No.
Sink	215 215 215 216 225 225 225 225 225 225 225 22	KLUDI-STEEL single lever sink mixer DN 15 solid lever material: stainless steel single hole mounted flow regulator M 24 × 1 flow rate 12 I/min at 3 bar ceramic cartridge swivelling spout (360°) flexible hoses G 3/8 with shank fastening PA-IX 17500/IO	 stainless steel brushed Dor FIXr 	44850F860
	215 215 215 044.5 052 052 052 052 052 052 052 05	KLUDI-STEEL single lever sink mixer DN 15 solid lever material: stainless steel single hole mounted flow regulator M 18 x 1 ceramic cartridge flow rate 8 l/min at 3 bar swivelling spout (110°) with pull-out hand spray automatic diverter: shower/spray protected against back flow flexible hoses G 3/8 with shank fastening P-IX 17501/IOO	 stainless steel brushed brushed brushed brushed brushed brushed contract of the state of the sta	44851F860

KLUDI-OBJEKTA

Product	Product description	Surface	ltem No.
Sink 220 0.00 0.00 435 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	KLUDI-OBJEKTA single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,3 l/min at 3 bar swivelling spout (360°) flexible hoses G 3/8 rapid installation set	Chrome	325740575
	KLUDI-OBJEKTA multi single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,3 l/min at 3 bar swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set flexible hoses G 3/8	Chrome	325760575
205 050 050 050 050 050 050 050 00 050 00 0	KLUDI-OBJEKTA single lever sink mixer bayonette DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 13,3 l/min at 3 bar swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm with shank fastening flexible hoses G 3/8	Chrome Dor FIXT	325780575
	single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation s-pointer aerator M 24 x 1 Flow rate shower 8.2 / jet 9.0 l / min at 3.0 bar swivelling (110°), pull-out hand shower	Chrome	325810575
	KLUDI-OBJEKTA wall mounted single lever sink mixer DN 15 solid lever wall fastening flow 13 l/min at 3 bar cascade aerator M 24 × 1 ceramic cartridge with hot water limitation swivelling or lockable spout Projection 115 mm s-connections	Chrome	328810575

Product		Product description	Surface	Item No.
C Real	0150 ±17 00 070 070 070 070 0 070 0 0 0 0 0 0	KLUDI-OBJEKTA wall mounted single lever sink mixer DN 15 solid lever wall fastening flow rate 12 l/min at 3 bar cascade aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 180 mm s-connections	Chrome	328820575

KLUDI-SCOPE

Product		Product description	Surface	Item No.
Sink	210 95 00 0.60 0.60 0.60 0.60 0.60 0.60 0.60	KLUDI-SCOPE single lever sink mixer DN 15 solid lever single hole mounted flow class A caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set rapid installation set noise level I P-IX 19449/IO	Chrome	339330575
		KLUDI-SCOPE XL single lever sink mixer DN 15 solid lever single hole mounted flow class A caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) rapid installation set rapid installation set noise level I P-IX 19449/IO	Chrome	339300575
	210 220 220 220 224 220 224 224 224 224 22	KLUDI-SCOPE single lever sink mixer bayonette DN 15 solid lever single hole mounted flow class A caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout (360°) for installation beneath windows remaining socket height: 25 mm flexible hoses G 3/8 noise level I P-IX 19449/IO	Chrome Dor FIXT	339380575
		KLUDI-SCOPE single lever sink mixer DN 15 solid lever single hole mounted flow class A aerator M 22 x 1 ceramic cartridge with hot water limitation swivelling (110°) pull-out spout protected against back flow with shank fastening copper tubes 10 mm noise level I copper tubes 10 mm	Chrome FIX ^{IT}	339310575
Spare parts		KLUDI-SCOPE spout	Chrome	7501005-00




KLUDI-LOGO NEO


Product		Product description	Surface	Item No.
Sink	215 10 044 1-60 350 	KLUDI-LOGO NEO single lever sink mixer DN 15 solid lever single hole mounted flow class A aerator M 24 x 1 ceramic cartridge swivelling spout (360°) rapid installation set rapid installation set noise level I PA-IX 7526/IA	Chrome	379130575
	<u>9.9</u> (5):5:17 (150:17 (125 (75) (25) (10) (25) (10) (25) (10) (25) (10) (25) (10)	KLUDI-LOGO NEO wall mounted single lever sink mixer DN 15 solid lever wall fastening flow class A aerator M 22 x 1 ceramic cartridge swivelling spout (360°) G 3/4 x 200 mm s-connections spout fitting G 3/4) Chrome	379240575
	45:14 00 55 75 75 2200 275	KLUDI-LOGO NEO wall mounted single lever sink mixer DN 15 solid lever wall fastening distance from center to center 45 mm flow class A aerator M 22 x 1 ceramic cartridge swivelling spout (360°) 200 mm s-connections G 1/2 x G 1/2 noise level I	Chrome	379140575
Accessories		extension for single lever sink mixer 389130575/389190575	Chrome	7676005-00




L-LINE PRECISE GEOMETRY, CLEAR SHAPES, REDUCED TO THE ESSENTIALS.




KLUDI-E-GO





KLUDI-QORD



KLUDI-L STEEL

Product		Product description	Surface	Item No.
Sink	<u>925</u> 950 942 952 952 952 952 952 952 952 952 952 95	KLUDI-L STEEL single lever sink mixer DN 15 solid lever material: stainless steel single hole mounted ceramic cartridge flow regulator M 18 x 1 flow rate 9 l/min at 3 bar swivelling spout (360°) flexible hoses G 3/8 with shank fastening	 stainless steel brushed bor Fixr 	45803F877
	225 225 220 242 220 242 220 220 220 220	KLUDI-L STEEL single lever sink mixer DN 15 swivelling (180°) pull-out spout solid lever material: stainless steel single hole mounted ceramic cartridge flow regulator M 18 x 1 flow rate 8 l/min at 3 bar swivelling (180°) pull-out spout protected against back flow flexible hoses G 3/8 with shank fastening	 stainless steel brushed brushed bor bor FIXT 	45851F877

KLUDI-L-INE S

Product		Product description	Surface	ltem No.
Sink	022 210 225 210 250 75 80 260 260 260 265 450 450 450 450 450 60 60	KLUDI-L-INE S single lever sink mixer DN 15 single hole mounted solid lever ceramic cartridge Laminar-flow regulator M 18 x 1 flow rate 7,1 l/min at 3 bar swivelling spout (360°) flexible hoses G 3/8 with shank fastening	 Chrome Matt Black Don FIXn Solution 	408030575 408033975
	240 75 220 75 220 75 220 75 220 75 220 75 220 75 220 75 220 75 220 75 220 75 220 75 220 75 20 9 25 9 25 9 25 9 25 9 25 9 25 9 25	KLUDI-L-INE S single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge flow regulator M 16 x 1 flow rate 8,2 I/min at 3 bar swivelling (360°) pull-out spout protected against back flow flexible hoses G 3/8 with shank fastening		408510575 408513975 arome 408518775 arome 408519375
	240 75 220 75 220 75 220 75 9224 938 90 80 80 80 80 80 80 80 80 80 80 80 80 80	KLUDI-L-INE S single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge flow regulator M 16×1 flow rate 3,8 l/min at 3 bar swivelling (360°) pull-out spout protected against back flow flexible hoses G 3/8 with shank fastening	Chrome Matt Black/Ch	408510575WR5 408518775WR5

287

C-LINE

CLEAR, CURVED CONTOUR, OFFERING EXPRESSIVE AESTHETICS GREAT COMFORT AND SOPHISTICATED FUNCTIONALITY.






KLUDI-E-GO VOICE

Product	Product description	Surface	ltem No.
	KLUDI-E-GO VOICE electronic controlled single lever sink mixer DN 15 single hole mounted single hole mounted single hole mounted swivelling spout (360°) pull-out hand spray automatic diverter: shower/spray Water connection box IP53 electronic control unit Connection between water connection h and electronic control unit via cable manual operation via lever Two individually preset water quantities can be accessed via the lever Programmable voice commands for contactless operation via APP connection with Amazon Alexa/Google Home powered by 230 V mains supply Inlet hoses G3/8 x G1/2 Connection cold water/ hot water G 1/2 backflow preventer with dirt trap sreens hygienic rinse can be activated via APP Thermal disinfection max. 70°C possible Can be activated via APP rapid installation set	FIXIT	423000577 423005377 423006677


KLUDI-E-GO

Product		Product description	Surface	ltem No.
Sink		KLUDI-E-GO electronic controlled single lever sink mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation Flow rate manual operation 10,5 l/min at 3 bar ceramic cartridge adjustable temperature through lever setting pre-adjustable temperature automatic initial sensor measurement electric power supply via 230 V main adapter automatic initial sensor measurement swivelling spout (360°) backflow preventer with dirt trap sreens with optional hygienic flushing every 12 or 24 hours rapid installation set flexible hoses G 3/8 noise level I rapid installation set		422000575 422006675
	215 100 375 240 510 510 510	KLUDI-E-GO electronic controlled single lever sink mixer DN 15 single hole mounted ceramic cartridge with hot water limitation Flow rate manual operation 10,5 l/min at 3 bar ceramic cartridge adjustable temperature through lever setting pre-adjustable temperature automatic initial sensor measurement electronic unit with battery control device automatic initial sensor measurement electronic unit swivelling spout (360°) 6 V lithium battery CR-P2 with optional hygienic flushing every 12 or 24 hours rapid installation set flexible hoses G 3/8 noise level I	Chrome Deep Matt Black	422100575 422106675


KLUDI-QORD



KLUDI-REEF



KLUDI-AUREA



KLUDI-BINGO STAR

Product		Product description	Surface	ltem No.
Sink	215 95 350 0.60 70 70 70	KLUDI-BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge swivelling spout (360°) rapid installation set rapid installation set P-IX 9772/IO	Chrome Matt Black stainless steel look	428030578 428033978 428039678
		KLUDI-BINGO STAR multi single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge swivelling spout (360°) one connection for washing machine or dishwasher rapid installation set rapid installation set	Chrome	428360578
	95 922 948 95 95 95 220 244 95 220 244 95 220 248 95 220 248 95 220 249 244 95 220 248 244 244 244 25 20 20 20 20 20 20 20 20 20 20 20 20 20	KLUDI-BINGO STAR single lever sink mixer bayonette DN 15 solid lever single hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge swivelling spout (360°) flexible hoses G 3/8 for installation beneath windows remaining socket height: 25 mm	Chrome stainless steel look	428570578 428579678
	0-45 95 350 M34x1.5 05%	KLUDI-BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow class Z PCA caché-Laminar-flow regulator M 16,5 x 1 ceramic cartridge swivelling (230°) pull-out spout flexible hoses G 3/8 protected against back flow		428510578 428513978 428519678
	048 0-45 350 <u>M34x1,5</u> 024 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	KLUDI-BINGO STAR single lever sink mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow rate 7,71/min at 3 bar pull-out hand spray automatic diverter: shower/spray swivelling spout (230°) with shank fastening flexible hoses G 3/8 protected against back flow	Chrome	428520578

KLUDI-BINGO STAR

Product		Product description	Surface	ltem No.
		KLUDI-BINGO STAR single lever sink mixer DN 15 solid lever single hole mounted flow rate 8 I/min at 3 bar PCA caché-Laminar-flow regulator M 16,5 ceramic cartridge with hot water limitation swivelling spout (360°) removable mouthpiece protected against back flow rapid installation set flexible hoses G 3/8 noise level I		428590578
A REAL PROPERTY OF A REAL PROPER	215 215 94 94 94 94 94 94 94 350 70 220 538	KLUDI-BINGO STAR 200 single lever sink mixer DN 15 semi-profi version solid lever single hole mounted flow class A cascade aerator M 24 x 1 ceramic cartridge swivelling (220°) pull-out spout flexible hoses G 3/8 protected against back flow	Chrome	428550578

HOSPITAL & CARE THE SERIES FOR SPECIAL DUTIES

KLUDI-MEDI CARE

Product		Product description	Surface	ltem No.
Sink	0.45 10 125 150 210 395 010	KLUDI-MEDI CARE single lever sink mixer DN 15 clinic lever single hole mounted flow class Z care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set swivelling spout copper tubes 10 mm P-IX 9572/IIZ spout height lower edge 125 mm	Chrome	349080524
	045 100 100 125 125 150 210 010 010	KLUDI-MEDI CARE single lever sink mixer DN 15 clinic lever single hole mounted flow class Z care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling spout rapid installation set swivelling spout copper tubes 10 mm P-IX 9572/IIZ spout height lower edge 125 mm	Chrome	349080534
Waschtisch	0-45 0-45	KLUDI-MEDI CARE single lever basin mixer DN 15 care lever single hole mounted flow rate 8 I/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 11/4 rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IIZ spout height lower edge 95 mm	Chrome	341150524
		KLUDI-MEDI CARE single lever basin mixer DN 15 care lever single hole mounted flow rate 8 I/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IIZ spout height lower edge 95 mm	Chrome	341120524
		KLUDI-MEDI CARE single lever basin mixer DN 15 care lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set swivelling spout P-IX 9572/IIZ spout height lower edge 95 mm	Chrome	341130524

Product	Product description		Surface	ltem No.
	KLUDI-MEDI CARE single lever basin mixer DN 15 care lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation rapid installation set fixed spout copper tubes 10 mm P-IX 9571/IIZ spout height lower edge 95 mm	•	Chrome	341120534
	KLUDI-MEDI CARE single lever basin mixer DN 15 care lever single hole mounted flow rate 8 l/min at 3 bar care-aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set swivelling spout P-IX 9572/IIZ spout height lower edge 95 mm	•	Chrome	341130534
	KLUDI-MEDI CARE wall mounted single lever mixer DN 15 clinic lever wall fastening flow class Z care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout swivelling or lockable spout projection 180 mm projection 180 mm PA-IX 9573/IZ	•	Chrome	349220524
	KLUDI-MEDI CARE wall mounted single lever mixer DN 15 clinic lever wall fastening flow class Z care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout projection 245 mm s-connections projection 245 mm PA-IX 9573/IZ	•	Chrome	349200524
	KLUDI-MEDI CARE wall mounted single lever mixer DN 15 clinic lever wall fastening flow class Z care-aerator M 24 x 1 ceramic cartridge with hot water limitation swivelling or lockable spout swivelling or lockable spout lockable S-connections projection 250 mm PA-IX 9574/IZ	•	Chrome	349210524

KLUDI-MEDI CARE

Product	Product description		Surface	ltem No.
50 ± 17 01/2 0 0 0 0 0 0 0 0 0 0 0 0 0	KLUDI-STANDARD CARE wall fitting DN 15 wall fastening flow rate 8 l/min at 3 bar casted spout care-aerator M 24 x 1 s-connections PA-IX 8668/IZ handle 08 = handle Terralux metal	٠	Chrome	320040508
Both	KLUDI-MEDI CARE thermostatic hospital mixer DN 15 clinic lever wall fastening care-aerator M 24 x 1 temperature control handle hot water safety device 40 °C clinic lever shut-off valve dirt catcher sieves dirt catcher sieves PA-IX 9022/IZ PA-IX 9022/IZ	•	Chrome	350850564
Shower	KLUDI-MEDI CARE thermostatic shower mixer DN 15 wall fastening temperature control handle with hot water safety device 40 °C Suitable for thermal disinfection unlocking via Allen key by the lockable button ceramic shut-off valve 180° shower outlet G 1/2 protected against back flow flow class B dirt catcher sieves lockable S-connections P-IX 8049/IB	۰	Chrome	353300538
	KLUDI-SIRENA CARE barrier free shower bar L = 900 mm integrated grab handles length of handle: 90° = 250 mm, 135° = 300 mm, left and right suitable left and right suitable 50 mm projection continuously adjustable slider adjustable by pulling-down the shower hos adjustable by pulling-down the shower hos overtically and horizontally adjustable with KLUDI-SUPARAFLEX-hose G 1/2 x G 1/2 x 1600 mm anti twist G 1/2 x G 1/2 x 1600 mm	se	Chrome	6150205-00

Product		Product description	Surface	Item No.	
		KLUDI-SIRENA CARE barrier free shower bar L = 900 mm integrated grab handles (length of handle 250 mm und 90° angle), left and right suitable 50 mm projection continuously adjustable slider adjustable by pulling-down the shower hose adjustable by pulling-down the shower hose vertically and horizontally adjustable with KLUDI-SUPARAFLEX-hose G 1/2 x G 1/2 x 1600 mm anti twist G 1/2 x G 1/2 x 1600 mm	Chrome	6150305-00	
	340 33,5 33,5 45-65 0 33	KLUDI-SIRENA CARE barrier free bathtub holder length of handle 300 mm 50 mm projection fastening set with special dowels	Chrome	6150605-00	303
Accessories		KLUDI place-saving bottle trap with wall flange (escutcheon) Ø 65 mm with bent outlet Ø 32 mm according to DIN EN 274 according to DIN EN 274	Chrome	1025505-00	

WASHBASINS WHERE YOUR BATHROOM DESIGN BEGINS

Essential and stylish, the washbasin serves as the cornerstone of your bathroom. It's a daily necessity, yet it's also the primary element for crafting your ideal bathroom. Kludi presents a diverse selection of stunning sinks in various sizes, colors, and shapes, seamlessly complementing KLUDI sink taps and accessories. Explore KLUDI's range and get inspired.

KLUDI-RESA ELEGANT AND VESATILE DESIGN FOR THE WASHING AREA



KLUDI-RESA

Product		Product description	Surface	ltem No.
Counter top	400 - 400 400 - 400 630 - 500	KLUDI-RESA R ROUND WASHBASIN 40X40 Countertop washbasin Round Dimensions (cm): W: 40 x H: 14 Installation type: Countertop Suitable for furniture EN 14688 - CL20	Glossy White Matt White Matt Light Dove Matt Black	58CW1043 58CW1053 58CW1002 58CW1039
	600	KLUDI-RESA O OVAL WASHBASIN 60X40 Countertop washbasin Oval Dimensions (cm): W: 60 x H: 14 x D: 40 Installation type: Countertop Suitable for furniture EN 14688 - CL20	Glossy White Matt White Matt Light Dove Matt Black	58CW2043 58CW2053 58CW2002 58CW2039
	$\begin{array}{c} & 400 \\ & 400 \\ & 400 \\ & 400 \\ & 400 \\ & 400 \\ & 400 \\ & 400 \\ & 400 \\ & 400 \\ & 400 \\ & 400 \\ & 400 \\ & 400 \\ & 400 \\ & 530 \\ & 530 \\ & 580 \\$	KLUDI-RESA C SQUARE WASHBASIN 40X40 Countertop washbasin Square Dimensions (cm): W: 40 x H: 14 x D: 40 Installation type: Countertop Suitable for furniture EN 14688 - CL20	Glossy White Matt White Matt Light Dove Matt Black	58CW3043 58CW3053 58CW3002 58CW3039
	600	KLUDI-RESA S RECTANGULAR WASHBASIN 60X40 Countertop washbasin Rectangular Dimensions (cm): W: 60 x H: 14 x D: 40 Installation type: Countertop Suitable for furniture EN 14688 - CL20	Glossy White Matt White Matt Light Dove Matt Black	58CW4043 58CW4053 58CW4002 58CW4039

Product		Product description	Surface	Item No.
Wall hung	610 Φ - 035 505 505 505 1000 1000 1000 1000 1000 1000 1000 1		Glossy White Matt White Matt Light Dove Matt Black	59WW6143 59WW6153 59WW6102 59WW6139
		KLUDI-RESA WASHBASIN 45X28 Wall-mounted, one faucet hole Rectangular Dimensions (cm): W: 45 x H: 12 x D: 28 Installation type: Wall-mounted Suitable for furniture EN 14688 - CL20 61X50 h12 cm One tap hole available from Q3/2025	Glossy White	59WW4543
	$\begin{array}{c} & 810 \\ \hline \\ $	KLUDI-RESA WASHBASIN 81X50 Wall-mounted, One tap hole Rectangular Dimensions (cm): W: 81 x H: 12 x D: 50 Installation type: Wall-mounted Suitable for furniture EN 14688 - CL20	Matt Light Dove	59WW8143 59WW8153 59WW8102 59WW8139
4	$\begin{array}{c} \hline \\ \hline $	KLUDI-RESA WASHBASIN 101X50 Wall-mounted, one faucet hole Rectangular Dimensions (cm): W: 101 x H: 12 x D: 50 Installation type: Wall-mounted Suitable for furniture EN 14688 - CL20	Glossy White Matt White Matt Light Dove Matt Black	59WW10143 59WW1015 59WW1010 59WW10139

KLUDI-RESA

Product		Product description	Surface	ltem No.
A	$\begin{array}{c} 1210 \\ \hline \\ $	KLUDI-RESA WASHBASIN 121X50 Wall-mounted, one faucet hole Rectangular Dimensions (cm): W: 121 x H: 12 x D: 50 Installation type: Wall-mounted Suitable for furniture EN 14688 - CL20	Matt Light Dove Matt Black	59WW12143 59WW12153 59WW12102 59WW12139
Under Counter	130 260 260 260 260 260 260 180 $120^{+}_{+120^{+}_{+}}$ 180 $120^{+}_{+120^{+}_{+}}$ 520 570	KLUDI-RESA UNDER COUNTER WASHBASIN 40X26 Under counter, without faucet hole Rectangular Dimensions (cm): W:46.5x H:18x D:33 Installation type: under counter	Glossy White	59W0143
		KLUDI-RESA UNDER COUNTER WASHBASIN 44X35 Under counter, without faucet hole Rectangular Dimensions (cm): W:50x H:195x D:41 Installation type: under counter	Glossy White	59W0243
	7	KLUDI-RESA UNDER COUNTER WASHBASIN 50X36 Under counter, without faucet hole Rectangular Dimensions (cm): W:56.5x H:17x D:42.5 Installation type: under counter	Glossy White	59W0343



SMART TOILETS

The new toilet with integrated bidet functionality that brings you the finest in personal comfort and cleansing. An all-in-one solution that combines design and technology, to mark a superior hygiene standard in your bathroom.

KLUDI-CLEANTRONIC

Product	Product description	Surface	ltem No.
	PUSH PLATE 24X15 H1,2CMDimension (cm):W: 15.2 x H: 24.0 D: 1.2Material: plasticDual flushOperation from the frontincludes mounting frame,	Chrome Matt Black Glossy White Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Mickel PVD Matt Dove Matt Light Dove Matt Teal Blue Matt Light Blue Matt Vermillion	30PP0105 30PP0139 30PP0143 30PP0153 30PP01N0 30PP01N1 30PP01N2 30PP0101 30PP0102 30PP0103 30PP0103 30PP0104 30PP0105
	PUSH PLATE 24X15 H1,2CM Dimensions (cm): B: 15,2 x H: 24,0 T: 1,2 Material: Plastic 2-volume flush Operation from the front incl. mounting frame 2x distance bolt, 2x andle rods	Chrome Matt Black Glossy White Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Ronze PVD Brushed Nickel PVD Matt Dove Matt Light Dove Matt Teal Blue Matt Light Blue Matt Vermillion	32PP0105 32PP0139 32PP0143 32PP01N0 32PP01N0 32PP01N1 32PP01N2 32PP01N5 32PP0105 32PP0103 32PP0103 32PP0104 32PP0105
	KLUDI-CLEANTRONIC Wall-mounted shower toilet Spiralflush flushing system Dimensions (cm): W: 62.5 x H: 38 Weight: 28 kg Rimless toilet for wall mounting with Spiral-Flush technology P-shoped outlet with KLUDI-ProTek coating for 99.9% protection against bac Concealed fixtures Flushing performance 3/61 Full flush toilet Radar user detection Nightlight in 5 colors Flat and practical remote control Separate Lady Wash Oscillating movement Adjustable shower water temperat Warm air dryer can be switched Caxtendable blow-dryer arm Air temperature in 5 levels Airflow strength in 2 levels User recognition "Child function" adjustable Rear wash Water temperature adjustable in (33°C, 34°C, 39°C) Hygiene flush possible Auto-cleaning nozzle Two users programmable 5 different nozzle position setting Automatic pre- and post-cleanir shower nozzle with fresh water Hybrid warm water system with instantaneous water heater Descaling program Concealed water and power supp EN 997 - CL1 - 6A EU regulations: CE marking DVGW compliant Scope of delivery: Wall-hung toilet Urea soft-close toilet seat with quick-release function Intelligent bidet unit with remote control	ure on three levels gs ig of the and storage tank	16WCW0143

Product	Product description		Surface	Item No.
ß	KLUDI-CLEANTRONIC Urea soft close seat cover with quick release	٢	Glossy White	16WCS43
	Cistern and frame WC for wall WC prepared for shower toilet Dual flush Dimensions (cm): B: 50 H: 114 T: 18.0-23.0 Compatible with KLUDI-UNIFIX Push-plates			79300


· , . 💭 . , .

WCS AND BIDETS FUNCTIONALITY AND DESIGN CRAFTED IN CERAMIC

KLUDI provides comprehensive toilet and bidet solutions, boasting an extensive range adaptable to any style, enabling the creation of a personalized toilet experience. A comprehensive lineup encompassing all essential components for bringing your dream bathroom to life, from the WC bowl and cistern to the control panel and meticulously coordinated accessories. Within the KLUDI sanitary series, you're certain to discover your perfect solution. KLUDI's esteemed focus on design, innovation, and quality now extends to every aspect of your bathroom with its new ceramic product range.

KLUDI-RESA S

Product		Product description	Surface	ltem No.
	$380 \xrightarrow{\uparrow 140_{1}}_{0} \xrightarrow{f 80}_{180} \xrightarrow{755}_{250} \xrightarrow{1}_{250} 360$	KLUDI-RESA S Floor-standing toilet Dimensions (cm): W: 34 H: 82 D: 62 Spiralflush technology S-trap Flushing performance 3/6L Full flush Hidden Fixation - Fischer fastening EN 997 - CL1 - 6A	Glossy White	27WCB0243
	375	Required accessories: Urea soft-close toilet seat with quick-release function		27WCS43
		Water tank		27WCT43
	<u>↓</u> _280 <u>↓</u>	KLUDI-RESA S	Glossy White	27WCB0143
Ż		Floor-standing toilet Dimensions (cm): W: 34 H: 82 D: 62 Spiralflush technology Universal-shaped drain Flushing performance 3/6L Full flush Hidden Fixation - Fischer fastening EN 997 - CL1 - 6A	SPIRALFLUSH	
		Required accessories: Urea soft-close toilet seat with quick-release function		27WCS43
	385	Water tank (underside connection)		27WCT43
	Ø102-			



1	130+
ļ	-140-

550

180

 \downarrow

250 360

KLUDI-RESA S Wall-hung toilet Dimensions (cm): W: 36 H: 26 D: 55 Spiralflush technology P-shaped drain Flushing performance 3/6L Full flush Hidden Fixation - Fischer fastening


Required accessories:


EN 997 - CL1 - 6A

Urea soft-close toilet seat with quick-release function



319






27WCS43

KLUDI-RESA S

Product description	Surface	Item No.
Floor-standing toilet C Dimensions (cm): B: 36 H: 42 T: 55) Matt White Matt Light Dove	27WCB0343 27WCB0353 27WCB0302 27WCB0339
Required accessories: Urea soft-close toilet seat with quick- release function		27WCS43
Water tank (underside connection)		B 27WCT43 (
Toilet seat Slim version Soft-close with quick-release function Material: Urea) Matt White	27WCS43 27WCS53 27WCS02 27WCS39
	Floor-standing toilet Dimensions (cm): B: 36 H: 42 T: 55 Spiralflush technology Universal-shaped drain Flushing performance 3/6L Full flush Hidden Fixation - Fischer fastening EN 997 - CL1 - 6A Required accessories: Urea soft-close toilet seat with quick- release function Water tank (underside connection) Water tank (underside connection) KLUDI-RESA S Toilet seat Slim version Soft-close with quick-release function	 Floor-standing toilet Dimensions (cm): B: 36 H: 42 T: 55 Spiralflush technology Universal-shaped drain Flushing performance 3/6L Full flush Hidden Fixation - Fischer fastening EN 997 - CL1 - 6A Matt Black Wart Source Wart Consection Wart consection

Product		Product description	Surface	Item No.
5	225 + +165 + 370 \$ (@, 046) 360 350 \$ 550 \$ 360	KLUDI-RESA S Wall-hung bidet Dimensions (cm): W: 36 H: 26 D: 55 Concealed water connection Closed shape Hidden Fixation - Fischer faster EN 14528 - CL20 Bidet wall hun 55 cm Hidden fixations		27BIW0143 27BIW0153 27BIW0102 27BIW0139
	190 260 430 500			





+ 60 300

190 420 † | 370 420 H 445 +



KLUDI-RESA S

Floor-standing bidet Dimensions (cm): W: 36 H: 42 D: 55


Glossy White Matt White Matt Light Dove Matt Black

Full flush Hidden Fixation - Fischer fastening EN 14528 - CL20 27BIB0143 27BIB0153 27BIB0102 27BIB0139

KLUDI-RESA D

Product		Product description	Surface	ltem No.
Ċ.	$380 \bigcirc 0^{+} 1407 + 335 + 750$	KLUDI-RESA D Floor-standing toilet Dimensions (cm): W: 36.5 H: 45 D: 52 Spiralflush technology S-shaped outlet Flushing performance 3/61 Full flush toilet Concealed Fischer fixation EN 997 - CL1 - 6A	Glossy White	24WCB0643
	375	Required accessories: Urea soft-close toilet seat with quick-release function		24WCS43 24WCS43S
	420 +++ Ø102 +240+ 380-	Water tank (bottom connection)		24WCT43
Ċ.	$ \begin{array}{c} $	KLUDI-RESA D Floor-standing toilet Dimensions (cm): W: 36,5 H: 45 D: 52 Spiralflush Technology Universal-shaped outlet Flushing performance 3/61 Full flush toilet Concealed Fischer fixation EN 997 - CL1 - 6A	Glossy White	24WCB0543
	375	Required accessories: Urea-Soft-Close toilet seat with quich release function		24WCS43 24WCS43S
		Water tank (bottom connection)		24WCT43
	820 Ø102 +210			

Product



Product description Surface KLUDI-RESA D Glossy White Floor-standing toilet Dimensions (cm): W: 37 H: 42 D: 52 Spiralflush technology Universal-shaped outlet Flushing performance 3/6l Full flush toilet Concealed Fischer fixation EN 997 - CL1 - 6A

Required accessories: Urea soft-close toilet seat with quick-release function


Item No.





24WCB0443



24WCS43 24WCS43S







KLUDI-RESA D Wall-hung toilet Dimensions (cm): W: 36,5 H: 31 D: 52 Spiralflush technology p-shaped outlet Flush performance 3/6l Full flush toilet Concealed Fischer fixation EN 997 - CL1 - 6A


Required accessories: Urea-Soft-Close toilet seat with quick-release function

Glossy White





24WCS43 24WCS43S

24WCW0243




-220-





KLUDI-RESA R

Product		Product description	Surface	Item No.
	$\begin{array}{c} 135_{1} & + & 660 \\ \hline 135_{1} & + & 325 \\ \hline 360 \\ & & & 155 \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ \end{array}$	KLUDI-RESA R KLUDI-RESA R Standing-WC Dimensions (cm): W: 36 H: 42 D: 66 Spiralflush technology S-shaped outlet Flushing performance 3/61 Full flush toilet Concealed Fischer fixation EN 997 - CL1 - 6A	Glossy White	23WCB064
		Required accessories: Urea-Soft-Close toilet seat with quick-release function Water tank (bottom connection)		23WCS43 23WCT43
	$360 \xrightarrow{\textcircled{0}{0}} 135_{1} \xrightarrow{\textcircled{0}{0}} 420 \xrightarrow{\textcircled{0}{0}} 135_{1} \xrightarrow{\textcircled{0}{0}} 420 \xrightarrow{\textcircled{0}{0}} 155 \xrightarrow{\textcircled{0}{0}} 250 360 \xrightarrow{\textcircled{0}{0}} 155 \xrightarrow{\textcircled{0}{0}} 250 360 \xrightarrow{\textcircled{0}{0}} 155 \xrightarrow{\textcircled{0}{0}} 155$	KLUDI-RESA R Floor-standing toilet Dimensions (cm): W: 36 H: 42 D: 62 Spiralflush technology Universal-shaped outlet Flushing performance 3/61 Full flush toilet Concealed Fischer fixation EN 997 - CL1 - 6A	Glossy White	23WCB054
		Required accessories: Urea soft-close toilet seat with quick-release function Water tank (bottom connection)		23WCS43 23WCT43
E	810 0102 0102 0102 0102			



KLUDI-RESA R

roduct		Product description	Surface	Item No.
	$\begin{array}{c} -520 \\ \hline + 0 \\ \hline + 0 \\ \hline + 325 \\ \hline \end{array}$	KLUDI-RESA R Wall-hung toilet Dimensions (cm): B: 36 H: 32,5 T: 52 Spiralflush technology p-shaped outlet Flushing performance 3/61 Full flush toilet Concealed Fischer fixation EN 997 - CL1 - 6A	Glossy White	23WCW024
	325 430 395	Required accessories: Urea-Soft-Close toilet seat with quick-release function		23WCS43
	$ \begin{array}{c} + 180 + 055 \\ 100 & - 135 \\ - 250 - 0102 \\ \end{array} $			
6		KLUDI-RESA R WC-Seat Slim version Soft-Close with quick-release func Material: Urea	Glossy White	23WCS43


-225 + 	Floor-standing Bidet	Glossy White	23BIB0243
	Dimensions (cm): W:36 H:42 D:55 Full flush toilet concealed Fischer fixation EN 14528 - CL20	٢	
-215 + 155 ++	Wall- mounted Bidet Dimensions (cm): W: 36 H: 32 D: 52 Concealed water connection	Glossy White	23BIW0143
360 Ø35 520	Closed shape Concealed Fischer fixation EN 14528 - CL20		
130 430 320 			
	a_{35}	360 + 4046 + 17030 + 385 + 17030 + 335 + 17030 + 170	$\frac{300}{420} + \frac{40}{320} + \frac{100}{420}$ $\frac{1}{220} + \frac{1}{420} +$


نى ئۇرىيە ئۇرىيە

+ 230 -250 170


KLUDI-RESA C


Product		Product description	Surface	Item No.
	$345 \qquad \qquad$	KLUDI-RESA C Floor-standing toilet Dimensions (cm): W: 34 H: 42 D: 66 Spiralflush technology S-shaped drain Flushing performance 3/6L Full flush Hidden Fixation - Fischer fastening EN 997 - CL1 - 6A	Glossy White	28WCB0643
	395	Required accessories: Urea soft-close toilet seat with quick release function	-	25WCS43
		Water tank (underside connection)		28WCT43
	$345 \qquad \qquad$	KLUDI-RESA C Floor-standing toilet Dimensions (cm): W: 34 H: 42 D: 62 Spiralflush technology Universal-shaped drain Flushing performance 3/6L Full flush Hidden Fixation - Fischer fastening EN 997 - CL1 - 6A	Glossy White	28WCB0543
		Required accessories: Urea soft-close toilet seat		28WCS43
		with quick-release function Water tank (underside connection)		28WCT43
	810 Ø102 Ø102 Ø102			






KLUDI-RESA C








PUSH PLATES AND CONCEALED CISTERNS

Invisible built-in flushing systems seamlessly blend functionality with aesthetics, optimizing space in any bathroom. KLUDI's new and elegant push plates effortlessly integrate with various styles and designs of dual flush systems, effectively reducing water consumption. The harmonious combination of concealed cisterns and modern-styled push plates ensures a sleek and stylish bathroom design. All systems feature dual flush functionality for enhanced water efficiency and can be easily paired with KLUDI's wall-hung and back-to-wall water closets, offering versatility and convenience.

KLUDI-UNIFIX

Product	Product description	Surface	ltem No.
	KLUDI-UNIFIX PUSH PLATE 24X15 H1,2CM Dimension (cm): W: 15.2 x H: 24.0 D: 1.2 Material: plastic Dual flush Operation from the front includes mounting frame, 2x Spacer bolts, 2x Handle bars Exclusively compatible with KLUDI-UNIFIX Moduls	Chrome Matt Black Glossy White Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD Matt Dove Matt Teal Blue Matt Teal Blue Matt Light Blue Matt Vermillion	30PP0105 30PP0139 30PP0143 30PP01N0 30PP01N0 30PP01N2 30PP01N5 30PP0101 30PP0102 30PP0103 30PP0104 30PP0105






8 1<u>00</u>0

KLUDI-UNIFIX PUSH PLATE 24X15 H1,2CM
Dimensions (cm):
B: 15,2 × H: 24,0 T: 1,2
Material: Plastic
2-volume flush
Operation from the front
incl. mounting frame
2x distance bolt,
2x handle rods
compatible with GEBERIT DUOFIX SIGMA

 Chrome Matt Black Glossy White Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD Matt Dove Matt Light Dove Matt Light Blue Matt Vermillion 	32PP0105 32PP0139 32PP0143 32PP0153 32PP01N0 32PP01N1 32PP01N2 32PP01N2 32PP0101 32PP0103 32PP0103 32PP0104 32PP0105
--	--

336

12CM Thickness Wall Installation



KLUDI-UNIFIX

Concealed Cistern For floor-standing and wall-hung toilets For masonry walls Dual flush Dimensions (cm): W: 48 H: 82 D: 10.0-15.0 Compatible with KLUDI-UNIFIX push plates

79106

DUAL FLUSH

White

Product



KLUDI-UNIFIX Concealed cistern & frame Concealed Cistern and Frame For wall-hung toilets Dual flush Dimensions (cm): W: 50 H: 114 D: 18.0-23.0 Compatible with KLUDI-UNIFIX Push plates


Product description

ltem No.

Orange / White **79101**


DUAL FLUSH


Surface



KLUDI-UNIFIX Concealed Frame For wall-hung bidet Dimensions (cm): W: 50 H: 114 D: 13.5-17.0 Orange

KLUDI-UNIFIX






BATHTUBS A STYLISH TOUCH FOR LUXURIOUS COMFORT


Introducing our spacious and stylish freestanding or drop-in bathtubs, designed to bring a modern and comfortable touch to your bathroom. The flowing lines and symmetry of our bathtubs bring a new level of comfort, luxury and relaxation. Cosy minimalist shapes for luxurious baths, suitable for every bathroom environment. Available in a variety of sizes and shapes, including oval and rectangular, to fit any bathroom space. KLUDI-RESA bathtubs are made of RAKSOLID, a solid and durable material composed of a mixture of minerals and natural resins, while KLUDI-ELIN are made of high-quality acrylic, a strong and long-lasting material. The elegant Matt White finish of KLUDI-RESA O bathtubs adds a touch of sophistication and contemporary style, while the glossy White finish of KLUDI-ELIN matches any other ceramic in the bathroom, providing a polished look.


KLUDI-RESA




Product











Product description

KLUDI-RESA O BATHTUB 170X75X58

Dimensions (cm): L: 170 W: 75 H: 58 Installation type: Freestanding Soft Edge drain (included) Surface

O Matt White

KLUDISOLID:

Hygienic and bacteriostatic Non-slip Light-resistant Resistant to chemical products Heat-resistant up to 140°C Repairable Pleasant to the touch EN 14516 - CL 1

KLUDI-RESA O O Matt White

BATHTUB 180X80X58 Dimensions (cm): L: 180 W: 80 H: 58 Installation type: Freestanding Soft Edge drain (included)

KLUDISOLID:

Hygienic and bacteriostatic Non-slip Light-resistant Resistant to chemical products Heat-resistant up to 140°C Repairable Pleasant to the touch

51BF0153

343

Item No.

51BF0253

KLUDI-ELIN

Product		Product description	Surface	ltem No.
Free Standing		KLUDI-ELIN BATHTUB 180X80X60 Rectangular Dimensions (cm): L: 180 W: 80 H: 60 Installation type: Freestanding Drain and metal feet (included) 37 Material: Acrylic Shock-resistant Light-resistant Resistant to chemical products Heat-resistant up to 100°C Easy to clean and maintain EN 14516 - CL 1) Glossy White	52BF0143
H-	$7^{1}\frac{7}{70}$	KLUDI-ELIN BATHTUB 180X80X60 Round Dimensions (cm): L: 180 W: 80 H: 58 Installation type: Freestanding Drain and metal feet (included) Drain and metal feet (included) Material: Acrylic Impact-resistant Light-resistant Resistant to chemical products Heat-resistant up to 100°C Easy to clean and maintain EN 14516 - CL 1) Glossy White	52BF0243
H		KLUDI-ELIN BATHTUB 180X80X60 Rectangular Dimensions (cm): L: 180 W: 80 H: 60 Installation type: Freestanding Drain and metal feet (included) 38 Material: Acrylic Shock-resistant Light-resistant Resistant to chemical products Heat-resistant up to 100°C Easy to clean and maintain EN 14516 - CL 1) Glossy White	52BF0343

SHOWER TRAYS

KLUDI's range of shower trays is designed to redefine the overall concept and aesthetic of your bathroom. Featuring an elegant matte finish with a stone effect, they impart a distinctive ambiance to the shower area while providing a tactilely pleasing, anti-slip surface for enhanced safety. Whether constructing a new shower or renovating an existing one, selecting the appropriate parts and materials tailored to the space and dimensions is paramount. With a thickness of only 3cm, KLUDI shower trays not only optimize space but also boast a surface that inhibits the growth of bacteria and fungi, ensuring superior safety and hygiene. Additionally, they exhibit excellent resistance to chemical products, ensuring long-lasting durability and functionality.

KLUDI-TERRA

Product

163 ₉₀₊ 02-1


Product description

KLUDI-TERRA Shower Drain depth of water seal 30 mm discharge rate 0.5L/s

2109039-00

Item No.


2109000-00



KLUDI-TERRA Shower Drain membrane water seal discharge rate 0.5L/s

348

Bathtub Replacement



KLUDI-TERRA SHOWER TRAY 70X170X3

Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer mineral cast core with a colored gel coat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Drain located centrally at the front Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and built-in installation in floor areas Includes drain cover in stainless steel Colored drain covers available optionally, see accessories

Matt White
 Matt Light Dove
 Matt Black

Surface

08DW1953 08DW19O2 08DW1939

EN 14527 - CL 3

Product		Product description	Surface	Item No.
	50	KLUDI-TERRA SHOWER TRAY 80X170X3 Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer mineral cast core with a colored gel coat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Drain located centrally at the front Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and built-in installation in floor areas Includes drain cover in stainless steel Colored drain covers available optioned see accessories EN 14527 - CL 3) Matt White Matt Light Dove Matt Black	08DW2053 08DW2002 08DW2039
		KLUDI-TERRA SHOWER TRAY 80X180X3 Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer mineral cast core with a colored gel coat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Drain located centrally at the front Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and built-in installation in floor areas Includes drain cover in stainless steel Colored drain covers available option see accessories EN 14527 - CL 3	Matt White Matt Light Dove Matt Black	08DW2153 08DW2102 08DW2139
$50 + \frac{1700}{125} + \frac{125}{125} + \frac{125}{1$	200 50 ± 30	KLUDI-TERRA SHOWER TRAY 90X170X3 Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer mineral cast core with a colored gel coat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Drain located centrally at the front Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and built-in installation in floor areas Includes drain cover in stainless steel Colored drain covers available optioned see accessories EN 14527 - CL 3) Matt White Matt Light Dove Matt Black	09DW2253 09DW2202 09DW2239

KLUDI-TERRA

Product		Product description	Surface	Item No.
	200 0 50 -:30	SHOWER TRAY 90X180X3 Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer mineral cast core with a colored gel coat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C) Matt White Matt Light Dove Matt Black	09DW2353 09DW2302 09DW2339
JOCM	+30	KLUDI-TERRA SHOWER TRAY 70X140X3 Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer-mineral casting core with colored gelcoat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Central front drain Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and recessed installation Includes drain cover in stainless steel Colored drain covers available optional see accessories EN 14527 - CL 1) Matt White Matt Light Dove Matt Black	08DW0153 08DW0102 08DW0139
	350	KLUDI-TERRA SHOWER TRAY 70X120X3 Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer-mineral casting core with colored gelcoat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Central front drain Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and recessed installation Includes drain cover in stainless steel Colored drain covers available optional see accessories EN 14527 - CL 1	Matt Light Dove Matt Black	08DW0253 08DW0202 08DW0239

Product	Product description	Surface	Item No.
	KLUDI-TERRA SHOWER TRAY 70X100X3 Rectangular shower tray made of KLUDI Solid, manufact according to DIN EN 14527 Polymer-mineral casting core with colored gelcoat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Clo Central front drain Ø: 9 cm Edge-free design of the showe Suitable for surface-mounted or recessed installation Includes drain covers available see accessories EN 14527 - CL 1	ass C er area and s steel	08DW0353 08DW0302 08DW0339
	KLUDI-TERRA SHOWER TRAY 70X90X3 Rectangular shower tray made of KLUDI Solid, manufact according to DIN EN 14527 Polymer-mineral casting core with colored gelcoat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Cla Central front drain Ø: 9 cm Edge-free design of the showe Suitable for surface-mounted or recessed installation Includes drain cover in stainless Colored drain covers available see accessories EN 14527 - CL 1	ass C er area and s steel	08DW0453 08DW0402 08DW0439
	KLUDI-TERRA SHOWER TRAY 80x160X3 Rectangular shower tray made of KLUDI Solid, manufac according to DIN EN 14527 Polymer-mineral casting core with colored gelcoat layer in natural stone texture Anti-slin surface	O Matt White Matt Light Dove Matt Black	08DW0553 08DW0502 08DW0539

Anti-slip surface according to DIN EN 51097/Class C Central front drain Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and

recessed installation Includes drain cover in stainless steel Colored drain covers available optionally,

see accessories EN 14527 - CL 1

¢‡ 30

30 -175-


KLUDI-TERRA

Product		Product description		Surface	Item No.
50 50 10 10 10 10 10 10 10 10 10 1	400	SHOWER TRAY 80x140X3 Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527		Matt White Matt Light Dove Matt Black	08DW0653 08DW0602 08DW0639
	400	KLUDI-TERRA SHOWER TRAY 80x120X3 Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer-mineral casting core with colored gelcoat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Central front drain Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and recessed installation Includes drain cover in stainless steel Colored drain covers available option see accessories EN 14527 - CL 1		Matt White Matt Light Dove Matt Black	08DW0753 08DW0702 08DW0739
	400 ++-50 ;30	KLUDI-TERRA SHOWER TRAY 80x100X3 Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer-mineral casting core with colored gelcoat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Central front drain Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and recessed installation Includes drain cover in stainless steel Colored drain covers available option see accessories EN 14527 - CL 1	•	Matt White Matt Light Dove Matt Black	08DW0853 08DW0802 08DW0839


Product	Product description	Surface	Item No.
50 50 50 125 50 125 50 154 30 475 154 30 475 154 154 154 154 154 154 154 15	KLUDI-TERRA SHOWER TRAY 80x80X3 Square shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer-mineral casting core with colored gelcoat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Central front drain Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and recessed installation Includes drain cover in stainless steel Colored drain covers available optionally see accessories EN 14527 - CL 1	Matt White Matt Light Dove Matt Black	08DW0953 08DW0902 08DW0939
90CM 50 50 50 50 50 50 50 50 125 50 50 125 50 125 50 125 125 125 125 125 125 125 125	KLUDI-TERRA SHOWER TRAY 90X160X3 Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer mineral cast core with a colored gel coat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Drain located centrally at the front Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and built-in installation in floor areas Includes drain cover in stainless steel Colored drain covers available optionally see accessories EN 14527 - CL 3	Matt White Matt Light Dove Matt Black	09DW0553 09DW0502 09DW0539
$ \begin{array}{c} $	KLUDI-TERRA SHOWER TRAY 90X140X3 Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer mineral cast core with a colored gel coat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Drain located centrally at the front Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and built-in installation in floor areas Includes drain cover in stainless steel Colored drain covers available optionally see accessories EN 14527 - CL 3	Matt White Matt Light Dove Matt Black	09DW0653 09DW0602 09DW0639

KLUDI-TERRA

Product		Product description	Surface	Item No.
~	50 90 90 90 125 90 125 100 125 100 100 100 100 100 100 100 10	KLUDI-TERRA SHOWER TRAY 90X120X3 Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer mineral cast core with a colored gel coat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Drain located centrally at the front Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and built-in installation in floor areas Includes drain cover in stainless steel Colored drain covers available optionally see accessories EN 14527 - CL 3	Matt Light Dove Matt Black	09DW0753 09DW0702 09DW0739
	50 + 100 +	KLUDI-TERRA SHOWER TRAY 90X100X3 Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer mineral cast core with a colored gel coat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Drain located centrally at the front Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and built-in installation in floor areas Includes drain cover in stainless steel Colored drain covers available optionally see accessories EN 14527 - CL 3	Matt Light Dove Matt Black	09DW0853 09DW0802 09DW0839
~	50 + 50 + 50 + 50 + 50 + 50 + 50 + 50 +	KLUDI-TERRA SHOWER TRAY 90X90X3 Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer mineral cast core with a colored gel coat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Drain located centrally at the front Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and built-in installation in floor areas Includes drain cover in stainless steel Colored drain covers available optionally see accessories EN 14527 - CL 3	Matt Light Dove Matt Black	09DW0953 09DW0902 09DW0939







₩ 1₁₇₅

made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer mineral cast core with a colored gel coat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Drain located centrally at the front Ø: 9 cm Edge-free design of the shower area Suitable for surface-mounted and built-in installation in floor areas Includes drain cover in stainless steel Colored drain covers available optionally, see accessories EN 14527 - CL 3

KLUDI-TERRA


Product	Product description	Surface	ltem No.
	KLUDI-TERRA SHOWER TRAY 100X100X3) Rectangular shower tray made of KLUDI Solid, manufactured according to DIN EN 14527 Polymer mineral cast core with a colored gel coat layer in natural stone texture Anti-slip surface according to DIN EN 51097/Class C Drain located centrally at the front Ø: 9 cm Edge-free design of the shower are Suitable for surface-mounted and b in installation in floor areas Includes drain cover in stainless ste Colored drain covers available option see accessories EN 14527 - CL 3	2 ea built- eel	08DW1853 08DW1802 08DW1839

URINALS & PARTITION

Efficiency and hygiene, in a well design product range. Partitions, dividing these fixtures, ensure privacy, offering a semblance of personal space in crowded facilities. Together, KLUDI's urinals and partitions uphold a delicate balance between functionality and comfort and represent the perfect solution for public restrooms.

KLUDI-IVO

Product	Product description		Surface	Item No.
340	KLUDI-IVO Urinal Dimensions (cm): W: 34 H: 57.5 D: 35.5 Waterless Concealed horizontal outlet Diameter outlet: 50 mm Concealed Inlet Hidden Fixation - Fischer fastening flush shape: washdown EN 13407 piece/palette: 25	٢	Glossy White	29UB0143
$\begin{array}{c} & 340 \\ \hline \\ \hline \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $	KLUDI-IVO Urinal Dimensions (cm): W: 34 H: 57,5 D: 35,5 Sensor control Flush release available Concealed horizontal outlet Diameter outlet: 50 mm Concealed Inlet Hidden Fixation - Fischer fastening Rinsing water quantity 31 flush shape: washdown EN 13407 - CL 1 - I - 3 C EN 13407 piece/palette: 25	٢	Glossy White	29UB0243




KLUDI-UNIFIX

Product **Product description** Surface Item No. KLUDI-UNIFIX White 79105 Ä, Low Height Installation 20-70 Concealed cistern and frame For floor-standing and wall-hung toilets DUAL FLUSH for brick walls Dual flush Dimensions (cm): W: 45 H: 82 D: 15.0-20.0 - 62 Compatible with . KLUDI-UNIFIX push plates 0 0 Ę, R1/2 88



690



355

KLUDI-UNIFIX

Concealed cistern and frame For wall-hung toilets Dual flush


Dimensions (cm):

79100

Orange / White

DUAL FLUSH


W: 50 H: 82 D: 14.5-16.5 Compatible with KLUDI-UNIFIX push plates




FURNITURE


Elevate your bathroom ambiance by incorporating a curated collection of Kludi furniture combinations. From stylish mirrors to functional vanity units and spacious cabinets, each piece is meticulously crafted using materials adapted to specific conditions, ensuring durability and aesthetic appeal. Transform your bathroom into a heaven of comfort and style with KLUDI's versatile furniture options.


KLUDI-ICOS







KLUDI-ICOS





KLUDI-ICOS






MIRRORS UNLEASH YOUR IMAGINATION

The perfect example of how KLUDI's style is reflected in its creations.

KLUDI mirrors serve as the finishing touch to personalize your perfect bathroom. Offered in various shapes and sizes, all equipped with LED lighting and demister functionality. Adjustable light temperature adds further customization.

KLUDI-LUMA



KLUDI-LUMA

Product	Product description	Surface	Item No.
	KLUDI-LUMA ROUND MIRROR 60CM WITH LED Dimensions (cm): W: 60 H: 60 x D: 3 Round, wall-mounted LED light & De-mister Cool light 6000 K - 980 lumens Compatible with all bathroom series On/off light control via mirror switch EU regulations: CE marking	Mirror	17SP0100
	KLUDI-LUMA ROUND MIRROR 80CM WITH LED Dimensions (cm): W: 80 H: 80 x D: 3 Round wall-hung LED light & De-mister Cool light 6000 K - 1350 Lumens Compatible with all bathroom series On/off light control via mirror switch EU regulations: CE marking	Mirror	17SP0200
	KLUDI-LUMA ROUND MIRROR 100CM WITH LED Dimensions (cm): W: 100 H: 100 x D: 3 Round, wall-mounted LED light & De-mister Cool light 6000 K - 1700 lumens Compatible with all bathroom series On/off light control via mirror switch EU regulations: CE	Mirror	17SP0300


L — 1000

- Ç ()

-2100-

f

1100-



Product	Product description	Surface	Item No.
	KLUDI-LUMA SQUARE MIRROR 100x68CM WITH LED Dimensions (cm): W: 100 H: 68 x D: 3 Square, wall-mounted LED light & De-mister Cool light 6000 K - 700 lumens Compatible with all bathroom series On/off light control via mirror switch EU regulations: CE marking	Mirror	17SP0700
	KLUDI-LUMA SQUARE MIRROR 120x68CM WITH LED Maße (cm): W: 120 H: 68 x D: 3 Square, wall-mounted LED light & De-mister Cool light 6000 K - 900 lumens Compatible with all bathroom series On/off light control via mirror switch EU regulations: CE marking	Mirror	17SP0800

General Terms and Conditions of Sale of Kludi GmbH & Co. KG

Article 1 General - Scope

(1) These General Terms and Conditions of Sale shall apply to all deliveries and services of Kludi GmbH & Co. KG (referred to in the following as: Kludi); conditions of the ordering party that contradict or deviate from these General Terms and Conditions of Sale (and/or supplementary conditions) shall not apply, except where Kludi has explicitly approved their application.

These General Terms and Conditions of Sale shall also apply where Kludi is aware of conditions of the ordering party that contradict or deviate from these General Terms and Conditions of Sale, and performs the delivery to the ordering party without reservation.

If the ordering party without recervices/deliveries from Kludi without reservation, this shall also constitute acceptance of these General Terms and Conditions of Sale.

(2) All agreements that are made between Kludi and the ordering party regarding the performance of a contract shall be recorded in writing in the respective contract. The respective contract document shall be presumed to be complete and accurate.

Where there exist between Kludi and the ordering party other unilateral or multilateral contractual agreements, and where individual clauses of those contracts conflict with clauses of these General Terms and Conditions of Sale, the clauses of those other agreements shall only replace the corresponding clauses of these General Terms and Conditions of Sale where this has been explicitly agreed.

- (3) These General Terms and Conditions of Sale shall only apply vis-à-vis companies in the meaning of Article 310 of the German Civil Code (BGB).
- (4) These General Terms and Conditions of Sale shall also apply to all future transactions with the ordering party, without Kludi being obliged to make specific reference to them in individual cases.

Article 2 Information, advisory services

Information and advisory services regarding the products of Kludi shall be provided on the basis of the prior experience of Kludi. The values specified in that connection shall be calculated average values. Information and advisory services shall not render unnecessary suitability testing of the goods supplied and compliance with processing instructions, in particular by the ordering party. Verbal information shall not be binding, unless an explicit agreement has

Verbal information shall not be binding, unless an explicit agreement has been made to the contrary.

Article 3 Quotation, quotation documents

- (1) If an order is subject to qualification as a quotation under Article 145 of the German Civil Code (BGB), Kludi shall be entitled to accept it within 3 weeks. A supply contract or other contract shall only then be considered to exist when Kludi has explicitly confirmed the order or other assignment, or when the goods have been delivered.
- (2) Samples and specimens shall be considered non-binding samples for inspection purposes. In the case of purchases based on samples and/or specimens, deviations are reserved where these are customary for the industry or lie within the scope of normal manufacturing and technical improvement. The delivery of samples or specimens shall not constitute a guarantee of quality or shelf life, or a quality agreement, and it shall not be associated with the definition of a standard quality, unless this is explicitly indicated in the order confirmation.
- (3) Samples and specimens shall be returned to Kludi in faultless condition and at the expense of the ordering party within 4 weeks. If they are not returned within this period, Kludi shall be entitled to charge the purchase price in accordance with the price list. Price lists can be requested from Kludi at any time.
- (4) Where not explicitly otherwise agreed, the specifications published by Kludi in catalogues, brochures and other publications in text or image format (e.g. descriptions, photographs or drawings) shall constitute approximate specifications, and shall not constitute quality specifications or possible uses of the goods supplied by Kludi. Specifications from Kludi shall not constitute guarantees of shelf life

Specifications from Kludi shall not constitute guarantees of shelf life or quality, or quality specifications, and shall correspond to the current state of knowledge at Kludi. Kludi shall not be liable for the success of the intended use.

(5) Kludi retains all property rights and copyrights, and rights of reproduction, to images, drawings, calculations, cost estimates, and other documents; it shall not be permissible for images, drawings, calculations, cost estimates and other documents to be disclosed to third parties. These documents shall be returned to Kludi if the order is not placed. The aforementioned provisions of this Para. 5 shall in particular apply to written documents marked "confidential"; the ordering party shall require the explicit approval of Kludi before the disclosure of these to third parties.

Article 4 Prices, payment conditions

- Unless otherwise agreed in the order confirmation, the prices of Kludi on the date of delivery apply "ex works" and exclusive of packaging and transportation; the latter will be invoiced separately.
- (2) The statutory value-added tax is not included in the prices; it will be separately stated in the invoice at the statutory rate on the date of invoicing.
- (3) Deliveries to destinations in EU countries and in states party to the

Agreement on the European Economic Area shall be subject to an agreed carriage-paid limit of Euro 750.00 per individual order, and a small-quantity surcharge of Euro 6.00 for individual orders with a value under Euro 50.00. Where upon request of the ordering party deliveries are to be made to secondary or tertiary addresses, a surcharge of 10% of the invoice value for the order shall be charged on these delivery routes, in addition to the agreed price.

For deliveries to destinations on the continents of Asia (in particular China and Russia), Australia (including New Zealand), Africa, Antarctica, South America and North America, a carriage-paid limit of EURO 500,00 shall apply per individual order, and a small-quantity surcharge of EURO 500,00 for individual orders with a value under EURO 500,00. Where upon request of the ordering party deliveries are to be made to secondary or tertiary addresses, a surcharge of 10% of the invoice value for the order shall be charged on these delivery routes, in addition to the agreed price. Where not otherwise specified in the order confirmation, the purchase

- (4) Where not otherwise specified in the order confirmation, the purchase price shall be due for payment net (without deduction) within 30 days ofter the invoice date. The statutory provisions regarding the consequences of default in payment shall apply. If the ordering party pays the purchase price within 10 days after the invoice date, an early payment discount of 3% of the invoice total shall apply, provided that all older purchase price debts have been paid in full. Any further early payment discount shall be subject to special explicit agreement. Payments shall be made in euros, and shall be payable free of postage and charges to paying agents specified by Kludi. Bills of exchange and cheques shall only constitute payment when they have been redeemed, and shall be accepted without obligation for timely presentation and protesting.
- 5) In the event of default, Kludi shall be entitled to claim default interest at the statutory rate (Article 288 Para. 1, Para. 2 of the German Civil Code (BGB)). If Kludi demonstrates that the default in payment has incurred higher loss of interest, this can be claimed. The right to assert further claims is explicitly reserved.

In the case of bilateral commercial transactions, Kludi shall be entitled to charge maturity interest at a rate of 4%, starting from the date of the payment claim.

- (6) In the event of justified doubt in the solvency of the ordering party, in particular in the event of payment arrears, Kludi shall be entitled to demand advance payments or collateral from the ordering party for further deliveries, without prejudice to any further claims, and shall be entitled to revoke individually agreed payment periods.
- (7) The ordering party shall only be entitled to rights of offsetting and retention where the counterclaims have the force of law and are recognised by Kludi. Furthermore, the ordering party shall only be entitled to a right of retention where the counterclaim derives from the same contractual relationship. Kludi shall be entitled, despite any provisions of the ordering party to the contrary, to first offset payments against any older liabilities of the ordering party. If costs and interests have already been incurred, Kludi shall be entitled first to offset the payment against the cost, then against the interest, and finally against the principal demand.
- (8) All customs duties, taxes, levies etc. incurred outside the Federal Republic of Germany shall be paid by the ordering party.

Article 5 Delivery time

- (1) Delivery schedules shall only be binding where this has been explicitly agreed. The delivery time specified by Kludi shall only begin after all technical questions have been darified and Kludi has given an additional explicit delivery time confirmation. Delivery schedules shall be considered to have been complied with where the delivered product has left the facility of Kludi, or notification of dispatch readiness has been sent.
- (2) Compliance with delivery obligations on the part of Kludi shall furthermore be dependent on the timely and proper fulfilment of the obligations of the ordering party; this shall in particular relate to the timely receipt of all documents to be supplied by the ordering party, and required permits and approvals, in particular for plans, and compliance with the agreed payment conditions (e.g. advance payments). The right of objection on grounds of non-fulfilment of contract shall be reserved.
- (3) Where non-compliance with the agreed schedules is attributable to force majeure, e.g. mobilisation, war, rioting or similar events, e.g. strike, lockout etc., the agreed schedules shall be extended appropriately. The same shall apply in the event that Kludi itself has not received deliveries in a timely or proper manner (the agreed delivery schedules shall correspondingly be subject to proper and timely deliveries by subsuppliers).
- (4) Kludi shall be entitled to make partial deliveries, where these are reasonable for the ordering party. It shall be permitted for partial deliveries to be invoiced separately.
- (5) If the ordering party defaults on acceptance or culpably violates other duties of cooperation, Kludi shall be entitled to request compensation of any losses incurred by Kludi as a result, including remuneration of any excess expenditure. Further claims shall be reserved.
- (6) Where the requirements of Para. (5) apply, the risk of accidental loss or accidental deterioration of the purchased product shall be transferred to the ordering party from the date at which the latter defaults on acceptance or payment.
- (7) Kludi shall be liable in accordance with the statutory provisions where the underlying purchase contract constitutes a fixed date transaction in the

meaning of Article 286 Para. 2 of the German Civil Code (BGB) or Article 376 of the German Commercial Code (HGB). Kludi shall also be liable in accordance with the statutory provisions where a delay in delivery for which Kludi is responsible entitles the ordering party to assert that he has no further interest in the continued performance of the contract Subject to proper and timely deliveries by subsuppliers.

- (8) Kludi shall furthermore be liable in accordance with the statutory provisions where the delay in delivery arises from intentional or grossly negligent violation of contract for which Kludi is responsible; Kludi shall be liable for violations committed by representatives or vicarious agents of Kludi. Where the delay in delivery does not arise from an intentional violation of contract for which Kludi is responsible, the liability for compensation of damages by Kludi shall be limited to the foreseeable, typical damage.
- (9) Kludi shall also be liable in accordance with the statutory provisions where the delay in delivery for which Kludi is responsible arises from a culpable violation of a major contractual obligation; in this case, the liability for compensation of damages by Kludi shall be limited to the foreseeable, typical damage.
- (10) Kludi shall otherwise be liable in the event of delay in delivery to pay lumpsum default compensation in the sum of 3% of the value of the delivery for each full week of delay, limited, however, to a maximum of 9% of the value of the delivery.
- (11) The limitations/exclusions of liability described in Para.7-10 of this Article shall not apply in the event of death, injury or damage to health.

Article 6 Transfer of risk

- (1) Unless otherwise provided for in the order confirmation, the delivery shall be agreed as "ex works". The risk shall correspondingly be transferred to the ordering party at the latest when the delivered products are dispatched, even where partial deliveries are made, or where Kludi still has to perform other services, e.g. where Kludi has accepted the dispatch costs or the transport and/or installation costs. The provisions of Article 5 Para. 6 shall also apply.
- (2) The return of transport packaging and all other packaging shall not be accepted; this applies with the exception of pallets. The ordering party shall be obliged to dispose of the packaging at its own expense.
- (3) Where the ordering party wishes, Kludi shall arrange for the delivery to be covered by a separate transport insurance policy; the costs incurred shall be paid by the ordering party.
- (4) The statutory obligations regarding inspection and notification of defects (Article 377 of the German Commercial Code (HGB)) shall continue to apply without restriction. If the ordering party fails to perform the immediate inspection of the goods required by Article 377 of the German Commercial Code (HGB), or fails immediately to give notification of defects, the goods shall be considered approved, and the ordering party shall no longer be entitled to assert claims relating to defects or incomplete delivery. Where Kludi negotiates with the ordering party regarding a complaint raised by the latter, this shall not constitute a tacit waiver of the objection of late inspection of the goods or notification of defects without explicit notice thereof. The same shall apply to any statement from Kludi that it may be prepared to remedy the defect (or where such remediation actually takes place). Notification of defects shall require the written form.

Article 7 Liability for defects

Kludi shall be liable for any defects in delivery, excluding further claims, as follows:

- Claims for defects shall not exist in cases of only minor deviation from the agreed quality or – in the absence of an agreement – from the customary quality, where the impairment of function is only insignificant, in cases of natural wear or damage that occurred after the transfer of risk as a result of incorrect or negligent treatment and handling (particularly by untrained personnel), improper or inappropriate use, excessive loading, inappropriate equipment, defective construction work, inappropriate building ground, incorrect installation, incorrect use, or which occur as a result of specific external factors that have not been taken into consideration by the contract, or in case of non-reproducible software errors. If the ordering party or third parties perform unprofessional modifications or maintenance work, claims for defects cannot be asserted for these or the resulting consequences. Incorrect use, in relation to which no claims for compensation of defects shall be possible, shall in particular include the installation of the object of purchase or parts thereof in other products, or in the event of modification of the object of purchase, or in the event of modification of the object of purchase by the ordering party, unless an alternative has explicitly been agreed.
 All parts supplied that contain defects shall be either repaired or replaced
- (2) All parts supplied that contain defects shall be either repaired or replaced free of charge at the discretion of Kludi, where and inasmuch as the cause was already present at the time of the transfer of risk (supplementary performance).
- (3) In the event of a justified notification of defects, the ordering party shall give Kludi the opportunity of supplementary performance within a reasonable period.
- (4) If the supplementary performance has failed or is unreasonable for the ordering party (Article 440 of the German Civil Code (BGB)), or is dispensable because

a) the supplementary performance is conclusively rejected by Kludi,

- b) the supplementary performance has not been effected by a contractually determined deadline or within a specified period, and the ordering party has contractually bound the continuation of its interest in performance to the punctuality of the performance, or
- c) special circumstances exist that, under consideration of the interests of both parties, justify immediate withdrawal (Article 323 Para. 2 of the German Civil Code (BGB)), the ordering party shall immediately be entitled to reduce the purchase price or withdraw from the contract at its discretion, and (or also additionally) in accordance with Para. 10 in conjunction with Article 11 to demand compensation of damages in lieu of the performance, or reimbursement of frustrated expenditure.
- 5) The expenditures required for the purpose of supplementary performance, and in particular transportation, travel, personnel and material costs, shall be paid by Kludi. This shall not apply where the expenditures increase because the object of delivery has been removed to another location than the place of fulfilment (Article 12 Para. 3) of the delivery, except where this corresponds to the intended use of the object of delivery.
- (6) If the ordering party accepts a defective delivery despite being aware of the defect, he shall only be entitled to the claims and rights arising from the defect if he reserves these within the framework of the acceptance process.
- 7) The statements made in brochures, advertising materials, descriptions etc. regarding dimensions, weights, performance capabilities etc. shall constitute approximate statements, and not quality specifications. They shall not constitute a guarantee of quality or shelf life. Kludi reserves the right to deviations. This shall also apply to design changes.
- (8) Claims for supplementary performance shall be subject to statutory limitation in one year after the beginning of the statutory limitation period; the same shall apply for withdrawal and reduction. This period shall not apply where the law under Article 438 Para. 1 No. 2 (buildings and products for buildings), Article 479 Para. 1 (right of recourse) and Article 634a Para. 1 No. 2 (construction defects) of the German Civil Code (BGB) prescribes mandatory longer periods, and shall also not apply in cases of intent, malicious non-disclosure of the defect, or non-compliance with a quality guarantee, or violation of major contractual obligations (cardinal obligations). In such cases the statutory limitation periods shall apply.

The statutory regulations regarding suspension of expiry, suspension, and recommencement of the limitation period, shall remain unaffected; in the event of supplementary performance by means of delivery of a defect-free product, the warranty period shall however end at the time when it would have ended for the defective product.

- (9) Any rights of recourse of the ordering party against Kludi under Article 478 of the German Civil Code (BGB) (recourse of the principal) shall only apply where the ordering party has made no agreement with his customer that exceed the statutory claims for defect. The scope of the right of recourse against Kludi shall be governed by Article 478 Para. 2 of the German Civil Code (BGB), and Article 7 Para. 1-7, 10 and Article 11 shall apply correspondingly.
- (10) Any claims by the ordering party for compensation of damages in relation to a material defect shall be determined on the basis of Article 11.

Article 8 Returns

- Returns of the purchased product shall be excluded, except in cases under Article 7.
- (2) Purchased products returned without the approval of Kludi shall be rejected by Kludi, or sent back to the ordering party freight forward.
- (3) If in individual cases and after prior explicit agreement Kludi exceptionally agrees to the return delivery, Kludi shall be entitled to invoice processing costs in the sum of at least 30% of the net value of the goods, depending on the usability of the goods.
- (4) The ordering party shall bear the transportation risk and transport costs.

Article 9 Retention of title

- (1) Kludi shall retain the title to all delivered products (referred to in the following as: ROT goods) until the payment of all receivables, for whatever legal reason, including receivables arising in future conditional receivables from concurrent or subsequently concluded contracts. This shall also apply where payments are made on specifically designated receivables. If there are indicators justifying the assumption of insolvency on the part of the ordering party, or the threat of such, Kludi shall be entitled to withdraw from the contract without notice, and to demand the surrender of the ROT goods.
- (2) Processing of the ROT goods shall take place on behalf of the ROT goods.
 (2) Processing of the ROT goods shall take place on behalf of Kludi as the manufacturer in the meaning of Article 950 of the German Civil Code (BGB), without obligation for Kludi. The processed goods shall constitute ROT goods in the meaning of Para. 1. Where the ROT goods are processed, aggregated or mixed with other goods by the ordering party, Kludi shall have joint title to the new product in the ratio of the invoice value of the ROT goods to the invoice value of the ordering party hereby already transfers his ownership rights to the new stock or product in the scope of the invoice value of the ROT goods, and holds it in sofekeeping for Kludi free of charge. The joint ownership rights thus arising shall constitute ROT goods in the meaning of Para. 1.
- (3) If the ROT goods are aggregated with real property by the ordering party as an entrepreneur in the meaning of Article 946 of the German Civil Code

(BGB), the ordering party shall also assign to Kludi at the time of aggregation the receivables to which he is entitled as remuneration for this aggregation, together with all auxiliary rights, and without the need for any further separate statement, as security in the sum of the ratio of the ROT goods aggregated to the other goods aggregated, or to the value of his total performance.

- (4) The ordering party shall be entitled to resell, process, aggregate with other goods, or otherwise install the ROT goods only within the framework of ordinary business operations, and provided that he is not in default of payment of the purchase price. Any other utilisation of the ROT goods shall not be permitted. Distraint or other seizure of the ROT goods by third parties shall be reported to Kludi immediately. All intervention costs shall be paid by the ordering party, where they cannot be collected by the third party, and where the third-party action against execution has legitimately been taken. If the ordering party defers payment of the ROT goods under the same conditions as Kludi has retained the title to the ROT goods. The ordering party shall however not be obliged to also retain the title in teltion to the receivables to which he will be entitled from his customer in future. Resale by the ordering party shall otherwise not be authorised.
- (5) The receivables of the ordering party from the resale of the ROT goods are hereby already assigned to Kludi. These shall serve as security in the same manner as the ROT goods. Resale by the ordering party shall only be entitled and authorised where it is ensured that the receivables to which he is entitled as a result are transferred to Kludi.
- (6) If the ROT goods are sold by the ordering party at an overall price together with other goods not supplied by Kludi, the receivables from the sale shall be assigned in the value of the invoice value of the respective ROT goods sold.
- (7) If the receivables are recorded in an ongoing account, the ordering party hereby already assigns to Kludi a proportion of the balance, including the closing balance of the current account, corresponding to these receivables.
- (8) The ordering party shall be authorised to collect the assigned receivables until such authorisation is revoked by Kludi. Kludi shall be entitled to revoke this authorisation if the ordering party fails to fulfil his payment obligations arising from the business relationship in a proper manner, or if circumstances become known that have the potential to significantly reduce the credit rating of the ordering party. Where the conditions are fulfilled for this right of revocation to be exercised, upon request from Kludi the ordering party shall immediately disclose the assigned receivables and the respective debtors, provide all information required for the collection of the receivables, provide Kludi with the associated documents, and notify the debtor of the assignment. The ordering party shall not otherwise be entitled to assign the receivables, and in particular not as a result of the authorisation to collect thus granted.
- (9) If the nominal value (invoice total of the goods or nominal total of the receivables entitlement) exceeds the securities held by Kludi for the secured receivables by a total of more than 10%, upon request from the ordering party Kludi shall be entitled to release securities of its choice.
- (10) If Kludi asserts a retention of title, this shall only constitute withdrawal from the contract where this is explicitly stated by Kludi. The right of the ordering party to own the ROT goods shall lapse if he fails to fulfil his obligations arising from this or another contract.

Article 10 Use of image data, text, videos, and/or other print and digital media

- (1) The use of images, image data, text, videos, and/or other media for which Kludi is entitled to industrial property rights, and in particular copyrights, exploitation rights, and rights of use, shall require the explicit prior approval of Kludi.
- (2) In the event that explicit approval is granted under Para. 1, the following points shall be binding for any use of the images, image data, text, videos, and/or other media for which Kludi is entitled to industrial property rights, and in particular copyrights, exploitation rights, and rights of use, and also during the presentation of products from Kludi on internet pages of the user.
 a) The brand name "Kludi" must not be used in the domain name (URL) of the user. The same shall apply correspondingly to other brands in the Kludi Group, and variations thereon.
 - b) In internet presentations and other media, only such photographs of Kludi products shall be used as are typical for the brand. Photos and silhouettes of the products used in internet presentations or other media shall be of at least the same standard as the official Kludi homepage or the print media used by Kludi. In this respect, Kludi reserves the

right to make further specifications

- c) The Kludi image brand / logo shall only be used in internet presentations and other media with the explicit approval of Kludi. Articles 23 and 24 of the German Trade Marks Act (MarkenG) remain unaffected.
- d) In the event of such approval being granted and the Kludi image brand / logo being used in internet presentations, it shall be linked to the website www.kludi.com.
- e) In the event of such approval being granted and the Kludi image brand / logo being used, only the original logo shall be used. It shall not be permitted for the user to modify the Kludi image brand / logo. The typefaces used on the Kludi homepage or in the print media used by Kludi shall also be used in the internet presentations of the user or in other media of the user, unless Kludi has explicitly approved another design.
- f) The user must be clearly identifiable as the copyright holder of his internet presentation or other media. It must be beyond doubt that the internet presentation or other media is the responsibility of the user and not of Kludi. The Kludi image brand / logo shall therefore be a maximum of 50% of the height of the logo of the user.
- g) Any further private or commercial use, or distribution of image data/files to third parties, shall only be permitted with the explicit prior approval of Kludi.
- (3) The use of the data provided by Kludi shall exclusively be permitted with reference to Kludi using the following format: © KLUDI GmbH & Co. KG, Menden, Germany
- (4) Any editing, modification, manipulation or distortion of the images and texts provided, e.g. rephotographing, graphic falsification, photocomposing, or alteration using electronic means, that exceed the scope of true-to-scale enlargement or reduction shall exclusively be permitted with the explicit approval of Kludi.
- (5) In the event of a violation of the conditions of use described in this Article 10, Kludi retains the right to exclude the user from further use of the image data, and to revoke any approval already granted. All further statutory rights shall be retained.

Article 11 Compensation of damages / exclusion of liability

- (1) Any claims by the ordering party for compensation of damage for whatever legal reason – shall be excluded, subject to alternative provisions of these General Terms and Conditions of Supply. This shall not apply in the event of malicious non-disclosure of defects, in the event of noncompliance with a quality guarantee, in the event of death, injury or damage to health, and/or in the event of intentional or grossly negligent violation of obligations by Kludi, or in the event of a violation of obligations whose fulfilment is essential for the proper performance of the contract, and with which the ordering party is entitled to expect compliance (major contractual obligations / cardinal obligations). Claims under the German Product Liability Act shall also be unaffected by this limitation of liability. This limitation of liability shall apply equally to violations of obligations by the bodies and vicarious agents of Kludi.
- (2) Vis-à-vis entrepreneurs, the claim for compensation of damages arising from violation of major contractual obligations shall, however, be limited to the foreseeable damage typical for the type of contract, in the absence of either intent or gross negligence, and in the absence of liability for death, injury or damage to health.
- (3) The aforementioned limitation of liability shall apply equally to claims for the reimbursement of frustrated expenditure (Article 284 of the German Civil Code (BGB)). The above provision shall not constitute a change of the burden of proof to the disadvantage of the ordering party.

Article 12 Applicable law, jurisdiction, place of fulfilment

- Where the ordering party is a businessperson, the registered office of Kludi shall be the exclusive jurisdiction. Kludi shall however also be entitled to file claims against the ordering party at another statutory jurisdiction.
- (2) The law of the Federal Republic of Germany shall apply, excluding the UN Convention on Contracts for the International Sale of Goods and the standard rules for conflicts of international private law, and in particular the Rome I Regulation.
- (3) Where not otherwise agreed in the order confirmation, the place of fulfilment shall be the registered office of Kludi.
- (4) If individual clauses of these General Terms and Conditions of Sale are or become ineffective, wholly or in part, this shall not affect the effectiveness of the remaining clauses and the remaining parts of such clauses.

Kludi GmbH & Co. KG, As of: January 2015

KLUDI GmbH & Co. KG P.O. Box 25 60 · 58685 Menden Am Vogelsang 31–33 · 58706 Menden Germany

T +49 2373 904-0 info@kludi.com

© 2025 Kludi GmbH & Co. KG, Menden (Germany)

All rights reserved. Subject to technical changes. Reproduction, copying and translations shall only be permitted with our express written approval.

kludi.com Europe